

**TECHNICAL MANUAL**

**GENERAL SUPPORT MAINTENANCE REPAIR PARTS  
AND SPECIAL TOOLS LISTS (INCLUDING DEPOT  
MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS)**

**R.F. SIGNAL GENERATOR SET AN/URM-25F**

**FSN 6625-643-1548**

---

**HEADQUARTERS, DEPARTMENT OF THE ARMY**

**AUGUST 1973**



**GENERAL SUPPORT MAINTENANCE REPAIR PARTS  
AND SPECIAL TOOLS LISTS  
(INCLUDING DEPOT MAINTENANCE REPAIR PARTS  
AND SPECIAL TOOLS)**

**R.F. SIGNAL GENERATOR SET AN/ URM-25F**

**FSN 6625-643-1548**

*Current as of January 1973*

			Paragraph	Page
SECTION	I.	INTRODUCTION		
		Scope .....	1-1	2
		General.....	1-2	2
		Explanation of columns .....	1-3	2
		Special information.....	1-4	4
		Location of repair parts.....	1-5	4
		Abbreviations (Not applicable).....	1-6	4
		Reporting of equipment publication improvements .....	1-7	4
	II.	REPAIR PARTS LIST		
Group	001.	End item accessory group.....		6
	0002.	Generator Signal SG-103/URM-25F .....		6
	0003.	Dummy Load Elec DA-109/URM-25F .....		21
	0004.	Lead Test CX-2919/ U.....		21
SECTION	III.	SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT (Not applicable)		
	IV.	INDEX-FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND ITEM NUMBER .....		24

---

\*This manual supersedes TM 11-6625-603-45P, 11 September 1964, including all changes

SECTION I.

INTRODUCTION

**1-1. Scope**

This manual lists repair parts and special tools required for the performance of general support and depot maintenance of the AN / URM-25F. The PCCN for the AN / URM-25F is GTEACH for all models.

**NOTE**

No parts authorized for stockage at direct support.

**1-2. General**

This repair parts and special tools list is divided into the following sections:

- a. *Repair Parts List-Section II.* A list of repair parts authorized for the performance of maintenance at the general support and depot level. This repair parts list is arranged in alphabetical order.
- b. *Special Tools. Test and Support Equipment-Section III.* Not applicable.
- c. *Index-Federal Stock Number and Reference Number Cross-Reference to Figure and Item Number-Section IV.* A list, in ascending numerical sequence, of all Federal stock numbers appearing in the listings, followed by a list, in alphanumeric sequence, of all reference numbers appearing in the listings. Federal stock number and reference numbers are cross-referenced to each illustration figure and item number or reference designation appearance.

**1-3. Explanation of Columns**

The following provides an explanation of columns found in the tabular list.

a. *Source. Maintenance, and Recoverability Codes (SMR).*

(1) *Source code.* Indicates the manner of acquiring support items for maintenance, repair, or overhaul of end items. Source codes are-

<i>Code</i>	<i>Explanation</i>
PA--	Item procured and stocked for anticipated or known usage.
PB--	Item procured and stocked for insurance purposes because essentiality dictates that a minimum quantity be available in the supply systems.
PC--	Item procured and stocked and which otherwise would be coded PA except that it is deteriorative in nature.
PD--	Support item, excluding support equipment, procured for initial issue or outfitting and stocked

*Code Explanation*

- only for subsequent or additional initial issues or outfittings. Not subject to automatic replenishment.
- PE--Support equipment procured and stocked for initial issue or outfitting to specified maintenance repair activities.
- PF--Support equipment which will not be stocked but which will be centrally procured on demand.
- PG--Item procured and stocked to provide for sustained support for the life of the equipment. It is applied to an item peculiar to the equipment which because of probable discontinuance or shutdown of production facilities would prove uneconomical to reproduce at a later time.
- KD--An item of depot overhaul/ repair kit and not purchased separately. Depot kit defined as a kit that provides items required at the time of overhaul or repair.
- KF--An item of a maintenance kit and not purchased separately. Maintenance kit defined as a kit that provides an item that can be replaced at organizational or direct support or general support levels of maintenance.
- KB--Item included in both a depot overhaul/repair kit and a maintenance kit.
- MO--Item to be manufactured or fabricated at organizational- level.
- MF--Item to be manufactured or fabricated at direct support maintenance level.
- MH--Item to be manufactured or fabricated at general support maintenance level.
- MD--Item to be manufactured or fabricated at depot maintenance level.
- AO--Item to be assembled at organizational level.
- AF--Item to be assembled at direct support maintenance level.
- AH--Item to be assembled at general support maintenance level.
- AD--Item to be assembled at depot maintenance level.
- XA--Item is not procured or stocked because the requirements for the item will result in the replacement of the next higher assembly.
- XB--Item is not procured or stocked. If not available through salvage, requisition.
- XC--Installation drawing, diagram instruction sheet, field service drawing, that is identified by manufacturers' part number.
- XD--Support items can be requisitioned with justification.

**NOTE**

Cannibalization or salvage may be used as a source of supply for any items source coded above except those coded XA and aircraft support items as restricted by AR 700-42.

(2) *Maintenance code.* Maintenance codes are assigned to indicate the levels of maintenance authorized to USE and REPAIR support items. The maintenance codes are entered in the third and fourth positions of the Uniform SMR Code Format as follows-

(a) *Use (third position).* The maintenance code entered in the third position indicates the lowest maintenance level authorized to remove, replace, and use the support item. The maintenance code entered in the third position indicates one of the following levels of maintenance.

<i>Code</i>	<i>Application / Explanation</i>
O--	Support item is removed, replaced, used at the organizational level of maintenance.

**NOTE**

A code "C" may be used in this position to denote crew or operator maintenance performed within organizational maintenance.

F--	Support item is removed, replaced, used at the direct support maintenance level.
H--	Support item is removed, replaced, used at the general support maintenance.
D--	Support items that are removed, replaced, used at depot only.

(b) *Repair (fourth position).* The maintenance code entered in the fourth position indicates whether the item is to be repaired and identifies the lowest maintenance level with the capability to perform complete repair (i.e., all authorized maintenance functions). When a maintenance code is not used a dash ( - ) sign is entered. For multi-service equipment/systems or when a code is entered, this position will contain one of the following maintenance codes as assigned by the service(s) that require the code-

<i>Code</i>	<i>Application / Explanation</i>
O--	The lowest maintenance level capable of complete repair of the support item is the organizational level.
F--	The lowest maintenance level capable of complete repair of the support item is direct support.
H--	The lowest maintenance level capable of complete repair of the support item is general support.

<i>Code</i>	<i>Application / Explanation</i>
D--	The lowest maintenance level capable of complete repair of the support item is the depot level.
L--	Repair restricted to designated Specialized Repair Activity.
Z--	Non-repairable. No repair is authorized.
B--	No repair is authorized. The item may be reconditioned by adjusting, lubricating, etc., at the user level. No parts or special tools are procured for the maintenance of this item.

(3) *Recoverability code.* Recoverability codes are assigned to support items to indicate the disposition action on unserviceable items. The recoverability code is entered in the fifth position of the uniform SMR Code Format as follows-

<i>Code</i>	<i>Explanation</i>
Z--	Nonrepairable item. When unserviceable, condemn and dispose at the level indicated in the first digit of the maintenance code.
O--	Repairable item. When uneconomically repairable, condemn and dispose at organizational level.
F--	Repairable item. When uneconomically repairable, condemn and dispose at the direct support level.
H--	Repairable item. When uneconomically repairable, condemn and dispose at the general support level.
D--	Repairable item. When beyond lower level repair capability, return to depot. Condemnation and disposal not authorized below depot level.
L--	Repairable item. Repair, condemnation, and disposal not authorized below depot / Specialized Repair Activity level.
A--	Item requires special handling or condemnation procedures because of specific reasons (i.e., precious metal content, high dollar value, critical material or hazardous material). <ul style="list-style-type: none"> <li>b. <i>Federal Stock Number.</i> Indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.</li> <li>c. <i>Description.</i> Indicates the Federal item name and a minimum description required to identify the item. The last line indicates the reference number followed by the applicable Federal Supply Code for Manufacturer (FSCM) in parentheses. The FSCM is used as an element in item identification to designate manufacturer or distributor or Government agency, etc., and is identified in SB 708-42.</li> <li>d. <i>Unit of Measure (U/M).</i> Indicates the standard or basic quantity by which the listed item is used in performing the actual maintenance function. This measure is expressed by a two-character alphabetical</li> </ul>

abbreviation; e.g., ea, in, pr, etc., and is the basis used to indicate quantities and allowances in subsequent columns. When the unit of measure differs from the unit of issue, the lowest unit of issue that will satisfy the required units of measure will be requisitioned.

e. *Quantity Incorporated in Unit.* This column indicates the quantity of the item used in the equipment. Subsequent appearances of the same item in the same assembly are indicated by the letters "REF".

f. *30-Day DS/ GS Maintenance Allowances.*

**NOTE**

Allowances in GS column are for GS maintenance only.

(1) The repair parts indicated by asterisk entries in separate allowance columns for GS represent those authorized for use at that category of maintenance to be requisitioned on an "as required" basis, until stockage is based on demand in accordance with AR 710-2.

(2) Allowance quantities are indicated in the special tool lists section for special tools, TMDE, and other support equipment.

g. *1-Year Allowances Per 100 Equipments / Contingency Planning Purposes.* Column intentionally left blank.

h. *Depot Maintenance Allowance Per 100 Equipments.* This column indicates opposite the first appearance of each item the total quantity authorized for depot maintenance of 100 equipments.

i. *Illustration.* This column is divided as follows:

(1) *Figure number.* Indicates the figure number of the illustration on which the item is shown in TM 11-5551E.

(2) *Item number.* Indicates the item number or reference designation used to reference the item in the illustration.

**1-4. Special Information**

a. Usable on codes are included in column 3. Uncoded items are applicable to all models. Identification of the usable on codes used in this publication are-

<i>Code</i>	<i>Used on</i>
AM9	AN / URM-25F

b. The following publications pertain to the AN/URM-25F and its components:

- TM 11-5551E R.F. Signal Generator AN / URM-25F.
- TM 11-6625-603-20P Organizational Maintenance Repair Parts and Special Tools Lists: R.F. Signal Generator AN / URM-25F.

**1-5. Location of Repair Parts**

a. This manual contains one cross-reference index (sec IV) to be used to locate a repair part when either the Federal stock number or reference number (manufacturer's part number) is known. The first column in the index is prepared in numerical or alphanumeric sequence in ascending order. The reference numbers (manufacturer's part numbers) are listed immediately following the last listed Federal Stock number in the index of Federal stock numbers.

b. When the Federal stock number or reference number is known, follow the procedures given in (1) and (2) below.

(1) Refer to the index of Federal stock numbers (sec IV) and locate the Federal stock number or reference number. The FSN and reference number are cross-referenced to the applicable figure and item number or reference designation.

(2) Refer to the repair parts list (sec II) and locate the figure number (col 10a) and item number or reference designation (col 10b) as noted in the FSN index.

c. When the figure and item number or reference designation are known, scrutinize columns 10a and 10b of the repair parts list (sec II) until the item is located.

d. When the FSN, reference number, figure number, item number and reference designation are not known, scrutinize column 3 of the repair parts list (sec II), which is arranged in alphabetical order.

**1-6. Abbreviations**

Not applicable.

**1-7. Reporting of Equipment Publication Improvements**

The reporting of errors, omissions, and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications) and forwarded direct to Commander, US Army Electronics Command, ATTN: AMSEL-MA-CRA, Fort Monmouth, N.J., 07703.

**(Next printed page is 6)**

SECTION II.

TM-6625-603-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30 DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCV	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO/
PAHZZ	6145-542-6092	GROUP 0001 END ITEM ACCESSORY GROUP CABLE, RADIO FREQUENCY NO-REF-DESIG 11 FT P/O W102, W103, W104, CX-2919/U (AUTH ALLOW WILL BE A MIN OF OR A MULT OF 4FT 2 IN) (AUTH ALLOW BASED ON TOT OF 11 FT PER EQUIP)		EA	1				*	*	*		10	1-1	
PAOZZ	5935-201-3090	RG58AU (81349) CONNECTOR, ADAPTER      P701 .....		EA	1				*	*	*		3	1-1	P701
PAHZZ	5935-149-4066	CONNECTOR, PLUG, ELECTRICAL      P105 P/O .....		EA	6				*	*	*		3		P105
PAHZZ	5935-149-4066	W102, W103, W104 UG88U (80044) CONNECTOR, PLUG ELECTRICAL P106 P/O .....		EA	REF				*	*	*				P106
PAHZZ	5935-149-4066	W102, W103, W104 UG88U (80044) CONNECTOR, PLUG, ELECTRICAL P107 P/O .....		EA	REF				*	*	*				P107
PAHZZ	5935-149-4066	W102, W103, W104 UG88U (80044) CONNECTOR, PLUG, ELECTRICAL P108 P/O .....		EA	REF				*	*	*				P108
PAHZZ	5935-149-4066	W102, W103, W104 UG88U (80044) CONNECTOR, PLUG. ELECTRICAL P109 P/O .....		EA	REF				*	*	*				P109
PAHZZ	5935-149-4066	W102, W103, W104 UG88U ( 80044) CONNECTOR, PLUG, ELECTRICAL P110 P/O .....		EA	REF				*	*	*				P110
PAOZZ	5920-244-5150	GROUP 0002 GENERATOR SIGNAL SG-103/URM-25F CAP, ELECTRICAL NO-REF-DESIG .....		EA	2				*	*	*		3		
PAHZZ	5910-100-5767	F/FUSEHOLDER 9435-1-2 (10133) CAPACITOR, FIXED, CERAMIC DIELECTRIC C107 .....		EA	2				*	*	*		3	7-14	C107
PAHZZ	5913-100-5767	2 UUF PORM. 25 UUF, 500 VDCW CC20SK020C (81349) CAPACITOR, FIXED, CERAMIC DIELECTRIC C116 .....		EA	REF				*	*	*			7-9	C116
PAHZZ	5910-726-5242	2 UUF PORM .25 UUF, 500 VDCW CC20SKO20C (81349) CAPACITOR, FIXED, CERAMIC DIELECTRIC C159 .....		EA	1				*	*	*		3	7-14	C159
PAHZZ	5910-101-0507	P/O Z105 7 UUF PORMO.5 UUF, 500 VDCW CC20UJO70D (81349) CAPACITOR, FIXED, CERAMIC DIELECTRIC C165 .....		EA	1				*	*	*		3	7-14	C165
PAHZZ	5910-112-8240	P/O Z107 10 UUF PORMO.5 UUF, 500 VDCW CC20UJ100D (81349) CAPACITOR, FIXED, CERAMIC DIELECTRIC C153 .....		EA	4				*	*	*		3	7-14	C153
PAHZZ	5910-112-8240	P/O Z103 15 UUF PORM5% 500 VDCW CC20UJ150J (81349) CAPACITOR, FIXED, CERAMIC DIELECTRIC C168 .....		EA	REF				*	*	*			7-14	C168
PAHZZ	5910-112-8240	P/O Z108 15 UUF PORM5%, 500 VDCW CC20UJ150J (81349) CAPACITOR, FIXED, CERAMIC DIELECTRIC C162 .....		EA	REF				*	*	*			7-14	C162
PAHZZ	5910-112-8240	P/O Z106 15 UUF PORM5% 500 VDCW CC20UJ150J (81349)		EA	REF				*	*	*			7-14	C162

SECTION II

TM-6625-603-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30 DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO/
PAHZZ	5910-112-8240	CAPACITOR, FIXED, CERAMIC DIELECTRIC C171 P/O Z109 15 UUF PORM5% 500 VDCW CC20UJ150J (81349)		EA	REF				*	*	*			7-14	C171
PAHZZ	5910-667-6190	CAPACITOR, FIXED CERAMIC DIELECTRIC C119 15 UUF PORM5%, 500 VDCW CC20SJ150J (81349)		EA	1				*	*	*		3	7-9	C119
PAHZZ	5910-537-520A	CAPACITOR, FIXED, CERAMIC DIELECTRIC C153 P/O Z102 22 UUF PORM5% VDCW CC20UJ220J (81349)		EA	1				*	*	*		3	7-14	C150
PAHZZ	5910-577-1053	CAPACITOR, FIXED CERAMIC DIELECTRIC C108 22 UUF PORM5% 500 VDCW CC29SJ220J (81349)		EA	1				*	*	*		3	7-9	C108
PAHZZ	5910-842-2679	CAPACITOR, FIXED, CERAMIC DIELECTRIC C156 P/O Z104 33 UUF PORM5% 500 VDCW CC20UJ330J (81349)		EA	1				*	*	*		3	7-14	C156
PAHZZ	5910-192-2110	CAPACITOR, FIXED CERAMIC DIELECTRIC C147 P/O Z101 47 UUF PORM5% 500 VDCW CC20UJ470J (81349)		EA	1				*	*	*		3	7-14	C147
PAHZZ	5910-578-8825	CAPACITOR, FIXED, CERAMIC DIELECTRIC C123 360 UUF PORM5%, 500 VDCW CC36UJ361J (81349)		EA	2				*	*	*		3	7-8	C123
PAHZZ	5910-578-8825	CAPACITOR, FIXED, CERAMIC DIELECTRIC C124 360 UUF PORM5%, 500 VDCW CC36UJ361J (81349)		EA	REF				*	*	*			7-8	C124
PAHZZ	5910-666-7688	CAPACITOR, FIXED CERAMIC DIELECTRIC C137 1500 UUF PORM5% 500 VDCW 3/4 IN LG X 5/16 IN DIA 327 (72982)		EA	1				*	*	*		3	7-14	C137
PAHZZ	5910-822-5684	CAPACITOR, FIXED, CERAMIC DIELECTRIC C138 3,300 UUF P100% M20% 500 VDCW CK63Y332Z (81349)		EA	1				*	*	*		3	7-8	C138
PAHZZ	5910-665-0254	CAPACITOR, FIXED, CERAMIC DIELECTRIC C127 6 000 UUF PORM20% 500 VDCW 3/4 IN LG X 5/16 IN DIA 357 (72982)		EA	2				*	*	*		3	7-14	C127
PAHZZ	5910-665-0254	CAPACITOR, FIXED CERAMIC DIELECTRIC C143 6,000 UUF PORM20% 500 VDCW 3/4 IN LG X 5/16 IN Dia 357 (72982)		EA	REF				*	*	*			7-14	C143
PAHZZ	5910-280-7401	CAPACITOR, FIXED CERAMIC DIELECTRIC C103 10,000 UUF PORM20% 500 VDCW CK63Y103Z (81349)		EA	9				*	*	*		3	7-6	C103
PAHZZ	5910-280-7401	CAPACITOR, FIXED CERAMIC DIELECTRIC C105 10,000 UUF PORM20% 500 VDCW CK 63Y103Z (81349)		EA	REF				*	*	*			7-14	C105
PAHZZ	5911-280-7401	CAPACITOR, FIXED, CERAMIC DIELECTRIC C106 10,000 UUF PORM20%, 500 VDCW CK 63Y103Z (81349)		EA	REF				*	*	*			7-6	C106
PAHZZ	5910-280-7401	CAPACITOR, FIXED, CERAMIC DIELECTRIC C110 10,000 UUF PORM20%, 500 VDCW CK63Y103Z (81349)		EA	REF				*	*	*			7-14	C110
PAHZZ	5910-280-7401	CAPACITOR, FIXED, CERAMIC DIELECTRIC C111 CONTINUED		EA	REF				*	*	*			7-9	C111

SECTION II

TM-6625-603-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30 DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO/
		CONTINUED													
PAHZZ	5910-200-7401	10,000 UUF ORIN 20% 500 VDCW CK63Y103Z (81349) CAPACITOR, FIXED, CERAMIC DIELECTRIC	C113 .....	EA	REF				*	*	*			7-14	C113
PAHZZ	5910-280-7401	10,000 UUF PORM20% 500 VDCW CK63Y103Z (81349) CAPACITOR, FIXED CERAMIC DIELECTRIC	C115 .....	EA	REF				*	*	*			7-9	C115
PAHZZ	5910-280-7401	10,000 UUF PORM20% 500 VDCW CK63Y103Z (81349) CAPACITOR, FIXED CERAMIC DIELECTRIC	C120 .....	EA	REF				*	*	*			7-9	C120
PAHZZ	5910-150-4237	10,000 UUF PORM20% 500 VDCW CK63Y103Z (81349) CAPACITOR, FIXED ELECTROLYTIC C114	C120 .....	EA	1				*	*	*		3	7-9	C114
PAHZZ	5910-229-9567	UUF, 25 VDCW CE31E121F (81349) CAPACITOR, MICA DIELECTRIC C160	P/U .....	EA	2				*	*	*		3	7-14	C160
PAHZZ	5910-229-9567	Z105 100 UUF PORM5% 500 VDCW CM20D101J (81349) CAPACITOR, MICA DIELECTRIC C169	P/O .....	EA	REF				*	*	*		*	7-14	C169
PAHZZ	5910-191-9640	Z108 100 UUF PORM5% 500 VDCW CM202101J (811349) CAPACITOR, FIXED, MICA DIELECTRIC	C166 .....	EA	2				*	*	*		3	7-14	C166
PAHZZ	5910-191-9640	P/O Z107 220 UUF PORM5%, 500 VDCW CN20D221J (81349) CAPACITOR, FIXED, MICA DIELECTRIC	C172 .....	EA	REF				*	*	*			7-14	C172
PAHZZ	5910-101-5624	P/O Z109 220 UUF PORM5%, 500 VDCW CM20D221J (81349) CAPACITOR, FIXED, MICA DIELECTRIC	C112 .....	EA	3				*	*	*		3	7-9	C112
PAHZZ	5910-101-5624	220 UUF PORM10%, 500 VDCW CN20B221K (81349) CAPACITOR, FIXED, MICA DIELECTRIC	C128 .....	EA	REF				*	*	*			7-14	C128
PAHZZ	5910-101-5624	220 UUF PORM10%, 500 VDCW CH20B221K (81349) CAPACITOR, FIXED, MICA DIELECTRIC	C129 .....	EA	REF				*	*	*			7-14	C129
PAHZZ	5910-899-2538	220 UUF PORM10%, 500 VDCW CM20B221K (81349) CAPACITOR, FIXED, MICA DIELECTRIC	C157 .....	EA	2				*	*	*		3	7-14	C157
PAHZZ	5910-899-2538	P/O Z104 270 UUF PORM5%, 500 VDCW CM20D271J (81349) CAPACITOR, FIXED, MICA DIELECTRIC	C163 .....	EA	REF				*	*	*			7-14	C163
PAHZZ	5910-101-4909	P/O Z106 270 UUF PORM5% 500 VDCW CM20D271J (81349) CAPACITOR, FIXED, MICA DIELECTRIC	C154 .....	EA	1				*	*	*		3	7-14	C154
PAHZZ	5910-762-2945	P/O Z103 390 UUF PORM5%, 500 VDCW CM20D391J (81349) CAPACITOR, FIXED, MICA DIELECTRIC	C109 .....	EA	3				*	*	*		3	7-14	C109
PAHZZ	5910-762-2945	470 UUF PORM5%, 500 VDCW CM20D471J (81349) CAPACITOR, FIXED, MICA DIELECTRIC	C148 .....	EA	REF				*	*	*			7-14	C148
PAHZZ	5910-762-2945	P/O Z101 470 UUF PORM5%, 500 VDCW CN20D471J (81349) CAPACITOR, FIXED, MICA DIELECTRIC	C151 .....	EA	REF				*	*	*			7-14	C151



SECTION II

TM-6625-603-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30 DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO/
CONTINUED															
PAHZZ	5910-762-2945	470 UUF PORM5% 500 VDCW CM20D471J (91349) CAPACITOR, FIXED, MICA DIELECTRIC	C117 .....	EA	1				*	*	*		3	7-9	C117
PAHZZ	5910-101-4015	470 UUF PORM10%, 500 VDCW CM20B471K (81349) CAPACITOR, FIXED, MICA DIELECTRIC	C130 .....	EA	2				*	*	*		3	7-10	C130
PAHZZ	5910-101-4015	1000 UUF PORM2%, 500 VDCW CM30D102G (81349) CAPACITOR, FIXED, MICA DIELECTRIC	C131 .....	EA	REF				*	*	*			7-10	C131
PAHZZ	5910-101-3847	1000 UUF PORM2%, 500-VDCW CN30D102G (81349) CAPACITOR, FIXED, MICA DIELECTRIC	C104 .....	EA	1				*	*	*		3	7-7	C104
PAHZZ	5910-665-0343	4700 UUF PORM10% 500 VDCW CM35B472K (81349) CAPACITOR, FIXED, PAPER DIELECTRIC	C139 .....	EA	2				*	*	*		3	7-10	C139
PAHZZ	5910-665-0343	10000 UUF PORM20%, 100 VDCW CP09A21B103M (81349) CAPACITOR, FIXED, PAPER DIELECTRIC	C141 .....	EA	REF				*	*	*			7-10	C141
PAHZZ	5910-840-6672	10000 UUF PORM20%, 100 VDCW CP09A1EB103M (81349) CAPACITOR, FIXED PAPER DIELECTRIC	C133 .....	EA	1				*	*	*		3	7-10	C133
PAHZZ	5910-112-7649	I0000 UUF PORM20%, 600 VDCW CP26A1EF103M (81349) CAPACITOR, FIXED PAPER DIELECTRIC	C121 .....	EA	1				*	*	*		3	7-9	C121
PAHZZ	5910-840-5789	20000 UUF PORM20%, 100 VDCW CP16A1HB203M (81349) CAPACITOR, FIXED, PAPER DIELECTRIC	C118 .....	EA	1				*	*	*		3	7-9	C118
PAHZZ	5910-112-7620	47000 UUF PORM20%, 400 VDCW 1-1/16 IN LG X 0.40 IN DIA XGS2268-20 (72928) CAPACITOR, FIXED PAPER DIELECTRIC	C132 .....	EA	3				*	*	*		3	7-10	C132
PAHZZ	5910-112-7620	50,000 UUF PORM20%, 600 VDCW CP26A1EF503M (81349) CAPACITOR, FIXED PAPER DIELECTRIC	C134 .....	EA	REF				*	*	*			7-10	C134
PAHZZ	5910-112-7620	50,000 UUF PORM20%, 600 VDCW CP26A1EF503M (81349) CAPACITOR, FIXED, PAPER DIELECTRIC	C136 .....	EA	REF				*	*	*			7-10	C136
PAHZZ	5910-667-5035	50,000 UUF PORM20%. 600 VDCW CP26A1EF503M (81349) CAPACITOR, FIXED PAPER DIELECTRIC	C125 .....	EA	2				*	*	*		3	7-7	C125
PAHZZ	5910-667-5035	100000 UUF 400 VDCW 1-13/16 IN LG X 11/16 IN DIA 80P1 (33954) CAPACITOR, FIXED, PAPER DIELECTRIC	C126 .....	EA	REF				*	*	*			7-8	C126
PAHZZ	5910-112-7643	100000 UUF, 400 VDCW 1-13/16 IN LG X 11/16 IN DIA 80P1 (33954) CAPACITOR FIXED, PAPER DIELECTRIC	C142 .....	EA	1				*	*	*		3	7-10	C142
PAHZZ	5913-164-7507	100,000 UUF PORM20%, 600 VDCW CP26A1EF102M (81349) CAPACITOR, FIXED, PAPER DIELECTRIC	C135 .....	EA	1				*	*	*		3	7-6	C135

CONTINUED

SECTION II

TM-6625-603-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30 DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO/
CONTINUED															
PAHZZ	5910-126-1613	CP70E1EF805V (81349) CAPACITOR, VARIABLE, CERAMIC DIELECTRIC C158 P/O Z105 3 TO 13 UUF, 500 VDCW CV11B130 (81349)	.....	EA	5				*	*	*		2	7-14	C158
PAHZZ	5910-126-1613	CAPACITOR, VARIABLE CERAMIC DIELECTRIC C161- P/O Z106 3 TO 13 UUF, 500 VDCW CV11B130 (813491)	.....	EA	REF				*	*	*			7-14	C161
PAHZZ	5910-126-1613	CAPACITOR, VARIABLE, CERAMIC DIELECTRIC C164 P/O Z107 3 TO 13 UUF, 500 VDCW CV11B130 (81349)	.....	EA	REF				*	*	*			7-14	C164
PAHZZ	5910-126-1613	CAPACITOR, VARIABLE, CERAMIC DIELECTRIC C167 P/O Z108 3 TO 13 UUF, 500 VDCW CV11B130 (81349)	.....	EA	REF				*	*	*			7-14	C167
PAHZZ	5910-126-1613	CAPACITOR, VARIABLE, CERAMIC DIELECTRIC C170 P/O Z109 3 10 13 UUF, 500 VDCW CV11B130 (81349)	.....	EA	REF				*	*	*			7-14	C170
PAHZZ	5910-636-4271	CAPACITOR, VARIABLE, CERAMIC DIELECTRIC C146 P/O Z101 4 TO 30 UUF, 500 VDCW CV11C300 (81349)	.....	EA	4				*	*	*		2	7-14	C146
PAHZZ	5910-636-4271	CAPACITOR, VARIABLE, CERAMIC DIELECTRIC C149 P/O Z102 4 TO 30 UUF, 500 VDCW CV11C300 (81349)	.....	EA	REF				*	*	*			7-14	C149
PAHZZ	5910-636-4271	CAPACITOR, VARIABLE, CERAMIC DIELECTRIC C152 P/O Z103 4 TO 30 UUF, 500 VDCW CV11C300 (81349)	.....	EA	REF				*	*	*			7-14	C152
PAHZZ	5910-636-4271	CAPACITOR, VARIABLE, CERAMIC DIELECTRIC C155 P/O Z104 4 TO 30 UUF, 500 VDCW CV11C300 (81349)	.....	EA	REF				*	*	*			7-14	C155
PAHZZ	5910-578-1623	CAPACITOR, VARIABLE, CERAMIC DIELECTRIC C140 7 TO 45 UUF, 500 VDCW CV11C450 (81349)	.....	EA	1				*	*	*		2	7-9	C140
PAHZZ	5960-523-7101	CLAMP ELECTRICAL E133 STEEL, CAD PL, SCREW TYPE I IN LG X 13/16 IN 1 X 7/16 IN H	.....	EA	1				*	*	*		3		E133
PAHZZ	5953-645-0350	162A416 (92428) COIL, RADIO FREQUENCY L101 CHOKE 15 MA FOR USE ABOVE 250 KC 1 IN LG X 7/16 IN DIA	.....	EA	2				*	*	*		3	7-6	L101
PAHZZ	5950-645-0350	162B111 (92428) COIL, RADIO FREQUENCY L110 CHOKE 15 MA FOR USE ABOVE 250 KC 1 IN LG X 7/16 IN DIA	.....	EA	REF				*	*	*			7-6	L110
PAHZZ	5953-645-0388	162B111 (92428) COIL, RADIO FREQUENCY L102 CHOKE, 15 MA FOR USE ABOVE 7.9 MC 1 IN LG X 1/4 IN DIA	.....	EA	1				*	*	*		3	7-6	L102
PAHZZ	5950-645-7127	162B116 (92428) COIL, RADIO FREQUENCY L103 CHOKE 15 MA FOR USE ABOVE 7.9 MC 1/2 IN LG X 1/8 IN DIA	.....	EA	4				*	*	*		3	7-9	L103
		162A391 (92428)													

## SECTION II

TM-6625-603-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30 DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCT	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO/
PAHZZ	5950-645-7127	COIL, RADIO FREQUENCY L104 CHOKE 15 MA FOR USE ABOVE 7.9 MC 1/2 IN LG X 1/8 IN DIA 162A391 (92428)	.....	EA	RFF				*	*	*			7-14	L104
PAHZZ	5950-645-7127	COIL, RADIO FREQUENCY L116 CHOKE 15 MA FOR USE ABOVE 7.9 MC 1/2 IN LG X 1/8 IN DIA 162A391 (92428)	.....	EA	REF				*	*	*			7-9	106
PAHZZ	5950-645-7127	COIL, RADIO FREQUENCY L109 CHOKE 15 MA FOR USE ABOVE 7.9 MC 1/2 IN LG X 1/8 IN DIA 162A391 (92428)	.....	EA	REF				*	*	*			7-10	L109
PAHZZ	5953-645-7126	COIL, RADIO FREQUENCY L105 CHOKE 15 MA FOR USE ABOVE 7.9 MC 1/2 IN LG X 1/8 IN DIA 162A392 (92428)	.....	EA	1				*	*	*		3	7-9	L105
PAHZZ	5950-645-0189	COIL, RADIO FREQUENCY L107 CHOKE 15 MA USE ABOVE 7.9 KC 1-7/8 IN LG X 5/3 IN DIA 162B109 (92489)	.....	EA	1				*	*	*		3	7-9	L105
PAHZZ	5950-645-0387	COIL, RADIO FREQUENCY L108 CHOKE 15, MA FOR USE ABOVE 250 KC 1-7/8 IN LG X 1/2 IN DIA 162B107 (92428)	.....	EA	1				*	*	*		3	7-9	L108
PAHZZ	5935-642-5384	CONNECTOR PLUG, ELECTRICAL P103 J601. 10 FLAT FEMALE CONT STRAIGHT 1-15/32 IN LG X 1-7/32 IN X 11/64 IN D F1102XCHR (91622)	.....	EA	1				*	*	*		3	7-14	P103
PAHZZ	5935-533-6168	CONNECTOR, RECEPTACLE, ELECTRICAL J101 1 RD FEMALE CONT STRAIGHT 1-13/16 IN LG X 11/16 IN DIA 162C361 (92428)	.....	EA	1				*	*	*		3	4-1	J101
PAHZZ	5935-665-5718	CONNECTOR, RECEPTACLE ELECTRICAL J102. 1 RD FEMALE CONT STRAIGHT (AUTHORIZED ALLOWANCES BASED ON A TOTAL OF 8 PER EQUIP) UG1094U (80044)	.....	EA	1				*	*	*		3	4-1	J102
PAHZZ	6625-545-7944	CONTACT, ELECTRICAL E118 PHOSPHOR BRONZE, SILVER PL 21/32 IN LG X 5/32 IN 4 X 15/32 IN H 31B035 (78497)	.....	EA	2				*	*	*		3		E118
PAHZZ	6625-545-7944	CONTACT, ELECTRICAL E119 PHOSPHOR BRONZE SILVER PL 21/32 IN LG X 5/32 IN 4 X 15/32 IN H 31B035 (78497)	.....	EA	REF				*	*	*				E119
PAHZZ	5999-310-4760	CONTACT, ELECTRICAL E127 P/O ATTENUATOR 2 CONT POINTS 1-5/16 IN LG X 5/16 IN W X 1/8 IN 162A282 (92428)	.....	EA	1				*	*	*		3	7-4	F127
PAHZZ	5999-310-4760	CONTACT, ELECTRICAL E128 P/O ATTENUATOR 2 CONT POINTS 1-5/16 IN LG X 5/16 IN W X 1/8 IN 1624282 (92428)	.....	EA	2				*	*	*		3	7-4	F128

SECTION II

TM-6625-603-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30 DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO/
PAHZZ	5999-310-4760	CONTACT, ELECTRICAL E129 P/O ATTENUATOR 2 CONT POINTS 5/16 IN H X 1/8 IN 162A282 (92428)      -5/16 IN LG X		EA	REF				*	*	*			7-4	E129
PAHZZ	6625-310-4766	CONTACT ASSEMBLY, ELECTRICAL E17 6 COPPER SILVER PL CONT 2-1/8 IN LG X 1 IN W X 5/32 IN H 1626354 (92428)		EA	1				*	*	*		2		E117
PAHZZ	6625-502-1359	CONTACT ASSEMBLY, ELECTRICAL E131 6 COPPER, SILVER PL CONT 2-5/8 IN LG X 17/32 IN DIA 162B228 (92428)		EA	1				*	*	*		2	7-4	E131
PAHZZ	6625-302-4994	CONTACT RING E132 COPPER 2-3/4 IN DIA. X 1/8 IN THK 1625029 (92428)		EA	1				*	*	*		3		E132
PAHZZ	3010-974-9809	COUPLING, SHAFT FLEXIBLE 0117 PHOSPHOR. BRONZE, HP NOT RATED, 1-1/16 IN OD 1/2 IN LG FOR 1/4 IN DIA SHAFTS 162A359 (92428)		EA	1				*	*	*		3		0117
PAHHD	5955-951-8937	CRYSTAL UNIT, QUARTZ Y101 I MC CR18U (81350)		EA	1				*	*	*		2	7-7	Y101
PAHZZ	5355-538-6542	DIAL CONTROL E107 KNOB 0 TO 100 GRADUATED IN INCREMENTS OF 10 360 DEG 1 IN H X 1-3/4 IN DIA 162B258 (92428)		EA	1				*	*	*		3	4-1	E107
PAHZZ	5355-310-4765	DIAL INDEX 0105 FIXED LINE TYPE ILLUMINATED 6-3/4 IN LG X 3-7/16 IN W X 1/16 IN THK 162B258 (92428)		EA	1				*	*	*		3		0105
PAHZZ	6625-310-4762	DIAL SCALE 0102 10 KC TO 50 MC 9 BANDS LOGARITHMICALLY 6-5/8 IN DIA X 3/32 IN THK 162B205 (92428)		EA	1				*	*	*		3	4-1	0102
PAHZZ	5960-188-8565	ELECTRON TUBE V103 6AG7 (81350)		EA	1				*	*	*		100	7-8	V103
PAHZZ	5960-166-7667	ELECTRON TUBE V101 NOTE V101, V102, V104 AND V105 SHOULD BE REPLACED BY GENERAL SUPPORT PERSONNEL ONLY 6AH6 (81350)		EA	5				*	*	*		100	7-6	V101
PAHZZ	5960-166-7667	ELECTRON TUBE V102 NOTE V101, V102, V104 AND V105 SHOULD BE REPLACED BY GENERAL SUPPORT PERSONNEL ONLY 6AH6 (81350)		EA	REF				*	*	*			7-8	V102
PAHZZ	5960-166-7667	ELECTRON TUBE V104 NOTE V101, V102, V104 AND V105 SHOULD BE REPLACED BY GENERAL SUPPORT PERSONNEL ONLY 6AH6 (81350)		EA	REF				*	*	*			7-7	V104
PAHZZ	5960-166-7667	ELECTRON TUBE V105 NOTE V101, V102, V104 AND V105 SHOULD BE REPLACED BY GENERAL SUPPORT PERSONNEL ONLY 6AH6 (81350)		EA	REF				*	*	*			7-7	V105
PAHZZ	5960-166-7667	ELECTRON TUBE V106 NOTE V101, V102, CONTINUED		EA	REF				*	*	*			1-7	V106

SECTION II

TM-6625-603-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30 DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)	
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO/	
		CONTINUED														
PACZZ	5923-050-4953	V104 AND V105 SHOULD BE REPLACED BY GENERAL SUPPORT PERSONNEL ONLY 6AH6 (81350) FUSE, CARTRIDGE F101 1.5 AMP 250V		EA	2				*	*	*		50	4-1	F101	
PACZZ	5923-050-4953	FO2G1R50A (81350) FUSE, CARTRIDGE F102 1.5 AMP. 250V		EA	REF				*	*	*			4-1	F102	
PAHZZ	5923-285-0755	FO2G1R50A (81350) FUSEHOLDER XF101 EXTRACTOR POST TYPE		EA	2					*	*	*		3		
PAHZZ	5923-285-0755	2-1/8 IN LG X 1/16 IN DIA HKP (10133) FUSEHOLDER XF102 EXTRACTOR POST TYPE		EA	REF				*	*	*					
PAHZZ	5935-283-1269	2-1/8 IN LG X 116 IN DIA HKP (10133) JACK, TELEPHONE J104		EA	1				*	*	*		3	7-8	J104	
PACZZ	5355-698-0507	JJ03Y (81350) KNOB E101 BAR TYPE FOR 1/4 IN DIA		EA	5				*	*	*		3	4-1	E101	
PACZZ	5355-698-0507	SHAFT 1-1/8 IN LG X 3/4 IN W X 5/8 IN THK K105 (92825) KNOB E102 BAR TYPE FOR 1/4 IN DIA		EA	REF				*	*	*			4-1	E102	
PACZZ	5355-698-0507	SHAFT 1-1/8 IN LG X 3/4 IN W X 5/8 IN THK K105 (92825) KNOB E103 BAR TYPE FOR 1/4 IN DIA		EA	REF				*	*	*			4-1	E103	
PACZZ	5355-698-0507	SHAFT 1-1/8 IN LG X 3/4 IN W X 5/8 IN THK K105 (92825) KNOB E104 BAR TYPE FOR 1/4 IN DIA		EA	REF				*	*	*			4-1	E104	
PACZZ	5355-698-0507	SHAFT 1-1/8 IN LG X 3/4 IN W X 5/8 IN THK K105 (92825) KNOB E105 BAR TYPE FOR 1/4 IN DIA		EA	REF				*	*	*			4-1	F105	
PACZZ	5355-698-0479	SHAFT 1-1/8 IN LG X 3/4 IN W X 5/8 IN THK K105 (92825) KNOB E106 BAR TYPE FOR 1/2 IN DIA		EA	1				*	*	*		3	4-1	E106	
PACZZ	6240-011-5273	SHAFT 2-1/4 IN LG X 1-1/2 IN W X 1 IN H 162B212 (92428) LAMP, INCANDESCENT 1101 6-8V MINATURE.		EA	3				*	*	*		50	7-14	1101	
PACZZ	6240-011-5273	BAYONET BASE 51 (08108) LAMP, INCANDESCENT 1102 6-8V MINATURE.		EA	REF				*	*	*			7-14	1102	
PACZZ	6240-011-5273	BAYONET BASE 51 (08108) LAMP, INCANDESCENT 1103 6-8V MINATURE.		EA	REF				*	*	*			7-7	1103	
PAHZZ	6250-299-5130	BAYONET BASE 51 (08108) LAMPHOLDER X1101 SS FRAME ACCOM MIN		EA	1				*	*	*		5			
PAHZZ	6250-299-5129	BAY, BASE LAMPS 1-15/16 IN LG X 1/2 IN W 162B130 (92428) LAMPHOLDER X1102 SS FRAME ACCOM MIN		EA	1				*	*	*		5			
PAHZZ	6210-247-1778	BAY, BASE LAMPS 1 15/16 IN LG X 1/2 IN W 162B202 (92428) LENS, INDICATOR LIGHT NO-REF-DESIG		EA	1				*	*	*		5			
		POWER ON RED SMOOTH SCREW MTD LENS HOLDER UWX1103 (08108)														

SECTION II

TM-6625-603-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30 DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCT	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO/
PAHZZ	6210-166-8017	LIGHT, INDICATOR X1103 RED LENS ACCOM. BAY BASE LAMP STEEL FRAME 2-1/16 IN LG X 15/16 IN DIA	.....	EA	1				*	*	*		5	7-6	
PAHZZ	6625-510-1819	50WREDJEWEL (70490) MULTINETER M101 1 TO 10 MV IN STEPS 5. TO 50% MODULATION IN 1 STEP 2% ACCURACY 2.695 IN DIA X 2.74 IN D	.....	EA	1				*	*	*		3	7-8	M101
PAHZZ	5330-860-1767	PACKING, PREFORMED 0112 NEOPRENE APPROX 1/4 IN ND X 1/2 IN H X 46 IN LG 162B011 (92428)	.....	EA	1				*	*	*		2		0112
PAHZZ	6625-503-0681	RADIO FREQUENCY TUNER SUBASSEMBLY E108 7 BRASS SILVER PL CONT 2-5/8 IN X 2-1/8 IN W X 7/8 IN H 162D0471 (92428)	.....	EA	8				*	*	*				E108
PAHZZ	6625-503-0681	RADIO FREQUENCY TUNER SUBASSEMBLY E109 7 BRASS SILVER PL CONT 2-5/8 IN X 2-1/8 IN W X 7/8 IN H 162D047 (92428)	.....	EA	REF				*	*	*				E109
PAHZZ	6625-503-0681	RADIO FREQUENCY TUNER SUBASSEMBLY E111 7 BRASS SILVER PL CONT 2-5/8 IN X 2-1/8 IN W X 7/8 IN H 162D047 (92428)	.....	EA	REF				*	*	*				E111
PAHZZ	6625-503-0681	RADIO FREQUENCY TUNER SUBASSEMBLY E112 7 BRASS SILVER PL CONT 2-5/8 IN X 2-1/8 IN W X 7/8 IN H 162D047 (92428)	.....	EA	REF				*	*	*				E112
PAHZZ	6625-503-06B1	RADIO FREQUENCY TUNER SUBASSEMBLY E113 7 BRASS SILVER PL CONT 2-5/8 IN X 2-1/8 IN W X 7/8 IN H 162D047 (92428)	.....	EA	REF				*	*	*				E113
PAHZZ	6625-503-0681	RADIO FREQUENCY TUNER SUBASSEMBLY E114 7 BRASS SILVER PL CONT 2-5/8 IN X 2-1/8 IN W X 7/8 IN H 162D047 (92428)	.....	EA	REF				*	*	*				E114
PAHZZ	6625-503-0681	RADIO FREQUENCY TUNER SUBASSEMBLY E115 7 BRASS SILVER PL CONT 2-5/8 IN X 2-1/8 IN W X 7/8 IN H 162D047 (92428)	.....	EA	REF				*	*	*				E115
PAHZZ	6625-503-0681	RADIO FREQUENCY TUNER SUBASSEMBLY E116 7 BRASS SILVER PL CONT 2-5/8 IN X 2-1/8 IN W X 7/8 IN H 162D047 (92428)	.....	EA	REF				*	*	*				E116
PAHZZ	6625-503-0681	RADIO FREQUENCY TUNER SUBASSEMBLY E110 7 BRASS SILVER PL CONT 2-5/8 IN X 2-1/8 IN W X 7/8 IN H 162D047 (92428)	.....	EA	1				*	*	*		3	4-1	E110
PAHZZ	5905-279-1738	RESISTOR, FIXED, COMPOSITION R134 22 OHM PORM10% 1W RC32GF220K (81349)	.....	EA	1				*	*	*		3	7-7	R134
PAHZZ	5905-190-8889	RESISTOR, FIXED, COMPOSITION R106 100 OHM PORM10% 1/2W RC20GF101K (81349)	.....	EA	3			*	*	*		3	7-9	R106	

SECTION II

TM-6625-603-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30 DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO/
PAHZZ	5905-190-8889	RESISTOR, FIXED, COMPOSITION R114 100 OHM PORM10% 1/2W RC20GF101K (81349)	.....	EA	REF				*	*	*			7-9	R114
PAHZZ	5905-190-8889	RESISTOR, FIXED, COMPOSITION R117 100 OHM PORM10% 1/2W RC20GF101K (81349)	.....	EA	REF				*	*	*			7-14	R117
PAHZZ	5905-279-1756	RESISTOR, FIXED, COMPOSITION R108 150 OHM PORM10% 1/2W RC20GF101K (81349)	.....	EA	1				*	*	*		3	7-14	R108
PAHZZ	5905-256-0409	RESISTOR, FIXED COMPOSITION R157 220 OHM PORM10% 1/2W RC20GF221K (81149)	.....	EA	1				*	*	*		3	7-10	R157
PAHZZ	5905-171-2006	RESISTOR, FIXED, COMPOSITION R113 270 OHM PORM10% 1/2W RC20GF271K (81349)	.....	EA	1				*	*	*		3	7-9	R113
PAHZZ	5905-279-1889	RESISTOR, FIXED, COMPOSITION R105 360 OHM PORM5% 1/2W RC20GF361J (81349)	.....	EA	1				*	*	*		3	7-9	R105
PAHZZ	5905-192-3973	RESISTOR, FIXED COMPOSITION R120 470 OHM PORM10% 1/2W RC20GF470K (81349)	.....	EA	2				*	*	*		3	7-14	R120
PAHZZ	5905-192-3973	RESISTOR, FIXED, COMPOSITION R163 470 OHM PORM10% 1/2W RC20GF470K (81349)	.....	EA	REF				*	*	*			7-14	R163
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION R103 1000 OHM PORM10%, 1/2W RC20GF102K (81349)	.....	EA	5				*	*	*		3	7-14	R103
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION R110 1000 OHM PORM10%, 1/2W RC20GF102K (81349)	.....	EA	REF				*	*	*			7-9	R110
PAHZZ	5905-195-6806	RESISTOR, FIXED COMPOSITION R144 1000 OHM PORM10%, 1/2W RC20GF102K (81349)	.....	EA	REF				*	*	*			7-14	R144
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION R149 1000 OHM PORM10%, 1/2W RC20GFL02K (81349)	.....	EA	REF				*	*	*			7-9	R149
PAHZZ	5905-195-6806	RESISTOR, FIXED, COMPOSITION R154 1000 OHM PORM10% 1/2W RC20GF102K (81349)	.....	EA	REF				*	*	*			7-8	R154
PAHZZ	5905-279-1757	RESISTOR, FIXED COMPOSITION R107 1500 OHM PORM10% 1/2W RC20GF152K (81349)	.....	EA	1				*	*	*		3	7-14	R107
PAHZZ	5905-171-2009	RESISTOR, FIXED, COMPOSITION R101 2200 OHM PORM10%, 1/2W RC20GF222K (81349)	.....	EA	1				*	*	*		3	7-7	R101
PAHZZ	5935-195-6502	RESISTOR FIXED, COMPOSITION R177 P/O Z105 3300 OHM PORM10%, 1/2W RC20GF332K (81349)	.....	EA	1				*	*	*		3	7-14	R177
PAHZZ	5905-537-6439	RESISTOR, FIXED, COMPOSITION R175 P/O Z104 4700 OHM PORM10% 1/2W RC20GF472K (81349)	.....	EA	3				*	*	*		3	7-14	R175
PAHZZ	5905-537-6439	RESISTOR, FIXED, COMPOSITION R181 P/O	.....	EA	REF				*	*	*			7-14	R181

CONTINUED

SECTION II

TM-6625-603-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30 DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)	
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO/	
		CONTINUED														
PAHZZ	5905-537-6439	4700 OHM PORM 1/2 W RC20GF472K (81349)	RESISTOR, FIXED, COMPOSITION R183 4700	EA	REF	*	*	*						7-8	R183	
PAHZZ	5905-245-0023	Z103 6800 OHMS PORM10%, 1/2 W RC20GF682K (81349)	RESISTOR, FIXED, COMPOSITION R173 P/O	EA	1	*	*	*					3	7-14	R173	
PAHZZ	5905-185-8510	Z102 10000 OHMS PORM10%, 1/2 W RC20GF102K (81349)	RESISTOR, FIXED, COMPOSITION R111 10000.	EA	3	*	*	*					3	7-9	R111	
PAHZZ	5905 185-8510	Z102 10000 OHMS PORM10%, 1/2W RC20GF102K (81349)	RESISTOR, FIXED, COMPOSITION R171 P/O	EA	REF	*	*	*						7-11	R171	
PAHZZ	5905-185-8510	Z105 10000 OHMS PORM10%, 1/2W RC20GF102K (81349)	RESISTOR, FIXED, COMPOSITION R180 P/O	EA	REF	*	*	*						7-14	R180	
PAHZZ	5905-117-4197	Z107 15000 OHMS PORM10%, 1/2W RC20GF153K (81349)	RESISTOR, FIXED, COMPOSITION R145 15000.	EA	2	*	*	*					3	7-10	R145	
PAHZZ	5905-117-4197	Z107 15000 OHMS PORM10%, 1/2W RC20GF153K (81349)	RESISTOR, FIXED, COMPOSITION R179 P/O	EA	REF	*	*	*						7-14	R179	
PAHZZ	5905-117-4193	Z101 20000 PORM10%, 1/2W RC20GF223K (81349)	RESISTOR, FIXED, COMPOSITION R169 P/O	EA	1	*	*	*					3	7-14	R169	
PAHZZ	5905-117-4331	Z101 20000 PORM10%, 1/2W RC20GF223K (81349)	RESISTOR, FIXED, COMPOSITION R153 33000.	EA	1	*	*	*					3	7-14	R153	
PAHZZ	5905-295-3410	Z106 47000 OHM PORM10% 1/2W RC20GF473K (81349)	RESISTOR, FIXED, COMPOSITION R104 47000.	EA	3	*	*	*					3	7-14	R104	
PAHZZ	5905-295-3410	Z106 47000 OHM PORM10% 1/2W RC20GF473K (81349)	RESISTOR, FIXED, COMPOSITION R150 47000.	EA	REF	*	*	*						7-14	R150	
PAHZZ	5905-295-3410	Z106 47000 OHM PORM10% 1/2W RC20GF473K (81349)	RESISTOR, FIXED COMPOSITION R178 P/O	EA	REF	*	*	*						7-14	R178	
PAHZZ	5905-249-3661	RC20GF683J (81349)	RESISTOR, FIXED, COMPOSITION R115 68000	EA	1	*	*	*					3	7-9	R115	
PAHZZ	5905-195-6761	RC20GF104K (81349)	RESISTOR, FIXED, COMPOSITION R112 100000	EA	7	*	*	*					3	7-9	R112	
PAHZZ	5905-195-6761	RC20GF104K (81349)	RESISTOR, FIXED, COMPOSITION R146 100000	EA	REF	*	*	*						7-10	R146	
PAHZZ	5905-195-6761	RC20GF104K (81349)	RESISTOR, FIXED, COMPOSITION R152 100000	EA	REF	*	*	*						7-14	R152	
PAHZZ	5905-195-6761	RC20GF104K (81349)	RESISTOR, FIXED, COMPOSITION R161 100000	EA	REF	*	*	*						7-10	R161	

CONTINUED



SECTION II

TM-6625-603-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30 DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCV	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION		
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)	
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO/	
		CONTINUED														
PAHZZ	5905-195-6761	PORM 10% 1/2 W RC20GF104K (81349)	RESISTOR, FIXED, COMPOSITION R174 P/O	EA	REF	*	*	*						7-14	R174	
PAHZZ	5905-195-6761	Z104 100000 PORM10%, 1/2W RC20GF104K (81349)	RESISTOR, FIXED, COMPOSITION P176 P/O	EA	REF	*	*	*						7-14	R176	
PAHZZ	5905-195-6761	Z105 100000 PORM10% 1/2W RC20GF104K (81349)	RESISTOR, FIXED, COMPOSITION R182 100000	EA	REF	*	*	*						7-14	R182	
PAHZZ	5905-295-3409	PORM10%, 1/2W RC20GF104K (91349)	RESISTOR, FIXED, COMPOSITION R138 220000	EA	2	*	*	*			3		7-14	R138		
PAHZZ	5905-295-3409	OHM PORM10% 1/2W RC20GF224K (81349)	RESISTOR, FIXED COMPOSITION R155	EA	REF	*	*	*						7-10	R155	
PAHZZ	5935-221-5860	220000 OHM PORM10% 1/2W RC20GF224K (81349)	RESISTOR, FIXED, COMPOSITION R159	EA	2	*	*	*			3		7-14	R159		
PAHZZ	5905-221-5860	330000 OHM PORM10%, 1/2W RC20GF334K (11349)	RESISTOR, FIXED, COMPOSITION R172 P/O	EA	REF	*	*	*						7-14	P172	
PAHZZ	5905-279-2515	Z103 330000 OHM PORM10%, 1/2W RC20GF334K (81349)	RESISTOR, FIXED, COMPOSITION R139	EA	2	*	*	*			3		7-14	R139		
PAHZZ	5905-279-2515	470000 OHM PORM10%, 1/2W RC20GF474K (81349)	RESISTOR, FIXED COMPOSITION R170 P/O	EA	REF	*	*	*						7-14	P170	
PAHZZ	5905-140-2066	Z1O2 4700CO OHM PORM10%, 1/2W RC2OGF474K (81349)	RESISTOR, FIXED, COMPOSITION R1O2 1 MEG.	EA	3	*	*	*			3		7-14	R102		
PAHZZ	5905-120-2066	PORM10%, 1/2W RC20GF105K (81349)	RESISTOR, FIXED, COMPOSITION R148 1 MEG.	EA	REF	*	*	*						7-9	P148	
PAHZZ	5905-120-2066	PORM10%, 1/2W RC20GF105K (81349)	RESISTOR, FIXED, COMPOSITION R168 P/O	EA	REF	*	*	*						7-14	R168	
PAHZZ	5905-993-4556	Z101 1 MEG PORM10% 1/2W RC20GF105K (81349)	RESISTOR, FIXED, FILM R121 55 OHM	EA	1	*	*	*			3		7-14	R121		
PAHZZ	5905-734-4730	PORM10% 1/2W 13/16 IN LG X 11/64 IN RN65D549F (81349)	RESISTOR, FIXED, FILM R123 61.1 OHM	EA	4	*	*	*			3		7-14	R123		
PAHZZ	5905-734-4730	PORM1%, 1/8W 9/32 IN LG X 5/64 IN DIA RN70D60R4F (81349)	RESISTOR, FIXED, FILM R126 61.1 OHM	EA	REF	*	*	*						7-14	P126	
PAHZZ	5905-734-4730	PORM10%, 1/8W 9/32 IN LG X 5/64 IN DIA RN70D60R4F (81349)	RESISTOR, FIXED, FILM R127 61.1 OHM	EA	REF	*	*	*						7-14	R127	
PAHZZ	5905-734-4730	PORM1%, 1/8W 9/32 IN LG X 5/64 IN DIA RN70D60R4F (81349)	RESISTOR, FIXED, FILM R129 61.1 OHM	EA	REF	*	*	*						7-14	R129	
		CONTINUED														

## SECTION II

TM-6625-603-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30 DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCT	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO/
PAHZZ	5905-646-5767	PORM 1% 1/8W 9/32 IN LG X 5/64 IN DIA RN70D60R4F (81349)		EA	1				*	*	*		3	7-10	R119
PAHZZ	5905-713-3731	RESISTOR, FIXED, FILM R119 61.9 OHM PORM1% 1/2W RN1SX61R9F (81349)		EA	1				*	*	*		3	7-14	R131
PAHZZ	5905-299-1969	RESISTOR, FIXED FILM R131 71.2 OHM PORM1% 1/2W 15/32 IN LG X 11/64 IN DIA RN70D7680F (81349)		EA	2				*	*	*		3	7-14	R132
PAHZZ	5905-299-1969	RESISTOR, FIXED FILM R132 96.3 OHM PORM1% 1/2W 11/16 IN LG X 11/64 IN DIA 1-2W11-16 -(96095)		EA	REF				*	*	*			7-14	R133
PAHZZ	5905-059-7486	RESISTOR, FIXED, FILM R133 96.3 OHM PORM1%, 1/2W 11 /16 1N LG X 11/64 IN DIA 1-2W11-16 (96095)		EA	5				*	*	*		3	7-14	R122
PAHZZ	5905-059-7486	RESISTOR, FIXED, FILM R122 495 OHM PORM1% 1/2W 13/16 IN LG X 11/64 IN DIA RN65D4990F (81349)		EA	REF				*	*	*			7-14	R124
PAHZZ	5905-059-7486	RESISTOR, FIXED, FILM R124 495 OHM PORM1%, 1/2W 13/16 IN LG X 11/64 IN DIA RN65D4990F (81349)		EA	REF				*	*	*			7-14	R125
PAHZZ	5905-059-7486	RESISTOR, FIXED, FILM R125 495 OHM PORM1% 1/2W 13/16 IN LG X 11/64 IN DIA RN65D4990F (81349)		EA	REF				*	*	*			7-14	R128
PAHZZ	5905-059-7486	RESISTOR, FIXED FILM R128 495 OHM PORM1% 1/2W 3/16 IN LG X 11/64 IN DIA RN6504990F (81349)		EA	REF				*	*	*			7-10	R130
PAHZZ	5905-059-7486	RESISTOR, FIXED FILM R130 495 OHM PORM1% 1/2W 13/16 IN LG X 11/64 IN DIA RN65D4990F (81349)		EA	1				*	*	*		3	7-10	R118
PAHZZ	5905-542-8401	RESISTOR, FIXED, FILM4 R156 10000 OHM PORM5%, 1/2W RN65D4990F (81349)		EA	1				*	*	*		3	7-10	R156
PAHZZ	5905-993-3174	RESISTOR, FIXED, FILM R147 20000 OHM PORM2% 1/2W 13/16 IN LG X 11/64 IN DIA RN70D2002F (81349)		EA	1				*	*	*		3	7-14	R147
PAHZZ	5905-556-3736	RESISTOR, FIXED FILM R116 21000 OHM PORM5% 1/2W RN15X2152J (81349)		EA	1				*	*	*		3	7-9	R116
PAHZZ	5905-581-1046	RESISTOR, FIXED FILM R142 42500 OHM PORM2%, 1/2W 13/16 IN LG X 11/16 IN DIA RN70B4222F (81349)		EA	1				*	*	*		3	7-10	R142
PAHZZ	5905-501-1685	RESISTOR, FIXED FILM R162 45000 OHM PORN 5%, 1/2W 13/ 16 IN LG X 11/64 IN DIA RN70B4532F (81349)		EA	1				*	*	*		3	7-10	R162
PAHZZ	5905-202-0039	RESISTOR, FIXED, FILM R137 154000 OHM PORM1% RN15X1543K (81349)		EA	2				*	*	*		3	7-10	R137
PAHZZ	5905-202-0039	RESISTOR, FIXED FILM R141 154000 OHM CONTINUED		EA	REF				*	*	*			7-14	R141

SECTION II

TM-6625-603-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30 DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCV	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO/
PAHZZ	5905-280-1364	PORM 1% RN15X1543K (81349)		EA	2				*	*	*		3	7-10	R136
PAHZZ	5915-280-1364	RESISTOR, FIXED, FILM R136 393000 OHM PORM1%, 1/2W 15/32 IN LG BY 11/64 IN DIA RN70B49R97 (81349)		EA	REF				*	*	*			7-9	R140
PAHZZ	5905-643-5626	RESISTOR, VARIABLE, COMPOSITION R109 COMPOSITION 5000 OHM PORM 10%, 1/2W 864537-0001 (65597)		EA	1				*	*	*		3	7-9	R109
PAHZZ	5905-204-6937	RESISTOR, VARIABLE, COMPOSITION R151 COMPOSITION 50000 OHM PORM10% 1/2W RV3ATFDS03A (81349)		EA	1				*	*	*		3	7-9	R151
PAHZZ	5905-158-5470	RESISTOR, VARIABLE, WIRE-WOUND R158 WIRE-WOUND 2500 OHM PORM10%, 1/2W RA20A15A252K (81349)		EA	1				*	*	*		3	7-8	R158'
PAHZZ	5905-581-1410	RESISTOR, VARIABLE, WIRE-WOUND R143 WIRE-WOUND 100000 OHM PORM10%, 1/2W RA20A15A103AK (81349)		EA	2				*	*	*		3	7-9	R143
PAHZZ	5905-581-1410	RESISTOR, VARIABLE, WIRE-WOUND R160 WIRE-WOUND 10000 OHM PORM10%, 1/2W RA20A15A103AK (181349)		EA	REF				*	*	*			7-8	R160
PAHZZ	5905-253-6703	RESISTOR, VARIABLE, WIRE-WOUND R135 WIRE-WOUND 25000 OHM PORM10% 4W 25 (46992)		EA	1				*	*	*		3	7-8	R135
PAHZZ	6625-310-4764	ROTOR, CONTACT PLATE E130 PL ATTENUATOR, BRASS, SILVER PL 2-5/8 IN DIA X 1/2 IN THK 162B281 (92428)		EA	1				*	*	*		3	7-4	E130
PAHZZ	5961-285-3055	SEMICONDUCTOR, DEVICE, DIODE CR101 IN145 (81351)		EA	1				*	*	*			3	7-10
PAHZZ	5961-581-8066	SEMICONDUCTOR, DEVICE, DIODE CR102 IN69 (81350)		EA	2				*	*	*			3	7-9
PAHZZ	5961-581-8066	SEMICONDUCTOR, DEVICE, DIODE CR103 1N69 (81350)		EA	REF				*	*	*				7-10
PAHZZ	5960-272-9094	SHIELD, ELECTRON TUBE F121 TS102UO2 (81350)		EA	5				*	*	*		10		E121
PAHZZ	5960-272-9094	SHIELD, ELECTRON TUBE X122 TS102UO2 (81350)		EA	REF				*	*	*				X122
PAHZZ	5960-272-9094	SHIELD, ELECTRON TUBE E123 TS102UO2 (81350)		EA	REF				*	*	*				E 123
PAHZZ	5960-272-9094	SHIELD, ELECTRON TUBE E124 TS102UO2 (81350)		EA	REF				*	*	*				E124
PAHZZ	5960-295-7652	SHIELD, ELECTRON TUBE E125 TS102U02 (81350)		EA	1				*	*	*				E125
PAHZZ	5935-256-8693	SHIELD, ELECTRON TUBE E 120 TS102U03 (80350)		EA	1				*	*	*		10		E120
PAHZZ	5935-256-8693	SOCKET, CRYSTAL XY101 CERAMIC BODY 55/64 IN LG X 3/8 IN W X 0.470 IN H CH 2 (93207)		EA	1				*	*	*			3	

SECTION II

TM-6625-603-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30 DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCTY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO/
PAHZZ	5935-063-5789	SOCKET, ELECTRON TUBE XV103 8 CONT TS101PO1 (81350)		EA	1				*	*	*		3	7-9	
PAHZZ	5935-260-0516	SOCKET ELECTRON TUBE XV101 TS102PO1 (81350)		EA	5				*	*	*			3	
PAHZZ	5935-260-0516	SOCKET, ELECTRON TUBE XV102 TS102PO1 (81350)		EA	REF				*	*	*				
PAHZZ	5935-260-0516	SOCKET, ELECTRON TUBE XV104 TS102PO1 (81350)		EA	REF				*	*	*				
PAHZZ	5935-260-0516	SOCKET, ELECTRON TUBE XV105 TS102PO1 (81350)		EA	REF				*	*	*				
PAHZZ	5935-260-0516	SOCKET, ELECTRON TUBE XV106 TS102PO1 (81350)		EA	REF				*	*	*				
PAHZZ	5930-500-5051	SWITCH, LEVER S101 2 POSITION 1-3/4 IN LG X 9/16 IN X 7/8 IN H 162B277 (92428)		EA	1				*	*	*		5	7-9	S101
PAHZZ	5930-537-7031	SWITCH, ROTARY S103 2 SECT 5 POSITION 5 CONT SECT 1, 4 CONT FRONT SECT 3, BACK SECT 2 3/4 IN LG X 1-1/4 W X 1-5/16 IN H 162B002 (92428)		EA	1			*	*	*		5	7-9	S103	
PAHZZ	5930-050-2704	SWITCH, TOGGLE S102 DPST ST52KMS35059-9 (81349)		EA	1				*	*	*		5	7-8	S102
PAHZZ	5950-648-0699	TRANSFORMER, RADIO FREQUENCY T102 P/O Z101 IMPEDANCE PRI 630 OHM, SEC'D 90 OHM 10 TO 26 KC FREQ RANGE 2-1/4 IN LG X 1/2 IN DIA 162C030 (92428)		EA	1				*	*	*		3	7-14	T102
PAHZZ	5953-648-1381	TRANSFORMER, RADIO FREQUENCY T103 P/O Z102 IMPEDANCE PRI 175 OHM, SEC'D 35 OHM 26 TO 75 KC FREQ RANGE 2-1/4 IN LG X 1/2 IN DIA 16C031 (92428)		EA	1				*	*	*		3	7-14	T103
PAHZZ	5950-645-9198	TRANSFORMER, RADIO FREQUENCY T104 P/O Z103 PRIMARY 36 OHM IMPED SEC'D 10 OHM IMPED 2-1/4 IN LG X 11/16 IN DIA 75 TO 220 KC FREQ RANGE 162C032 (92428)		EA	1				*	*	*		3	7-14	T104
PAHZZ	5950-645-9197	TRANSFORMER, RADIO FREQUENCY T105 P/O Z104 IMPEDANCE PRI 12 OHM, SEC'D 6 OHM 220 TO 600 KC FREQ RANGE 2-1/4 IN LG X 5/8 IN DIA 162C033 (92428)		EA	1				*	*	*		3	7-14	T105
PAHZZ	5950-648-1382	TRANSFORMER, RADIO FREQUENCY T106 P/O Z105 IMPEDANCE PRI 12 OHM, SEC'D 6 OHM 0.6 TO 1.5 MC FREQ RANGE 2-1/4 IN LG X 1/2 IN DIA 162C034 (92428)		EA	1				*	*	*		3	7-14	T106
PAHZZ	5950-648-1379	TRANSFORMER, RADIO, FREQUENCY T107 P/O Z106 IMPEDANCE PRI 1 OHM SEC'D 2 OHM 1.5 TO 3.8 MC FREQ RANGE 2-1/4 IN LG X 1/2 IN DIA 162C035 (92428)		EA	1				*	*	*		3	7-14	T107
PAHZZ	5950-648-1380	TRANSFORMER, RADIO, FREQUENCY T108 P/O CONTINUED		EA	1				*	*	*		3	7-14	T108

SECTION II

TM-6625-603-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30 DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO/
		<b>CONTINUED</b>													
PAHZZ	5950-648-1378	3.8 TO 10 MC FREQ RANGE 2-1/4 IN LG X 5/8 IN DIA 162C036 (52428) TRANSFORMER, RADIO FREQUENCY T109 P/O Z108 IMPEDANCE PRI 0.02 OHM, SEC'D 0.1 OHM 10 TO 25 MC FREQ RANGE		EA	1				*	*	*		3	7-14	T109
PAHZZ	5950-648-1377	162C037 (92428) TRANSFORMER RADIO FREQUENCY T110 P/O Z10. IMPEDANCE PRI 0.02 OHM, SEC'D 0.05 OHM 25 TO 50 MC FREQ RANGE 2-1/4 IN LG X 1/2 IN DIA		EA	1				*	*	*		3	7-14	T110
PAHZZ	6625-503-3207	162C038 (92428) TUNER, RADIO FREQUENCY C100 VARIARLE CAPACITOR TUNING 10 KC TO 50 MC FREQ RANGE 9 BANDS 3-1/2 IN LG X 3-1/4 IN UD X 2-7/8 IN d		EA	1				*	*	*		3	7-14	C100
PAHZZ	5910-161-4501	162C344 (92428) GROUP 0003 DUMMY LOAD ELEC DA-109/URM-25F CAPACITOR, FIXED, MICA DIELECTRIC C301 200 UUF PORM5% 500 VDCW		EA	1				*	*	*		3	7-14	C301
PAHZZ	5910-101-4909	CM2OD201J (81349) CAPACITOR, FIXED, MICA DIELECTRIC C302 390 UUF PORM5% 500 VDCW		EA	1				*	*	*		3	7-14	C302
PAHZZ	5950-645-3238	CM2OD391J (81349) COIL, RADIO FREQUENCY L301 ANTENNA CHOKER 1/2 IN LG X 3/16 IN DIA		EA	1				*	*	*		3	7-14	L301
PAHZZ	5935-665-5718	1628135 (92428) CONNECTOR, RECEPTACLE, ELECTRICAL J301 (FOR AUTHORIZED ALLOWANCES SEE GROUP III UG1094U (80044)		EA	2				*	*	*		3	7-14	J301
PAHZZ	5935-665-5718	CONNECTOR, RECEPTACLE, ELECTRICAL J302 (FOR AUTHORIZED ALLOWANCES SEE GROUP II) UG1094U (80944)		EA	REF				*	*	*			7-14	J302
PAHZZ	5905-279-1890	RESISTOR, FIXED, COMPOSITION R301 390 OHM PORM5% 1/2W RC20GF391J (81349)		EA	1				*	*	*		3	7-14	R301
PAHZZ	6145-542-6092	GROUP 0004 LEAD TEST CX-2919/U CABLE, RADIO FREQUENCY NO-REF-DESIG 2 FT. LONG P/O W102, W103, W104, AND CX- 2919/U (AUTHORIZED ALLOWANCES WILL BE A MINIMUM OF OR A MULTIPLE OF 4 FT. 2 IN.) (AUTHORIZED RG58AU (81349)		EA	1				*	*	*		10		
PAHZZ	5910-101-4884	CAPACITOR, FIXED, MICA DIELECTRIC C502 510 UUF PORM5%, 500 VDCW CM20B511J (81349)		EA	1				*	*	*		3	7-14	C502
PAHZZ	5910-899-5316	CAPACITOR, FIXED. PAPER DIELECTRIC C501 47000 UUF PORM20% 400 VDCW 1-1/16 IN LG X 0.40 IN DIA XGS2268-20 (72929)		EA	1				*	*	*		3	7-14	C501

SECTION II

TM-6625-603-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE      USABLE ON CODE		(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30 DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTGCY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
						(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
						1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO/
PAHZZ	5940-204-5206	CLIP, ELECTRICAL E501 ALLIGATOR, STEEL. CAD PL 2 IN LG X 1/4 IN WD X 3/8 IN H 60 (00494)		EA	2				*	*	*		3	7-14	F501
PAHZZ	5940-204-5206	CLIP, ELECTRICAL E502 ALLIGATOR, STEEL. CAD PL 2 IN LG X 1/4 IN WD X 3/8 IN H 60 (00494)		EA	REF				*	*	*			7-14	F502
PAHZZ5935	665-5718	CONNECTOR, RECEPTACLE, ELECTRICAL J501 (FOR AUTHORIZED ALLOWANCES SEE GROUP III UG1094U (80044) GROUP 0005 NETWORK IMPEDANCE MATCHING CU-406/URM-25F		EA	1				*	*	*		3	7-14	J501
PAHZZ	5935-665-5718	CONNECTOR, RECEPTACLE, ELECTRICAL J201 (FOR AUTHORIZER ALLOWANCES SEE GROUP II) UG1094U (80044)1		EA	2				*	*	*		3	7-14	J201
PAHZZ	5935-665-5718	CONNECTOR, RECEPTACLE, ELECTRICAL J202 (FOR AUTHORIZED ALLOWANCES SEE GROUP II) UG1094U (80044)		EA	REF				*	*	*			7-14	J202
PAHZZ	5905-279-3517	RESISTOR, FIXED, COMPOSITION R201 51 OHM PORM5%, 1/2W RC20GF510J (91349) GROUP 0006 NETWORK IMPEDANCE MATCHING CU-408/URM-2 5F		EA	1				*	*	*		3	7-14	R201
PAHZZ	5935-665-5718	CONNECTOR, RECEPTACLE, ELECTRICAL J401 (FOR AUTHORIZED ALLOWANCES SEE GROUP II) UG1094U (80044)		EA	2				*	*	*		3	7-14	J401
PAHZZ	5935-665-5718	CONNECTOR, RECEPTACLE, ELECTRICAL J402 (FOR AUTHORIZED ALLOWANCES SEE GROUP III UG1094U (80044)		EA	REF				*	*	*			7-14	J402
PAHZZ	5905-279-1897	RESISTOR, FIXED, COMPOSITION R402 56 OHM PORM5%, 1/2W RC20GFS60J (81349)		EA	1				*	*	*		3	7-14	R402
PAHZZ	5905-279-1894	RESISTOR, FIXED, COMPOSITION R403 82 OHM PORM5% 1/2W RC20GF820J (81349)		EA	1				*	*	*		3	7-14	R403
PAHZZ	5905-192-3971	RESISTOR, FIXED, COMPOSITION R401 331 OHM PORM5%, 1/2W RC20GF331J (81349) GROUP 0007 POWER SUPPLY PP-1322/URN-25F		EA	1				*	*	*		3	7-14	R401
PAHZZ	5910-112-7620	CAPACITOR, FIXED, PAPER DIELECTRIC C602 50000 UUF PORM20% 600 VDCW CP26A1EF503M (81349)		EA	1				*	*	*		3	7-12	C602
PAHZZ	5910-120-1658	CAPACITOR, FIXED, PAPER DIELECTRIC C631 4 UUF PORM20% M10%, 600 VDCW CP7OE1EF504V (81349)		EA	1				*	*	*		3	7-12	C601
PAHZZ	5935-204-8907	CONNECTOR, RECEPTACLE, ELECTRICAL 1601 10 FLAT MALE CONT STRAIGHT, 2-5/32 IN LG X 1/2 IN W X 11/16 IN H M11020-2XCHR (91662)		EA	1				*	*	*		3	7-12	J601
PAHZZ	5960-188-3565	ELECTRON, TIRE OA3 (81350)	V602	EA	1				*	*	*		100	7-12	V602
PAHZZ	5960-272-9182	ELECTRON, TUBE 6X4WA (81350)	V601	EA	1				*	*	*		100	7-12	V601

SECTION II

TM-6625-603-40P

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION  REFERENCE NUMBER & MFR. CODE      USABLE ON CODE			(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30 DAY GS MAINT ALLOWANCE			(8) 1-YR ALW PER 100 EQUIP CNTG CY	(9) DEPOT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION	
							(a)	(b)	(c)	(a)	(b)	(c)			(a)	(b)
							1-20	21-50	51-100	1-20	21-50	51-100			FIGURE NO.	ITEM NO/
PAHZZ	5950-645-6050	REACTOR L601 FILTER CHOKE 3-1/8 IN LG X 3 IN W X 2-25/32 IN H 162C020 (92428)	28 H	75 MA	EA	1				*	*	*		2	7-12	L601
PAHZZ	5905-279-1684	RESISTOR, FIXED, COMPOSITION PORM10% 1/2W RC32GF820K (81349)	R601	82 OHM	EA	2				*	*	*		3	7-12	R601
PAHZZ	5905-279-1684	RESISTOR, FIXED, COMPOSITION PORM10% 1W RC32GF820K (81349)	R602	82 OHM	EA	REF				*	*	*			7-12	R602
PAHZZ	5905-299-2054	RESISTOR, FIXED, COMPOSITION OHM PORM10% 1W RC32GF221K (181349)	R604	220	EA	1				*	*	*		3	7-14	R604
PAHZZ	5905-100-6793	RESISTOR, FIXED WIRE WOUND OHM PORM5% 10W RW316202 (81349)	R603	2000	EA	1				*	*	*		3	7-12	R603
PAHZZ	5935-063-5789	SOCKET, ELECTRON TUBE TS101PO1 (81350)	XV602	.....	EA	1				*	*	*		3	7-12	
PAHZZ	5935-260-0516	SOCKET, ELECTRON TUBE TS102PO1 (81350)	XV601	.....	EA	1				*	*	*		3	7-12	
PAHZZ	5950-648-3017	TRANSFORMER, POWER, STEP DOWN AND STEP UP T601 50/1000 CPS, SINGLE PHASE 2 OUTPUT WND NO. 1 365 V, 70MA CT, NO. 2 6.4V, 4.25 AMP 3-1/8 IN LG X 2-25/32 IN H 1620022 (92428)	.....	.....	EA	1				*	*	*		3	7-12	T601
PAOHD	6625-510-1827	SIGNAL GENERATOR SG-103/URN-25F DESIG SG103URM25F (ZZZZZ)	NO-REF		EA	1				*	*	*		3	4-1	
PAHHH	6625-668-9454	COVER, SIGNAL GENERATOR CW-346/URM-25F REF-DESIG CW346URM25F (ZZZZZ)	NO-		EA	1				*	*	*		3	7-13	
PAHHH	6625-510-1677	DUMMY LOAD, ELECTRICAL DA-109/URM-25F REF-DESIG DA109URM25F (ZZZZZ)	NO-		EA	1				*	*	*		3	7-13	
PAHHH	5915-338-3370	NETWORK, IMPEDANCE MATCHING CU-406/URM-25F. NO-REF-DESIG CU406URM25F (ZZZZZ)			EA	1				*	*	*		3	7-13	

**INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER  
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER**

STOCK NUMBER	FIG.	ITEM	STOCK NUMBER	FIG.	ITEM
3010-974-9809		0117	5905-299-1969	7-14	R132
5330-860-1767		0112	5905-299-1969	7-14	R133
5355-310-4765		0105	5905-299-2054	7-14	R604
5355-538-6542	4-1	E107	5905-537-6439	7-14	R175
5355-698-0479	4-1	E106	5905-537-6439	7-14	R181
5355-698-0507	4-1	E101	5905-537-6439	7-8	R183
5355-698-0507	4-1	E102	5905-542-8401	7-10	R156
5355-698-0507	4-1	E103	5905-556-3736	7-9	R116
5355-698-0507	4-1	E104	5905-581-1046	7-10	R142
5355-698-0507	4-1	EIOS	5905-581-1410	7-8	R160
5905-059-7486	7-10	R118	5905-581-1410	7-9	R143
5905-059-7486	7-10	R130	5905-581-1685	7-10	R162
5905-059-7486	7-14	R122	5905-643-5626	7-9	R109
5905-C59-7486	7-14	R124	5905-646-5767	7-10	R119
5905-059-7486	7-14	R125	5905-713-3731	7-14	R131
5905-C59-7486	7-14	R128	5905-734-4730	7-14	R123
5935-100-6793	7-12	R603	5905-734-4730	7-14	R126
5905-117-4193	7-14	R169	5905-734-4730	7-14	R127
5905-117-4197	7-14	R179	5905-734-4730	7-14	R129
5905-117-4197	7-10	R145	5905-993-3174	7-14	R147
5905-117-4331	7-14	R153	5905-993-4556	7-14	R121
5905-120-2066	7-14	R168	5910-100-5767	7-9	C116
5905-120-2066	7-9	R148	5910-100-5767	7-14	C107
5905-120-2066	7-14	R102	5910-101-0507	7-14	C165
5905-158-5470	7-8	R158	5910-101-3847	7-7	C104
5905-171-2006	7-9	R113	5910-101-4015	7-10	C130
5905-171-2009	7-7	R101	5910-101-4015	7-10	C131
5905-185-8510	7-14	R171	5910-101-4884	7-14	C502
5905-185-8510	7-14	R180	5910-101-4909		C154
5905-185-8510	7-9	R111	5910-101-4909	7-14	C302
5905-190-8889	7-9	R106	5910-101-5624	7-9	C112
5905-190-8889	7-9	R114	5910-101-5624	7-14	C128
59C5-190-8889	7-14	R117	5910-101-5624	7-14	C129
5905-192-3971	7-14	R401	5910-112-7620	7-10	C132
5905-192-3973	7-14	R120	5910-112-7620	7-10	C134
5905-192-3973	7-14	R163	5910-112-7620	7-10	C136
5905-195-6502	7-14	R177	5910-112-7620	7-12	C602
5905-195-6761	7-14	R174	5910-112-7643	7-10	C142
5905-195-6761	7-14	R176	5910-112-7649	7-9	C121
5905-195-6761	7-9	R112	5910-112-8240	7-14	C153
5905-195-6761	7-10	R146	5910-112-8240	7-14	C162
5905-195-6761	7-10	R161	5910-112-8240	7-14	C168
5905-195-6761	7-14	R152	5910-112-8240	7-14	C171
5905-195-6761	7-14	R182	5910-120-1658	7-12	C601
5905-195-6806	7-8	R154	5910-126-1613	7-14	C158
5905-195-6806	7-9	R110	5910-126-1613	7-14	C161
5905-195-6806	7-9	R149	5910-126-1613	7-14	C164
5905-195-6806	7-14	R103	5910-126-1613	7-14	C167
5905-195-6806	7-14	R144	5910-126-1613	7-14	C170
5905-202-0039	7-10	R137	5910-161-4501	7-14	C301
5905-202-0039	7-14	R141	5910-164-7507	7-6	C135
5905-204-6937	7-9	R151	5910-191-9640	7-14	C166
5905-221-5860	7-14	R172	5910-191-9640	7-14	C172
5905-221-5860	7-14	R159	5910-192-2118	7-14	C147
5905-245-0023	7-14	R173	5910-229-9567	7-14	C160
5905-249-3661	7-9	R115	5910-229-9567	7-14	C169
5905-253-6703	7-8	R135	5910-280-7401	7-6	C103
5905-256-0409	7-10	R157	5910-280-7401	7-6	C106
5905-279-1684	7-12	R601	5910-280-7401	7-9	C111
5905-279-1684	7-12	R602	5910-280-7401	7-9	C115
5905-279-1738	7-7	R134	5910-280-7401	7-9	C120
5905-279-1756	7-14	R108	5910-280-7401	7-14	C105
5905-279-1757	7-14	R107	5910-280-7401	7-14	C100
5905-279-1889	7-9	R105	5910-280-7401	7-14	C113
5905-279-1890	7-14	R301	5910-537-5208		C150
5905-279-1894	7-14	R403	5910-150-4237	7-9	C114
5905-279-1897	7-14	R402	5910-578-8825	7-8	C123
5905-279-2515	7-14	R170	5910-578-8825	7-8	C14
5905-279-2515	7-14	R139	5910-577-1053	7-9	C108
5905-279-3517	7-14	R201	5910-578-1623	7-9	C140
5905-280-1364	7-9	R140	5910-636-4271	7-14	C146
5905-280-1364	7-10	R136	5910-636-4271	7-14	C149
5905-295-3409	7-10	R155	5913-636-4271	7-14	C152
5905-295-3409	7-14	R138	5910-636-4271	7-1A	C155
5905-295-3410	7-14	R178	5910-665-0254	7-14	C127
5905-295-3410	7-14	R104	5910-665-0254	7-14	C143
5905-295-3410	7-14	R150	5910-665-0343	7-10	C139



SECTION IV

TM 11-6625-603-40P

STOCK NUMBER	FIGURE No.	ITEM NO.	STOCK NUMBER	FIGURE NO.	ITEM NO.
5910-665-0343	7-10	C141	5950-645-9197	7-14	T105
5910-666-7688	7-14	C137	5950-645-9198	7-14	T104
5910-667-5035	7-7	C125	5950-648-0699	7-14	T102
5910-667-5095	7-8	C126	5950-648-1377	7-14	T110
5910-667-6190	7-9	C119	5950-648-1378	7-14	T109
5910-726-5242	7-14	C159	5950-648-1379	7-14	T107
5910-762-2945	7-14	C148	5950-648-1380	7-14	T108
5910-762-2945	7-14	C151	5950-648-1381	7-14	T113
5910-762-2945	7-7	C109	5950-648-1382	7-14	T106
5910-762-2945	7-9	C117	5950-648-3017	7-12	T601
5910-822-5684	7-8	C138	5955-951-8937	7-7	Y101
5910-840-6672	7-10	C133	5960-166-7667	7-6	V101
5910-842-2679	7-14	C156	5960-166-7667	7-7	V104
5910-899-2538	7-14	C157	5960-166-7667	7-7	V105
5910-899-2538	7-14	C163	5960-166-7667	7-7	V106
5910-840-5789	7-9	C118	5963-166-7667	7-8	V102
5910-899-5316	7-14	C501	5960-188-3565	7-12	V602
5915-338-3370	7-13		5960-188-8565	7-8	V103
5920-050-4953	4-1	F101	5960-272-9094		E111
5920-050-4953	4-1	F102	5960-272-9094		E123
5920-244-5150			5960-272-9094		E124
5920-285-0755			5960-272-9094		F125
5930-050-2704	7-8	S102	5960-272-9094		X122
5930-500-5051	7-7	S101	5960-272-9182	7-12	V601
5930-537-7031	7-9	S103	5960-295-7652		E120
5935-063-5789	7-9		5960-523-5701		F133
5935-063-5789	7-12		5961-285-0055	7-10	
5935-149-4066		P105	5961-581-8066	7-9	
5935-149-4066		P106	5961-581-8066	7-10	
5935-149-4066		P107	5999-310-4760	7-4	E127
5935-149-4066		P108	5999-310-4760	7-4	E128
5935-149-4066		P109	5999-310-4760	7-4	E129
5935-149-4066		P110	6145-542-6092		
5935-201-3090	1-1	P701	6145-542-6092	1-1	
5935-204-8907	7-12	J601	6210-186-8017	7-6	
5935--256-8693			6210-247-1778		
5935-260-0516			6240-011-5273	7-7	I103
5935-260-0516	7-12		6240-011-5273	7-14	I101
5935-283-1269	7-8	J104	6240-011-5273	7-14	I102
5935-503-6168	4-1	J101	6250-299-5129		
5935-642-5384	7-14	P103	6250-299-5130		
5935-665-5718	4-1	J102	6625-302-4994		E132
5935-665-5718	7-14	J201	6625-310-4762	4-1	O102
5935-665-5718	7-14	J202	6625-310-4764	7-4	E130
5935-665-5718	7-14	J301	6625-310-4766		E117
5935-665-5718	7-14	J302	6625-502-1359	7-4	E131
5935-665-5718	7-14	J401	6625-503-0681		E108
5935-665-5718	7-14	J402	6625-503-0681		E109
5935-665-5718	7-14	J501	6625-503-0681		E111
5940-204-5206	7-14	E501	6625-503-0681		E112
5940-204-5206	7-14	E502	6625-503-0681		E113
5950-645-0350	7-6	L101	6625-503-0681		E114
5950-645-0350	7-6	L110	6625-503-0681		E115
5950-645-0387	7-9	L108	6625-503-0681		E116
5950-645-0388	7-6	L102	6625-503-0681	4-1	E110
5950-645-0389	7-9	L107	6625-503-3207	7-14	C100
5950-645-3238	7-14	L301	6625-510-1677	7-13	
5950-645-6050	7-12	1601	6625-510-1819	7-8	M101
5950-645-7126	7-9	L105	6625-510-1827	4-1	
5950-645-7127	7-9	L103	6625-545-7944		E118
5950-645-7127	7-9	L106	6625-545-7944		E119
5950-645-7127	7-10	L109	6625-668-9454	7-13	
5950-645-7127	7-14	L104			

REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.	REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.
CC20SJ150J	81349	7-9	C119	CC20UJ470J	81349	7-14	C147
CC20SK020C	81349	7-9	C116	CC29SJ220J	81349	7-9	C108
CC20SK020C	81349	7-14	C107	CC36UJ361J	81349	7-8	C123
CC20UJ070D	81349	7-14	C159	CC36UJ361J	81349	7-8	C124
CC20UJ100D	81349	7-16	C165	CE31E121F	81349	7-9	C114
CC20UJ150J	81349	7-14	C153	CH2	93207		
CC20UJ150J	81349	7-14	C162	CK63Y103Z	81349	7-6	C103
CC20UJ150J	81349	7-14	C168	CK63Y103Z	81349	7-6	C106
CC20UJ150J	81349	7-14	C171	CK63Y103Z	81349	7-9	C111
CC20UJ220J	81349	714	C150	CK63Y103Z	81349	7-9	C115
CC20UJ330J	81349	7-14	C156	CK63Y103Z	81349	7-9	C120

**SECTION IV  
REFERENCE  
NO.**

**TM 11-6625-603-40P**

<b>MFR CODE</b>	<b>FIG. NO.</b>	<b>ITEM NO.</b>
CK63Y103Z	81349	7-14
CK63Y103Z	81349	7-14
CK63Y103Z	81349	7-14
CK63Y332Z	81349	7-8
CM208221K	81349	7-9
CM208221K	81349	7-14
Cr208221K	81349	7-14
CM20R471K	81349	7-9
CR208511J	81349	7-14
CM20DOOIJ	81349	7-14
CM20D201J	81349	7-14
C42022IJ	81349	7-14
CM20D221J	81349	7-14
CM20D271J	81349	7-14
CM20D271J	81349	7-14
CM20D391J	81349	7-14
CR200391J	81349	7-14
C200D471J	81349	7-14
CM200471J	81349	7-14
CM200471J	81349	7-7
CM202101J	81349	7-14
CR30IO2G	81349	7-10
CM300102G	81349	7-10
CM358472K	81349	7-7
CP09A1EB103M	81349	7-10
CP09A1EF103u	81349	7-10
CP16A1H8203r	81349	7-9
CP26A1E102M	81349	7-10
CP26AIEF103P	81349	7-10
CP26AIEF503M	81349	7-10
C026A1EF503M	81349	7-10
C26A1FFSO3M	81349	7-10
CP26AIEF503M	81349	7-12
CP70E1EF504V	81349	7-12
CP70TEIEF805V	81349	7-6
CP18U	81350	7-7
CU406LIM25F	ZZZZZ	7-13
CV118130	81349	7-14
CV118130	81349	7-14
CV111130	81349	7-14
CV118130	81349	7-14
CV118130	81349	7-14
CV11C300	81349	7-14
CV11C300	81349	7-14
CV11C300	81349	7-14
CV11C300	81349	7-14
CV11C450	81349	7-9
CW346URM25F	ZZZZZ	7-13
DA109URM25F	ZZZZZ	7-13
FO2GIRSOA	81350	4-1
FO2G1R5OA	81350	4-1
F1102xCHR	91622	7-14
KKP	10133	
JJ03Y	81350	7-8
KIDS	92825	4-1
K105	92825	4-1
K105	92825	4-1
K105	92825	4-1
K105	92825	4-1
M11020-2XCHP	91662	7-12
RA20ISAI03AK	81349	7-8
RA20ISAI03AK	81349	7-9
RA20AISA252K	81349	7-8
RC20GF101K	81349	7-9
RC20GF101K	81349	7-9
RC20GF110K	81349	7-14
RC20GA102K	81349	7-1A
RC20GF102K	81349	7-14
RC20GF102K	81349	7-8
RC20GF102K	81349	7-9
RC20GF102K	81349	7-9
RC20GF102K	81349	7-9
RC20GF102K	81349	7-14
RC20GF102K	81349	7-14
RC20GF104K	81349	7-14
RC20GF104K	81349	7-14
RC20GF104K	81349	7-9
RC20GF104K	81349	7-10
RC20GF104K	81349	7-10
RC20GF104K	81349	7-14

<b>REFERENCE NO.</b>	<b>MFR CODE</b>	<b>FIG. NO.</b>	<b>ITEM NO</b>
RC20GF104K	81349	7-14	R182
RC20GF105K	81349	7-14	R168
RC20GF105K	81349	7-9	R148
RC20GF105K	81349	7-14	R102
RC02GF150K	81349	7-14	R108
RC20GF152K	81349	7-14	R107
RC20GF153K	81349	7-14	R179
RC20GF153K	81349	7-10	R145
RC20GF221K	81349	7-10	R157
RC20GF222K	81349	7-7	R101
RC20GF223K	81349	7-5	R169
RC20GF224K	81349	7-10	R155
RC20GF224K	81349	7-14	R138
RC20GF271K	81349	7-9	R113
RC20GF331J	81349	7-14	R401
PC20GF332K	81349	7-14	R177
RC20GF333K	81349	7-14	R153
RC20GF334K	81349	7-14	R172
RC20GF334K	81349	7-14	R159
RC20GF361J	81349	7-9	R105
RC20GF391J	81349	7-14	R301
RC20GF470K	81349	7-14	R120
RC20GF470K	81349	7-14	R163
RC20GF472K	81349	7-14	R175
RC20GF472K	81349	7-14	R181
RC20GF472K	81349	7-8	R183
RC20GF473K	81349	7-14	R178
RC20GF473K	81349	7-14	R104
RC20GF473K	81349	7-14	R150
RC20GF474K	81349	7-5	R170
RC20GF474K	81349	7-14	R139
RC20GF510J	81349	7-14	R201
PC20GFS60J	81349	7-14	R402
RC20GF682K	81349	7-14	R173
RC20GF683J	81349	7-9	R115
RC20GF820J	81349	7-14	R403
PC32GF220K	81349	7-7	R134
RC32GF221K	81349	7-14	R604
RC32GF820K	81349	7-12	R601
RC32GFB20K	81349	7-12	R602
RG58AU	81349		
RG58AU	81349	1-1	
RN15X61R9F	81349	7-10	R119
RN15X1543K	81349	7-10	R137
RN15X1543K	81349	7-14	R141
RN15X2152J	81349	7-9	P116
RN650499OF	81349	7-10	P118
RN65D4990F	81349	7-10	P130
RN65D4990F	81349	7-10	R156
RN6504990F	81349	7-14	R122
RN65D4990F	81349	7-14	R124
RN65D4990F	81349	7-14	R125
PN65D4990F	81349	7-14	R128
RN65D549F	81349	7-14	R121
PN7084222F	81349	7-10	R142
RN7084532F	81349	7-10	R162
RN70849R97	81349	7-9	R140
RN70849R97	81349	7-10	P136
RN7002002F	81349	7-14	R147
RN70060P4F	81349	7-14	R123
RN70060R4F	81349	7-14	R126
RN70060R4F	81349	7-14	R127
RN70060R4F	81349	7-14	R129
RN7007680F	81349	7-14	R131
RV3ATF0503A	81349	7-9	R151
RW316202	81349	7-12	R603
SG103URR25F	ZZZZZ	4-1	
ST52KMS35059-9	81349	7-8	S102
TS11RO1	81350	7-9	
TSIO1RO1	81350	7-12	
75102A01	81350		
TS1020R1	81350	7-12	
TS1O2UO2	81350		E121
TS1O2UO2	81350E	123	
TS102UO2	81350		E124
TS102UD0	81350		E125
TS102UO2	81350		X122
TS1O2UD3	81350		E120
UG1094U	80044	4-1	J102
UG1094U	80044	7-14	J201

## SECTION IV

TM 11-6625-603-40P

REFERENCE NO.	MFR CODE	FIG. NO.	ITEM NO.	REFERENCE NO.	MFR CODE	FIG. NO.	ITEM. NO
UG1094U	80044	7-14	J202	1628298	92428	4-1	E107
UG1094U	80044	7-14	J301	1628354	92428		E117
UG1094U	80044	7-14	J302	162C020	92428	7-12	L601
UG1094U	80044	7-14	J401	162C030	92428	7-14	T102
UG1094U	80044	7-14	J402	162C031	92428	7-14	T103
UG1094U	80044	7-14	J501	162C032	92428	7-14	T104
UG201U	80044	1-1	P701	162C033	q2428	7-14	T105
UG88U	80044		P105	162C034	92428	7-14	T106
UG88U	80044		P106	162C035	92428	7-14	T107
UG88U	80044		P107	162C036	92428	7-14	T108
UG88U	80044		P108	162C037	92428	7-14	T109
UG88U	80044		P109	162C038	92428	7-14	T110
UG88U	80044		P110	162C045	92428	7-8	M101
UWX1103	08108			162C344	92428	7-14	C100
XGS2268-20	72928	7-9	C118	162C361	92428	4-1	J101
XGS2268-20	72928	7-14	C501	162D022	92428	7-12	T601
OA3	81350	7-12	V602	162D047	92428		F108
1-2W11-16	96095	7-14	R132	1620047	92428		E109
1-2W11-16	96095	7-14	R133	1620047	92428		E111
1N145	81350	7-10		1620047	92428		E112
1N69	81350	7-9		1620047	92428		E113
1N69	81350	7-10		1620047	92428		E114
162A282	92428	7-4	E127	162D047	92428		E115
162A282	92428	7-4	E128	1620047	92428		E116
162A282	92428	7-4	E129	1620047	92428	4-1	E110
162A359	92428		0117	25	46992	7-8	P135
162A391	92428	7-9	L103	318035	78497		E118
162A391	92428	7-9	L106	318035	78497		E119
162A391	92428	7-10	L109	327	72982	7-14	C137
162A391	92428	7-14	L104	357	72982	7-14	C127
162A392	92428	7-9	L105	357	72982	7-14	C143
162A416	92428		E133	SOWREDJEWEL	70490	7-6	
1628002	92428	7-9	S103	51	08108	7-7	1103
1628011	92428		0112	51	08108	7-14	1101
1628029	92428		E132	51	08108	7-14	1102
1628107	92428	7-9	L108	6AG7	81350	7-8	V103
1628109	92428	7-9	1107	6AH6	81350	7-6	V101
1628111	92428	7-6	L101	6AH6	81350	7-7	V104
1628111	92428	7-6	L110	6AH6	81350	7-7	V105
1628116	92428	7-6	L102	6AH6	81350	7-7	V106
1628130	92428			6AH6	81350	7-8	V102
1628135	92428	7-14	L301	6X4WA	81350	7-12	V601
1628202	92428			60	00494	7-14	F501
1628205	92428	4-1	0102	60	00494	7-14	E502
1628212	92428	4-1	E106	80Pi	33954	7-7	C125
1628228	92428	7-4	E131	80PI	33954	7-8	C126
1628277	92428	7-7	S101	864537-0001	65597	7-9	R109
1628287	92428	7-4	E130	9435-1-2	10133		
1628298	92428		0105				

By Order of the Secretary of the Army:

**CREIGHTON W. ABRAMS**  
*General, United States Army*  
*Chief of Staff*

Official:

**VERNE L. BOWERS**  
*Major General, United States Army*  
*The Adjutant General*

Distribution:

Active Army:

USASA (21)	USAADS (2)
CNGB (1)	USAARMS (2)
ACSC-E (21)	USAFAS (2)
USAARENBD (2)	USAIS (2)
USAMB (101)	USAES (2)
AMC (1)	AD (2) except
USASTRATCOM (4)	SAAD (30)
HISA (ECOMI (18)	LBAD (14)
MICOM (2)	TOAD (141)
TECOM (21)	ATAD (101)
CONARC (51)	LEAD (7)
ARADCOM (21)	Gen Dep (21)
ARADCOM Rgn (2)	Sig Sec, Gen Dep (2)
OS Maj Comd (4)	Sig Dep (5)
LOGCOMD (5)	MAAG (1)
Armies (21)	WRAMC (1)
Corps (2)	USARMIS (11)
USACDCEC (51)	USAERDAA (1)
Insti 12) except	USAERDAW (1)
Ft Carson (101)	Sig Fldms (1)
Ft Gordon (101)	Units org under fol TOE:- 1 ea.
Ft Huachuca (10)	11-158
Svc Colleges (21)	29-134
USASESS (5)	29-136
USAINTS (3)	

NG: State AG (3).

USAR: None.

For explanation of Abbreviations used, see AR 310-50.

\*U.S. GOVERNMENT PRINTING OFFICE : 1983 0 - 381-302 (2424)

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS



THEN... JOT DOWN THE DOPE ABOUT IT ON THIS FORM, CAREFULLY TEAR IT OUT, FOLD IT AND DROP IT IN THE MAIL!

**SOMETHING WRONG WITH THIS PUBLICATION?**

FROM: (PRINT YOUR UNIT'S COMPLETE ADDRESS)

DATE SENT

PUBLICATION NUMBER

PUBLICATION DATE

PUBLICATION TITLE

BE EXACT... PIN-POINT WHERE IT IS

PAGE NO.

PARA-GRAPH

FIGURE NO.

TABLE NO.

IN THIS SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT:

TEAR ALONG PERFORATED LINE

PRINTED NAME, GRADE OR TITLE, AND TELEPHONE NUMBER

SIGN HERE:

DA FORM 2028-2  
1 JUL 79

PREVIOUS EDITIONS ARE OBSOLETE.

P.S.—IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR RECOMMENDATION MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS.

