

Electronics

GaAs SPDT Switch DC - 6.0 GHz



- Low Insertion Loss: 0.5 dB Typical @ 4 GHz
- Fast Switching Speed: 4 nS Typical
- Ultra Low DC Power Consumption
- Integral Static Protection

Description

M/A-COM's MASW6010G is an SPDT GaAs MESFET MMIC. This part combines small size, low insertion loss and power consumption with high isolation. Ideal for many applications and module use. It will function well for designs below 6 GHz.

This die includes full passivation for performance and reliability.


Ordering Information¹

Part Number	Package	
MASW6010G	Die	

1. Die quantity varies.

1

Pad Layout



Bond Pad Dimensions


Bond Pad	Dimension Inches (mm)		
RFC	0.004 x 0.004 (0.100 x 0.100)		
RF2, RF3	0.004 x 0.004 (0.100 x 0.100)		
A, B	0.004 x 0.004 (0.100 x 0.100)		
GND1, GND2	0.012 x 0.004 (0.300 x 0.100)		
DIE Size	0.031 x 0.031 x 0.010 (0.80 x 0.80 x 0.25)		

Absolute Maximum Ratings²

Parameter	Absolute Maximum		
Control Voltage (A/B)	-8.5 VDC		
Input RF Power	+42 dBm (500 MHz - 6 GHz)		
Operating Temperature	+175°C		
Storage Temperature	-65°C to +175°C		

2. Exceeding any one or combination of these limits may cause permanent damage to this device.

Schematic



- North America Tel: 800.366.2266 / Fax: 978.366.2266
- Europe Tel: 44.1908.574.200 / Fax: 44.1908.574.300
- Asia/Pacific Tel: 81.44.844.8296 / Fax: 81.44.844.8298

Visit www.macom.com for additional data sheets and product information.



MASW6010G

V5





GaAs SPDT Switch DC - 6.0 GHz

MASW6010G V5

Electrical Specifications ^{3,4}: $T_A = 25^{\circ}C$, $Z_0 = 50\Omega$

Parameter	Test Conditions U		Min.	Тур.	Max.
Insertion Loss	DC - 1.0 GHz dB DC - 2.0 GHz dB DC - 6.0 GHz dB		 	 	0.6 0.8 1.4
Isolation	DC - 1.0 GHz dB DC - 2.0 GHz dB DC - 6.0 GHz dB		45 38 22		
VSWR	DC - 1.0 GHz Ratio DC - 2.0 GHz Ratio DC - 6.0 GHz Ratio				1.1:1 1.2:1 1.9:1
Trise, Tfall	10% to 90% RF and 90% to 10% RF ns		—	2	_
Ton, Toff	50% control to 90% RF, and 50% control to 10% RF		—	4	_
Transients	In-Band		—	10	_
Input P1dB	Above 500 MHz, 0 to -5 V dBm 100 MHz, 0 to -5 V dBm Above 500 MHz, 0 to -8 V dBm 100 MHz, 0 to -8 V dBm		 	+27 +21 +33 +26	
IP2	Two Tone, +5 dBm/Tone, 5 MHz Spacing Above 500 MHz dBm 100 MHz dBm			+68 +62	
IIP3	Two Tone, +5 dBm/Tone, 5 MHz Spacing Above 500 MHz dBm 100 MHz dBm			+46 +40	
Control Voltage (Complementary Logic)	V _{IN} Low, 0 to -0.2 V V _{IN} High, -5 V V _{IN} High, -8 V				20 50 300

3. All specifications apply with 50-ohm impedance connected to all RF ports, 0 and -8 VDC control voltages.

4. Loss changes 0.0025 dB/°C (From –55°C to +85°C).

Handling Procedures

Please observe the following precautions to avoid damage:

Static Sensitivity

Gallium Arsenide Integrated Circuits are sensitive to electrostatic discharge (ESD) and can be damaged by static electricity. Proper ESD control techniques should be used when handling these devices.

Truth Table ⁵

Control Inputs		Condition of Switch RF Common to each RF Port		
Α	В	RF1	RF2	
V _{IN} Hi	V _{IN} Low	On	Off	
V _{IN} Low	V _{IN} Hi	Off	On	

5. V_{IN} Low = 0 to -0.2 V, V_{IN} High = -5 to -8 V.

• Asia/Pacific Tel: 81.44.844.8296 / Fax: 81.44.844.8298

Visit www.macom.com for additional data sheets and product information.

²

M/A-COM Inc. and its affiliates reserve the right to make changes to the product(s) or information contained herein without notice. M/A-COM makes no warranty, representation or guarantee regarding the suitability of its products for any particular purpose, nor does M/A-COM assume any liability whatsoever arising out of the use or application of any product(s) or information.

[•] North America Tel: 800.366.2266 / Fax: 978.366.2266

[•] Europe Tel: 44.1908.574.200 / Fax: 44.1908.574.300




GaAs SPDT Switch DC - 6.0 GHz




MASW6010G V5

Typical Performance Curves


Insertion Loss



Isolation



VSWR



- M/A-COM Inc. and its affiliates reserve the right to make changes to the product(s) or information contained herein without notice. M/A-COM makes no warranty, representation or guarantee regarding the suitability of its products for any particular purpose, nor does M/A-COM assume any liability whatsoever arising out of the use or application of any product(s) or information.
- North America Tel: 800.366.2266 / Fax: 978.366.2266
- Europe Tel: 44.1908.574.200 / Fax: 44.1908.574.300
- Asia/Pacific Tel: 81.44.844.8296 / Fax: 81.44.844.8298

Visit www.macom.com for additional data sheets and product information.



Electronics

GaAs SPDT Switch DC - 6.0 GHz

MASW6010G V5

Handling Procedures

Permanent damage to the MASW6010G may occur if the following precautions are not adhered to:

- A. Cleanliness The MASW6010G should be handled in a clean environment. DO NOT attempt to clean assembly after the MASW6010G is installed.
- B. Static Sensitivity All die handling equipment and personnel should be DC grounded.
- C. Transients Avoid instrument and power supply transients while bias is connected to the MASW6010G. Use shielded signal and bias cables to minimize inductive pick-up.
- D. Bias Apply voltage to either control port A/B or only when the other is grounded. Neither port should be allowed to "float".
- E. General Handling It is recommended that the MASW6010G chip be handled along the long side of the die with a sharp pair of bent tweezers. DO NOT touch the surface of the chip with fingers or tweezers.

Mounting

The MASW6010G is back-metallized with Pd/Ni/Au (100/1,000/30,000Å) metallization. It can be die-mounted using Au/Sn eutectic preforms or a thermally conductive epoxy. The package surface should be clean and flat before attachment.

Eutectic Die Attach:

- A. An 80/20 Au/Sn preform is recommended with a work surface temperature of approximately 255°C and a tool temperature of 265°C. When hot 90/10 nitrogen/hydrogen gas is applied, solder temperature should be approximately 290°C.
- B. DO NOT expose the MASW6010G to a temperature greater than 320°C for more than 20 seconds. No more than 3 seconds of scrubbing should be required for attachment.

Epoxy Die Attach:

4

- A. Electrically conductive epoxy must be used.
- B Apply a minimum amount of epoxy and place the MASW6010G into position. A thin epoxy fillet should be visible around the perimeter of the die.
- C Cure epoxy per manufacturer's recommended schedule.

Wire Bonding

- A. Ball or wedge bond with 1.0 mil diameter pure gold wire. Thermosonic wire bonding with a nominal stage temperature of 150°C and a ball bonding force of 40 to 50 grams or wedge bonding force of 18 to 22 grams is recommended. Ultrasonic energy and time should be adjusted to the minimum levels to achieve reliable wirebonds.
- B. Wirebonds should be started on the chip and terminated on the package.

- North America Tel: 800.366.2266 / Fax: 978.366.2266
- Europe Tel: 44.1908.574.200 / Fax: 44.1908.574.300
- Asia/Pacific Tel: 81.44.844.8296 / Fax: 81.44.844.8298
- M/A-COM Inc. and its affiliates reserve the right to make changes to the product(s) or information contained herein without notice. M/A-COM makes no warranty, representation or guarantee regarding the suitability of its products for any particular purpose, nor does M/A-COM assume any liability whatsoever arising out of the use or application of any product(s) or information.