

Heathkit Cross Reference

Updated 7/20/09

Heath P/N	Generic P/N	Alternate 1	Alternate 2	Description
Resistor				
1-1	33	0.50		33 0.50 W
1-1-2	2700	1.00	2700	0.50 W
1-2-2	4700	2.00	4700	2.00 W
1-2-10	50	30.00	50	30.00 W
1-2	68	0.50	68	0.50 W
1-2-1	1000	1.00	1000	1.00 W
1-3-2	10K	2.00	10K	2.00 W
1-3	100	0.50	100	0.50 W
1-4-1	8200	1.00	8200	1.00 W
1-4-2	15K	2.00	15 K	2.00 W
1-4	330	0.50	330	0.50 W
1-5-2	220K	2.00	220 K	2.00 W
1-5-1	22 K	1.00	22 K	1.00 W
1-6-1	30K	1.00	30 K	1.00 W
1-6-2	27K	2.00	27 K	2.00 W
1-6	470	0.50	470	0.50 W
1-7-2	180K	2.00	180 K	2.00 W
1-7	680	0.50	680	0.50 W
1-8-2	1M	2.00	1 M	2.00 W
1-8	820	0.50	820	0.50 W
1-9-2	3300	2.00	3300	2.00 W
1-9	1000	0.50	1000	0.50 W
1-10-2	47K	2.00	47 K	2.00 W
1-10	1200	0.50	1200	0.50 W
1-11-2	22K	2.00	22 K	2.00 W
1-11	1500	0.50	1500	0.50 W
1-12	2000	0.50	2000	0.50 W
1-12-2	470	2.00	470	2.00 W
1-13-2	220	2.00	220	2.00 W
1-13	2700	0.50	2700	0.50 W
1-14-2	1500	2.00	1500	2.00 W
1-14	3300	0.50	3300	0.50 W
1-15-2	1000	2.00	1000	2.00 W
1-16-2	330	2.00	330	2.00 W
1-16	4700	0.50	4700	0.50 W
1-17-2	6800	2.00	6800	2.00 W
1-18-2	33k	2.00	33 K	2.00 W
1-19-2	1200	2.00	1200	2.00 W
1-19	6800	0.50	6800	0.50 W
1-20-2	100	2.00	100	2.00 W
1-20	10 K	0.50	10 K	0.50 W
1-21-2	20	2.00		20 2.00 W
1-21	15 K	0.50	15 K	0.50 W

1-21-1	680	1.00	680 1.00 W
1-22-2	12K	2.00	12 K 2.00 W
1-22-12	330	0.25	330 0.25 W
1-22	22 K	0.50	22 K 0.50 W
1-22-1	1500	1.00	1500 1.00 W
1-23-2	5600	2.00	5600 2.00 W
1-23	27 K	0.50	27 K 0.50 W
1-23-1	2200	0.50	2200 1.00 W
1-24-2	100K	2.00	100 K 2.00 W
1-24	33 K	0.50	33 K 0.50 W
1-25-2	43	2.00	43 2.00 W
1-25-12	5100	0.25	5100 0.25 W
1-25	47 K	0.50	47 K 0.50 W
1-26-2	4.7	2.00	4.7 2.00 W
1-26	100 K	0.50	100 K 0.50 W
1-27-2	68K	2.00	68 K 2.00 W
1-27	150 K	0.50	150 K 0.50 W
1-27-1	33 K	1.00	33 K 1.00 W
1-28	200K	0.50	200 K 0.50 W
1-28-2	15	2.00	15 2.00 W
1-28-1	100 K	1.00	100 K 1.00 W
1-29-2	75K	2.00	75 K 2.00 W
1-29	220 K	0.50	220 K 0.50 W
1-30-2	270	2.00	270 2.00 W
1-30	270 K	0.50	270 K 0.50 W
1-31-2	1M	2.00	1 M 2.00 W
1-31	330 K	0.50	330 K 0.50 W
1-32-2	4.7M	2.00	4.7 M 2.00 W
1-32-1	470 K	1.00	470 K 1.00 W
1-33-2	120K	2.00	120 K 2.00 W
1-33	470 K	0.50	470 K 0.50 W
1-34-2	750	2.00	750 2.00 W
1-34-12	560K	0.25	560 K 0.25 W
1-34	680 K	0.50	560 K 0.50 W
1-34-1	1 M	1.00	1 M 1.00 W
1-35-2	1.5M	2.00	1.5 M 2.00 W
1-35	1 M	0.50	1 M 0.50 W
1-36-2	2.2M	2.00	2.2 M 2.00 W
1-36	1.5 M	0.50	1.5 M 0.50 W
1-37	2.2M	0.50	2.2 M 0.50 W
1-37-2	3.3	2.00	3.3 2.00 W
1-37-1	3.3 M	1.00	3.3 M 1.00
1-38-2	3.3M	2.00	3.3 M 2.00 W
1-38	3.3 M	0.50	3.3 M 0.50 W
1-39-2	51	2.00	51 2.00 W
1-40	10M	0.50	10 M 0.50 W
1-40-2	68	2.00	68 2.00 W
1-41-1	5.6	1.00	5.6 1.00 W

1-41-2	47	2.00	47 2.00 W
1-42-1	5.6M	1.00	5.6 M 1.00 W
1-42-2	150	2.00	150 2.00 W
1-42	270	0.50	270 0.50 W
1-43-2	10	2.00	10 2.00 W
1-43	4700	0.50	4700 0.50 W 5%
1-44-12	7500	0.25	7500 0.25 W
1-44	2200	0.50	2200 0.50 W
1-45	220	0.50	220 0.50 W
1-46-2	180	2.00	180 2.00 W
1-46	3900	0.50	3900 0.50 W
1-47-1	3900	1.00	3900 1.00 W
1-47	56 K	0.50	56 K 0.50 W
1-48-1	4700	1.00	4700 1.00 W
1-48	390	0.50	390 0.50 W
1-49-1	47	1.00	47 1.00 W
1-49	22	0.50	22 0.50 W
1-50-1	2000	1.00	2000 1.00 W
1-50-2	820	2.00	820 2.00 W
1-50	68 K	0.50	68 K 0.50 W
1-51-1	4300	1.00	4300 1.00 W
1-52-1	3000	1.00	3000 1.00 W
1-53-1	1800	1.00	1800 1.00 W
1-55	12	0.50	12 0.50 W
1-57-1	5600	1.00	5600 1.00 W
1-57	2200	0.50	2200 0.50 W
1-58-1	12K	1.00	12 K 1.00 W
1-58	22 K	0.50	22 K 0.50 W 5%
1-59-1	910K	1.00	910 K 1.00 W
1-60	68 K	0.50	68 K 0.50 W
1-61-1	820	1.00	820 1.00 W
1-62-1	91K	1.00	91 K 1.00 W
1-63-1	39K	1.00	39 K 1.00 W
1-66-1	270	1.00	270 1.00 W
1-66	150	0.50	150 0.50 W
1-67	39 K	0.50	39 K 0.50 W
1-68	820 K	0.50	820 K 0.50 W
1-69-1	560	1.00	560 1.00 W
1-69	18 K	0.50	18 K 0.50 W
1-70	22M	0.50	22 M 0.50 W
1-71	4.7 M	0.50	4.7 M 0.50 W
1-72	2.2	0.50	2.2 0.50 W
1-73	8200	0.50	8200 0.50 W
1-74	18M	0.50	18 M 0.50 W
1-76	33 K	0.50	33 K 0.50 W 5%
1-84	62	0.50	62 0.50 W
1-85	200K	0.50	200 K 0.50 W
1-86	5.6M	0.50	5.6 M 0.50 W

1-87	330 K	0.50	330 K 0.50
1-88-12	10M	0.25	10 M 0.25 W
1-88	36 K	0.50	36 K 0.50
1-90	2000	0.50	2000 0.50 W 5%
1-91	440	0.50	440 0.50 W
1-93	1800	0.50	1800 0.50 W
1-99	240 K	0.50	240 K 0.50 W 5%
1-101	1 M	0.50	1 M 0.50 W 5%
1-102	82 K	0.50	82 K 0.50 W
1-105	10 K	0.50	10 K 0.50 W 5%
1-109-12	4.7M	0.25	4.7 M 0.25 W
1-110-12	8.2M	0.25	8.2 M 0.25 W
1-111	150	0.50	150 0.50 W 5%
1-113	5600	0.50	5600 0.50 W 5%
1-115	47 K	0.50	47 K 0.50 W 5%
1-117	820K	0.50	820 K 0.50 W
1-120	12M	0.50	12 M 0.50 W
1-120-12	120	0.25	120 0.25 W
1-121	120 K	0.50	120 K 0.50 W
1-122	3300	0.50	3300 0.50 W 5%
1-124	27 K	0.50	27 K 0.50 W 5%
1-126	180 K	0.50	180 K 0.50 W
1-127-12	3.3M	0.25	3.3 M 0.25 W
1-131	620	0.50	620 0.50 W 5%
1-132	20 K	0.50	20 K 0.50 W 5%
1-139	100M	0.50	100 M 0.50 W
1-141	1000M	0.50	1000 M 0.50 W
1-144-12	15M	0.25	15 M 0.25 W
1-157-12	10M	0.25	10 M 0.25 W
1-160	110	0.50	110 0.50 W
1-165	6.8M	0.50	6.8 M 0.50 W
1-166	10M	0.50	10 M 0.50 W
1-168	110K	0.50	110 K 0.50 W
1-181	15M	0.50	15 M 0.50 W
1-195	43M	0.50	43 M 0.50 W
1-197	3.3	0.50	3.3 0.50 W

Signal Diode

56-4	HD2257		Hughes Crystal Diode
56-5	HD6226		Hughes Crystal Diode
56-6	1N710	1N754	6.8 V Zener
56-7	1N2326		1.0 V 100mA Germanium V-Ref
56-8	ED-5		Erie Crystal Diode
56-9	1N294		Crystal Diode
56-10	G247		47pF Varactor
56-11	1N60A		Crystal Diode
56-12	1N2940		Crystal Diode
56-13	1N5943A	1N5370A	56 V Zener

56-15	RCA34424		1.0 V 500 mA		
56-16	1N751A	1N5231B		1N4733A	5.1 V Zener
56-17	STD633		Tunnel Diode		
56-18	10M110Z		110 V Zener 20 mA		
56-19	1N757A	VR9.1		1N5239B	9.1 V Zener
56-20	1N295	1N295S		1N60H	40V 35mA Germanium
56-23	1N954		40V Germanium		
56-24	1N458		150 PIV 100 mA Switching		
56-25	1N4166A	1N4744	15V Zener		
56-26	1N191		90 PIV 5 mA Germanium		
56-27	S160		20V 1mA		
56-28	S127		25V 10mA		
56-29	VR110		110V Zener		
56-30	1N3720		Tunnel Diode		
56-31	PS18775		6.8 V Zener		
56-32	VR13.5		13.5 V Zener		
56-33	1N3754		100 PIV 0.13A Switching		
56-35	1N4951		Dual Diode (Common Cathode)		
56-36	VR16.1		16.1 V Zener		
56-44	1N4653		4.7 V Zener		
56-45	VR20		20 V Zener		
56-46	1N4739A	1N5239B	9.1 V Zener		
56-47	MZ1000-23		27 V Zener		
56-48	BZT110A	1N3814		1N5379B	110 V Zener 15 mA
56-49	MV1638		30-36pF Varactor Diode		
56-50	DO-7	5D20	2000 PIV 5mA DO-7		
56-51	1N3581		11.7 V Zener		
56-52	ED3210		350 V 150mA		
56-53	FZ903		10.6 V Zener		
56-54	VRS-5A		5 V Zener		
56-55	VR36A		36 V Zener		
56-56	1N4149	1N4148	100 PIV 10mA Switching		
56-57	1N716A		12 V Zener		
56-58	1N709A		6.2 V Zener		
56-59	1N750A	1N5230B		1N4732A	4.7 V Zener
56-60	TD716		Tunnel Diode		
56-61	STB620		Stabistor (IG-1271)		
56-62	1N939		9.0 V Zener		
56-63	MZ500-10		5.6 V Zener		
56-64	MZ1000-24		30 V Zener		
56-65	MZ100033		68.0 V Zener		
56-66	VR43	1N3035	43 V Zener		
56-67	VR10A	1N4740A	10 V Zener		
56-68	ZVR-68	1N5945A		1N5373A	68 V Zener
56-69	LD107		190 mV Log Diode		
56-71	1N825A		6.2V Temp Comp Zener Diode		
56-72	1N4755A		6 V Voltage Reference Diode		

56-73	MZ2360		0.65 Forward Voltage Ref
56-74	MZ2362		2.00 Forward Voltage Ref
56-75	1N5338B		5.1 V Zener
56-76	1N972B		30 V Zener
56-77	FV1010		Varactor Diode
56-78	FH6259		
56-79	R4507-5		
56-81	GR-187		1 kV 1.0 mA
56-82	1N3996A		5.1V Zener Diode 10W Stud-Mtg
56-83	417-242		6.8 V Zener
56-84	1N4148		100 PIV 10mA Switching
56-85	SZ5.0		5.0 V Zener
56-86	FD777		15 PIV 50mA RF
56-87	FH1100	1N5390	5 PIV "Hot Carrier" 890MHz
56-88	GN173		1300V Zener
56-89	GD510		25 PIV 100mA Germanium
56-90	1N4742A		12 V Zener
56-91	1N823A		6.2 V Zener
56-93	FD333		125 V 150mA RF
56-94	Selected Zener		12.8 V @ 12 mA
56-95	ZTK33		33 V Zener
56-97	VR7.5	1N3017	7.5 V Zener
56-98	1N5283		Current Limiter (FET Diode)
56-99	1N5223B		2.7 V Zener
56-601	1N5287		Current Limiter (FET Diode)
56-602	Unspecified		10 V PIV 200mA Germanium
56-604	1N4752A		33 V Zener
56-605	1N4746A		18 V Zener
56-606	1N5353B		16 V Zener
56-607	1N82AG		Silicon diode UHF Mixer
56-608	Unspecified		9.1 V Zener
56-609	1N2806B		8.2 V Zener
56-610	1N4149	1N4148	100 V 4 nS Fast Recovery
56-611	Selected Zener		13.5 V Zener
56-612	1N5229B		4.3 V Zener
56-613	MV2110	1N5231B(?)	35-43pF Varactor Diode
56-614	MDS6101		Dual Diode
56-615	LNA356		5.6 V Zener
56-616	1N5232B		5.6 V Zener
56-617	1N5277B		160 V Zener
56-618	1N4758A		56.0 V Zener
56-619	1N4733A		5.1 V Zener
56-620	1N4744		15 V Zener
56-621	1N4738A		8.2 V Zener
56-626	Selected Zener		56 V Zener 8mA
56-627	1N4741		11 V Zener
56-628	BY206		600PIV 1A Fast Recovery Diode
56-629	BZX83C3V		3V Zener

56-630	1N4748A	1N5933A		22 V Zener
56-632	MV1404VC			120 pF Varactor Diode
56-634	2EZ82D5	1N5947A	1N5375A	82 V Zener
56-635	UM9401			
56-636	5082-2811	HP-5082	HP-2811	15V 20mA Schottky Diode
56-637	PS18775	1N5235		6.8 V Zener
56-640	MV2110			35-43pF Varactor Diode
56-642	MV2107			22 pF Varactor Diode (at 4.0V)
56-646	BA-244			35 PIV 100A DO-35
56-647	UM9485			
56-648	MV109			26-32pF Varactor Diode
56-649	Selected Zener			4.1 V Zener
56-650	Selected Zener			6.2 V Zener
56-651	Selected Zener			15.0 V Zener
56-652	1N4448			75V 0.45A High Speed Switching
56-653	Selected Zener			91 V Zener
56-654	MV3141			10 pF Varactor Diode
56-655	1N6263	SD101A		60 PIV 15mA Schottky
56-656	B4379			RF Diode
56-657	1N748A			3.9 V Zener
56-658	1N5249			19 V Zener
56-659	1N5998B			Selected Zener 8.2 V
56-660	1N6275			15 V Zener
56-661	1N6279			22.0 V Zener
56-663	Selected Zener			2.35 V Zener
56-664	MBD102			PIN Diode
56-665	1N591BA			5.1 V Zener
56-666	MV2115			100 pF Varactor
56-667	TIL100			PIN Diode
56-668	1N486A			
56-669	1N5524D			5.6 V Zener
56-670	MBD101			1 pF Varactor
56-671	MPN3402			
56-672	SD1036			
56-673	Selected Zener			5.2 V Zener
56-674	MV209			26-32pF Varactor Diode
56-675	MPN3404			20 PIV 10 mA Switching Diode
56-676	MBD201			
56-677	1N5350B			3.0 V Zener
56-678	LM385B21.2			Temp Sensor Zener
56-679	New			Diode 20V 3A
56-681	1N5721			
56-682	1N5232B			5.6 V Zener
56-683	1N914			
56-688	1N823A			6.2 V Zener
56-695	LM385Z-2.5			2.5V Zener Micro-Power TO-92
56-876	MBD201			K Band UHF/Micro TO-92

Rectifier Diode

57-1	Selenium Rectifier 250 PIV			
57-2	65 mA Half Wave Sel Rectifier			
57-6	Selenium Rectifier 450 PIV			
57-7	Dual Half Wave Sel Rectifier			
57-11	CX2C2D	Bradley CS2C2D437		Selenium Rectifier
57-12	Bridge Rectifier 150 PIV 150mA			
57-13	Sarkes Model 50			Selenium Rectifier 200 PIV
57-15	100 mA 130 PIV			
57-16	100 mA 175 PIV			
57-17	1N1084		500 mA	
57-18	1N2154		20 Amp	
57-20	1N1169		500 mA	
57-21	M150		150 mA	
57-22	ST10		10 mA 130 PIV Selenium Recti	
57-23	R200		200 mA 200 PIV	
57-24	1N2095	1N4005	500 V 500 mA	
57-25	65 mA 130 PIV			
57-26	1N2094	1N4004	400 V 500 mA	
57-27	1N2071	1N4005		1N5397 600 PIV 1A Rectifier
57-28	1N2070		400 V 750 mA Silicon	
57-29	U-131		Silicon Diode (Selected)	
57-31	1N2860			
57-33	24Z411B9HB			
57-34	1N3491		400V 25A Rectifier	
57-35	1N3491R			
57-36	ED4096			
57-37	GEC37B			
57-38	FED1777			
57-39	GEC30B			
57-40	GEC6B		SCR	
57-41	GEC6F			
57-42	3A1	1N5401	300 PIV 3A Rectifier	
57-43	TVC3			
57-44	P3340HQ			
57-45	ED4312			
57-46	DRS102		600V 1A DO-41	
57-47	X13B615			
57-48	Q2004			
57-50	TIC44	TI1001	30V 800mA SCR TO-92	
57-51	TIC47		200V 800mA SCR TO-92	
57-52	DO-7	5D20	2000 PIV 5mA DO-7	
57-53	2N3273		SCR	
57-55	145A0		SCR	
57-56	SCM-30		3000 PIV 5mA DO-7	
57-57	GRS7PH280BAB			
57-58	40642			
57-59	40643			

57-60	40644		
57-61	S391		SCR
57-62	S391		SCR
57-63	SA3173		
57-64	DRS-110	1N4007	1000V 1A DO-41
57-65	1N4002		100 PIV 1A Rectifier
57-66	H402		
57-67	10A20		Full Wave Bridge
57-69	A15FX4		
57-70	23C050C		SCR
57-71	1N825A		6.2V Temp Comp Zener Diode
57-72	T1C116F		SCR
57-73	H4601		
57-78	XX10		
57-83	M4815B01		
57-84	45412	1N5759A	DIAC
57-85	40668		TRIAC
57-86	SPS135	NL576A	SCR
57-87	HS04S		
57-88	MDA990-2		100V 30A FW Bridge Rectifier
57-89	MR1122		200 PIV 12A DO-203
57-90	MH1209B01		
57-91	41018		
57-92	MPT24		
57-93	MCR1065		
57-94	41021		
57-95	VK448		Diode Bridge
57-96	S2600D		
57-97	SPS335		
57-98	MH1209B02		
57-99	2N6151		Triac
57-601	MR850		
57-602	S3900MF		
57-603	S3901M		
57-604	SR711A		Dual Diode Common Anode TO-3
57-607	1N5817		20 PIV 1A Schottky Rectifier
57-608	1N5831		25 A Schottky rectifier (Stud)
57-609	1N5393		200 PIV 1.5 A
57-610	FM-50		6000 PIV 3 mA
57-611	SR711		Dual Diode Common Anode TO-3
57-612	T2302F	H103SG	Triac
57-613	1N5624		
57-614	MR-508		800 PIV 3 A
57-615	MBS4991		Bilateral Switch
57-616	SC147D		
57-617	S1A6F		
57-618	S1A10F		
57-619	1N4934		

57-620	2N6070A		
57-621	MBS4992		Diac
57-622	106A1		SCR
57-623	MR751		
57-624	2N5061		60V 500mA SCR TO-92
57-625	SB1020	MBR1035	SB1035
57-626	1N4005		600V 1A
57-627	MR851		20V 3 A
57-628	1N5820		20V 3 A

Assemblies

100-1727	Temp Sensor	New Stock Available	Temp Sensor for ID-4001/5001
100-1728	Temp Sensor	New Stock Available	Temp Sensor for ID-4001/5001

Solid-State Tube

150-57	TR-1002	Solid-State "6AL5" Replcmnt
150-58	TR-1119	Solid-State "12AU7" Replcmnt

Crystal

404-12	Crystal Filter	For RX-1
404-166	Crystal	27.530 MHz ML18
404-184	Crystal 3rd	1680.700 KHz HC6U
404-201	Crystal Filter 3750	For SB-300
404-202	Crystal Filter 400	For SB-300
404-205	Crystal Filter 3393	For SB-101,102,303,313
404-207	Crystal Fund	12.395 MHz HC6U
404-208	Crystal Fund	15.895 MHz HC6U
404-209	Crystal 3rd	22.895 MHz HC6U
404-210	Crystal 3rd	29.895 MHz HC6U
404-211	Crystal 3rd	36.895 MHz HC6U
404-212	Crystal 3rd	37.395 MHz HC6U
404-213	Crystal 3rd	37.895 MHz HC6U
404-214	Crystal 3rd	38.395 MHz HC6U
404-215	Crystal Fund	3395.4 KHz HC6U
404-216	Crystal Fund	2006.0 KHz HC6U
404-238	Crystal Burst	3579.545 KHz
404-283	Crystal Filter 2100	For SB/HW series
404-284	Crystal Filter 3395	For SB/HW series
404-309	Crystal Fund	14.595 MHz HC6U
404-314	Crystal Filter 5000	For SB-310,313
404-328	Crystal Filter 2100	6-pole
404-338	Crystal 3rd	45.000 MHz HC16
404-340	Crystal 3rd	47.25 MHz HC18
404-341	Crystal 5th	67.25 MHz HC18
404-343	Crystal Fund	190.08 KHz HC6U
404-384	Crystal 3rd	26.542 MHz HC18
404-391	Crystal 3rd	26.4235 MHz HC18
404-394	Crystal 3rd	36.2665 MHz HC18

404-396	Crystal 3rd	36.4265 MHz HC18
404-414	Crystal Fund	1.0000 MHz H17W
404-421	Crystal 3rd	37.895 MHz HC18
404-424	Crystal Fund	1.0000 MHz H17W
404-426	Crystal Fund	10.000 MHz H3W
404-533	Crystal 3rd	35.8535 MHz HC18
404-535	Crystal Filter	10.7000 MHz H3W3
404-536	Crystal Fund	4.000 MHz HC6U
404-543	Crystal 3rd	23.895 MHz HC18
404-548	Crystal Filter 400	For SB-104
404-563	Crystal Fund	10.100 MHz HC25
404-564	Crystal Fund	15.1377 MHz HC25
404-566	Crystal 3rd	26.500 MHz HC6U
404-574	Crystal	10.6898 MHz H3W3
404-575	Crystal	10.6923 MHz H3W3
404-577	Crystal Fund	377.616 KHz HC33
404-578	Crystal Fund	3563.795 KHz H5W
404-585	Crystal Fund	23.2333 MHz HC25
404-586	Crystal Fund	23.3333 MHz HC25
404-587	Crystal Fund	23.4333 MHz HC25
404-588	Crystal Fund	2012.16 KHz HC33
404-597	Crystal Fund	2.4576 MHz H17W
404-598	Crystal Fund	15.1377 MHz HC25
404-601	Crystal 5th	61.25 MHz HC18
404-607	Crystal Fund	2.3040 MHz H17W
404-613	Crystal Fund	12.288 MHz H3W
404-615	Crystal 3rd	21.5500 MHz HC18
404-617	Crystal Fund	23.3333 MHz HC18
404-644	Crystal Fund	15.000 MHz HC18
404-678	Crystal 3rd	37.6090 MHz HC18
404-681	Crystal Fund	24.000 MHz HC18

Display

411-89	FND500		7-Seg Display Common Cathode	
411-264	NL950S	B-5859S	NL1220	"Nixie" Display tube
411-281	SP-733		Sperry/Beckman 3 Digit Display	
411-284	"Nixie" Display tube			
411-286	SP-352		Sperry/Beckman 2 Digit Display	
411-290	SP-353		Sperry/Beckman 3 Digit Display	
411-295	SP-352		Sperry/Beckman 2 Digit Display	
411-807	TIL308		BCD Display Driver LED	
411-819	FND500		7-Seg Display Common Cathode	
411-823	FND507		7-Seg Display Common Anode	
411-825	FND367	FND5141	7-Seg Display Common Cathode	
411-831	TIL-312		7-Seg Display	
411-835	5082-7760		7-Seg Display Common Cathode	
411-836	Futaba 4BT-04		LCD Clock Display (4 Digit)	

411-843	Beckman 739-02050 LCD Display (3 1/2 Digit)	Hamlin 3933-363-159	AND FE0203
411-859	DS108 5082-7756	+.1. Display Common Cathode	
411-860	5082-7760	7-Seg Display Common Cathode	
411-874	5082-7730		
411-875	MAN-	7-Seg Display Common Anode	
411-885	FND500	7-Seg Display Common Cathode	

Display

412-66	Lamp IG-18 /IG-5218		
412-79	TIL209	LED T 1 Red	
412-616	FLV117	LED T 1 3/4 Red	
412-621	Custom Lamp	5V 120 mA 20,000 Hr T-1 Wedge	
412-633	5082-4484	LED	
412-634	5082-4670	HLMP-0301	LED
412-635	TIL32	QEC122	IR LED T1
412-640	LST5053	LED	
412-644	LST71	LED (Red/Green)	
412-646	151B	LED	
412-647	251B	LED	
412-648	SL247504	4 Digit Display	
412-652	LT4233		
412-654	HLMP-1002	LED	
412-657	HLMP-504		

Transistor

417-1	2N109	PNP 35V 150 mA TO-40 (Ger)	
417-2	2N252	PNP 20V 10mA TO-22 (Ger)	
417-3	2N253	NPN 12V 5mA TO-22 (Ger)	
417-4	2N254	NPN 20V 5mA TO-22 (Ger)	
417-5	2N238	PNP 20V 10mA TO-22 (Ger)	
417-6	2N185	PNP 20V 100mA TO-22 (Ger)	
417-7	2N308	PNP 20V 5mA TO-22 (Ger)	
417-8	2N309	PNP 20V 5mA TO-22 (Ger)	
417-9	2N442	PNP 50V 150mW (Ger)	
417-10	2N140	PNP (Ger)	
417-11	2N1108	PNP 16V 5 mA (Ger)	
417-12	2N1110	PNP 16V 5 mA (Ger)	
417-13	2N1111	PNP 16V 5 mA (Ger)	
417-14	2N373	PNP 15V 100mA (Ger)	
417-15	2N374	PNP 15V Hi Speed (Ger)	
417-16	2N544	PNP 35V 10mA TO-7 (Ger)	
417-17	R-250	PNP 25V 150mA 150mW (Ger)	
417-18	2N408	PNP 20V 70mA TO-1 (Ger)	
417-19	R-270	PNP 20V 150mA 150mW (Ger)	
417-20	2N2553	R265A	2N1039-1 PNP 40V 3A Str-
10 (Ger)			
417-21	2N1274	PNP 25V 50mA TO-5 (Ger)	

417-22	2N1107		PNP 16V 5 mA (Ger)
417-23	2N1109		PNP 16V 5 mA (Ger)
417-24	R-251		PNP 25V 150mA 150mW (Ger)
417-25	2N1396		PNP 40V 2mA TO-33 (Ger)
417-26	2N1225		PNP 40V 10mA TO-12 (Ger)
417-27	2N409		PNP 10V 15mA TO-40 (Ger)
417-28	2N407		PNP 20V 35mA (Ger)
417-29	2N1147		PNP 100V 5mA TO-41 (Ger)
417-30	CDT1337	2N301GD	PNP 40V 3A 45W (Ger)
417-31	TS600RF		PNP 8V 1mA 600mW (Ger)
417-32	2N383	T1443	PNP 50V 400mA TO-5 (Ger)
417-33	R-424		PNP 45V 20mA (Ger) 30 MHz
417-34	TS600RFA		PNP 8V 1mA 600mW (Ger)
417-35	TS603		PNP 32V 1A TO-3 (Ger)
417-36	R-425		PNP 30V 20mA (Ger) 30MHz
417-37	2N1726		PNP 20V 50mA TO-9 (Ger)
417-38	2N1727		PNP 20V 50mA TO-9 (Ger)
417-39	2N1108 Selected		PNP 16V 5 mA (Ger)
417-40	T-6025		PNP 20V 50mA 30mW 50MHz (Ger)
417-41	T-6026		PNP 20V 50mA 30mW 50MHz (Ger)
417-42	CQT701A	2N1548	PNP 60V 5A TO-3 (Ger)
417-43	2N398A		PNP 50V 150mA TO-5 (Ger)
417-44	2N2147		PNP 75V 5A TO-3 (Ger)
417-45	34425		PNP 50V 5A 13W 4MHz (Ger)
417-46	34022		PNP 32V 5A 13W 3MHz (Ger)
417-47	T-1577		PNP 18V 150mA 200mW (Ger)
417-48	T2286		PNP 18V 150mA 200mW (Ger)
417-49	34422		PNP 16V 15mA 35mW (Ger)
417-50	TI363		PNP 20V 10mA 700MHz (Ger)
417-51	2N185		PNP 20V 100mA TO-22 (Ger)
417-52	2N383		PNP 50V 400mA TO-5 (Ger)
417-53	TI364		PNP 20V 10mA 900MHz (Ger)
417-54	T2384		
417-55	2N1745		
417-56	T2379		
417-57	2N1747		PNP RF-Amp (Ger)
417-58	34423		PNP 13V 15mA 80mW (Ger)
417-59	2N2217		NPN 60V 800mA TO-5
417-60	SP838		PNP 45V 25A 100W (Ger)
417-61	2N1546		PNP 80V 10A 90W (Ger)
417-62	34715		PNP 32V 5A 13W 3MHz (Ger)
417-63	GC539		
417-64	GC540		
417-65	GC541		
417-66	34942		PNP 16V 15mA 35mW (Ger)
417-67	2N2712		NPN 18V 100mA TO-98
417-68	35070		PNP 34V 10mA 80mW (Ger)
417-69	2N2711		NPN 18V 100mA 200mW 120MHz

417-70	2N2671		PNP 25V 10mA TO-12 (Ger)
417-71	2N2654		PNP 25V 10mA TO-12 (Ger)
417-72	2N2495		PNP 40V 10mA TO-12 (Ger)
417-73	2N1525		PNP 20V 10mA TO-72 (Ger)
417-74	2N1526		PNP 24V 10mA TO-1 (Ger)
417-75	4JX1D925		PNP 12V 200mA 200mW 5MHz (Ger)
417-76	2N2089		PNP 32V (Ger)
417-77	2N2712 Selected		NPN 18V 100mA TO-98
417-78	2N1524		PNP 24V 10mA TO-1 (Ger)
417-79	A1384		PNP 32V 30mA 120mW (Ger)
417-80	MM1056		PNP 45V 100mA 150mW (Ger)
417-81	2N2646		Uni 35V 2A 300mW
417-82	B846		NPN 18V 200mA 200mW 120MHz
417-83	L842	2N3854	NPN 30V 50mA TO-92
417-84	E843		NPN 30V 50mA TO-92
417-85	E844		NPN 30V 50mA TO-92
417-86	A845	2N2924	NPN 30V 500mA TO-92
417-87	PT3141A		NPN 30V 400mA 800mW 250MHz
417-88	PT3141B		NPN 60V 400mA 800mW 250MHz
417-89	PT3141C		NPN 65V 400mA 800mW 250MHz
417-90	40050		PNP 40V 5A TO-3 (Ger)
417-91	2N5232A		NPN 50V 100mA 0.3W TO-92
417-92	2N3390		NPN 25V 100mA 200mW 120 MHz
417-93	2N3646		NPN 15V 200mA TO-106 (200MHz)
417-94	2N3416		NPN 50V 500mA TO-92
417-95	ME4041		PNP
417-96	4JX5E670		Unijunction Transistor
417-97	155TIP		PNP (Ger)
417-98	TIXM205		PNP (Ger)
417-99	2N2148		NPN 40V 10mA TO-18 (300MHz)
417-100	2N3053	36632	NPN 60V 700mA 1W TO-39
417-101	TA2577A		NPN 100V 15A TO-3
417-102	2N1302		NPN 25V 300mA 150mW 3 MHz
417-103	2N1303		PNP 30V 300mA TO-5 (Ger)
417-104	37436		NPN 35V 4A 22W
417-105	SE5023		NPN 45V 50mA 600MHz
417-106	SE5024		NPN 45V 50mA 600MHz
417-107	SE5025		NPN 45V 50mA 600MHz
417-108	2N3692		NPN 20V 200mA TO-92 (200MHz)
417-109	2N3566		NPN 30V 200mA TO-105 (40MHz)
417-110	S2090		NPN 80V 150mA TO-220
417-111	2N3638		PNP 25V 500mA 700mW 140MHz
417-112	2N3731		PNP 320V 10A TO-3 (Ger)
417-113	MP1613		PNP 90V 7A 85W (Ger)
417-114	2N3567		NPN 40V 500mA TO-105 (60MHz)
417-115	2N3923		NPN 300V 10mA TO-39
417-116	S2091		PNP 80V 1A
417-118	2N3393		NPN 25V 0.5A .625W TO-92

417-119	CA3013		Transistor Array (TV-Sound)
417-120	DTG110B		PNP Germanium Power Transistor
417-121	2N2430		NPN 32V 300mA TO-1 (Ger)
417-122	2N2431		PNP 32V 300mA TO-1 (Ger)
417-123	CA3012		Wide Band IF Amp (Linear IC)
417-124	2N3564		NPN
417-125	2N3563		NPN 30V 200mA TO-106 (300MHz)
417-126	2N3565		NPN 25V 200mA TO-106
417-128	SE8010		NPN
417-129	2N3706		NPN
417-132	MPS6517		PNP 40V 100mA 310mW 390MHz
417-133	40245		NPN 45V 300mA TO-72 (UHF)
417-134	MPS6520		NPN 25V 100mA TO-92 (120MHz)
417-135	2N3859A		NPN 30V 100mA TO-98 (100MHz)
417-136	40408		NPN 90V 700mA TO-5 (100MHz)
417-137	40409		NPN 90V 700mA TO-5 (100MHz)
417-138	40410		PNP 90V 700mA TO-5 (100MHz)
417-139	40411		NPN 90V 30A 150W TO-3
417-140	2N4304		JFET 30V 15mA TO-106 (N-Ch)
417-141	2N2869	2N301	PNP 50V 10A TO-3 30W (Ger)
417-142	DTG-600		PNP 50V 15A 60W TO-204 (Ger)
417-143	2N3588		PNP 32V 10mA 100mW 270MHz Ger)
417-144	MJE521		NPN 40V 4A 40W TO-127
417-145	MJE371		PNP 40V 4A 40W TO-126
417-146	2N1274		PNP 25V 50mA TO-5 (Ger)
417-147	2N1274		PNP 25V 50mA TO-5 (Ger)
417-148	2N1274		PNP 25V 50mA TO-5 (Ger)
417-149	2N1274		PNP 25V 50mA TO-5 (Ger)
417-150	2N1274		PNP 25V 50mA TO-5 (Ger)
417-151	2N1274		PNP 25V 50mA TO-5 (Ger)
417-152	2N1274		PNP 25V 50mA TO-5 (Ger)
417-153	2N4248		PNP 40V 50mA 200mW
417-154	2N2369	2N2369A	NPN 40V 200mA .36W TO-18
417-155	2N3641		NPN 60V 500mA
417-156	MC724		Quad 2-Input NAND (RTL)
417-157	MC790		Dual J-K FF (RTL)
417-159	2N4054		NPN 300V 50mA 4W 28MHz
417-160	2N4055		NPN 200V 50mA 4W 28MHz
417-161	D16P4		NPN 30V 200mW
417-162	2N3055	MHT9210	NPN 100V 15A 115W TO-3
417-163	WC115T		Op Amp
417-164	16G2349		NPN 18V 25mA 200mW 400MHz
417-165	MC723		Single J-K FF (RTL)
417-166	MC725		Dual 4-Input NAND / NOR (RTL)
417-167	UC734		JFET 30V 10mA TO-72 (N-Ch)
417-168	TIS37		PNP 80V 1A TO-92
417-169	MPF105	2N5459	JFET 25V 16mA TO-92 (N-Ch)
417-170	MPS6522		PNP 25V 100mA TO-92

417-171	2N3694		NPN 45V 30mA TO-106 (200MHz)
417-172	MPS6521		NPN 25V 100mA TO-92 (120MHz)
417-173	ETS083	2N2509	NPN 80V 200mA TO-18
417-174	PET9001		NPN 40V 50mA 250mW 400MHz
417-175	2N5294	TA2911	NPN 75V 4A TO-220 (800kHz)
417-176	2N4250		PNP 20V 100mA 200mW 200MHz
417-177	2N1522		PNP 40V 50A 30W (Ger)
417-178	40389		NPN 40V 700mA TO-5 (100MHz)
417-179	SDT1005		NPN 300V 3A 100W
417-180	40346		NPN 175V 1A TO-5
417-181	40391		PNP 60V 1A TO-5 w/HS
417-182	2N3702		PNP 40V 200mA 300mW 100MHz
417-183	2N4894		Uni 35V 1A 300mW
417-184	2N4058		PNP 30V 30mA 250mW
417-185	SKA4141		NPN 80V 200mA 310mW 200 MHz
417-186	2N3958		JFET 50V 5 mA TO-92
417-187	TIS43		Uni 30V 1A 300mW
417-188	40468		FET Nch
417-189	FD1382		JFET Nch 50V 500uA 500mW
417-190	40481		NPN 45V 50mA TO-72
417-191	TD101		NPN 60V 500mA 200MHz
417-192	40315		NPN 35V 700mA 3W 100MHz
417-193	40390		NPN 250V 1A 3W 30MHz
417-194	MPF104		JFET Nch 25V 9mA 200mW
417-195	MJE340		NPN 300V 500mA 20W TO-225
417-196	2N5138		PNP 30V 200mW 120MHz
417-197	PET1075		NPN 40V 150mA 800mW 150MHz
417-198	2N4360		JFET Pch 20V 30mA 500mW 1MHz
417-199	2N3738		NPN 250V 3A 20W 10MHz
417-200	X29A826		PNP 80V 1A TO-92
417-201	X29A829	D29A4	2N3906 PNP 80V 1A TO-92
417-202	CA3034		Op Amp
417-203	TA7311		NPN 70V 10A TO-127
417-205	2N3866		NPN 55V 400mA TO-39 (UHF)
417-206	40673	40675	3N201 Dual Gate MOS-FET20V 50mA TO72
417-207	40468		MOS-FET 20V 20mA TO-104 (N-Ch)
417-208	TD402		Dual PNP 40V 500mA 400mW 100MH
417-209	MD8001		Dual NPN 40V 30mA 1W
417-210	B5021		NPN 35V 3A 57W
417-211	40603		Dual FET Nch 20V 18mA 220mW
417-212	2N5036		NPN 70V 8A 83W 2.8 MHz
417-213	2N5249A		NPN 50V 100mA 0.3W TO-92
417-214	2N3772		NPN 90V 30A 150W 800 kHz
417-215	2N3055		NPN 100V 15A 115W TO-3
417-216	2N3614		PNP 35V 7A 77W 300kHz (Ger)
417-217	2N706A		NPN 25V 50mA 300mW 400MHz
417-218	TZ1160		NPN 60V 500mA 360mW 50MHz

417-219	SS9328		PNP 180V 1A TO-202	
417-220	SS9327	MM3006	NPN 180V 1A TO-202	
417-221	TZ582		PNP 60V .5A TO-92	
417-222	2N5308		NPN Dar 40V 300mA 0.4W TO-92	
417-223	40653	40675	3N201	Dual Gate MOS-FET20V
50mA TO72				
417-224	MPSU05		NPN 60V 2A Mot "Uni-Watt"	
417-225	MPSU55		PNP 60V 2A Mot "Uni-Watt"	
417-226	2N5133		NPN 20V 100mA 500mW 20MHz	
417-227	2N4064		NPN 300V 1A 10W	
417-228	SE5055		NPN 20V 15mA TO-72	
417-229	MPS6544		NPN 60V 100mA TO-92	
417-230	40646		NPN 150V 1A 10W	
417-231	MPF109		JFET Nch 25V 5mA 310mW	
417-232	SE7056	FT123	NPN 300V 30mA TO-39	
417-233	2N3643		NPN 30V 500mA TO-105	
417-234	2N3638A		PNP 25V 500mA TO-92 (100MHz)	
417-235	2N4121		PNP 40V 200mA TO-106 (UHF)	
417-237	SE6020		NPN 60V 1A TO-105	
417-238	40648		NPN 400V 2A 20W 15MHz	
417-239	TA7420	MJ3029	NPN 800V 10A TO-3 Horiz Output	
417-240	40673	40675	3N201	Dual Gate MOS-FET20V
50mA TO72				
417-241	EL131		JFET 25V 10mA (N-Ch)	
417-242	Unspecified		*Sel Zener (Transistor) 6.8V	
417-243	A473		NPN 40V 25mA 230mW 550MHz	
417-244	2N5089		NPN 25V 50mA 0.3W TO-92	
417-245	D40N1	MJE340	NPN 250V 100mA TO-202 (90MHz)	
417-246	TIS74		JFET 30V 100mA TO-92	
417-247	2N5183		NPN 18V 1A 500mW 125MHz	
417-248	MJ3030		NPN 325V 3.5A 125W 1MHz	
417-250	40647		NPN 150V 1A 10W 15MHz	
417-251	SFC2912	UC734	JFET 30V 10mA 300mW	
417-252	2N3686		JFET Nch 50V 50mA 60mW	
417-253	TIS73		JFET Nch 30V 50mA 360 mW	
417-254	MJ802		NPN 100V 30A 200W TO-3	
417-255	D29E5		PNP 50V 500mA 330 mW	
417-256	2N4360	2N5589	NPN 36V 1A 15W 300MHz	
417-257	2N2631		NPN 60V 1.5A 3W 200MHz	
417-258	TIS87		NPN 45V 50mA TO-92 (UHF)	
417-260	2N4258A		PNP 12V 50mA TO-222 (UHF)	
417-261	TD401		PNP 40V 500mA 400mW 100MHz	
417-263	SJE607		PNP 80V 4A TO-126	
417-264	SJE608		NPN 80V 4A TO-126	
417-265	2N5033		JFET 20V 3.5mA TO-18 (P-Ch)	
417-267	MPS6560		NPN 25V 500mA TO-92	
417-268	MPS6562		PNP 80V 1A TO-92	
417-269	SGC5282		NPN 60V 800mA 3W 250MHz	

417-270	SGC5283		PNP 60V 600mA 3W 200MHz	
417-271	SPS1317		6.5V 3 mA (Sel Zener)	
417-272	D40C1		NPN Dar 30V 500mA TO-202	
417-273	2N3055		NPN 65V 15A 115W 800kHz	
417-274	40673	40675		3N201 Dual Gate MOS-FET20V
50mA TO72				
417-275	MPS6522	SPS1983	PNP 30V 100mA TO-92	
417-276	MPF102		JFET Nch 25V 10mA 310mW 100MHz	
417-277	2N2539		NPN 60V 800mA 500mW 250 MHz	
417-278	DTG110		PNP Germanium Power (Selected)	
417-279	FM1108	FM1208	Dual FET 35V 2mA 500mW	
417-280	2N388		NPN 25V 200mA 150 mW (Ger)	
417-281	2N4347		NPN 250V 15A TO-3	
417-282	MJ2841		NPN 80V 10A 150W TO-3	
417-283	SMO7275		NPN 40V 800mA 300MHz	
417-284	SM62186		PNP 15V 200mA 850MHz	
417-285	2N4893		Uni 30V 50mA 300mW	
417-286	2N4347		NPN 250V 15A TO-3	
417-287	2N3440		NPN 300V 1A 10W	
417-288	2N4416	PN4416	JFET 30V 30mA TO-72 (N-Ch)	
417-289	2N6109		PNP 50V 7A TO-220 (10MHz)	
417-290	MRF502		NPN 35V 50mA TO-72 (UHF)	
417-291	2N5458		JFET 25V 0.25A TO-92 (N-Ch)	
417-292	2N5771		PNP 30V 0.05A 0.63W TO-92	
417-293	2N5770		NPN 30V 0.05A 0.63W TO-92	
417-294	MPSA42		NPN 300V 500mA TO-92 (50MHz)	
417-295	MPSL51	2N5400		2N5401 PNP 100V 600mA TO-92
417-296	TA311		NPN 70V 6A 50W 800kHz	
417-298	TIP41B		NPN 80V 300mA TO-220	
417-299	2N5591	CTC B25-12	NPN 36V 4.0A 200MHz T72	
417-801	MPSA20		NPN 40V 100mA TO-92 (125MHz)	
417-802	E304	MPF102 (Selected)		JFET 30V 15mA (N-Ch)
417-803	2N6081	2N5590	NPN 18V 2.5A 30W Stx-8	
417-804	2N6080	2N5589	NPN 18V 1A 12W Stx-8	
417-805	2N4889		PNP 150V 100mA TO-222 (160MHz)	
417-806	TIS75		JFET 30V 10mA TO-92 (N-Ch)	
417-807	2N6175		NPN 250V 1A TO-126 (20MHz)	
417-808	2N3702		PNP 25V 0.5A .625W TO-92	
417-809	2N3704		NPN 50V 800mA TO-92	
417-810	DTS721		NPN 1000V 3A 50W	
417-811	MPSL01	2N5550		2N5551 NPN 120V 150mA TO-92
92				
417-812	E421		Dual JFET 50V 50mA (N-Ch)	
417-813	2N4959		PNP 30V 200mA TO-72 (450MHz)	
417-814	DTS409		NPN 400V 3.5A TO-3	
417-815	MPSU06		NPN 80V 2A Mot "Uni-Watt"	
417-816	2N5192		NPN 80V 4A 60W	
417-817	2N5195		PNP	

417-818	MJE181		NPN 60V 3A 12W TO-225	
417-819	MJE171		PNP 60V 3A 12W TO-225	
417-820	2N4342		JFET 25V 12mA TO-222 (P-Ch)	
417-821	MPSA06		NPN 80V 500mA TO-92 (100MHz)	
417-822	MPSA56		PNP 80V 500mA TO-92 (50MHz)	
417-823	MPU131		Uni-Junction 40V 200mA TO-92	
417-828	E304 (Selected)	MPF102 (Selected)	JFET 30V 15mA (N-Ch) Idss=10	
417-829	D40W3		NPN 300V 100mA 50 MHz	
417-830	PT6619	CD3342	NPN 56V 2A 50MHz	
417-831	2N6456	CD2664A	PT5767	NPN 25V 12A 75W
(60MHz)				
417-833	2N6306		NPN 250V 8A TO-3 (5MHz)	
417-834	MPSU10		NPN 300V .5A Mot "Uni-Watt"	
417-835	2N3055		NPN 65V 15A 115W 800kHz	
417-836	MPSD51		PNP 200V 100mA TO-92	
417-837	MD-918A		NPN 30V 50mA 400mW 600MHz	
417-838	MD918		NPN 30V 50mA 400mW 600MHz	
417-839	2N5179		NPN 20V 50mA TO-72 (UHF)	
417-840	2N4428		NPN 35V 425mA 3.5W 700 MHz	
417-841	2N5109		NPN 20V 400mA 2.5W 1.2 GHz	
417-842	2N5842		NPN 100V 100mA 350 mW 1.7GHz	
417-843	2N5401		PNP 150V 600mA 310mW 100MHz	
417-844	MJE350		PNP 300V 500mA 20W	
417-845	2N3583		NPN 200V 2A 35W 10 MHz	
417-846	1E03		PNP 200V 2A 35W 10 MHz	
417-847	1B05		NPN 250V TO-3	
417-848	FMT5092		NPN 30V 80mA 625mW 1GHz	
417-849	TZ553		PNP 60V .5A TO-92	
417-850	2N5913		NPN 36V 330mA 3.5 W	
417-851	LPT1000		Photo Diode	
417-852	TIP31B		NPN 40V 3A TO-220	
417-853	SF83045		FET NCh	
417-854	SF50077	E304	JFET 30V 15mA (N-Ch)	
417-855	PE5010		NPN 30V 300mW	
417-856	MJE5979		NPN 100V 5A 75W TO-220	
417-857	MJE5976		PNP 60V 10A 90W TO-127	
417-858	P1087E		JFET 30V 5mA TO-92 (P-Ch)	
417-859	MRD14B		12V 200 mW	
417-860	2N6459		NPN 40V 10A 120W 30 MHz	
417-861	2N5109		NPN 20V 400mA 2.5W 1.2 GHz	
417-862	PE5013		NPN 20V 310 mW	
417-863	MFE131		Dual Gate MOS-FET25V 30mA TO72	
417-864	MPSA05		NPN 60V 500mA TO-92 (100MHz)	
417-865	MPSA55		PNP 60V 500mA TO-92 (50MHz)	
417-866	MPSA20 (Sel)		Sel for Noise	
417-867	2N5486		JFET Nch	
417-868	RCA29C		NPN 100V 3A TO-220	
417-869	RCA30C		PNP 100V 3A TO-220	

417-870	RCA1A16	65853	PNP 100V 1A TO-39
417-871	TIP61		NPN 30V 500mA 15W 3 MHz
417-872	TIP62		PNP 70V 7A TO-220
417-873	MJ3760		350V 6A 80W 1 MHz
417-874	2N3906		PNP 40V 0.2A 310mW TO-92
417-875	2N3904		NPN 40V 0.2A 310mW TO-92
417-876	CA3046		Transistor Array Diff Amp (3)
417-877	CA3018A		Transistor Array Darlington
417-878	2N3820		Pch Sel Idss 2 - 6 mA
417-879	2N3251		PNP 40V 200mA TO-18 (300MHz)
417-880	2N4427		NPN 40V 400mA TO-39 (UHF)
417-881	MPSA13		NPN Darl 30V 500mA TO-92
417-882	MPSA20 (Sel for hfe)		NPN 40V 100mA TO-92 (125MHz)
417-883	MPSU10 (Selected)		NPN 300V .5A Mot "Uni-Watt"
417-884	SF55048		FET Nch 30V 8mA 250 mW
417-885	MPSA65		PNP Darl 30V 300mA TO-92
417-886	2N2432A		NPN 45V 100mA 300mW 20 MHz
417-887	MPSH10		NPN 30V 40mA TO-92 (UHF)
417-888	2N5222		NPN
417-889	CD2665		NPN 50V 15A 100W
417-890	MPSH04		80V 100mA 300mW 180kHz
417-891	MPSH54		80V 100mA 300mW 180kHz
417-892	MJ2941		NPN 80V 10A 150W TO-3
417-893	2N5109		NPN 35V 500mA TO-39 (UHF)
417-894	BU180ATI		NPN 400V 10A 5W
417-895	PIC625		PNP 60V 20A 50W
417-896	PIC600		PNP 60V 5A 50W
417-897	Selected FET		FET NCh 30V 1.5mA
417-898	2N6558		
417-899	MI2955		PNP 20V 4A
417-900	S2090 Selected		NPN 80V 150mA TO-220
417-901	S2091 Selected		PNP 80V 1A
417-902	NPD5566N		JFET 40V 30mA N-Ch Dual 8-PDIP
417-903	40363		NPN 35V 7A TO-3
417-904	MPSU60		PNP 300V 500mA "Unit-Watt"
417-905	2N3773		NPN 140V 16A TO-3 (200kHz)
417-906	2N6609		PNP 140V 16A 150W TO-3 200MHz
417-907	2N6274		PNP 100V 50mA TO-3
417-908	2N4117		JFET 40V 50mA TO-72 (N-Ch)
417-909	MJE5976 in TO-220		PNP 80V 5A 75W 2MHz
417-912	MRF237		NPN 18V 1A TO-39 (UHF)
417-913	2N404A		PNP 25V 4 mW
417-914	F-317-B		NPN 140V 2A TO-220
417-915	F-417-B		PNP 140V 2A TO-220
417-916	2N6081		NPN 13V 2.5A
417-917	MPSH81		PNP 20V 40mA TO-92 (UHF)
417-918	2N6387		NPN Dar 60V 10A TO-220 (20MHz)
417-919	TIL78	QSC114	Photo Transistor T1

417-920	2N4403	PNP 40V 600mA 0.3W TO-92
417-922	2N6520	PNP
417-923	BU-500	NPN 1500V 6A TO-3
417-924	MJE172	PNP 100V 3A 12W TO-225
417-926	MPSU06	NPN 80V 2A Mot "Uni-Watt"
417-927	MPSA93	PNP 200V 500mA TO-92
417-928	2N6592	NPN 200V .5A TO-220 (70MHz)
417-929	GED41K1	PNP 30V 2A
417-930	MJ10011	NPN 8A 80W
417-931	PN4858	JFET 40V 50mA TO-92 (N-Ch)
417-932	MJE182	NPN 100V 3A 12W TO-225
417-933	BM80-12	NPN 80W
417-934	2N5770 (Selected)	NPN 30V 0.05A 0.63W TO-92
417-935	40559	NCh 20V 25mA 100 MHz
417-936	3N211	Dual Nch 35V 50mA
417-937	MPS2369	NPN 40V 500mA TO-92 (UHF)
417-938	2N3053	NPN 40V 10mA
417-939	PROC-93	JFET Dual Nch 50V 50mA
417-940	S10-12	
417-941	S-80-12	
417-942	MRF221	
417-943	MJE15030	NPN 150V 8A TO-220
417-944	MJE15031	PNP 150V 8A TO-220
417-945	MJ15024	NPN 250V 16A TO-3
417-946	MJ15025	PNP 250V 16A TO-3
417-947	MDS21	NPN 300V 500mA TO-202
417-948	MDS60	PNP 300V 500mA TO-202
417-949	2N3637	PNP 175V 50mA
417-951	MRF247	NPN 35V 20A 6-Tab 175MHz
417-952	2N6081	NPN 18V 2.5A 30W Stx-8
417-953	TIP150	NPN 300V 7A TO-220
417-954	TIP107	PNP 100V 8A
417-955	TIP102	NPN 100V 8A
417-956	MPSU56	PNP 80V 2A Mot "Uni-Watt"
417-957	2N5882	NPN 80V 15A
417-958	2N5880	PNP 80V 15A
417-959	MD5000B	PNP 20V 50mA TO-99
417-960	MD984	PNP 20V 200mA
417-961	MRF455	NPN 12V
417-962	MRF421	NPN 20V 20A 290W (UHF)
417-963	TIS189	FET
417-964	J310	
417-965	NDSU06	NPN 80V 2A "Uni-Watt 50MHz
417-966	MRF660	
417-967	MRF262	
417-968	MRF207	NPN
417-969	MRF227	NPN
417-970	MRF559	NPN .75W 450 MHz

417-971	MRF476		NPN 3W 50MHz
417-972	MRF479		NPN 12W 50MHz
417-973	MRF454		NPN 80W 50MHz
417-974	MPS6601		NPN
417-975	CA3127		NPN Transistor Array Ind
417-976	MRF525		NPN 25V 150mA 2.2 GHz
417-977	CA3127E		NPN Transistor Array Ind
417-978	CA3102E		NPN 50V 50mA 300mW 500 MHz
417-979	2N6304		NPN 15V 50mA
417-980	TPQ6700		PNP 40V 10mA
417-981	2N5434		JFET NCh 25V 100mA
417-982	MRF531		NPN 100V 50mA
417-983	MJ802		NPN 100V 30A 200W TO-3
417-984	MJ802		NPN 100V 30A 200W TO-3
417-985	TIP31B Selected		NPN 40V 3A TO-220
417-986	MPSA92		PNP 300V 500mA
417-987	MPF111		JFET Nch 20V 10mA
417-988	MJE350		PNP 300V 500mA 20W
417-990	TIP120		NPN
417-991	2N5819		
417-992	2N5160		PNP 40V 400mA
417-993	NE85632		NPN 20V 100mA
417-994	MRF536		PNP 15V 30mA
417-995	BUZ71A	IRFZ22	FET NCh 50V 13A 40W TO-220
417-996	MRF466		NPN 28V 40W
417-997	DTS723		NPN 1500V 7A
417-998	PN4393		FET NCh 40V 5mA 350 mW
417-999	VN10KM		JFET 60V .5A TO-92TAB
417-1000	DRF141	BUZ24	FET 100V 32A
417-1001	2N2907		
417-1002	D40K1		Darlington
417-1003	2N5550		NPN
417-1004	2N6107		
417-1005	2N6292		
417-1006	TIP105		
417-1007	TIP48		NPN
417-1008	TIP110		NPN 60V 2A 50W
417-1009	MFOD72		IR Detector Fibre Optic
417-1010	SD213		FET NCh
417-1011	MPF9200		Mos FET 4V 400 nA
417-1012	LT1084CK		
417-1013	MJE13005		400V 4A
417-1014	2N6027		40V 150 mA
417-1015	BSS97		FET NCh 200V 1.5A
417-1016	BUZ173		FET PCh 200V 3A
417-1017	MPS8097		NPN 40V 200mA
417-1018	VN10KM		FET NCh 60V 300mA
417-1019	UFND113		FET NCh 60V 800mA

417-1020	J112	JFET NCh 35V 50mA
417-1021	D44H10	NPN 80V 10A
417-1022	SS9014	NPN 45V 100mA
417-1023	SS9015	PNP 45V 100mA
417-1024	MJE3055	PNP 60V 10A
417-1025	SK9121	Uni-Junction

Linear IC

442-1	SN72702		Wide Band Op Amp	
442-2	SN72709	SN82809		SN4985N High Gain Op Amp
442-3	SN72710	LM710	Diff Amp	
442-4	CA3035		RF Amp IC	
442-5	CA3044VI			
442-6	SN72702		Op Amp	
442-7	MC1709		High Gain Op Amp	
442-8	uA703		RF/IF Amp	
442-9	MC1310P		MPX Decoder	
442-10	uA746E		Dual Chroma Demodulator	
442-11	CA3042		Transistor Array	
442-12	SN75AOL		Vidoe Amp	
442-13	TOA8809		Op Amp	
442-14	MC1438R		Op Amp	
442-15	TI60108		Op Amp	
442-16	MC1307P		FM Stereo Demod	
442-17	CA3026		Dual Dif Amp	
442-18	MC1350P		Video IF Amp IC	
442-19	75450N		Dual Peripheral Driver	
442-20	uA703		Op Amp	
442-21	MC1458	NE5558	Dual 741C	
442-22	N5741V		Op Amp	
442-23	TOA8709		Op Amp	
442-24	LM376		Adj Voltage Regulator (Pos)	
442-25	LM310H		Op Amp Follower	
442-26	LM308H		Linear Op Amp	
442-27	uA754C		TV FM Sound Quadrature Det	
442-28	MC1357P		IF Amp Quadrature Detector	
442-29	MC1335P		Perfect Tune Indicator	
442-30	uA309K		5 V Regulator (Pos)	
442-32	SN75451P		Dual Perip Driver	
442-33	MC1328		Chroma Demodulator	
442-34	87403		Four Channel Decoder Chip	
442-35	uA308AHC	SL11862	Precision Op Amp	
442-36	LM311H		Comparitor	
442-37	LM304		Prog Pwr Supply	
442-38	SG3501D		Dual Tracking +/- Regulator	
442-39	LM301A	LM101	Op Amp	
442-40	AD741K		Op Amp	

442-41	uA739	Dual Audio Pre-Amp
442-42	MC1553	Video Amp
442-43	SN72747	Dual High Performance Op Amp
442-44	87743	Matrix Decoder
442-45	NE566V	Function Generator
442-46	MC1310	Stereo Decoder PLL
442-47	SG2501	Dual Tracking +/- Regulator
442-48	MFC6030	Regulator IC
442-50	U760	High Speed Op Amp
442-51	MC1345P	AGC/Sync Separator
442-52	MC1351	Wide Band FM Amp
442-53	NE555V	General Purpose Timer
442-54	uA7805	5 V Regulator (Pos)
442-55	MC1349P	FM / TV Sound IF
442-56	MC1330P	Video Sync Detector
442-57	MC1370P	Sync Detector Sound Demod
442-58	MC1371P	TV Chroma IF Amp
442-59	MC1364P	Automatic Fine Tuning Detector
442-60	MC7824	24 V Regulator (Pos)
442-62	MC1358P	TV Sound IF Detector
442-63	uA7815	15 V Regulator (Pos)
442-64	uA7915	- 15V Regulator
442-65	SG4501N	Dual Tracking +/- Regulator
442-66	LM308	Precision Op Amp
442-68	NFC4060	Regulator
442-69	MC1312P	SQ Decoder (4-ch) SQ
442-70	8038AC	Function Generator
442-71	LM3900	Quad Op Amp
442-73	75107	TriState Line Receiver
442-74	MD1344P	AGC/Sync Separator
442-75	LM311N	Comparator
442-76	MFC4010	IF Amp
442-77	TBA820	Audio Amplifier
442-78	UHP481	7Seg HiV Display Driver
442-79	MD1324P	Demodulator
442-80	MC1398P	TV Color Processor
442-82	N5741	Op Amp
442-83	UHP480	Hi Volt Display Driver
442-88	MC1314P	Audio Logic (4-ch) SQ
442-89	MC1315P	VCA (4-ch) SQ
442-90	LM309H	5 V Regulator (Pos)
442-92	CA3089	RCA FM IF IC
442-95	MFC6010	IF Amp
442-96	MC1496G	Balanced Mod/Demod IC
442-97	MC1454	1Watt Audio Amp
442-98	LX-5600	Temperature Transducer
442-99	CD4016	CD4066 CMOS Analog Switch
442-298	386	Low Voltage Audio Amp

442-602	LM324N		Quad Op Amp Single Supply	
442-603	78M05		5 V Regulator (Pos)	
442-604	NE545B		Dolby	
442-605	QS15022		CD-4 Demodulator IC	
442-609	78M20C		20 V Regulator (Pos)	
442-610	TBA820L		Audio Amplifier 2W	
442-611	LM3302		Quad Comparitor	
442-612	LM386N		1.5 W Audio Power Amp	
442-613	MC7915		12 V Regulator (Neg)	
442-614	2740DE		Op Amp	
442-615	uA739		Dual Audio Pre-Amp (Selected)	
442-616	LM2901	uA775	LM3302N	Quad Single
Supply Comparitor				
442-617	uA78MGT2C		Adj Voltage Regulator (Pos)	
442-618	uA79MGT2C		Adj Voltage Regulator (Neg)	
442-619	ICL8049		Anti-Log Op Amp	
442-620	MC1391P		TV Horizontal Processor	
442-621	78M24C		24 V Regulator (Pos)	
442-622	MC1331P		IF Detector	
442-623	CA3130S		Op Amp	
442-624	MM5322		Color Generator Chip	
442-625	ULN2111		FM IF & Detector IC (Sprague)	
442-626	78MGT4C		Adj Voltage Regulator (Pos)	
442-627	78L05		5 V Regulator (Pos)	
442-628	GPD401		Avantek RF Amplifier	
442-629	GPD402		Avantek RF Amplifier	
442-630	MC7905		5 V Regulator (Neg)	
442-631	ULN2209M		IF w/regulator	
442-632	MC1496L		Bal Mod/Demod	
442-633	MC7902		2 V Regulator (Neg)	
442-634	CA3053		RF/IF Amp	
442-635	MC3310P		Wide Band Amp	
442-636	HA1196		PLL Mpx Demodulator	
442-637	HA1137W		IF Amp Detector	
442-638	MK5086N-4		4x4 Tone Dialer	
442-639	LM308AN		Op Amp	
442-640	CA3080		High Perf Op Amp	
442-641	LX1601		Pressure Transducer	
442-642	78L09		9 V Regulator (Pos)	
442-643	733		Video Amp	
442-644	LM78L12		12 V Regulator (Pos)	
442-646	MC79L12AC		12 V Regulator (Neg)	
442-647	CD4046AE		CMOS PLL	
442-648	LM310N		Op Amp Follower	
442-649	SF7-0890		Avantek RF Amplifier	
442-650	78H12		12 V Regulator (Pos)	
442-651	78H05		5 V Regulator (Pos)	
442-653	LM201A		Op Amp	

442-654	565		PLL		
442-655	LM349		Quad Wide-band 741 Op Amp		
442-657	MC1355P		IF Amp FM Limiter		
442-658	HA1197		Signal Meter Drive (Hitachi)		
442-659	UDN6128A85V		Driver Display		
442-660	MK5087		Encoder Touch Tone		
442-661	1873	136PC		137PC15A212	Pressure
Transducer					
442-662	LM3911		Temperature Sensor		
442-663	CA3130-05	Heathkit P/N Error	Transistor Array		
442-663	78M12CKC	Heathkit P/N Error	12 V Regulator (Pos)		
442-664	79M12CKC		12 V Regulator (Neg)		
442-665	79L05		5 V Regulator (Neg)		
442-667	78M15		15 V Regulator (Pos)		
442-669	LF156		Op Amp Wide Band		
442-670	LF356N		Bi FET Op Amp		
442-671	LD111		A/D Converter		
442-672	NE645B		Compander Amp		
442-673	HA11223		Demodulator FM Stereo		
442-674	MC7812		12 V Regulator (Pos)		
442-675	MC7912		12 V Regulator (Neg)		
442-676	TDA2190		TV Sound System		
442-677	TDA2030		Audio Amp 12W		
442-678	7106		DVM Chip		
442-679	TL061CP		Low Power JFET Op Amp		
442-680	ICL8069		1.22 V Voltage Regulator		
442-681	78L08		5 V Regulator (Pos)		
442-682	UDN6118		Driver Display		
442-683	79M05		5 V Regulator (Neg)		
442-684	LF353		Op Amp BiFET		
442-685	uA78GKC		Adj Volt Reg (Pos) TO-3 (4pin)		
442-686	LM380		Audio Amp 2W		
442-687	78L10		10 V Regulator (Pos)		
442-688	NE567N		DTMF Tone Decoder		
442-690	78L24		24 V Regulator (Pos)		
442-691	78M08		8 V Regulator (Pos)		
442-692	LM134		Temperature Sensor		
442-693	LM322N		Precision Timer		
442-694	uA2240PC		Programmable Timer		
442-695	78L15		15 V Regulator (Pos)		
442-696	79L15		15 V Regulator (Neg)		
442-697	7808		8 V Regulator (Pos)		
442-698	SL952		Wide RF Amplifier (512 MHz)		
442-699	1873	136PC		137PC15A212	Pressure
Transducer (ID-4001)					
442-700	LM3524	SG3524	Switching Regulator		
442-701	1873	136PC		137PC15A212	Pressure
Transducer (ID-4001)					

442-702	LM223		5 V Regulator (Pos)
442-703	LM350K		Adj Voltage Regulator (Pos)
442-704	LM317		Adj Voltage Regulator (Pos)
442-705	LM337		Adj Voltage Regulator (Neg)
442-706	NE5534		Single Low Noise Op Amp
442-707	LF353	TL072	Quad JFET Op Amp
442-708	LM317		Adj Voltage Regulator (Pos)
442-709	LM337		Adj Voltage Regulator (Neg)
442-710	XR2206		VCO IC
442-711	LM342		Prec Fahrenheit Temp Sensor
442-712	LM320		Fixed Voltage Regulator
442-713	LM383		Audio Amp 8W
442-714	MC6044		PLL
442-715	CA3130		Op Amp
442-716	LM330T		5 V Regulator (Pos)
442-717	TL487		Level Detector
442-718	LM3915		Driver Display
442-719	MC1558		Op Amp
442-720	ICL7660		Voltage Converter
442-721	HA12412		FM Receiver Chip
442-722	uPC1173C		FM Stereo Decoder
442-723	TL489		Bar Graph Display
442-724	7107		DVM Chip
442-725	AD536AJH		RMS Converter
442-726	TL062CP		Dual JFET Op Amp
442-728	LM2904		Low Power Op Amp
442-729	CA3189		IF Amp
442-730	MC14497		PCM Transmitter
442-732	78L09		9 V Regulator (Neg)
442-733	LM358		Dual Op Amp
442-734	LM388N		1.5 W Audio Power Amp
442-735	MC14412		Modem
442-736	TBA2110		VCO FSK Demod
442-737	MC3403		Quad Op Amp
442-738	LM323		5 V Regulator (Pos)
442-739	LM350T		Adj Regulator
442-740	LM556		Dual 555 Timer
442-741	XR2209		Precision Oscillator (Exar)
442-742	LF347		Quad JFET Op Amp
442-743	HA4741-5		Op Amp
442-744	CD4066BCN		Quad Bilateral Switch
442-745	MK5380		Tone Generator
442-746	MK5175		Tone Recall
442-747	CD4016		Quad FET Switch
442-748	ULN2280B		Audio Power Amp
442-749	5837N		Noise Generator
442-750	LM338		Adj Voltage Regulator
442-751	LM1408N-8	DAC0808	A/D Converter

442-752	UGN3020		Hall Effect Device
442-753	9402		V to F Converter
442-754	LM1801		Smoke Detector
442-755	DAC0808		D/A Converter
442-756	LF347	TL074	Quad JFET Op Amp
442-757	LM723		Regulator
442-759	LF411		J-FET Op Amp Low Offset
442-760	5437		White Noise Generator
442-761	79M12		12 V Regulator (Neg)
442-762	LM388N-1		1.5 W Audio Power Amp
442-763	LM388N-3		1.5 W Audio Power Amp
442-764	MC14574CP		Quad Programmable Comparator
442-765	TL852CN		Polaroid Sonar Ranging Reciver
442-766	LM3911		Temperature Sensor
442-767	LM393		Dual Comparator
442-768	DAC1021		10-Bit (Mult) D/A Converter
442-769	ADC0820		8-Bit A/D Converter
442-770	DG211		Quad FET Switch
442-771	LM361	NE529	High Speed Comparitor
442-772	LM317L		Adj Voltage Regulator (Pos)
442-773	1.2 V Regulator VC		
442-774	CD4052		4 Chan Analog Mux
442-775	79M15		15 V Regulator (Neg)
442-776	uA77000		Power Op Amp
442-777	CA3280		Dual Transconductance Op Amp
442-778	TCM1705A		Voice Circuit
442-779	MF-10		Maxim Switched Cap Act Filter
442-780	2211		PLL IC
442-781	ICL8211		Programmable Voltage Ref
442-782	LF357		J-FET Op Amp
442-783	LM35		Temperature Sensor
442-784	MC14016		Mux/Switch Motorola Only
442-785	MT8870		DTMF Receiver
442-786	MPX100AP	MPX2100AP	Presure Transducer (ID-5001)
442-787	LP2950C		Low Drop-out Voltage Regulator
442-788	RCA4193NB		Switching P.S. PWM
442-789	RCA4192		Switching P.S. PWM
442-790	4N32		Coupler
442-791	9216		
442-792	LM390		Audio Amp 1W
442-793	ULN3838		AM Radio SK-100
442-794	TDA3810		Stereo Synthesizer
442-795	SG3524B		Pulse Width Regulator
442-796	MC145440		Sw Capacitor Filter SK208
442-797	LF13006		Gain Control
442-798	LM3914N		LED Bar Display Driver
442-799	NE558N		Quad Timer
442-801	TLC555		CMOS Timer

442-802	SL560C-DP	RF Amp
442-805	MC10319	A/D Conv
442-806	ULN2803A	Relay Driver
442-807	AD7537JN	DAC Dual 12 Bit
442-808	AD7225KN	DAC Quad 8 Bit
442-809	LN1055CN8	Op Amp
442-810	AD9685BQ	High Speed Comparator
442-811	REF25Z	Reference Diode
442-812	ADC0833	A/D Converter
442-813	6054ALR	Voltage Detector
442-814	ZNA234E	TV Pattern Generator
442-815	MC4024	Dual VCO
442-816	MC4044	Phase/Frequency Detector
442-819	LH4002CH	High Speed Buffer
442-820	NE521	High Speed Dif Comparator
442-821	LM334	Current Source
442-822	LT1071CT	High Eff Switching Regulator
442-823	LM385-1	Voltage Ref
442-824	LF412	Op Amp Selected
442-825	OP111	Op Amp
442-826	LM318J-8	Op Amp
442-827	HA2-5160-5	Op Amp
442-828	LM319	Dual Voltage Comparator
442-829	AD536	RMS to DC Converter
442-830	AD589	Voltage Ref 1.2 V
442-831	7135	A/D 4.5 Digit
442-832	2003	Driver Array
442-833	MOC5009	Opto Coupler
442-834	LF412	Op Amp Dual FET Input
442-835	S8054HN	Voltage Detector
442-836	MC79L05	Voltage Reg -5.0 Volt
442-837	LM392	Op Amp Dual
442-838	LM733	Op Amp
442-839	MC1458P	Op Amp Dual T.I.
442-840	NE566N	VCO Function Generator
442-841	LM2902	Quad Op Amp
442-842	LT1033CT	Voltage Reg Adjustable Neg
442-843	LT1084CT	Voltage Reg Adjustable Pos
442-844	LT1084CT-12	Voltage Reg Fixed
442-845	UAA4713	Light Controller
442-846	TDA1072A	Receiver
442-847	7809	Voltage Reg 9V Pos
442-848	LM2575K-12	Voltage Reg TO-3 Pkg
442-849	MAX691	Power Line Monitor
442-850	LT1085	Voltage Reg Adj 3.0 A
442-851	NE5050	Powerline Modem

Digital IC

443-1	7400N		Quad 2-input NAND
443-2	7420N		Dual 4-Input NAND
443-3	7430N		8-Input NAND
443-4	7472N		JK Flip-Flop
443-5	7473N		Dual JK Flip-Flop
443-6	7474N		Dual D Flip-Flop
443-7	7490N		Decade Counter
443-8	MC724P		Quad 2-Input NAND (RTL)
443-9	MC790P		Dual J-K FF (RTL)
443-10	MC723P		Single J-K FF (RTL)
443-11	MC725P		Dual 4-Input NAND / NOR (RTL)
443-12	7410N		Triple 3-Input NAND
443-13	7475N		4-Bit Bistable Latch
443-14	MC789P (Selected)		Hex Inverter (RTL)(15 MHz Sel)
443-15	7450N		Dual 2-Wide 2-In And-OR-Invert
443-16	7476N		Dual JK Flip-Flop
443-17	74141A		BCD to Decimal Decoder
443-18	7404N		Hex Inverter
443-19	N8290A		Decade Counter
443-20	SC9523P		Servo Amp
443-21	MC717P		Quad 2-Input NAND/NOR (RTL)
443-22	74121N		Monostable Non-Retrig
443-23	74122N		Retrig Monostable
443-25	74151N		8:1 Multiplexer
443-26	74S00		Quad 2-Input NAND
443-27	SN158093N	MC668P	Dual JK Flip-Flop
443-28	CuL9958		Decade Counter
443-29	CuL9959		4-Bit Buffer-Storage
443-30	CuL9960		"Nixie" Decoder Driver
443-31	MC726P		Single JK Flip-Flop (RTL)
443-32	SC9932P	MC790P	Dual JK Flip-Flop
443-34	7492N		4-bit Counter
443-35	7441N		BCD to Decimal Decoder 70V
443-36	7447N		BCD to 7-Segment Decoder
443-37	74100N		8-Bit Bi-Stable Latch
443-38	MC1023P		Dual NOR/OR Gate
443-39	MC1034		Single D Flip-Flop
443-40	MC1013P		Single JK Flip-Flop
443-41	MC1027P		
443-42	74S112N		Dual JK Flip-Flop
443-43	74H102N		JK Flip-Flop
443-44	7413N		Dual 4-Input NAND (Schm Trig)
443-45	7408N		Quad 2-Input AND
443-46	7402N		Quad 2-Input NOR
443-47	CD2501E		7 Seg Decoder Driver
443-48	MC776		Dual JK Flip-Flop (RTL)
443-49	MC778		Dual D Flip-Flop (RTL)
443-50	74H21		Dual 4-Input AND

443-51	CD2503E		7 Seg Decoder Driver
443-52	SCUS0127		Digital Encoder/Decoder
443-53	7442N		4:10 Line Decoder
443-54	7403N		Quad 2-input NAND (OC)
443-55	75451		Dual Peripheral Driver
443-56	MC1032		Dual JK Flip-Flop
443-57	MC3003P		Quad 2-Input OR
443-58	MC3006P		Triple 3-Input AND
443-59	MC3021P		Quad 2-Input Ex OR
443-60	MC4012P		4-Bit Shift Register
443-61	MC4016P		Quad Bilateral Switch
443-62	MC4044		Phase Detector for PLL
443-64	CD2500E		7 Seg Decoder
443-65	7427		Triple 3-Input NOR
443-66	74192N		Up/Down Decade Counter
443-67	MC8601P		Retrig Monostable
443-68	74H10		Triple 3-Input NAND
443-70	74H103N		Dual JK Flip-Flop
443-71	74H00N		Quad 2-input NAND High Speed
443-72	7417N		Hex Buffer Driver
443-73	7416N		Hex Inverter Buffer
443-74	74452		Dual Peripheral NAND
443-75	Custom		Servo Amplifier
443-77	7438		Quad 2-Input NAND
443-78	TIXL112		Opto Isolator
443-79	95H03	95H03	Trpl 2-Input OR/NOR (180MHz)
443-80	MC1035		Triple Diff Amp
443-81	95H02		Dual 4-Input OR/NOR (180MHz)
443-82	9528	9528	Dual D (160MHz)
443-83	95H28	95H28	Dual D-Type Flip-Flop (180MHz)
443-84	MK5009		Mostek Oscillator Scaler chip
443-85	74157	9322	Quad 2-line to 1-line
443-86	9503		Trpl 2-Input OR/NOR (160 MHz)
443-87	74145N		BCD To Decimal Decoder
443-88	TMS1875		Calculator Chip
443-89	7409N		Quad 2-Input AND
443-90	74123		Dual Retriggerable Monostable
443-91	95H0459		Quad 2-Input NOR
443-92	MC9860P		Decimal Decoder Driver
443-94	7483		4-bit full adder
443-95	SP630B		600 MHz Decade Counter
443-96	9502		ECL Dual 4-Input OR/NOR
443-97	7496		5-Bit Shift Register
443-98	9582		Triple Line Receiver ECL
443-99	TMS0101		TI Calculator Chip
443-601	MK5017AA		Mostek Clock Chip w/ Alarm
443-602	DD700	DM8880	7-Segment Decoder Driver
443-603	CD4011		Quad 2-Input NAND

443-604	CD4007AE		Dual Comp Pair + Inverter
443-605	CD4002		Dual 4-Input NOR
443-606	CD4027		Dual JK Flip-Flop
443-607	CD4013	14013	Dual D Flip-Flop
443-608	3815		Digital MOS IC
443-609	74L122		Retrig Monostable
443-610	74L47N		7 Seg Decoder Driver
443-612	74193		Binary Counter
443-613	95H28DC		225 MHz Dual D Flip-Flop
443-614	TIL306		Counter/Decoder/Driver/LED
443-615	TIL308		Decoder/Driver/LED
443-616	Heathkit Custom IC		TV Clock Display
443-617	MM5318		Clock Chip
443-618	TMS0103		Calculator Chip
443-619	75491		LED Driver
443-620	75492		LED Driver
443-621	TMS0119		TI Calculator Chip
443-622	74147		10-line to 4-line decoder
443-623	74154		4-line to 16-line decoder
443-624	MC1023		Dual 4-Input OR/NOR
443-625	74132N		Quad 2-Input NAND (SchmTrig)
443-626	ICL6013	MK6013	DVM Chip
443-627	MK5020		MOS/LSI Calculator
443-628	74196N		Presetable 4-Bit Binary Cntr
443-629	7490AN		Decade Counter
443-631	FCD810		Opto Coupler
443-633	74160	MC8310	Presetable Up/Down Cntr
443-634	TMS0116		BCD In/Out 4-Funct Calculator
443-635	DM8214	54/75153	Dual 4-Input (three-state)
443-636	MC10116		Triple Line Receiver ECL
443-637	MK5017BA		Clock w/ Calendar (not Alarm)
443-638	9310		Presetable Up/Down Cntr
443-640	7493AN		4-Bit Binary Counter
443-641	S1856		Clock Chip
443-642	7405N		Hex Inverter
443-647	CD4046		Phase Locked Loop
443-675	A4001P00		Calculator
443-677	MC10211		ECL Dual 3-Input NOR
443-679	MC10131		ECL Dual D-Flop ECL
443-680	7495		Shift Register
443-683	MC10102		Quad 2-Input OR gate ECL
443-686	A1241		Rockwell Calculator Chip
443-687	MK5017AA		Mostek Clock Chip w/ Alarm
443-689	SCUS0127A		Encoder / Decoder
443-690	UHP491		Hi Voltage Driver
443-691	9368		7-Seg Display Driver
443-692	MK5250		Clock
443-693	MM5865N		

443-694	F9368DC		7-Segment Decoder Driver Latch
443-695	CD4001		Quad 2-Input NOR
443-697	74S64		4-2-3-2 And-OR-Invert
443-698	7486N		Quad 2-Input Exclusive OR
443-699	MM14511		BCD to 7 Seg
443-700	DM8863		8 Digit Driver
443-701	CD4049	14049	Hex Inverting Buffer
443-702	F3817PC		Clock Chip
443-703	CD4001		Quad 2-Input NOR
443-704	CD4002		Dual 4-Input NOR
443-705	MC14013		Dual D Flip-Flop
443-706	CD4071	14071	Quad 2-Input OR
443-707	CD4515	MC14515	4 to 16 Line Controller
443-708	CD4516	MC14516	Binary Up/Down Counter
443-709	74C93		4-Bit Binary Counter
443-710	MK50240		Top Octave Generator
443-711	74LS247		BCD-7 Seg OC
443-712	MC14025		Triple 3-Input NOR
443-713	MC14028		BCD To Decimal Decoder
443-714	11C01	MC1660	Dual OR/NOR
443-715	11C70		Master/Slave D Flip-Flop
443-716	11C05		Div By 4 Prescaler 1100 MHz
443-717	74126N		Quad Buffer
443-718	74LS195A		4-Bit Shift Register
443-719	74LS266		Quad 2-input Exclusive OR OC
443-720	CD40097		TriState Hex Buffer
443-721	2112-2		256 x 4 SRAM
443-722	MC8601P		Retrig Monostable
443-723	MC10216		Triple Line Receiver
443-724	MC10124		Quad 2-Input AND/NAND ECL
443-725	MC10125		Hex ECL to TTL Translator ECL
443-726	MC10138		Decade Counter ECL
443-727	96L02		Dual Retrig Monostable
443-728	74LS00		Quad 2-Input NAND
443-729	74LS13		Dual 4-Input NAND
443-730	74LS74		Dual D-Flop
443-731	74LS290		4-Bit BCD Ripple Counter
443-732	74LS30		Single 8-Input NAND
443-733	74LS293		4-Bit Binary Ripple Counter
443-735	MC14512		8-Channel Data Selector
443-736	MC14508		Dual 4-Bit Latch
443-737	MC14518		Dual BCD Counter
443-738	MC14556		Dual 1-4 Decoder
443-739	MC4029		VCO
443-740	MC1648P		VCO for PLL
443-741	MC120126		Dual Mode Prescaler
443-742	82S83		BCD Adder
443-743	CD40192		Up/Down Counter

443-744	CD4050		Hex Buffer		
443-745	74LS03		Quad 2-Input NAND		
443-746	MCT2E		Optical Isolator		
443-747	MC10116 Selected		Selected for Gain		
443-748	F9390		Fairchild Only		
443-749	AY-3-8500-1		G.I. Game Chip		
443-750	MM5369		Divide 3.5796 to 60 Hz		
443-751	CD4081		Quad 2-Input AND		
443-752	74LS175		Quad D-FF		
443-753	74S240		Octal Buffer Tri-State		
443-754	74LS240		Octal Buffer Tri-State		
443-755	74LS04		Hex Inverter		
443-756	74148		8 to 3-Line Encoder		
443-757	74LS161		4-Bit Sync Binary Counter		
443-758	8224		Clock Generator & Driver		
443-759	8238		System Controller Bus Driver		
443-760	CD4040		12-Bit Binary Ripple Counter		
443-761	TMS6011	IM6402	UART		
443-762	8080A		Microprocessor		
443-763	2308		1k x 8 ROM		
443-764	2114	4045		6614	1k x 4 SRAM
443-765	MC10105		Triple 2-3-2-Input OR/NOR ECL		
443-766	MC14042		Quad D Latch		
443-767	MM5740N		Decoder		
443-768	74159		4 to 16 Decoder		
443-769	74LS164		8-Bit Shift Register		
443-770	93S16		Binary Counter		
443-771	MCM14537CL		256 x 1 RAM		
443-772	TMS1300		Microprocessor		
443-773	MC14566		Time Base Generator		
443-774	8223		32 x 8 PROM		
443-775	MC14020		14 Bit Binary Counter		
443-776	8251		USART		
443-777	CD14528		Multivibrator		
443-778	CD4093	14093	Quad 2-Input NAND Schmidt Trig		
443-779	74LS02		Quad 2-Input NOR		
443-780	74LS08		Quad 2-Input AND		
443-781	74LS75		Quad D-Flop		
443-782	74LS155		Dual 1:4 Demux		
443-783	MC14022		Counter Divider Octal		
443-784	CD4070		Quad 2-Input Exclusive OR		
443-785	74C221		Dual Monostable Multivibrator		
443-787	Logic Array				
443-791	74LS244		Octal Bus Driver Tri-State		
443-792	74LS132		Quad 2-Input NAND		
443-793	4702		Baud Rate Generator		
443-794	75188	1488	RS-232 Driver		
443-795	75189	1489	RS-232 Receiver		

443-796	DM8130	10-Bit Comparator
443-797	74LS10	Triple 3-Input NAND
443-798	74LS20	Dual 4-input NAND
443-799	74LS157	Quad 2 to 1 Multiplexer
443-800	74LS27	Triple 3-Input NOR
443-801	74LS196	Binary Counter/Latch
443-802	74LS257	Quad 2 to 1 line multiplexer
443-803	74273	Octal D-Flop
443-804	74LS259	8-Bit Addressable Latch
443-805	74LS273	Octal D-Flop
443-806	9600	Monostable
443-807	74LS42	BCD to Decimal Decoder
443-808	4N26	Opto Coupler
443-811	74LS125	Quad Buffer
443-812	RO-3-2513/CGR001	
443-813	74LS90	Decade Counter
443-814	74LS95	Shift Register
443-815	74LS193	4-Bit Up/Down Counter
443-816	74LS09	Quad 2-Input AND
443-817	74LS192N	Up/Down Decade Counter
443-818	74LS05	Hex Inverter
443-819	8838	Quad Bus Driver
443-822	74LS139	Dual 1-To-4 Decoder
443-823	74S412	Multi-mode Latch
443-824	74LS241	Octal Bus Driver Tri-State
443-825	9334	Address Latch 8-Bit
443-827	MC6800P	8-Bit Microprocessor
443-828	74LS73	Dual JK Flip-Flop
443-829	74LS76	Dual JK Flip-Flop
443-831	40L44-45	RAM 4k x 1
443-832	TMS4044	4k x 1 DRAM
443-836	CD4174	Hex Latch
443-837	74LS373	Octal D-Flop
443-838	74LS93	4-Bit Binary Counter
443-839	74LS243	Quad Bus Transceiver
443-840	MC6875	6800 Clock Generator
443-841	74120	
443-842	1406	
443-845	3539	RAM 256 x 8
443-846	DS8867	Driver
443-847	DS8664	Decoder Driver
443-848	MM5316	4-Digit Non-Mux Clock
443-850	74C921	RAM
443-852	9LS259	8-Bit Addressable Latch
443-854	74LS279	Quad Latch
443-855	74LS283	Adder
443-856	2350	Floppy Disk Controller (?)
443-857	74LS367	Hex Buffer / Driver

443-858	7414		Hex Inverter
443-859	TMS6011	IM6402	UART
443-860	DS8837		Receiver Hex
443-863	74LS374		Octal D-Flop
443-864	74LS11		Triple 3-Input AND
443-866	DM8136		Comparator
443-868	DS8839		Transceiver Tri-State
443-869	DS8629		National Div by 100 Prescaler
443-870	AY38112		Counter Driver AM/FM
443-871	MC14514		4-Bit Latch/4-16 Line Decoder
443-872	74LS14		Hex Inverter
443-874	8250		UART
443-875	74LS32		Quad 2-Input Or
443-876	INS1771-1		Disk Controller
443-877	74LS138		3-To-8 Line Decoder
443-878	74LS151		8-Input Multiplexer
443-879	74LS174		Hex D-Flop
443-880	DP8304		Transceiver
443-881	Z-80		Microprocessor
443-884	74LS242		Quad Bus Transceiver Tri-State
443-885	74LS245		Octal Bus Transceiver
443-886	4012		Dual 4-Input NAND
443-887	CD4023		Triple 3-Input NAND Buffered
443-888	4506		Dual AND/OR Invert
443-889	74LS145		4-10 Decoder
443-890	LD110		A/D Converter
443-891	74LS86		Quad 2-Input Exclusive OR
443-892	74LS166		8-Bit Shift Register
443-895	3870		Single Chip Processor
443-896	74S02		Quad 2-Input NOR
443-897	74S04		Hex Inverter
443-898	74S38		NAND
443-899	74S65		AND/OR Invert
443-900	74S74		Dual D Flip-Flop
443-901	74LS132		Quad 2-Input NAND Schmidt
443-902	74156		2-4 Decoder
443-903	MC3242		Refresh Logic
443-904	4116-4		Dyn RAM 16k x 1
443-905	MM5740		Keyboard Encoder
443-906	MC6845		CRT Controller
443-907	MOC3010		Opto Coupler
443-908	4N25		Opto Coupler
443-909	CA3162		A/D Converter
443-910	4104		Dyn RAM 4k x 1
443-911	DS8835		Transceiver
443-912	74LS148		Encoder
443-913	5740		Keyboard Controller
443-914	6821		PIA

443-915	74S86		Quad 2-Input Exclusive OR
443-916	CD4538		Dual Monostable
443-917	CD4030AE		Quad Exclusive OR gate
443-918	IM6551		RAM 256 x 4
443-919	74LS126		Quad Buffer Tri-State
443-920	74LS85		4-Bit Magnatude Comparator
443-921	74LS390		Dual BCD Counter
443-922	MK3850		CPU
443-923	MK3853		SMI
443-924	MK3871		PIO
443-925	2716		EPROM
443-926	TMS4042		RAM
443-927	CD4059		Programmable Div by "N"
443-928	CD4008B		4-Bit Adder
443-929	14017		Divide by 10 "Ring Counter"
443-930	4047		Multivibrator
443-931	CD4543		7-Segment Decoder Latch Driver
443-932	MC14544		300 Baud Modem
443-933	5101	51L01	256 x 4 RAM
443-934	74S163		Binary Counter
443-935	74S153		Dual 4-Input Multiplexer
443-936	7454		8-Input And-Or-Invert
443-937	SP8685B		512 MHz Divide By 10/11
443-938	ICM7216D		Frequency counter Chip
443-939	MC6808P	MC6802P	8-Bit Microprocessor w/ Clock
443-940	SP8647B	95H90 (?)	250 MHz Divider
443-941	7433		Quad 2-Input NOR
443-942	74LS123		Dual Retrigr Monostable
443-943	DS8836		Quad NOR Receiver
443-944	UPD765		FD Controller
443-945	8257		DMA Controller
443-947	MC10116		Selected for Gain
443-948	F7490		Fairchild Only
443-949	AY385001F		G.I. Game Chip
443-950	CD4072		Dual 4-Input OR
443-951	74LS51		AND/OR Invert
443-952	8250		UART
443-953	3880	Z80A	8-Bit CPU
443-954	3882		Counter Timer
443-955	74LS153		Multiplexer
443-957	14519		4-bit AND/OR select
443-958	CD4060		14 Stage Ripple Carry Bin Cntr
443-959	MM53113		Real Time Clock
443-960	MM58144		Real Time Clock
443-961	74LS21		Dual 4-Input NOR
443-962	26S11		Transceiver
443-963	72S20		Dual 4-Input NAND
443-964	74S157		Multiplexer

443-965	74LS375		4-Bit Latch
443-966	26S10		Transceiver
443-967	7406N		Hex Inverter
443-968	C14094		Shift Register
443-969	74LS196		Presetable 4-Bit Binary Cntr
443-970	MCM6665		64k x 1 RAM
443-971	74LS688		8-Bit Comparitor
443-972	74S373		Octal D Latch
443-973	74LS393		Dual 4-Bit Binary Counter
443-974	74S37		Quad 2-Input NAND
443-975	74S32		Quad 2-Input NOR
443-976	74S08		Quad 2-Input AND
443-978	74S273		Latch
443-979	74S374		Latch
443-980	74S244		Driver
443-981	74S138		Decoder
443-982	74S40		Dual 4-Input NAND
443-983	74S175		Quad D F-F
443-985	MOC3021		Coupler
443-986	H11F3		Coupler
443-987	MM5430		Frequency Counter Chip
443-989	MM7317		Real Time Clock
443-990	4018		Counter
443-991	4050		Hex Buffer
443-992	CD4051		8 Channel Analog Mux
443-993	40106		Hex Schmidt Trigger
443-994	TMS9928		Video Display Processor
443-995	SC-01	SC-02 (?)	Votrax Speech Processor
443-996	TMS5100		LPC Speech Synthesizer
443-997	FD1797B02		Disk Controller
443-998	WD1691		Phase Lock Loop
443-999	74LS624		VCO
443-1000	2143-1		4-Phase Clock Chip
443-1001	74LS280		Parity Checker Odd/Even
443-1002	MC145156		Dual Frequency Synthesizer
443-1003	MC3393		150 MHz Divider
443-1004	MM5453		33 Segment LCD Driver
443-1005	MCM4517		16k x 1 RAM
443-1006	74LS55		AND/OR Invert
443-1007	74LS26		Quad 2-Input NAND OC
443-1008	74LS221		Dual Monostable
443-1009	8088		Microprocessor
443-1010	8085		Microprocessor
443-1011	8284		Clock Generator Driver
443-1012	8259		Interrupt Controller
443-1013	68A45		CRT Controller
443-1014	MC68A21P	MC68B21P	8-Bit Dual Peripheral Adapter
443-1015	76489		Sound Generator

443-1016	6116	2k x 8 Static RAM
443-1017	MC6840	Programmable Timer
443-1018	MC6840P	Programmable Timer
443-1019	MC6850P	ASYNCR Interface Adapter
443-1020	7407N	Hex Buffer
443-1021	8255	Interface
443-1022	2661-3	Prog Communication Interface
443-1024	74LS368	Hex Tri-State Inverter
443-1025	8031	Microprocessor
443-1026	8275	CRT Controller
443-1027	6116-P4	2k x 8 Static RAM
443-1029	NMC6514-5	256 x 8 RAM
443-1030	45135	PLL
443-1031	74ALS574	Octal D Flop
443-1032	MK4116-C15	16k Dynamic RAM
443-1033	AM9517	DMA Controller
443-1034	74LS38	Quad 2-Input NAND Buffer
443-1035	74LS28	Quad 2-Input NOR Buffer
443-1036	74LS156	Dual 2-4 Decoder
443-1037	74LS257A	Quad 2-1 Decoder
443-1038	74S260	Dual 5-Input NOR
443-1039	74LS365A	Hex Buffer / Driver
443-1040	96LS02	Monostable
443-1041	2210-30	Non-Vol Static RAM
443-1042	Use 443-1020	
443-1043	HM4334-P4	RAM
443-1044	Use 443-900	
443-1045	74ALS02	Quad 2-Input NOR
443-1046	74S11	Triple 3-Input AND
443-1047	74ALS10	Triple 3-Input NAND
443-1048	74ALS28	Quad NOR Buffer
443-1049	74ALS37	Buffer NAND
443-1050	74ALS40	Buffer NAND
443-1051	74ALS74	Dual D FF
443-1052	74F86	Quad 2-Input XOR
443-1053	74S174	Hex D FF
443-1054	74LS169	4-Bit U/D Counter
443-1055	MSM5832	uP Real-Time Clock (Oki)
443-1056	7432	Quad 2-Input OR
443-1057	74S241	Octal Buffer
443-1058	74LS541	Octal Buffer
443-1059	MCM66330	32k x 1 RAM
443-1060	MC1488P	RS-232 Driver
443-1061	2661-2	USART
443-1062	IL201	Coupler
443-1063	74LS33	Quad 2-Input Buffer
443-1064	TMS9918	Video Display Processor
443-1065	74F244	Octal Buffer

443-1066	D8253C-2	Prog Interval Timer
443-1067	5101	256k x 4 RAM
443-1068	8276	CRT Controller
443-1069	68B09	Microprocessor
443-1070	74ALS573	Octal D FF
443-1071	74S139	Dual 2-4 Decoder
443-1072	74ALS32	Quad 2-Input OR
443-1073	74ALS08	Quad 2-Input AND
443-1074	2672	Prog Vid/Timer/Cntrl
443-1075	74F138	1-8 Decoder
443-1076	2673	Vid Attributes Cntrl
443-1077	2670	Disply Char & Graph
443-1078	74ALS11	Triple 3-Input AND
443-1079	6116	2k x 8 Static RAM
443-1080	74ALS00	Quad 2-input NAND
443-1081	74ALS1020	NAND Gate
443-1082	74ALS04	Hex Inverter
443-1083	74ALS20	Dual 4-Input NAND
443-1084	74LS19	Hex Buffer
443-1085	74ALS874	4-Bit FF
443-1086	74S30	8-Input NAND
443-1087	74LS253	Dual 4-1 Mux
443-1088	26LS31	RS-422 Quad
443-1089	26LS32	RS-422 Quad
443-1090	2901B	4-Bit Slice Micro
443-1091	2910	Micro Program Control
443-1092	74LS260	Dual 5-Input NOR
443-1093	Optical Detector	
443-1094	74LS191	Sync U/D Counter
443-1095	74AS804	Hex 2-Input NAND
443-1096	74ALS244	Octal Buffer Tri-State
443-1097	74ALS245	Octal Tri-State Transceiver
443-1098	74ALS273	Octal Tri-State FF
443-1099	SD4324	Fibre Optic Schmitt Detector
443-1100	74F153	Dual 4-Input Multiplexer
443-1101	74S51	Dual AND/OR Invert
443-1102	74ALS74	Dual D FF
443-1103	74LS298	Quad 2-Input Multiply
443-1104	68B21	PIA
443-1105	14071	Quad 2-input OR
443-1106	MCM66330	32k x 1 RAM
443-1107	MCM66331	32k x 1 RAM Alternate Version
443-1108	8048	Microprocessor
443-1109	HCPL2531	Opto-Coupler
443-1110	74LS377	8-Bit Latch
443-1111	MC6809	16-Bit uP
443-1112	9602	Dual Retrigr Monostable
443-1113	DG211	Isolator

443-1114	74ALS576	Octal D FF
443-1115	74ALS422	Multivibrator
443-1116	74ALS112	Dual JK FF
443-1117	74LS374 (Selected)	Octal D-Flop Natl Only
443-1118	MD14518	Dual BCD Decoder
443-1119	8031	Microprocessor
443-1120	74F257	Quad 2-Input Mux Tri-State
443-1121	74F00	Quad 2-Input NAND
443-1122	ADC0809	A/D Converter
443-1123	MM5451	LED Display Driver
443-1124	74HC393	Dual 4-Bit Binary Counter
443-1125	74C165	8-Bit Shift Reg
443-1126	4051	Analog 8-1 Mux
443-1127	75107A	Dual Line Reciever
443-1128	74S03	Quad 2-Input NAND OC
443-1129	68B50	ACIA 2 MHz
443-1130	74ALS163	Async Counter Pre/Clr
443-1131	74LS163	Async Counter Pre/Clr
443-1132	74S10	Triple 3-Input NAND
443-1133	74S32	Quad 2-Input OR
443-1134	2674	Video Display Controller
443-1135	2675	
443-1136	2681	Dual UART
443-1137	74F04	Hex Inverter
443-1138	6264	8k x 8 Static RAM
443-1139	MC146818P	CMOS Real-Time Clock
443-1140	ADC0808CCN	8-Bit A/D
443-1142	DAC10061CN	10-Bit D/A
443-1145	CD40106	Hex Schmidt Trigger
443-1146	14568	PLL Phase Detector
443-1147	14526	PLL Programmable Divider
443-1149	D7201C	Multi Port Serial Controller
443-1150	WD1943PD	Baud Rate Generator
443-1151	14555	Dual 1 of 4 Decoder
443-1152	4N26	Opto Coupler
443-1153	74F74	Dual D FF
443-1154	74ALS193	Counter
443-1155	CD4069	Hex Inverter
443-1156	40193	U/D Counter
443-1157	MC1416	Peripheral Driver
443-1158	2797-02	Disk Controller
443-1159	25LS2521	8-Bit Comparitor
443-1160	74LS73A	National Only
443-1161	COM9026	Controller LANC
443-1162	COM9032	Transceiver LANT
443-1163	74278	4-Bit Priority Register
443-1164	RC4200	Analog Multiplier
443-1165	TMS4416	16k x 4 DRAM

443-1166	74ALS174	Hex D FF
443-1167	MC3487	Quad RS-422 Line Driver
443-1168	8087	Numeric Processor
443-1169	8288	Bus Controller
443-1170	8237A-5	Prog DMA Controller
443-1171	8255A-5	Prog Peripheral Interface
443-1172	74LS31	Delay Elements
443-1173	74LS670	4 x 4 Register File
443-1174	74LS623	Octal Bus Transceiver
443-1175	74HC32	Quad 2-Input OR
443-1176	74164	8-Bit Shift Register
443-1177	75453	Peripheral Driver
443-1178	74ALS257	Quad Multiplexer
443-1179	MB8264A-12	64k x 1 RAM
443-1180	MK3805	Real Time Clock
443-1181	74ALS240	Octal Buffer Tri-State
443-1182	74ALS373	Octal Latch Tri-State
443-1183	8T97	Hex Buffer Tri-State
443-1184	8T98	Hex Buffer Tri-State
443-1185	74ALS1032	Quad OR Buffer
443-1186	74S280	Parity Checker Generator
443-1187	8088-2	Processor
443-1188	TL851CN	Polaroid Digital Ranging Cntrl
443-1189	ADC0831	8-Bit Serial I/O A/D Converter
443-1190	74HCT00	Quad 2-Input NAND
443-1191	SSI263	Voice Synthesizer
443-1192	ADC0844	8-Bit A/D
443-1193	3884-4	SIO
443-1194	74ALS253	Dual 4-1 Mux
443-1195	HM6116ASP-15	2k x 8 RAM Skinny DIP
443-1196	74ALS1034	Hex Buffer
443-1197	74ALS805	Hex 2-Input NOR
443-1198	74ALS857	Hex Multiplexer
443-1199	EG A1029	Module 64k x 4 SIMM
443-1200	MSM5205	OKI Speech Synthesizer
443-1201	TMS5110A	LPC Speech Synthesizer
443-1202	MC14028	BCD To Decimal Decoder
443-1203	DS3658	Quad Peripheral Driver
443-1204	74AS02	Quad 2-Input NOR
443-1205	74AS04	Hex Inverter
443-1206	74AS10	Triple 3-Input NAND
443-1207	74AS11	Triple 3-Input AND
443-1208	74AS32	Quad 2-Input OR
443-1209	74AS74	Dual D FF
443-1210	74AS240	Octal Inverter Buffer
443-1211	74AS244	Octal Buffer
443-1212	74S22	Dual 4-Input NAND OC
443-1213	74AS20	Dual 4-Input NAND

443-1214	8X305	Microprocessor
443-1215	DP8340	Serial Bi-Phase Transmitter
443-1216	DP8341	Serial Bi-Phase Receiver
443-1217	MC14013	Dual D FF
443-1218	WD9216-CA00	F/D Data Seperator
443-1219	TMS4416	16k x 4 DRAM
443-1220	MM53200	Encoder / Decoder
443-1221	80286	Microprocessor
443-1222	80287	Numeric Processor
443-1223	74S05	Hex Inverter OC
443-1224	74S113	Dual JK FF
443-1225	74AS623	Octal Bus Transceiver
443-1227	74LS153	Inverter Mux Quad 2-Input
443-1228	80C88	Microprocessor
443-1229	74ALS09	Quad 2-Input
443-1230	74ALS27	Triple 3-Input
443-1231	74ALS30	8-Input NAND
443-1232	74ALS38	Quad 2-Input
443-1233	74LS166	Register TI Only
443-1234	74S113	Hex Inverter Buffer
443-1235	74ALS299	8-Bit Universal Shift Reg
443-1236	74ALS175	D-Type FF
443-1237	74ALS541	Buffer Line Driver
443-1239	74ALS138	3-To-8 Line Decoder
443-1240	74ALS623A	Bus Transceiver
443-1241	74LS352	Multiplexer
443-1243	74AS00	Quad 2-Input NAND
443-1244	74AS175	Quad FF
443-1245	74AS08	Quad 2-Input AND
443-1246	74AS113	Dual JK FF
443-1247	74AS138	3 - 8 Line Converter
443-1248	74AS241	Octal Buffer
443-1249	74ALS241	Octal Buffer
443-1250	74ALS1010	Triple 3-Input NAND Buffer
443-1251	74AS1032	Quad 2-Input OR Driver
443-1252	74LS47	7-Segment Decoder
443-1253	74ALS1004	Hex Inverter
443-1254	74AS257	Quad 2-Input Mux
443-1259	6522	VIA Dual 8-Bit Parallel Port
443-1260	6551	UART Controller
443-1260		
443-1261	WD1935	HDLC Controlller
443-1263	2212	Non-Volitle RAM 256 x 4
443-1264	74LS158	2 -1 Multiplexer
443-1265	UPD41256	256k x 1 DRAM
443-1266	74AS373	Octal D Latch
443-1267	74F367	Hex Buffer Tri-State
443-1268	UPD41256C-15	256k x 1 DRAM

443-1269	MCM6665	64k x 1 RAM
443-1270	UPD8237A-5	NEC Prog DMA Controller
443-1271	74AS253	Dual 4 - 1 Mux
443-1272	4164-15	64k x 1 RAM
443-1274	8042	Universal Peripheral Interface
443-1275	8254	Prog Timer
443-1276	MC146818	Real Time Clock
443-1277	74AS163	4-Bit Binary Counter
443-1278	74F280	9-Bit Parity Generator
443-1279	74LS646	Octal Transceiver Tri-State
443-1280	74AS27	Triple 3-Input NOR
443-1281	NS16450	UART
443-1282	74LS194	4-Bit Shift Register
443-1283	8087-2	Numeric Processor
443-1284	74S870	Dual 16 x 4 Register File
443-1285	74ALS1035	Hex Buffer Inverter
443-1286	MC146818A	Clock RT-1
443-1287	74ALS30	8-Input NAND
443-1288	74HC75	4-Bit Latch
443-1289	74AS30	8-Input NAND
443-1290	74LS7225	Digital Lock
443-1291	74F158	Multiplexer
443-1292	MC68B09P	Microprocessor
443-1293	74HC00	Quad 2-Input NAND
443-1294	74HC273	8-Bit FF
443-1295	74LS399	Quad Multiplexer
443-1296	74221	Hex Inverter Buffer
443-1297	74LS590	8-Bit Binary Counter
443-1298	74AS1004	Hex Inverter Buffer
443-1299	74HC14	Hex Inverter Schmidt
443-1300	96L02	Dual Retriggerable Monostable
443-1301	74HC132	Quad 2-Input NAND Schmidt
443-1302	74ALS374	Octal FF
443-1303	74LS379	Octal D FF
443-1304	Z8470	DUART
443-1305	74ALS139	Dual 2-4 Line
443-1306	74ALS652	Bus Transceiver
443-1307	74HC02	Quad 2-Input NOR
443-1308	74HC04	Hex Inverter
443-1309	74HC74	Dual D Flip-Flop
443-1310	74HC86	Quad 2-Input XOR
443-1311	74HC138	3-To-8 Line Decoder
443-1312	74HC157	Quad 2 -1 Multiplexer
443-1313	74HC175N	Quad D-Flop
443-1314	74HC03	Quad 2-Input NAND OC
443-1315	74ALS05	Hex Inverter
443-1316	74HC10	Triple 3-Input NAND
443-1317	74HC27	Triple 3-Input NOR

443-1318	74HC125	Quad Buffer
443-1319	74HC139	Dual 1-To-4 Decoder
443-1320	74HC163	4-Bit Binary Sync Counter
443-1321	74HC174N	Hex D-Flop
443-1322	74HC126N	Quad Buffer
443-1323	74HC240	Octal Buffer
443-1324	74HC244	Octal Buffer
443-1325	74HC245	Octal Buffer
443-1326	74HC257N	Quad 2-Input Mux
443-1327	74HC4078N	8-Input NOR
443-1328	74HC298N	Quad 2-Input Mux/DeMux
443-1329	74HC367N	Hex Tri-State Buffer
443-1330	74HC368N	Hex Tri-State Inverter
443-1331	74HC373	Octal D Latch
443-1332	74HC390N	Dual BCD Counter
443-1333	74HC652P	Octal Registered Transceiver
443-1334	74HC670	4 x 4 Register File
443-1335	74HC515N	4 - 16 Line Decoder
443-1336	80C39	Single Chip Microprocessor
443-1337	82C37	Prog DMA Controller
443-1338	82C53	Prog Interval Timer
443-1339	82C55	Prog Peripheral Interface
443-1340	82C59	Prog Interrupt Controller
443-1341	27C128	16k x 8 EPROM
443-1342	74HC08	Quad 2-Input AND
443-1343	74ALS04	Hex Inverter
443-1344	54HC137	1 of 8 Decoder
443-1345	74HCT86	Quad 2-Input XOR
443-1346	74HC20	Dual 4-Input NAND
443-1347	6147	4k x 1 Static RAM
443-1348	74ALS253	Dual Data Multiplexer
443-1349	MM58167A	
443-1350	TMS4464	64k x 4 DRAM
443-1351	Semi-Custom Enhanced	Graphics Chip
443-1352	74ALS161	4-Bit Counter
443-1353	74ACT652	Octal Buss Transceiver
443-1354	80286-8	Microprocessor
443-1355	41256-10	256k x 1 RAM
443-1356	74ALS646	Octal Transceiver
443-1357	80286-10	Microprocessor
443-1358	HD61602	LCD Driver
443-1359	74ALS374	Octal D FF
443-1361	74HC30	8-Input NAND
443-1362	74HC377	Octal "D" Flop
443-1363	74ALS21	Dual 4-Input NANC
443-1364	74AS533	Octal D Latch
443-1365	WD9216-01	F/D Data Seperator
443-1367	74HCT00	Quad 2-Input NAND

443-1368	MC34018		Speaker Phone Chip
443-1369	SP1000		Voice Recognition Chip
443-1370	74ALS808		Hex 2-Input
443-1372	74F64		AND/OR Invert
443-1373	4N32		Opto Isolator
443-1374	64180		Microprocessor SK-203
443-1382	74HC374		Octal D Flip-Flop
443-1383	74HC123		Dual Retriggerable Monostable
443-1390	74HC365		Hex Buffer Line Driver
443-1391	74HC366		Hex Buffer Line Driver
443-1392	84C00-04		Z-80 Microprocessor CMOS
443-1393	84C30-04		Z-80 Counter/Timer CMOS
443-1394	84C42-04		Z-80 Dual Serial Port CMOS
443-1414	74F646N		Octal Transceiver Register
443-1422	6264		8k x 8 Static RAM
443-1443	74ACT244		Octal Bus Driver Tri-State
443-1458	74ACT521		
443-1468	74ACT14		Hex Inverter
443-1493	74ACT161		4-Bit Sync Binary Counter
443-1494	74AC251		
443-1496	74ACT138		3-To-8 Line Decoder
443-1553	6264	5864	8k x 8 Static RAM
443-1703	84C00-06		Z-80 Microprocessor CMOS
443-1704	84C30-06		Z-80 Counter/Timer CMOS
443-1705	84C42-06		Z-80 Dual Serial Port CMOS

Programmable Device

444-10	7488AN	32 x 8 PROM		
444-11	7488AN	32 x 8 PROM		
444-12	7488AN	32 x 8 PROM		
444-13	MK3000	1k x 8 ROM		
444-14	MK3870			
444-15	MK3870			
444-16	MK3870			
444-17	MCM6830A ROM		used in ET-3400	
444-18	MK3870		Phone Dialer	
444-19	2316	2k x 8 ROM	used in H-17	
444-22	74S472	512 x 8 PROM		
444-23	3870 uP	MK14262N-5	used in ID-4001/ID-2090	
444-24	2316	2k x 8	Tiny Basic	
444-25	2316	2k x 8	Keyboard Monitor	
444-28	18SA30	32x8		
444-29	2316	8316		2k x 8 ROM used in H-19
444-31	3870 uP		used in H-14	
444-35	74S188	32 x 8 PROM		
444-36	74S188	32 x 8 PROM		
444-37	2316	8316		2k x 8 ROM used in H-19
444-46	2716	2k x 8 EPROM	used in H-19	

444-61	27C256				
444-69	3870 uP	MK14623N-5	used in SA-5010		
444-76	2316	2k x 8 ROM	used in ET-3400		
444-80	VM61006A	Speech ROM	used in EE-3403		
444-83	18SA30	32 x 8 PROM			
444-84	2732				
444-105	82S123		used in ET-19 (CPU Stat)		
444-108	D8741A				
444-109	P3041		used in Z-100		
444-110	MCM68A364	8k x 8 ROM	used in Hero-1 (ET-18)		
444-116	2316				
444-141	D8741A				
444-142	2732				
444-161	MK3870/42				
444-165	2716	2k x 8 EPROM	EE-3404 MC6809 ROM for ET-3400		
444-186	3870 uP				
444-198-1	MC68764	8k x 8 ROM	used in Hero-1 (ET-18)		
444-199	MK3870/42		used in GR-3000		
444-200-1	3870 uP		used in GC-1000 WWV Clock		
444-205-1	8748 uP		used in GD-1530		
444-221-1	2732	ET-18-4 Utility ROM		4k x 8 ROM	used in
ET-18 (Option)					
444-226	14L8CNS	PAL			
444-227	12L6CN	PAL			
444-239-1	2732	ET-18-7 Auto Mode		4k x 8 ROM	used in
ET-18 (Option)					
444-240	3870 uP		used in AD-1308		
444-249	PAL 10L8		used in ET-18-6 (Mem Decode)		
444-250	3870 uP	System ROM Remote	used in ET-18-3 (Trans/Rec uP)		
444-253	82S129		used in ET-19 (I/O Decode)		
444-254-2	MC68A364 ROM		16k x 8 ROM used in RT-1		
444-275	VM61006A	Speech ROM	(See 444-80)		
444-283-2	MC68A364 ROM		16k x 8 ROM used in RT-18		
444-293-1	3870 uP		used in GC-1000 WWV Clock		
444-295	16L8-4		used in RT-18		
444-303	8042		used in ET-19 (Base Cont)		
444-304	8042		used in ET-19 (Arm Cont)		
444-304-1	8042		used in ET-19 (Arm Cont)		
444-305	8042		Gripper Motor Controller		
444-306	8042		used in ET-19 (Sonar)		
444-306-1	8042		used in ET-19 (Sonar)		
444-308	8042		used in ET-19 (RTC)		
444-309	8042		used in ET-19 (Keyboard Cntrl)		
444-310	PAL10L8		used in ET-19 (I/O Decode)		
444-319-1	2764	ET-18-9 Hero1 BASIC		8k x 8 ROM	used in
ET-18 (Option)					
444-344-1	2764-3		used in 4850 Digital Scope		
444-349	2764	8k x 8 EPROM	used in HD-4040		

444-350	2764	8k x 8 EPROM	used in HD-4040
444-351	2764	8k x 8 EPROM	used in HD-4040
444-352	2764	8k x 8 EPROM	used in HD-4040
444-353	74288	FEPROM	used in HD-4040
444-371	MK3870/40N05		used in ET-19
444-402	PAL16L8		used in ET-19
444-403	27C256		used in ET-19 (Main ROM)
444-404	27C256		used in ET-19 (Main ROM)
444-404-2	27C256		used in ET-19 (Main ROM)
444-449	16R6ACN	PAL	
444-461	16R8BCN	PAL	
444-468			
444-475	27C256	32k x 8 CMOS EPROM	used in ID-5001
444-852	27C64	8k x 8 CMOS EPROM	used in HC-1032
444-1010	27C256	32k x 8 CMOS EPROM	used in ID-5001
444-9006	TMS2708JL-45		1024 x 8 EPROM
444-9033	MC68764	8k x 8 ROM	used in RT-1