


200-500 m
800-1935 m


Z = 5 Ω

12 V 2,25 A


452 kc/s



800-1935 m		200-500 m		800-1935 m	
VOL. max.	452 kc/s-33000 pF-g1B2	VOL. max.	C4, C5 + 15°	VOL. max.	C4, C5 + 30°
	S11, S12-S27 max.		1425 kc/s-33 pF		335 kc/s-33 pF
	452 kc/s-33000 pF-g4B1		C7, C6, C7, C6 max.		C8 max.
	S9, S10 max.				



R11315












	B1	B2	B3	B4	
	EK 2	EF 9	EBC 3	EL 2	
Va	220	225	80	220	V
Vg2	225	95	—	230	V
Vg3+5	45	—	—	—	V
Vk	1,6	2,1	2,5	15	V
Ia	1,75	6,0	0,45	25	mA
Ig2	2,0	1,8	—	4,5	mA
Ig3+5	1,0	—	—	—	mA

R1	0,1 MΩ	48 426 10/100K	C1	8 μF	49 020 51.0
R2	47 Ω	48 425 10/47E	C2	8 μF	28 182 24.1
R3	390 Ω	48 426 10/390E	C3	25 μF	28 212 39.0
R4	47000 Ω	48 426 10/47K	C4	0.490 pF	28 212 32.3
R5	2200 Ω	48 426 10/2K2	C5	0.490 pF	28 212 32.3
R6	330 Ω	48 426 10/330E	C6	2.5-30 pF	28 212 45.3
R7	82000 Ω	48 426 10/82K	C7	2.5-30 pF	48 751 10/47K
R8	47000 Ω	48 426 10/47K	C8	2.5-30 pF	48 751 10/47K
R9	0,1 MΩ	48 427 10/100K	C9	47000 pF	48 429 99/168F
R10	100 Ω	48 427 10/100E	C10	47000 pF	48 429 01/480E
R11	100 Ω	48 427 10/100E	C14	168 pF	—
R12	0,5 MΩ	49 470 30.0	C15	480 pF	—
R13	1,5 MΩ	48 426 10/1M5	C16	106 pF	—
R14	6800 Ω	48 426 10/6K8	C17	100 pF	—
R15	0,68 MΩ	48 425 10/680K	C18	0,1 F	48 406 10/15E
R16	0,22 MΩ	48 426 10/220K	C19	0,1 μF	48 406 10/100E
R17	1,2 MΩ	48 426 10/1M2	C20	0,33 μF	48 751 10/47K
R18	0,33 MΩ	48 426 10/330K	C21	0,1 μF	48 751 10/100K
R19	0,47 MΩ	48 426 10/470K	C22	106 pF	48 751 10/330K
R20	820 Ω	48 426 10/820E	C23	113 pF	48 751 10/100K
	1000 Ω	48 426 10/1K	C24	15 pF	—
			C25	100 pF	48 406 10/15E
			C26	47000 pF	48 406 10/100E
			C27	0,1 μF	48 751 10/47K
			C28	0,39 μF	48 751 10/100K
			C29	0,47 μF	48 751 10,390K
			C30	20000 pF	48 751 10/470K
			C31	20000 pF	28 201 75.0
			C32	50000 pF	28 201 75.0
			C33	320 pF	28 201 76.0
			C34	47000 pF	48 429 10/320E
			C35	10000 pF	48 751 10/47K
			C36	0,22 μF	28 199 94.0*
			C37	10000 pF	48 751 10/220K
			C38	0,47 μF	28 199 94.0*
			C39	22 pF	48 751 10/470K
					48 406 10/22E

S1, S2, S3, S4	28 572 73.6	S17, S18, S19, S20	A 3 161 02.0
S5, S6, S7, S8	28 572 74.3	S21	28 588 34.2
S9, S10, C16, C17	28 572 75.7	S22	28 546 77.0
S11, S12-S27	28 572 76.7	S23, S24	28 535 73.2
C22, C23	28 587 55.0	S25	28 220 72.0
S13	28 588 49.0		
S14	28 588 49.0		
S15	28 588 50.1		
S16	T		
T	7866	Cb	2 μF
Z	10A	Cd	0,5 μF
	08 140 34.0		28 160 92.0
			7350

S: 1, 2, 3, 4, 13, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24,
C: 9, 10, 30, 39, 5, 7, 8, 14, 15, 16, 18, 17, 19, 20, 21, 22, 27, 29, 23, 24, 25, 26, 28, 30, 31, 32, 33, 1, 34, 2, 3, 36, 35, 37
R: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20



EK2

EF9

EBC3

EL2

R71356