Acta Crystallographica Section C Crystal Structure Communications ISSN 0108-2701

# Dichloro(4,10-dimethyl-1,4,7,10tetraazabicyclo[5.5.2]tetradecane)iron(III) hexafluorophosphate

## James M. McClain II,<sup>a</sup> Danny L. Maples,<sup>a</sup> Randall D. Maples,<sup>a</sup> Dallas L. Matz,<sup>a</sup> Sebastian M. Harris,<sup>a</sup> Andrew D. L. Nelson,<sup>a</sup> Jon D. Silversides,<sup>b</sup> Stephen J. Archibald<sup>b\*</sup> and Timothy J. Hubin<sup>a\*</sup>


<sup>a</sup>Department of Chemistry and Physics, Southwestern Oklahoma State University, Weatherford, OK 73096, USA, and <sup>b</sup>Department of Chemistry, University of Hull, Cottingham Road, Hull HU6 7RX, England Correspondence e-mail: s.j.archibald@hull.ac.uk, tim.hubin@swosu.edu

Received 8 September 2006 Accepted 3 October 2006 Online 31 October 2006


The title compound,  $[FeCl_2(C_{12}H_{26}N_4)]PF_6$ , is the first mononuclear Fe<sup>3+</sup> complex of an ethylene cross-bridged tetraazamacrocycle to be structurally characterized. Comparison with the mononuclear Fe<sup>2+</sup> complex of the same ligand shows that the smaller Fe<sup>3+</sup> ion is more fully encapsulated by the cavity of the bicyclic ligand. Comparison with the  $\mu$ -oxo dinuclear complex of an unsubstituted ligand of the same size demonstrates that the methyl groups of 4,10-dimethyl-1,4,7,10-tetraazabicyclo[5.5.2]tetradecane prevent dimerization upon oxidation of the metal centre. N<sub>ax</sub>-Fe<sup>3+</sup>-N<sub>ax</sub> bond angles (ax is axial), and thus the degree of encapsulation by the ligand, are quite different between the mononuclear and dinuclear  $\mu$ -oxo species, which is probably the consequence of steric considerations.

## Comment

The tendency for iron complexes to form rust limits the utility, especially in aqueous media, of functional catalysts based on common ligands (Ortiz de Montellano, 1986). Even so, iron is one of the predominant metal ions found in biological catalytic systems (Jang et al., 1991; Wallar & Lipscomb, 1996; Boyington et al., 1993). A major feature of numerous synthetic catalysts having familiar nitrogen donors and vacant coordination sites is their propensity to form dimers in which highervalent metal ions are present. One of us has produced iron(II) (Hubin et al., 2000) and iron(III) (Hubin et al., 2001) complexes of ethylene cross-bridged tetraaza-macrocyclic ligands that are remarkably resistant to oxidative hydrolysis while still having available sites for binding of the metal ion to either a terminal oxidant or a substrate. The ability of the complex to remain mononuclear, and thus catalytically useful, appears to hinge on the substitution pattern of the nonbridgehead N atoms of the bicyclic ligands (Hubin et al., 2001). Methyl or benzyl substitution results only in mononuclear complexes, even in the  $M^{3+}$  (Hubin *et al.*, 2001, 2003) or  $M^{4+}$  (Yin *et al.*, 2006) oxidation state, while oxidation of the unsubstituted ligand complexes results in  $\mu$ -oxo iron(III) dimers (Hubin *et al.*, 2003).



Structural characterization of an Fe<sup>3+</sup> mononuclear complex has not been achieved prior to the present study, which (i) demonstrates that even upon oxidation the methylsubstituted ligand does not allow dimerization to occur and (ii) provides a structure for comparison to the lower valent analogue and to the unsubstituted analogue's iron(III)  $\mu$ -oxo dimer. Comparison of the Fe<sup>3+</sup> 4,10-dimethyl-1,4,7,10-tetraazabicyclo[5.5.2]tetradecane dichloride complex, (I) (Fig. 1 and Table 1), with the Fe<sup>2+</sup> 4,10-dimethyl-1,4,7,10-tetraazabicyclo[5.5.2]tetradecane dichloride complex primarily demonstrates the reduction in ionic radius of the iron ion upon oxidation. The  $N_{ax}$ -Fe<sup>3+</sup>- $N_{ax}$  angle (ax is axial) is 153.20 (9)° in (I), while the  $N_{ax}$ -Fe<sup>2+</sup>- $N_{ax}$  angle is 146.91 (7)° in the reduced complex (Hubin et al., 2000). The smaller Fe<sup>3+</sup> ion is pulled further into the ligand cavity as the favored octahedral geometry is approached. Interestingly, the two methyl substituents are almost exactly eclipsed when viewed down the  $N_{ax}$ -Fe<sup>2+</sup>- $N_{ax}$  axis, as might be expected from the symmetry of the complex (Fig. 2). However, they are more skewed in the





The structure of (I), with displacement ellipsoids drawn at the 50% probability level.




Figure 2

Comparison of the Fe<sup>3+</sup> monomeric complex (*a*) from this work with (*b*) the equivalent Fe<sup>2+</sup> complex and (*c*) the Fe<sup>3+</sup> dimer formed with the unsubstituted ligand. All views are oriented to look down the Nax-Fe- $N_{ax}$  axis. The methyl groups in the Fe<sup>3+</sup> complex are skewed, whereas they are eclipsed in the Fe<sup>2+</sup> complex. For the sake of clarity, H atoms have been omitted.

Fe<sup>3+</sup> structure. Perhaps the ligand must twist to accommodate the  $Fe^{3+}$  ion further into the ligand cavity. The Fe-N bond lengths are also affected, having an average of 2.26 Å in the  $Fe^{2+}$  complex and 2.17 Å in the  $Fe^{3+}$  complex.

Comparison of the Fe<sup>3+</sup> monomer with the  $\mu$ -oxo dimer complex is also informative. The secondary amine-Fe<sup>3+</sup> bond lengths in the dimer are similar to the tertiary amine-Fe<sup>3+</sup> bond lengths; the Fe-N(secondary) distances average 2.17 Å, with one longer Fe-N(tertiary) bond of 2.258 (5) Å (see Table 2). This may be associated with the asymmetric accommodation of a longer Fe-Cl bond and a shorter Fe-O bond. In the monomer, with all tertiary amines, the average Fe-N bond distance is 2.17 Å, matching the shorter Fe-N bonds in the dimer. The  $N_{ax}$ -Fe- $N_{ax}$  bond angle averages 147.6 (2)° in the dimer, while this value is 153.20 (9)° in the monomer. Clearly, dimerization and its associated steric consequences push the Fe<sup>3+</sup> ion further out of the ligand cavity than it is in the  $Fe^{3+}$  monomer. In fact, the dimer  $N_{ax} - Fe$ Nax bond angle is much closer to that of the Fe<sup>2+</sup> monomer  $[146.91 (7)^{\circ}]$  than that of the Fe<sup>3+</sup> monomer  $[153.20 (9)^{\circ};$ Table 2]. This steric consequence is consistent with the observation that the more sterically demanding methylsubstituted ligand prevents dimerization altogether. This is supported by a comparison of all three structures viewed along the  $N_{ax}$ -Fe- $N_{ax}$  axis, where a skewing of the methyl groups and a twist in the macrocyclic backbone are observed for the  $\text{Fe}^{3+}$  monomer relative to the other two structures (Fig. 2).

## **Experimental**

The title complex was prepared by a procedure slightly modified from those described by Hubin et al. (2000, 2001). In an inert atmosphere glove-box, 4,10-dimethyl-1,4,7,10-tetraazabicyclo[5.5.2]tetradecane (0.226 g, 0.001 mol) [prepared according to the procedure described by Wong et al. (2000)] was dissolved in acetonitrile (20 ml) in a 50 ml Erlenmeyer flask. Anhydrous iron(II) chloride (0.127 g, 0.001 mol) was added to the stirring ligand solution. The reaction was stirred at room temperature overnight. Dimethylformamide (12 ml) was added to dissolve a purple solid that had formed, and the reaction was then stirred for an additional 3 h, during which time the solid dissolved to give a light-brown solution. The solution was then filtered through filter paper and the solvent was removed under vacuum to give a brown solid, viz. the iron(II) dichloride complex of 4,10-dimethyl-1,4,7,10-tetraazabicyclo[5.5.2]tetradecane. In the glove-box, the divalent iron complex was dissolved in methanol (20 ml) in a roundbottomed flask. Five equivalents of  $NH_4PF_6$  (0.005 mol, 0.815 g) were dissolved in the solution. The flask was stoppered to protect it from air before being removed from the glove-box. In a fume-hood, a stream of nitrogen gas was directed over the surface of the solution. Br<sub>2</sub> (4-6 drops) was added and the reaction was stirred for 15 min. A bright-yellow precipitate formed immediately. The nitrogen gas was allowed to bubble through the solution for 15 min to remove excess Br<sub>2</sub>. The flask was then stoppered and placed in a freezer for 30 min to complete the precipitation. The yellow solid product was collected by vacuum filtration on a glass frit and washed successively with methanol and ether. The product was analytically pure as calculated with one-third molar equivalents of water of crystallization. X-ray quality crystals were grown from ether diffusion into an acetonitrile solution.

#### Crystal data

5	
$[FeCl_2(C_{12}H_{26}N_4)]PF_6$ $M_r = 498.09$ Monoclinic, $P2_1/c$ a = 8.3437 (12) Å b = 19.848 (2) Å c = 14.028 (2) Å $\beta = 120.685$ (10)° V = 1997.8 (5) Å <sup>3</sup>	Z = 4 $D_x = 1.656 \text{ Mg m}^{-3}$ Mo K $\alpha$ radiation $\mu = 1.16 \text{ mm}^{-1}$ T = 150 (2) K Block, orange 0.49 × 0.38 × 0.26 mm
Data collection	
<ul> <li>Stoe IPDS-II image plate diffractometer</li> <li>ω scans</li> <li>13147 measured reflections</li> </ul>	5655 independent reflections 3799 reflections with $I > 2\sigma(I)$ $R_{\text{int}} = 0.039$ $\theta_{\text{max}} = 30^{\circ}$
Refinement	
Refinement on $F^2$	$w = 1/[\sigma^2(F_0^2) + (0.0692P)^2]$

Refinement on $F^2$	$w = 1/[\sigma^2(F_0^2) + (0.0692P)^2]$
$R[F^2 > 2\sigma(F^2)] = 0.041$	where $P = (F_{o}^{2} + 2F_{c}^{22})/3$
$wR(F^2) = 0.117$	$(\Delta/\sigma)_{\rm max} = 0.026$
S = 0.97	$\Delta \rho_{\rm max} = 0.75 \ {\rm e} \ {\rm \AA}^{-3}$
5655 reflections	$\Delta \rho_{\rm min} = -0.73 \ {\rm e} \ {\rm \AA}^{-3}$
236 parameters	Extinction correction: SHELXL97
H-atom parameters constrained	Extinction coefficient: 0.0022 (5)

#### Table 1

Selected g	geometric	parameters	(A,	°)	1.
------------	-----------	------------	-----	----	----

Fe1-Cl1	2.2853 (8)	Fe1-Cl2	2.2911 (7)
N4 E 4 N2	01.26 (0)		02.20 (()
N4-Fe1-N3 N2-Fe1-N1	81.26 (9) 81.74 (8)	N1-Fe1-Cl1 N2-Fe1-Cl2	92.29 (6) 96.51 (6)
$N_2 - Fe_1 - N_1$	77.85 (8)	$N_2 = Fe_1 = C_{12}$ $N_4 = Fe_1 = C_{12}$	101.50 (6)
N3-Fe1-N1	78.62 (8)	N3-Fe1-Cl2	93.99 (6)
N2-Fe1-Cl1	100.39 (7)	N1-Fe1-Cl2	172.60 (6)
N4-Fe1-Cl1	97.62 (6)	Cl1-Fe1-Cl2	95.10 (3)
N3-Fe1-Cl1	170.88 (6)		

#### Table 2

Comparative geometrical parameters (Å,  $^\circ)$  for the macrocyclic cavity in Fe<sup>2+</sup> and Fe<sup>3+</sup> complexes.

Parameter <sup>a</sup>	$\mathrm{Fe}^{3+}\mathrm{Me}_2L^b$	$\mathrm{Fe}^{2+}\mathrm{Me}_2L^c$	$\mathrm{Fe}^{3+}\mathrm{H}_2L \mathrm{dimer}^d$
Fe-N1	2.179 (2)	2.240 (2)	2.162 (6)
Fe-N2	2.158 (2)	2.270 (2)	2.169 (5)
Fe-N3	2.171 (2)	2.246 (2)	2.186 (5)
Fe-N4	2.163 (2)	2.263 (2)	2.258 (5)
N2 <sub>ax</sub> -Fe-N4 <sub>ax</sub>	153.20 (9)	146.91 (7)	147.6 (2)
$N1_{eq}^{ax}$ -Fe- $N3_{eq}^{ax}$	77.81 (9)	77.15 (7)	77.7 (2)

Notes: (a) where there are two independent molecules in the asymmetric unit, an average value is given; (b) this work; (c) Hubin et al. (2003); (d) Hubin et al. (2000).

H atoms were placed in idealized positions and refined using a riding model, with C-H distances of 0.96 and 0.97 Å for CH<sub>3</sub> and CH<sub>2</sub> H atoms, respectively, and with  $U_{iso}$ (H) values of, respectively, 1.5 and 1.2 times  $U_{eq}$  of the carrier atom.

Data collection: X-AREA (Stoe & Cie, 2002); cell refinement: X-AREA; data reduction: X-RED (Stoe & Cie, 2002); program(s) used to solve structure: SHELXS97 (Sheldrick, 1997); program(s) used to refine structure: SHELXL97 (Sheldrick, 1997); molecular graphics: ORTEP (Johnson, 1965) and ORTEP-3 (Farrugia, 1997); software used to prepare material for publication: SHELXL97 and WinGX (Farrugia, 1999).

We thank the Chemistry Department of Southwestern Oklahoma State University for its support of this work, which was carried in the Spring 2006 Inorganic Chemistry Lab course CHEM 3234. The X-ray data were collected at the University of Hull using a diffractometer purchased with funds from the EPSRC. We acknowledge the EPSRC's Chemical Database Service at Daresbury, England (Fletcher *et al.*, 1996).

#### References

- Boyington, J. C., Gaffney, B. J. & Amzel, L. M. (1993). *Science*, **260**, 1482–1486. Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.
- Farrugia, L. J. (1999). J. Appl. Cryst. 32, 837–838.
- Fletcher, D. A., McMeeking, R. F. & Parkin, D. (1996). J. Chem. Inf. Comput. Sci. 36, 746-749.
- Hubin, T. J., McCormick, J. M., Alcock, N. W. & Busch, D. H. (2001). Inorg. Chem. 40, 435–444.
- Hubin, T. J., McCormick, J. M., Collinson, S. R., Alcock, N. W., Clase, H. J. & Busch, D. H. (2003). *Inorg. Chim. Acta*, **346**, 76–86.
- Hubin, T. J., McCormick, J. M., Collinson, S. R., Buchalova, M., Perkins, C. M., Alcock, N. W., Kahol, P. K., Raghunathan, A. & Busch, D. H. (2000). J. Am. Chem. Soc. 122, 2512–2522.
- Jang, H. G., Cox, D. D. & Que, L. Jr (1991). J. Am. Chem. Soc. 113, 9200– 9204.
- Johnson, C. K. (1965). ORTEP. Report ORNL-3794. Oak Ridge National Laboratory, Tennessee, USA.
- Ortiz de Montellano, P. R. (1986). In Cytochrome P450: Structure, Mechanism, and Biochemistry. New York: Plenum Press.
- Sheldrick, G. M. (1997). SHELXS97 and SHELXL97. University of Göttingen, Germany.
- Stoe & Cie (2002). X-AREA and X-RED. Stoe & Cie, Darmstadt, Germany. Wallar, B. J. & Lipscomb, J. D. (1996). Chem. Rev. 96, 2625–2657.
- Wong, E. H., Weisman, G. R., Hill, D. C., Reed, D. P., Rogers, M. E., Condon, J. S., Fagan, M. A., Calabrese, J. C., Lam, K.-C., Guzei, I. A. & Rheingold, A. L. (2000). J. Am. Chem. Soc. 122, 10561–10572.
- Yin, G., Buchalova, M., Danby, A. M., Perkins, C. M., Kitko, D., Carter, J. D., Scheper, W. M. & Busch, D. H. (2006). *Inorg. Chem.* 45, 3467–3474.

Supplementary data for this paper are available from the IUCr electronic archives (Reference: SK3055). Services for accessing these data are described at the back of the journal.