Received 22 July 2005 Accepted 15 August 2005

Online 20 August 2005

Acta Crystallographica Section E Structure Reports Online

ISSN 1600-5368

H.-J. Lehmler,^a* L.W. Robertson^a and S. Parkin^b

^aThe University of Iowa, Department of Occupational and Environmental Health, 100 Oakdale Campus, 124 IREH, Iowa City, IA 52242-5000, USA, and ^bUniversity of Kentucky, Department of Chemistry, Lexington, KY 40506-0055, USA

Correspondence e-mail: hans-joachim-lehmler@uiowa.edu

Key indicators

Single-crystal X-ray study T = 173 K Mean σ (C–C) = 0.003 Å R factor = 0.032 wR factor = 0.078 Data-to-parameter ratio = 18.6

For details of how these key indicators were automatically derived from the article, see http://journals.iucr.org/e.

© 2005 International Union of Crystallography Printed in Great Britain – all rights reserved

2,2',3,3',6-Pentachlorobiphenyl (PCB 84)

The dihedral angle between the benzene rings in the title compound, $C_{12}H_5Cl_5$, is 81.5 (2)°.

Comment

Polychlorinated biphenyls (PCBs) are a class of persistent and ubiquitous environmental contaminants that have been manufactured for a large number of technical applications, for example for use in transformers and capacitors (Robertson & Hansen, 2001). Laboratory and epidemiological studies have implicated PCBs in a range of adverse health effects, such as cancer, heart disease, developmental toxicity and neurotoxicity. The mechanisms by which PCBs cause these adverse health effects are only poorly understood, partly because environmental PCBs are complex mixtures containing many of the 209 possible PCB congeners, and many open questions remain.



PCB congeners with multiple ortho chlorine substituents have been implicated in developmental and neurotoxicity (Lehmler et al., 2005; Robertson & Hansen, 2001). The toxicity of ortho-substituted PCB derivatives is likely due to interaction of these PCB derivatives with cellular target sites, for example the ryanodine receptor. Their binding to these target sites requires a suitable three-dimensional structure, which is determined by the substitution pattern (Kodavanti et al., 1995) and the torsion angle between the two phenyl rings (Lehmler, Parkin & Robertson, 2002). Unfortunately, only a few crystal structures of PCBs (Kania-Korwel et al., 2004; Lehmler, Parkin & Robertson, 2001; Miao et al., 1997; Rømming et al., 1974; Singh et al., 1986), PCB metabolites (Lehmler, Robertson & Parkin, 2001, 2002; Lehmler, Robertson et al., 2002; McKinney & Singh, 1988) and related PCB derivatives (Lehmler, Parkin & Robertson, 2002; Rissanen et al., 1988a,b) have been reported. This presents an obstacle for the development of three-dimensional quantitative structure-activity relationships for the binding of PCBs and derivatives to receptors involved in the developmental and neurotoxicity of PCBs.

We report here the crystal structure of 2,2',3,3',6-pentachlorobiphenyl (PCB 84), (I), a neurotoxic PCB congener with



Figure 1

A view of the title compound, showing the atom-labelling scheme. Displacement ellipsoids are drawn at the 50% probability level.

three ortho chlorine substituents (Lehmler et al., 2005). The dihedral angle between the benzene rings in (I) is $81.5 (2)^{\circ}$. This value is smaller than the calculated dihedral angle of 90° in an aqueous solution [calculated with MM2 using GB/SA water solvent continuum, as implemented by MACRO-MODEL (version 5.0; Still et al., 1990)]. Similar differences in the solid-state versus the calculated dihedral angle have been reported for other PCB congeners (Kania-Korwel et al., 2004; Lehmler, Parkin & Robertson, 2001). These differences are probably due to crystal-packing effects, i.e. optimization of the crystal packing at the cost of a higher energy conformation (and therefore smaller dihedral angle) is energetically favourable (Lehmler, Robertson et al., 2002). Our finding suggests that even highly ortho-substituted PCB congeners with limited or no conformational freedom around the single bond between the two benzene rings can adopt a range of conformations which, in a biological system, may be greatly influenced by the protein-binding sites in which PCBs may reside.

Experimental

Compound (I) was synthesized using the method described previously by Lehmler *et al.* (2005). Colourless broken laths were obtained upon crystallization from methanol.

Crystal data

$C_{12}H_5Cl_5$	$D_x = 1.724 \text{ Mg m}^{-3}$
$M_r = 326.41$	Mo $K\alpha$ radiation
Monoclinic, $P2_1/c$	Cell parameters from 10705
a = 7.7015 (3) Å	reflections
b = 7.8357 (3) Å	$\theta = 1.0-27.5^{\circ}$
c = 21.1617 (7) Å	$\mu = 1.12 \text{ mm}^{-1}$
$\beta = 99.9257 \ (17)^{\circ}$	T = 173 (1) K
V = 1257.92 (8) Å ³	Broken lath, colourless
Z = 4	$0.28 \times 0.20 \times 0.06 \ \mathrm{mm}$
Data collection	
Nonius KappaCCD diffractometer	2861 independent reflections
ω scans	2356 reflections with $I > 2\sigma(I)$
Absorption correction: multi-scan	$R_{\rm int} = 0.041$
(SCALEPACK; Otwinowski &	$\theta_{\rm max} = 27.4^{\circ}$
Minor 1997)	$h = -9 \rightarrow 9$

 $k = -10 \rightarrow 10$

 $l = -27 \rightarrow 27$

Refinement

Refinement on F^2	$w = 1/[\sigma^2(F_0^2) + (0.034P)^2]$
$R[F^2 > 2\sigma(F^2)] = 0.032$	+ 0.5413P]
$wR(F^2) = 0.078$	where $P = (F_0^2 + 2F_c^2)/3$
S = 1.04	$(\Delta/\sigma)_{\rm max} = 0.001$
2861 reflections	$\Delta \rho_{\rm max} = 0.34 \text{ e} \text{ Å}^{-3}$
154 parameters	$\Delta \rho_{\rm min} = -0.28 \text{ e} \text{ \AA}^{-3}$
H-atom parameters constrained	

After their location in a difference map, all H atoms were positioned geometrically (C–H = 0.95 Å) and allowed to ride on their attached atoms, with $U_{\rm iso}({\rm H}) = 1.2 U_{\rm eq}({\rm C})$. Crystal decay was determined by remeasuring a portion of the first data-collection scan under otherwise identical conditions and comparing the average reflection intensities.

Data collection: *COLLECT* (Nonius, 1998); cell refinement: *SCALEPACK* (Otwinowski & Minor, 1997); data reduction: *DENZO-SMN* (Otwinowski & Minor, 1997); program(s) used to solve structure: *SHELXS97* (Sheldrick, 1997); program(s) used to refine structure: *SHELXL97* (Sheldrick, 1997); molecular graphics: *XP* in *SHELXTL/PC* (Sheldrick, 1994); software used to prepare material for publication: *SHELX97-2* (Sheldrick, 1997) and local programs.

This research was supported by grants ES07380 and ES012475 from the National Institute of Environmental Health Sciences, NIH.

References

- Kania-Korwel, I., Parkin, S., Robertson, L. W. & Lehmler, H.-J. (2004). Acta Cryst. E60, 01652–01653.
- Kodavanti, P. R. S., Ward, T. R., McKinney, J. D. & Tilson, H. A. (1995). *Toxicol. Appl. Pharmacol.* 130, 140–148.
- Lehmler, H.-J., Parkin, S. & Robertson, L. W. (2001). Acta Cryst. E57, o111-0112.
- Lehmler, H.-J., Parkin, S. & Robertson, L. W. (2002). *Chemosphere*, **46**, 485–488.
- Lehmler, H.-J., Robertson, L. W., Garrison, A. W. & Kodavanti, P. R. S. (2005). *Toxicol. Lett.* **156**, 391–400.
- Lehmler, H.-J., Robertson, L. W. & Parkin, S. (2001). Acta Cryst. E57, 0590-0591.
- Lehmler, H.-J., Robertson, L. W. & Parkin, S. (2002). Acta Cryst. E58, 0366–0367.
- Lehmler, H.-J., Robertson, L. W., Parkin, S. & Brock, C. P. (2002). Acta Cryst. **B58**, 140–147.
- McKinney, J. D. & Singh, P. (1988). Acta Cryst. C44, 558-562.
- Miao, X., Chu, S., Xu, X. & Jin, X. (1997). Chin. J. Chem. 42, 1803-1806.
- Nonius (1998). COLLECT. Nonius BV, Delft, The Netherlands.
- Otwinowski, Z. & Minor, W. (1997). *Methods in Enzymology*, Vol. 276, *Macromolecular Crystallography*, Part A, edited by C. W. Carter Jr & R. M. Sweet, pp. 307–326. New York: Academic Press.
- Rissanen, K., Valkonen, J. & Mannila, B. (1988a). Acta Cryst. C44, 682-684.
- Rissanen, K., Valkonen, J. & Mannila, B. (1988b). Acta Cryst. C44, 684-686.
- Robertson, L. W. & Hansen, L. G. (2001). Recent Advances in the Environmental Toxicology and Health Effects of PCBs. Lexington: University Press of Kentucky.
- Rømming, C., Seip, H. M. & Oymo, I. M. A. (1974). Acta Chem. Scand. Ser. A, 28, 507–514.
- Sheldrick, G. M. (1994). SHELXTL/PC. Version 5. Siemens Analytical X-ray Instruments Inc., Madison, Wisconsin, USA.
- Sheldrick, G. M. (1997). SHELXL97, SHELXS97 and SHELX97-2. University of Göttingen, Germany.
- Singh, P., Pedersen, L. G. & McKinney, J. D. (1986). Acta Cryst. C42, 1172– 1175.
- Still, W. C., Tempczyk, A., Hawley, R. C. & Hendrickson, T. (1990). J. Am. Chem. Soc. 112, 6127–6129.

 $T_{\rm min}=0.744,\ T_{\rm max}=0.936$

10705 measured reflections