Acta Crystallographica Section E Structure Reports Online

ISSN 1600-5368

Andreas Fischer,^a* H. S. Yathirajan,^b B. V. Ashalatha,^c B. Narayana^c and B.K. Sarojini^d

^aInorganic Chemistry, School of Chemical Science and Engineering, Royal Institute of Technology (KTH), 100 44 Stockholm, Sweden, ^bDepartment of Studies in Chemistry, University of Mysore, Manasagangotri, Mysore 570 006, India, ^cDepartment of Chemistry, Mangalore University, Mangalagangotri 574 199, India, and ^dDepartment of Chemistry, P.A. College of Engineering, Nadupadavu, Mangalore 574 153, India

Correspondence e-mail: afischer@kth.se

Key indicators

Single-crystal X-ray study T = 300 KMean $\sigma(C-C) = 0.005 \text{ Å}$ R factor = 0.037 wR factor = 0.090 Data-to-parameter ratio = 16.3


For details of how these key indicators were automatically derived from the article, see http://journals.iucr.org/e.

(8RS,9SR)-Ethyl 4-(3-bromothien-2-yl)-6-(2-furyl)-2-oxocyclohex-3-ene-1-carboxylate

The title compound, $C_{17}H_{15}BrO_4S$, was synthesized from (2*E*)-1-(3-bromo-2-thienyl)-3-(2-furyl)prop-2-en-1-one and ethyl acetoacetate in an ethanol solution. Single crystals were obtained from an ethyl acetate/hexane mixture. The crystal packing is stabilized by van der Waals forces. Received 15 November 2006 Accepted 5 December 2006

Comment

Chalcones and the corresponding heterocyclic analogs are valuable intermediates in organic synthesis (Dhar, 1981) and exhibit a multitude of biological activities (Dimmock et al., 1999). From a chemical point of view, an important feature of chalcones and their heterocyclic analogs is their ability to act as activated unsaturated systems in conjugated addition reactions of carbanions in the presence of basic catalysts (House, 1972). This type of reaction may be exploited with the goal of obtaining highly functionalized cyclohexene derivatives (Tabba et al., 1995), but is more commonly used for the preparation of 3,5-diaryl-6-carbethoxycyclohexenones via the Michael addition of ethyl acetoacetate. Cyclohexenones are efficient synthons in building spiro compounds (Padmavathi, Sharmila, Somashekara Reddy et al., 2001) or intermediates in the synthesis of benzisoxazoles or carbazole derivatives (Padmavathi et al., 1999, 2000; Padmavathi, Sharmila, Balaiah et al., 2001). In view of the importance of these derivatives, a new compound, ethyl 3-(3-bromothien-2-yl)-6-(2-furyl)-2oxocyclohex-3-ene-1-carboxylate, C₁₇H₁₅BrO₄S, (I), has been prepared and its crystal structure is reported here.



Compound (I) was prepared by the cyclocondensation of ethyl acetoacetate with a chalcone, leading to the generation of two chiral centers at C8 and C9 (Fig. 1). As the reaction is not stereoselective, both configurations of the chiral carbon atoms are expected to be found in (I), which would result in a

© 2007 International Union of Crystallography All rights reserved mixture of four diastereomers. In the title structure, a pair of 8S.9R and 8R.9S enantiomers is found. No attempt has been made to separate the diastereomers, and the crystal studied was grown from the mixture on recrystallization.

The bond lengths and angles of (I) are unexceptional. The cyclohexene ring adopts an envelope conformation, with C9 in the flap position. The dihedral angle between the thiophene and furan rings is 58.95 $(14)^{\circ}$. One methyl group, C17, appears to exhibit slight disorder; however, refinement using a split model did not yield a satisfactory structural model. The crystal packing is stabilized by van der Waals forces.

Experimental

(2E)-1-(3-Bromo-2-thienyl)-3-(2-furyl)prop-2-en-1-one (1.42 g, 5 mmol) and ethyl acetoacetate (0.65 g, 5 mmol) were refluxed for 3 h in 15 ml of ethanol in the presence of 0.8 ml of 10% NaOH. The reaction mixture was cooled to 300 K. The product formed was filtered off and recrystallized from methanol. Crystals were grown from a (1:1) ethyl acetate-hexane solvent mixture (yield: 57%; m.p. 366-368 K). Analysis found (calculated) for C₁₇H₁₅BrO₄S (%): C: 51.66 (51.64), H: 3.83 (3.81), S: 8.11 (8.09).

Z = 4

 $D_r = 1.582 \text{ Mg m}^{-3}$

Irregular block, colourless

17471 measured reflections

3390 independent reflections

2655 reflections with $I > 2\sigma(I)$

 $+ (0.025P)^2$

 $=(F_{o}^{2}+2F_{c}^{2})/3$

 $0.37 \times 0.35 \times 0.22 \text{ mm}$

Mo Ka radiation

 $\mu = 2.62 \text{ mm}^{-1}$

T = 300 K

 $R_{\rm int} = 0.060$

 $\theta_{\rm max} = 26.5^{\circ}$

Crystal data

C17H15BrO4S $M_r = 395.26$ Monoclinic, $P2_1/c$ a = 16.5539 (14) Åb = 11.1125 (8) Å c = 9.1650 (5) Å $\beta = 100.098 (6)^{\circ}$ V = 1659.8 (2) Å³

Data collection

Bruker-Nonius KappaCCD diffractometer φ scans Absorption correction: numerical (HABITUS; Herrendorf & Bärnighausen, 1997) $T_{\rm min}=0.600,\ T_{\rm max}=0.805$

Refinement

Refinement on F^2	$w = 1/[\sigma^2(F_o^2) + (0.02)]$
$R[F^2 > 2\sigma(F^2)] = 0.037$	+ 1.728 <i>P</i>]
$wR(F^2) = 0.090$	where $P = (F_0^2 + 2)^2$
S = 1.17	$(\Delta/\sigma)_{\rm max} < 0.001$
3390 reflections	$\Delta \rho_{\rm max} = 0.31 \text{ e } \text{\AA}^{-3}$
208 parameters	$\Delta \rho_{\rm min} = -0.45 \text{ e } \text{\AA}^{-3}$
H-atom parameters constrained	

H atoms were placed at calculated positions and refined using a riding model; $U_{iso}(H) = 1.2U_{eq}(\text{carrier atom}), U_{iso}(H) =$ $1.5U_{eq}$ (methyl) and C-H = 0.93-0.98 Å.

Data collection: COLLECT (Nonius, 1999); cell refinement: DIRAX/LSQ (Duisenberg, 1992); data reduction: EVALCCD (Duisenberg et al., 2003); program(s) used to solve structure:




Figure 1

The molecular structure of (I). Displacement ellipsoids are drawn at the 50% probability level.

SHELXS97 (Sheldrick, 1997): program(s) used to refine structure: SHELXL97 (Sheldrick, 1997); molecular graphics: DIAMOND (Brandenburg, 2006); software used to prepare material for publication: maXus (Mackay et al., 1999).

One of the authors (BVA) is grateful to Mangalore University for research facilities. The Swedish Research Council (VR) is acknowledged for providing funding for the single-crystal diffractometer.

References

- Brandenburg, K. (2006). DIAMOND. Release 3.1d. Crystal Impact GbR, Bonn, Germany.
- Dhar, D. N. (1981). The Chemistry of Chalcones and Related Compounds. New York: Wiley-Interscience.
- Dimmock, J. R., Elias, D. W., Beazely, M. A. & Kandepu, N. M. (1999). Curr. Med. Chem., 6, 1125-1150.
- Duisenberg, A. J. M. (1992). J. Appl. Cryst. 25, 92-96.
- Duisenberg, A. J. M., Kroon-Batenburg, L. M. J. & Schreurs, A. M. M. (2003). J. Appl. Cryst. 36, 220-229.
- Herrendorf, W. & Bärnighausen, H. (1997). HABITUS. University of Karlsruhe, Germany.
- House, H. O. (1972). Modern Synthetic Reactions, 2nd ed., p. 595. Menlo Park, California: W. A. Benjamin.
- Mackay, S., Gilmore, C. J., Edwards, C., Stewart, N. & Shankland, K. (1999). maXus. Bruker-Nonius, The Netherlands, MacScience, Japan, and The University of Glasgow, Scotland.
- Nonius (1999). COLLECT. Nonius BV, Delft, The Netherlands.
- Padmavathi, V., Mohana Reddy, B. J., Balaiah, A., Venugopal Reddy, K. & Bhaskar Reddy, D. (2000). Molecules, 5, 1281-1286.
- Padmavathi, V., Sharmila, K., Balaiah, A., Somashekara Reddy, A. & Bhaskar Reddy, D. (2001). Synth. Commun. 31, 2119-2126.
- Padmavathi, V., Sharmila, K., Padmaja, A. & Bhaskar Reddy, D. (1999). Heterocycl. Commun. 5, 451-456.
- Padmavathi, V., Sharmila, K., Somashekara Reddy, A. & Bhaskar Reddy, D. (2001). Indian J. Chem. Sect B, 40, 11-14.
- Sheldrick, G. M. (1997). SHELXS97 and SHELXL97. University of Göttingen, Germany.
- Tabba, H. D., Yousef, N. M. & Alarab, M. M. (1995). Collect. Czech. Chem. Commun. 60, 594-604.