

Doxofyllinium tetrachlorido-antimonate(III) monohydrate

Wan Xing Wei,^a Wen-Jie Feng,^b Bo-Jiöng Zheng,^c Ying Chen^b and Zhi-Min Jin^{b*}

^aCollege of Chemistry and Chemical Engineering, Guangxi University, Nanning 530004, People's Republic of China, ^bCollege of Pharmaceutical Sciences, Zhejiang University of Technology, Hangzhou 310014, People's Republic of China, and ^cGuobang Chemicals Co., Ltd., Shangyu Zhejiang 312369, People's Republic of China
Correspondence e-mail: apharm@sina.com


Received 16 November 2007; accepted 5 December 2007

Key indicators: single-crystal X-ray study; $T = 153\text{ K}$; mean $\sigma(\text{C}-\text{C}) = 0.005\text{ \AA}$; R factor = 0.038; wR factor = 0.097; data-to-parameter ratio = 18.6.

The title compound, $(\text{C}_{11}\text{H}_{14}\text{N}_4\text{O}_4)[\text{SbCl}_4]\cdot\text{H}_2\text{O}$, comprises a protonated doxofyllinium cation [7-(1,3-dioxolan-2-ylmethyl)-1,3-dimethyl-2,6-dioxo-3,7-dihydro-1*H*-purin-9-ium], an $[\text{SbCl}_4]^-$ anion and a water molecule linked by $\text{N}-\text{H}\cdots\text{O}$ and $\text{O}-\text{H}\cdots\text{Cl}$ hydrogen bonds: the $[\text{SbCl}_4]^-$ anions form centrosymmetric dimers *via* weak $\text{Sb}\cdots\text{Cl}$ interactions [$\text{Sb}\cdots\text{Cl} = 3.1159(9)\text{ \AA}$]. The geometrical arrangement in the crystal structure is characterized by slipped $\pi-\pi$ stacking of the parallel purine ring systems, with an interplanar separation of 3.32 \AA .

Related literature

For related literature, see: Chen, Tu, Shu *et al.* (2007); Chen, Tu & Jin (2007); Feng *et al.* (2007); Franzone *et al.* (1981, 1989); Villani *et al.* (1997); Zhao & Li (2001).



Experimental

Crystal data

$(\text{C}_{11}\text{H}_{14}\text{N}_4\text{O}_4)[\text{SbCl}_4]\cdot\text{H}_2\text{O}$
 $M_r = 548.85$

Triclinic, $P\bar{1}$
 $a = 8.9783(5)\text{ \AA}$

$b = 10.4727(5)\text{ \AA}$
 $c = 11.0357(4)\text{ \AA}$
 $\alpha = 68.7550(10)^\circ$
 $\beta = 82.671(2)^\circ$
 $\gamma = 88.228(2)^\circ$
 $V = 959.10(8)\text{ \AA}^3$

$Z = 2$
Mo $K\alpha$ radiation
 $\mu = 2.03\text{ mm}^{-1}$
 $T = 153(2)\text{ K}$
 $0.33 \times 0.28 \times 0.27\text{ mm}$

Data collection

Bruker APEX diffractometer
Absorption correction: multi-scan (*SADABS*; Bruker, 2000)
 $T_{\min} = 0.459$, $T_{\max} = 0.486$
(expected range = 0.547–0.579)

9490 measured reflections
4399 independent reflections
4151 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.046$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.038$
 $wR(F^2) = 0.097$
 $S = 1.05$
4399 reflections
236 parameters
3 restraints

H atoms treated by a mixture of independent and constrained refinement
 $\Delta\rho_{\max} = 1.40\text{ e \AA}^{-3}$
 $\Delta\rho_{\min} = -2.97\text{ e \AA}^{-3}$

Table 1
Hydrogen-bond geometry (\AA , $^\circ$).

| $D-\text{H}\cdots A$ | $D-\text{H}$ | $\text{H}\cdots A$ | $D\cdots A$ | $D-\text{H}\cdots A$ |
|----------------------------------|--------------|--------------------|-------------|----------------------|
| N1—H1 \cdots O5 | 0.92 (4) | 1.75 (4) | 2.663 (4) | 172 (4) |
| O5—H5C \cdots Cl1 | 0.81 (3) | 2.65 (2) | 3.332 (3) | 142 (2) |
| O5—H5D \cdots Cl1 ⁱ | 0.81 (3) | 2.41 (2) | 3.205 (3) | 166 (5) |
| C3—H3A \cdots O1 | 0.97 | 2.45 | 3.145 (8) | 128 |
| C7—H7 \cdots Cl3 ⁱⁱ | 0.93 | 2.56 | 3.432 (3) | 157 |

Symmetry codes: (i) $-x + 1, -y + 2, -z + 1$; (ii) $x, y, z - 1$.

Data collection: *SMART* (Bruker, 2000); cell refinement: *SAINT* (Bruker, 2000); data reduction: *SAINT*; program(s) used to solve structure: *SHELXTL* (Bruker, 2000); program(s) used to refine structure: *SHELXL97* (Sheldrick, 1997); molecular graphics: *SHELXTL*; software used to prepare material for publication: *SHELXTL*.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: GG2051).

References

- Bruker (2000). *SMART* (Version 5.618), *SADABS* (Version 2.05), *SAINT* (Version 6.02a) and *SHELXTL* (Version 6.10). Bruker AXS Inc., Madison, Wisconsin, USA.
- Chen, Z.-H., Tu, B. & Jin, Z.-M. (2007). *Acta Cryst. E63*, o2676–o2677.
- Chen, H.-X., Tu, B., Shu, Z., Ma, X.-J. & Jin, Z.-M. (2007). *Acta Cryst. E63*, o726–o727.
- Feng, W.-J., Ma, X.-J., Shu, Z. & Jin, Z.-M. (2007). *Acta Cryst. E63*, o3609.
- Franzone, J. S., Cirillo, R. & Biffignandi, P. (1989). *Eur. J. Pharmacol.* **165**, 269–277.
- Franzone, J. S., Reboani, C. & Fonzo, D. (1981). *Farmacol. Sci.* **36**, 201–219.
- Sheldrick, G. M. (1997). *SHELXS97* and *SHELXL97*. University of Göttingen, Germany.
- Villani, F., De Maria, P., Ronchi, E. & Galimberti, M. (1997). *Int. J. Clin. Pharmacol. Ther.* **35**, 107–111.
- Zhao, J. J. & Li, L. (2001). *J. N. Bethune Univ. Med. Sci.* **27**, 646–676.

supplementary materials

Acta Cryst. (2008). E64, m167 [doi:10.1107/S1600536807065774]

Doxofyllinium tetrachloridoantimonate(III) monohydrate

W. X. Wei, W.-J. Feng, B.-J. Zheng, Y. Chen and Z.-M. Jin

Comment

Doxofylline [7-(1,3-dioxolan-2-ylmethyl)-1,3-dimethyl-3,7-dihydro-1*H*-purine-2,6-dione] is a therapeutic agent with anti-asthmatic (Franzone *et al.*, 1989), anti-inflammatory activities (Zhao *et al.*, 2001) and a bronchodilating effect on smooth muscle (Franzone *et al.*, 1981; Villani *et al.*, 1997). So far several organic compounds containing doxofylline have been synthesized (Chen, Tu, Shu *et al.*, 2007); Chen, Tu & Jin, 2007; Feng *et al.*, 2007), but the doxofylline complex containing metal has not been reported. All of the above studies provide important references to futher research into doxofylline. Herein we present here the structure of the title compound (Scheme 1), (I).

As depicted in Fig. 1, the compound (I) is comprised of a doxofylline cation, a SbCl₄ anion and a water molecule. The N1 of doxofylline is protonated and links to the water molecule by N1—H1···O5 hydrogen bond, and the water molecule links the SbCl₄ anion by O5—H5C···Cl interactions. The dihedral angle between the plane of the purine ring and the approximate plane through C4/O3/C6/O4 is 68.5°. The pure compound is 8.42° (Chen, Tu, Shu *et al.*, 2007); Chen, Tu & Jin, 2007). In the purine ring, the bond length of N4—C11 [1.392 (3) Å] bond is somewhat longer than the corresponding N—C [1.374 (4) Å] bond length in the Chen's case (Chen *et al.*, 2007).

The symmetrically related SbCl₄ link into dimers *via* coordinated bonds of Sb1—Cl4 ($-x + 1, -y + 2, -z + 2$) [3.1159 (9) Å] (Fig. 2), which plays an important role in the formation of the crystal. In addition, there exists slipped $\pi\cdots\pi$ stacking between symmetrically related pyridines rings at ($-x + 2, -y + 1, -z + 1$), with a centroid to centroid distance equal to be 3.662 (6) Å. With intermolecular hydrogen bonds listed in Table 1, the stacking interactons further stabilize the crystal structure (Fig. 3).

Experimental

Antimony trichloride, hydrochloride acid and doxofylline in a 1:1:1 molar ratio were mixed and dissolved in sufficient acetone by heating to a temperature at which a clear solution resulted. Crystals of (I) were formed by gradual evaporation of acetone over a period of three days at 298 K.

Refinement

H atoms attaching to N atoms were deduced from difference Fourier maps, and incorporated in refinement freely. The water H atoms were located tentatively in difference Fourier maps and were refined with the O—H and H···H distances restrained to 0.82 (2) and 1.39 (2) Å. Others were placed in calculated positions and allowed to ride on their parent atoms at distances of 0.93 (C7—H7), 0.96 (methyl), 0.97 (methylene) and 0.98 Å (methine), with $U_{\text{iso}}(\text{H}) = 1.2\text{--}1.5 U_{\text{eq}}(\text{C})$.

supplementary materials

Figures




Fig. 1. The molecular structure of (I), with 30% probability displacement ellipsoids is shown. Hydrogen bonds are illustrated as dashed lines.




Fig. 2. The dimer of SbCl_4 in the crystal lattice. Atoms which are not labeled are obtained by symmetry operation of $(-x + 1, -y + 2, -z + 2)$. Coordinated bonds of $\text{Sb}1-\text{Cl}4$ ($-x + 1, -y + 2, -z + 2$) and $\text{Cl}4-\text{Sb}1$ ($-x + 1, -y + 2, -z + 2$) are illustrated by dashed lines.




Fig. 3. The packing diagram of (I) viewed down along the c axis. Hydrogen bonds are illustrated by dashed lines.

7-(1,3-dioxolan-2-ylmethyl)-1,3-dimethyl-2,6-dioxo-3,7-dihydro-1*H*-purin-9-ium tetrachloridoantimonate(III) monohydrate

Crystal data

| | |
|--|---|
| $(\text{C}_{11}\text{H}_{14}\text{N}_4\text{O}_4)[\text{SbCl}_4]\cdot\text{H}_2\text{O}$ | $Z = 2$ |
| $M_r = 548.85$ | $F_{000} = 540$ |
| Triclinic, $P\bar{1}$ | $D_x = 1.901 \text{ Mg m}^{-3}$ |
| Hall symbol: -P 1 | Mo $K\alpha$ radiation |
| $a = 8.9783 (5) \text{ \AA}$ | $\lambda = 0.71073 \text{ \AA}$ |
| $b = 10.4727 (5) \text{ \AA}$ | Cell parameters from 4733 reflections |
| $c = 11.0357 (4) \text{ \AA}$ | $\theta = 2.1\text{--}26.9^\circ$ |
| $\alpha = 68.7550 (10)^\circ$ | $\mu = 2.03 \text{ mm}^{-1}$ |
| $\beta = 82.671 (2)^\circ$ | $T = 153 (2) \text{ K}$ |
| $\gamma = 88.228 (2)^\circ$ | Block, colourless |
| $V = 959.10 (8) \text{ \AA}^3$ | $0.33 \times 0.28 \times 0.27 \text{ mm}$ |

Data collection

| | |
|--|--|
| Bruker APEX diffractometer | 4399 independent reflections |
| Radiation source: fine-focus sealed tube | 4151 reflections with $I > 2\sigma(I)$ |
| Monochromator: graphite | $R_{\text{int}} = 0.046$ |
| $T = 293(2) \text{ K}$ | $\theta_{\text{max}} = 27.5^\circ$ |
| φ and ω scan | $\theta_{\text{min}} = 3.1^\circ$ |

Absorption correction: multi-scan
(SADABS; Bruker, 2000)
 $T_{\min} = 0.459$, $T_{\max} = 0.486$
9490 measured reflections

$h = -11 \rightarrow 11$

$k = -13 \rightarrow 13$

$l = -14 \rightarrow 14$

Refinement

Refinement on F^2
Least-squares matrix: full
 $R[F^2 > 2\sigma(F^2)] = 0.038$
 $wR(F^2) = 0.097$
 $S = 1.05$
4399 reflections
236 parameters
3 restraints
Primary atom site location: structure-invariant direct methods

Secondary atom site location: difference Fourier map
Hydrogen site location: inferred from neighbouring sites
H atoms treated by a mixture of independent and constrained refinement

$$w = 1/[\sigma^2(F_o^2) + (0.0545P)^2 + 0.741P]$$

where $P = (F_o^2 + 2F_c^2)/3$

$$(\Delta/\sigma)_{\max} = 0.001$$

$$\Delta\rho_{\max} = 1.40 \text{ e } \text{\AA}^{-3}$$

$$\Delta\rho_{\min} = -2.97 \text{ e } \text{\AA}^{-3}$$

Extinction correction: none

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > 2\text{sigma}(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

| | x | y | z | $U_{\text{iso}}^*/U_{\text{eq}}$ |
|-----|---------------|---------------|---------------|----------------------------------|
| Sb1 | 0.603006 (19) | 0.947081 (18) | 0.845084 (16) | 0.01708 (9) |
| Cl1 | 0.50253 (10) | 0.84549 (9) | 0.69342 (9) | 0.03132 (19) |
| Cl2 | 0.85111 (8) | 0.95551 (8) | 0.72752 (7) | 0.02636 (17) |
| Cl3 | 0.70926 (9) | 1.07637 (8) | 0.98807 (8) | 0.02720 (17) |
| Cl4 | 0.53886 (10) | 1.16845 (8) | 0.70074 (8) | 0.02833 (18) |
| O3 | 0.7285 (2) | 0.7066 (2) | 0.0265 (2) | 0.0210 (4) |
| N4 | 1.0810 (3) | 0.6651 (3) | 0.4722 (2) | 0.0167 (5) |
| N3 | 1.2424 (3) | 0.5255 (2) | 0.3864 (2) | 0.0162 (5) |
| C11 | 1.1991 (3) | 0.5734 (3) | 0.4877 (3) | 0.0173 (5) |
| C8 | 1.0212 (3) | 0.7064 (3) | 0.3567 (3) | 0.0153 (5) |
| C1 | 1.1882 (3) | 0.5670 (3) | 0.2638 (3) | 0.0153 (5) |
| C2 | 1.0676 (3) | 0.6614 (3) | 0.2569 (3) | 0.0149 (5) |

supplementary materials

| | | | | |
|------|------------|------------|-------------|------------|
| O1 | 1.2388 (2) | 0.5233 (2) | 0.1794 (2) | 0.0226 (5) |
| N1 | 0.9061 (3) | 0.7955 (3) | 0.3204 (2) | 0.0182 (5) |
| N2 | 0.9814 (3) | 0.7279 (3) | 0.1570 (2) | 0.0164 (5) |
| O2 | 1.2588 (2) | 0.5340 (2) | 0.5875 (2) | 0.0247 (5) |
| C7 | 0.8856 (3) | 0.8068 (3) | 0.1984 (3) | 0.0199 (6) |
| H7 | 0.8145 | 0.8619 | 0.1501 | 0.024* |
| C12 | 1.3671 (3) | 0.4282 (3) | 0.4072 (3) | 0.0233 (6) |
| H12A | 1.3891 | 0.4014 | 0.3325 | 0.035* |
| H12B | 1.3390 | 0.3488 | 0.4840 | 0.035* |
| H12C | 1.4544 | 0.4711 | 0.4188 | 0.035* |
| O4 | 0.8543 (2) | 0.5081 (2) | 0.1080 (2) | 0.0221 (4) |
| C3 | 0.9963 (3) | 0.7182 (3) | 0.0266 (3) | 0.0186 (6) |
| H3A | 1.0894 | 0.6729 | 0.0131 | 0.022* |
| H3B | 1.0012 | 0.8097 | -0.0395 | 0.022* |
| C4 | 0.8666 (3) | 0.6396 (3) | 0.0103 (3) | 0.0170 (5) |
| H4 | 0.8816 | 0.6326 | -0.0766 | 0.020* |
| C5 | 0.6971 (4) | 0.4720 (3) | 0.1295 (3) | 0.0254 (6) |
| H5A | 0.6695 | 0.4048 | 0.2166 | 0.030* |
| H5B | 0.6713 | 0.4361 | 0.0652 | 0.030* |
| C6 | 0.6219 (4) | 0.6067 (4) | 0.1140 (4) | 0.0362 (8) |
| H6A | 0.5284 | 0.6123 | 0.0770 | 0.043* |
| H6B | 0.6014 | 0.6188 | 0.1975 | 0.043* |
| C10 | 1.0375 (4) | 0.7258 (3) | 0.5723 (3) | 0.0230 (6) |
| H10A | 1.0918 | 0.6828 | 0.6458 | 0.035* |
| H10B | 0.9316 | 0.7121 | 0.6004 | 0.035* |
| H10C | 1.0607 | 0.8222 | 0.5359 | 0.035* |
| O5 | 0.7621 (3) | 0.9581 (3) | 0.4328 (2) | 0.0308 (5) |
| H1 | 0.857 (4) | 0.845 (4) | 0.367 (4) | 0.024 (9)* |
| H5C | 0.731 (4) | 0.907 (3) | 0.5067 (18) | 0.029* |
| H5D | 0.699 (3) | 1.004 (3) | 0.390 (3) | 0.029* |

Atomic displacement parameters (\AA^2)

| | U^{11} | U^{22} | U^{33} | U^{12} | U^{13} | U^{23} |
|-----|--------------|--------------|--------------|--------------|--------------|--------------|
| Sb1 | 0.01524 (12) | 0.01761 (13) | 0.01647 (12) | 0.00463 (8) | -0.00456 (8) | -0.00337 (9) |
| Cl1 | 0.0308 (4) | 0.0267 (4) | 0.0434 (5) | 0.0035 (3) | -0.0099 (3) | -0.0195 (4) |
| Cl2 | 0.0185 (3) | 0.0339 (4) | 0.0231 (3) | 0.0024 (3) | -0.0001 (3) | -0.0070 (3) |
| Cl3 | 0.0209 (4) | 0.0285 (4) | 0.0289 (4) | -0.0004 (3) | -0.0088 (3) | -0.0045 (3) |
| Cl4 | 0.0357 (4) | 0.0188 (4) | 0.0285 (4) | 0.0071 (3) | -0.0144 (3) | -0.0031 (3) |
| O3 | 0.0136 (9) | 0.0262 (11) | 0.0211 (10) | 0.0040 (8) | -0.0060 (8) | -0.0051 (9) |
| N4 | 0.0172 (11) | 0.0215 (12) | 0.0123 (10) | 0.0048 (9) | -0.0057 (9) | -0.0063 (9) |
| N3 | 0.0149 (11) | 0.0191 (12) | 0.0146 (10) | 0.0056 (9) | -0.0061 (9) | -0.0052 (9) |
| C11 | 0.0158 (12) | 0.0212 (14) | 0.0148 (12) | 0.0024 (10) | -0.0044 (10) | -0.0057 (11) |
| C8 | 0.0141 (12) | 0.0180 (13) | 0.0141 (12) | 0.0029 (10) | -0.0055 (10) | -0.0050 (10) |
| C1 | 0.0124 (12) | 0.0190 (13) | 0.0140 (12) | -0.0004 (10) | -0.0038 (10) | -0.0048 (11) |
| C2 | 0.0133 (12) | 0.0200 (13) | 0.0115 (11) | 0.0023 (10) | -0.0060 (9) | -0.0042 (10) |
| O1 | 0.0219 (11) | 0.0312 (12) | 0.0189 (10) | 0.0091 (9) | -0.0056 (8) | -0.0139 (9) |
| N1 | 0.0171 (11) | 0.0205 (12) | 0.0188 (11) | 0.0067 (9) | -0.0069 (9) | -0.0082 (10) |

| | | | | | | |
|-----|-------------|-------------|-------------|--------------|--------------|--------------|
| N2 | 0.0151 (11) | 0.0206 (12) | 0.0137 (10) | 0.0026 (9) | -0.0075 (9) | -0.0047 (9) |
| O2 | 0.0234 (11) | 0.0353 (13) | 0.0155 (9) | 0.0084 (9) | -0.0107 (8) | -0.0070 (9) |
| C7 | 0.0168 (13) | 0.0237 (15) | 0.0215 (13) | 0.0053 (11) | -0.0084 (11) | -0.0093 (12) |
| C12 | 0.0209 (14) | 0.0281 (16) | 0.0201 (13) | 0.0135 (12) | -0.0081 (11) | -0.0068 (12) |
| O4 | 0.0227 (11) | 0.0215 (11) | 0.0203 (10) | 0.0024 (8) | -0.0035 (8) | -0.0052 (9) |
| C3 | 0.0171 (13) | 0.0276 (15) | 0.0117 (12) | 0.0020 (11) | -0.0046 (10) | -0.0071 (11) |
| C4 | 0.0154 (13) | 0.0218 (14) | 0.0149 (12) | 0.0049 (11) | -0.0056 (10) | -0.0071 (11) |
| C5 | 0.0277 (16) | 0.0304 (17) | 0.0179 (13) | -0.0070 (13) | 0.0006 (12) | -0.0091 (13) |
| C6 | 0.0223 (16) | 0.037 (2) | 0.0401 (19) | -0.0003 (14) | -0.0018 (14) | -0.0035 (16) |
| C10 | 0.0269 (15) | 0.0301 (17) | 0.0159 (13) | 0.0065 (12) | -0.0065 (11) | -0.0122 (12) |
| O5 | 0.0291 (12) | 0.0417 (15) | 0.0262 (11) | 0.0164 (11) | -0.0078 (9) | -0.0176 (11) |

Geometric parameters (\AA , $^\circ$)

| | | | |
|-------------|------------|---------------|-----------|
| Sb1—Cl4 | 2.3915 (7) | N2—C3 | 1.468 (3) |
| Sb1—Cl2 | 2.4176 (7) | C7—H7 | 0.9300 |
| Sb1—Cl1 | 2.5460 (9) | C12—H12A | 0.9600 |
| Sb1—Cl3 | 2.6917 (9) | C12—H12B | 0.9600 |
| O3—C6 | 1.428 (4) | C12—H12C | 0.9600 |
| O3—C4 | 1.429 (3) | O4—C4 | 1.405 (3) |
| N4—C8 | 1.364 (3) | O4—C5 | 1.440 (4) |
| N4—C11 | 1.392 (3) | C3—C4 | 1.512 (4) |
| N4—C10 | 1.470 (4) | C3—H3A | 0.9700 |
| N3—C11 | 1.392 (4) | C3—H3B | 0.9700 |
| N3—C1 | 1.409 (3) | C4—H4 | 0.9800 |
| N3—C12 | 1.473 (3) | C5—C6 | 1.507 (5) |
| C11—O2 | 1.216 (4) | C5—H5A | 0.9700 |
| C8—C2 | 1.362 (4) | C5—H5B | 0.9700 |
| C8—N1 | 1.369 (3) | C6—H6A | 0.9700 |
| C1—O1 | 1.213 (3) | C6—H6B | 0.9700 |
| C1—C2 | 1.434 (4) | C10—H10A | 0.9600 |
| C2—N2 | 1.388 (3) | C10—H10B | 0.9600 |
| N1—C7 | 1.344 (4) | C10—H10C | 0.9600 |
| N1—H1 | 0.92 (4) | O5—H5C | 0.81 (3) |
| N2—C7 | 1.327 (4) | O5—H5D | 0.81 (3) |
| Cl4—Sb1—Cl2 | 93.49 (3) | H12A—C12—H12B | 109.5 |
| Cl4—Sb1—Cl1 | 88.23 (3) | N3—C12—H12C | 109.5 |
| Cl2—Sb1—Cl1 | 88.95 (3) | H12A—C12—H12C | 109.5 |
| Cl4—Sb1—Cl3 | 86.84 (3) | H12B—C12—H12C | 109.5 |
| Cl2—Sb1—Cl3 | 90.02 (3) | C4—O4—C5 | 105.2 (2) |
| Cl1—Sb1—Cl3 | 174.90 (3) | N2—C3—C4 | 112.1 (2) |
| C6—O3—C4 | 108.5 (2) | N2—C3—H3A | 109.2 |
| C8—N4—C11 | 117.8 (2) | C4—C3—H3A | 109.2 |
| C8—N4—C10 | 122.3 (2) | N2—C3—H3B | 109.2 |
| C11—N4—C10 | 119.4 (2) | C4—C3—H3B | 109.2 |
| C11—N3—C1 | 127.4 (2) | H3A—C3—H3B | 107.9 |
| C11—N3—C12 | 115.5 (2) | O4—C4—O3 | 106.6 (2) |
| C1—N3—C12 | 116.9 (2) | O4—C4—C3 | 110.1 (2) |
| O2—C11—N3 | 121.5 (3) | O3—C4—C3 | 110.1 (2) |

supplementary materials

| | | | |
|---------------|------------|---------------|------------|
| O2—C11—N4 | 121.2 (3) | O4—C4—H4 | 110.0 |
| N3—C11—N4 | 117.3 (2) | O3—C4—H4 | 110.0 |
| C2—C8—N4 | 124.1 (2) | C3—C4—H4 | 110.0 |
| C2—C8—N1 | 108.2 (2) | O4—C5—C6 | 102.8 (3) |
| N4—C8—N1 | 127.7 (2) | O4—C5—H5A | 111.2 |
| O1—C1—N3 | 122.2 (2) | C6—C5—H5A | 111.2 |
| O1—C1—C2 | 126.7 (3) | O4—C5—H5B | 111.2 |
| N3—C1—C2 | 111.1 (2) | C6—C5—H5B | 111.2 |
| C8—C2—N2 | 106.7 (2) | H5A—C5—H5B | 109.1 |
| C8—C2—C1 | 122.1 (2) | O3—C6—C5 | 103.9 (3) |
| N2—C2—C1 | 131.2 (2) | O3—C6—H6A | 111.0 |
| C7—N1—C8 | 107.2 (2) | C5—C6—H6A | 111.0 |
| C7—N1—H1 | 125 (2) | O3—C6—H6B | 111.0 |
| C8—N1—H1 | 127 (2) | C5—C6—H6B | 111.0 |
| C7—N2—C2 | 107.7 (2) | H6A—C6—H6B | 109.0 |
| C7—N2—C3 | 125.6 (2) | N4—C10—H10A | 109.5 |
| C2—N2—C3 | 126.7 (2) | N4—C10—H10B | 109.5 |
| N2—C7—N1 | 110.1 (2) | H10A—C10—H10B | 109.5 |
| N2—C7—H7 | 125.0 | N4—C10—H10C | 109.5 |
| N1—C7—H7 | 125.0 | H10A—C10—H10C | 109.5 |
| N3—C12—H12A | 109.5 | H10B—C10—H10C | 109.5 |
| N3—C12—H12B | 109.5 | H5C—O5—H5D | 116.0 (19) |
| C1—N3—C11—O2 | −176.7 (3) | O1—C1—C2—N2 | −1.4 (5) |
| C12—N3—C11—O2 | −1.7 (4) | N3—C1—C2—N2 | −180.0 (3) |
| C1—N3—C11—N4 | 5.3 (4) | C2—C8—N1—C7 | −1.4 (3) |
| C12—N3—C11—N4 | −179.7 (3) | N4—C8—N1—C7 | 179.5 (3) |
| C8—N4—C11—O2 | 179.0 (3) | C8—C2—N2—C7 | −1.3 (3) |
| C10—N4—C11—O2 | 6.1 (4) | C1—C2—N2—C7 | −178.8 (3) |
| C8—N4—C11—N3 | −3.1 (4) | C8—C2—N2—C3 | 176.4 (3) |
| C10—N4—C11—N3 | −175.9 (3) | C1—C2—N2—C3 | −1.1 (5) |
| C11—N4—C8—C2 | 1.4 (4) | C2—N2—C7—N1 | 0.5 (3) |
| C10—N4—C8—C2 | 174.1 (3) | C3—N2—C7—N1 | −177.3 (3) |
| C11—N4—C8—N1 | −179.7 (3) | C8—N1—C7—N2 | 0.6 (3) |
| C10—N4—C8—N1 | −7.0 (5) | C7—N2—C3—C4 | −73.4 (4) |
| C11—N3—C1—O1 | 176.4 (3) | C2—N2—C3—C4 | 109.3 (3) |
| C12—N3—C1—O1 | 1.4 (4) | C5—O4—C4—O3 | 31.0 (3) |
| C11—N3—C1—C2 | −5.0 (4) | C5—O4—C4—C3 | 150.4 (2) |
| C12—N3—C1—C2 | −180.0 (3) | C6—O3—C4—O4 | −12.6 (3) |
| N4—C8—C2—N2 | −179.2 (3) | C6—O3—C4—C3 | −132.0 (3) |
| N1—C8—C2—N2 | 1.7 (3) | N2—C3—C4—O4 | −56.9 (3) |
| N4—C8—C2—C1 | −1.4 (5) | N2—C3—C4—O3 | 60.4 (3) |
| N1—C8—C2—C1 | 179.5 (3) | C4—O4—C5—C6 | −36.3 (3) |
| O1—C1—C2—C8 | −178.6 (3) | C4—O3—C6—C5 | −9.9 (4) |
| N3—C1—C2—C8 | 2.9 (4) | O4—C5—C6—O3 | 28.0 (3) |

Hydrogen-bond geometry (\AA , $^\circ$)

| $D\cdots H$ | $H\cdots A$ | $D\cdots A$ | $D\cdots H\cdots A$ |
|-------------|-------------|-------------|---------------------|
| 0.92 (4) | 1.75 (4) | 2.663 (4) | 172 (4) |

supplementary materials

| | | | | |
|---------------------------|----------|----------|-----------|---------|
| O5—H5C···Cl1 | 0.81 (3) | 2.65 (2) | 3.332 (3) | 142 (2) |
| O5—H5D···Cl1 ⁱ | 0.81 (3) | 2.41 (2) | 3.205 (3) | 166 (5) |
| C3—H3A···O1 | 0.97 | 2.45 | 3.145 (8) | 128 |
| C7—H7···Cl3 ⁱⁱ | 0.93 | 2.56 | 3.432 (3) | 157 |

Symmetry codes: (i) $-x+1, -y+2, -z+1$; (ii) $x, y, z-1$.

supplementary materials

Fig. 1





Fig. 2



supplementary materials

Fig. 3

