metal-organic compounds

Acta Crystallographica Section E **Structure Reports** Online

ISSN 1600-5368

Poly[μ_2 -aqua- μ_4 -naphthalene-1,8dicarboxylato-manganese(II)]

Guo-Ying Zhang,* Xin Zhang and Gui-Sheng Yu

College of Chemistry and Life Science, Tianjin Normal University, Tianjin 300074, People's Republic of China

Correspondence e-mail: hsxyzgy@mail.tjnu.edu.cn

Received 23 November 2007; accepted 27 November 2007

Key indicators: single-crystal X-ray study; T = 294 K; mean σ (C–C) = 0.005 Å; R factor = 0.040; wR factor = 0.089; data-to-parameter ratio = 11.4.

The asymmetric unit of the title complex, $[Mn(C_{12}H_6O_4) (H_2O)]_n$, contains one Mn^{II} ion, one 1,8-naphthalenedicarboxylate (1.8-NDC) ligand and one water molecule. The Mn^{II} ion is six-coordinated within a distorted octahedral coordination geometry, in which the equatorial sites are occupied by four carboxylate O atoms from four different 1,8-NDC ligands, while the axial positions are occupied by two O atoms of two coordinated water molecules. Adjacent Mn^{II} centres are bridged by one coordinated water and two carboxylate groups in a syn-syn mode to form infinite chains along the b axis, which are further cross-linked by the naphthalene spacers of the 1,8-NDC ligands to produce a twodimensional extended network.

Related literature

For general background, see: Chen et al. (2005). For related literature, see: Van der Ploeg et al. (1979); Hu et al. 2006.

n Ò Mn OH,

Experimental

Crystal data

 $[Mn(C_{12}H_6O_4)(H_2O)]$ $M_r = 287.12$ Monoclinic, $P2_1/c$ a = 15.720 (3) Å b = 7.2167 (14) Å c = 9.837 (2) Å $\beta = 98.87 \ (3)^{\circ}$

Data collection

Rigaku R-AXIS RAPID-S diffractometer Absorption correction: multi-scan (SADABS; Bruker, 1998) $T_{\min} = 0.794, \ T_{\max} = 0.830$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.040$	H atoms treated by a mixture of
$wR(F^2) = 0.089$	independent and constrained
S = 1.09	refinement
1945 reflections	$\Delta \rho_{\rm max} = 0.85 \text{ e} \text{ Å}^{-3}$
171 parameters	$\Delta \rho_{\rm min} = -0.33 \text{ e } \text{\AA}^{-3}$

V = 1102.6 (4) Å³

Mo Ka radiation

 $0.20 \times 0.20 \times 0.16 \text{ mm}$

9056 measured reflections

1945 independent reflections

1632 reflections with $I > 2\sigma(I)$

 $\mu = 1.21 \text{ mm}^{-1}$

T = 294 (2) K

 $R_{\rm int} = 0.058$

Z = 4

Table 1

Selected geometric parameters (Å, °).

Mn1-O2 ⁱ	2.115 (2)	Mn1-O3	2.159 (2)
Mn1-O4	2.122 (2)	Mn1 - O1W	2.214 (2)
Mn1-O1	2.156 (2)	$Mn1 - O1W^{ii}$	2.232 (2)
	~ /		
$O2^{i}-Mn1-O4$	105.32 (8)	O1-Mn1-O1W	87.88 (9)
$O2^{i}-Mn1-O1$	171.04 (8)	O3-Mn1-O1W	87.61 (9)
O4-Mn1-O1	83.54 (8)	$O2^{i}-Mn1-O1W^{ii}$	85.20 (9)
$O2^{i}-Mn1-O3$	83.67 (8)	$O4-Mn1-O1W^{ii}$	86.44 (9)
O4-Mn1-O3	170.82 (8)	$O1 - Mn1 - O1W^{ii}$	96.86 (8)
O1-Mn1-O3	87.43 (8)	$O3-Mn1-O1W^{ii}$	96.31 (9)
$O2^{i}-Mn1-O1W$	90.70 (9)	$O1W-Mn1-O1W^{ii}$	173.97 (6)
O4-Mn1-O1W	90.40 (9)		

Symmetry codes: (i) -x + 2, $y - \frac{1}{2}$, $-z + \frac{1}{2}$; (ii) -x + 2, $y + \frac{1}{2}$, $-z + \frac{1}{2}$

Data collection: CrystalClear (Rigaku/MSC, 2005); cell refinement: CrystalClear; data reduction: CrystalClear; program(s) used to solve structure: SHELXS97 (Sheldrick, 1997); program(s) used to refine structure: SHELXL97 (Sheldrick, 1997); molecular graphics: SHELXTL (Bruker, 1998); software used to prepare material for publication: SHELXTL.

The authors thank Tianjin Normal University for supporting this work.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: HK2400).

References

- Bruker (1998). SADABS (Version 2.03) and SHELXTL (Version 6.1). Bruker AXS Inc., Madison, Wisconsin, USA.
- Chen, L. F., Zhang, J., Song, L. J. & Ju, Z. F. (2005). Inorg. Chem. Commun. 8, 555-558.
- Hu, T. L., Li, J. R., Liu, C. S., Shi, X. S., Zhou, J. N., Bu, X. H. & Ribas, J. (2006). Inorg. Chem. 45, 162-173.
- Rigaku/MSC (2005). CrystalClear. Rigaku/MSC, The Woodlands, Texas, USA. Sheldrick, G. M. (1997). SHELXS97 and SHELXL97. University of Göttingen, Germany.
- Van der Ploeg, A. F. M. J., Van Koten, G. & Spek, A. L. (1979). Inorg. Chem. 18, 1052-1060.

n

supplementary materials

Acta Cryst. (2008). E64, m214 [doi:10.1107/S1600536807063696]

Poly[μ_2 -aqua- μ_4 -naphthalene-1,8-dicarboxylato-manganese(II)]

G.-Y. Zhang, X. Zhang and G.-S. Yu

Comment

Aromatic carboxylic derivatives as versatile building blocks not only exhibit great potentials in constructing multi-dimensional networks, but also provide various advantages in producing magnetic molecular assemblies with variable size from discrete molecules to nanometer-scale aggregates and infinite solids (Chen *et al.*, 2005). 1,8-Naphthalenedicarboxylate (1,8-NDC), a rigid multi- carboxylate ligand, is of special interest, since its multiple coordination sites, high symmetry and large conjugated structure can allow to construct molecular assemblies with novel structural motifs and physical properties. However, the metal complex of 1,8-NDC is rare so far (Van der Ploeg *et al.*, 1979; Hu *et al.*, 2006). We herein report the crystal structure of the title manganese complex, (I).

The asymmetric unit of (I) contains one Mn^{II} ion, one 1,8-NDC ligand and one water molecule. The Mn^{II} ion is six-coordinated within a distorted octahedral coordination geometry. The equatorial sites are occupied by four carboxylate oxygen atoms from different 1,8-NDC ligands, while the axial positions are occupied by two water molecules. The Mn—O distances are within their normal ranges (Table 1). Adjacent Mn^{II} centers are bridged by two carboxylate groups and one coordination water to form an infinite one-dimensional chain running along the *b* axis, in which the carboxylate groups adopt *syn-syn* bidentate coordination mode (Fig. 2). The intrachain Mn···Mn distance is 3.614 Å. The one-dimensional chains are further cross-linked by the naphthalene spacers of 1,8-NDC to produce a two-dimensional extended network (Fig. 3).

Experimental

For the preparaton of the title complex, a mixture of $MnCl_2$ (1 mmol), 1,8-naphthalenedicarboxylic acid (1 mmol), NaOH (2 mmol) and water (8 ml) in a teflon-lined stainless steel autoclave (15 ml) was kept at 423 K for 2 d. Colorless crystals were obtained after cooling to room temperature (yield; 30%). Anal. Calc. for $C_{12}H_8MnO_5$: C 50.20, H 2.81%; Found: 50.56, H 2.52%.

Refinement

H atom (for H₂O) were located in a difference sythesis and refined isotropically [O—H = 0.89 (4) and 0.80 (4) Å, $U_{iso}(H) = 0.055$ (13) and 0.045 (12) Å²]. The remaining H atoms were positioned geometrically, with C—H = 0.93 Å for aromatic H, and constrained to ride on their parent atoms, with $U_{iso}(H) = 1.2U_{eq}(C)$.

Figures



$Poly[\mu_2\text{-}aqua\text{-}\mu_4\text{-}naphthalene\text{-}1,8\text{-}dicarboxylato\text{-}manganese(II)]$

Crystal data	
$[Mn(C_{12}H_6O_4)(H_2O)]$	$F_{000} = 580$
$M_r = 287.12$	$D_{\rm x} = 1.730 \ {\rm Mg \ m^{-3}}$
Monoclinic, $P2_1/c$	Mo K α radiation $\lambda = 0.71073$ Å
Hall symbol: -P 2ybc	Cell parameters from 2641 reflections
a = 15.720(3) Å	$\theta = 3.1 - 27.5^{\circ}$
<i>b</i> = 7.2167 (14) Å	$\mu = 1.21 \text{ mm}^{-1}$
c = 9.837 (2) Å	T = 294 (2) K
$\beta = 98.87 \ (3)^{\circ}$	Block, colourless
$V = 1102.6 (4) \text{ Å}^3$	$0.20\times0.20\times0.16~mm$
Z = 4	

Data collection

Rigaku R-AXIS RAPID-S diffractometer	1945 independent reflections
Radiation source: fine-focus sealed tube	1632 reflections with $I > 2\sigma(I)$
Monochromator: graphite	$R_{\rm int} = 0.058$
T = 294(2) K	$\theta_{\text{max}} = 25.0^{\circ}$
ω scans	$\theta_{\min} = 3.1^{\circ}$
Absorption correction: multi-scan (SADABS; Bruker, 1998)	$h = -18 \rightarrow 18$

$T_{\min} = 0.794, T_{\max} = 0.830$	$k = -8 \rightarrow 8$
9056 measured reflections	$l = -11 \rightarrow 1$

Refinement

Refinement on F^2	Secondary atom site location: difference Fourier map
Least-squares matrix: full	Hydrogen site location: inferred from neighbouring sites
$R[F^2 > 2\sigma(F^2)] = 0.040$	H atoms treated by a mixture of independent and constrained refinement
$wR(F^2) = 0.089$	$w = 1/[\sigma^2(F_0^2) + (0.0445P)^2]$ where $P = (F_0^2 + 2F_c^2)/3$
<i>S</i> = 1.09	$(\Delta/\sigma)_{\text{max}} = 0.001$
1945 reflections	$\Delta \rho_{max} = 0.85 \text{ e} \text{ Å}^{-3}$
171 parameters	$\Delta \rho_{\rm min} = -0.33 \text{ e} \text{ Å}^{-3}$
Primary atom site location: structure-invariant direct methods	Extinction correction: none

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

1

Refinement. Refinement of F^2 against ALL reflections. The weighted *R*-factor *wR* and goodness of fit *S* are based on F^2 , conventional *R*-factors *R* are based on *F*, with *F* set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating *R*-factors(gt) *etc.* and is not relevant to the choice of reflections for refinement. *R*-factors based on F^2 are statistically about twice as large as those based on *F*, and *R*-factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (A^2)

	x	У	Ζ	$U_{\rm iso}$ */ $U_{\rm eq}$
Mn1	0.99931 (3)	0.10265 (5)	0.25999 (4)	0.01809 (16)
O1W	0.99998 (17)	-0.1557 (3)	0.3815 (2)	0.0211 (5)
H1WA	0.952 (3)	-0.169 (5)	0.419 (4)	0.055 (13)*
H1WB	1.041 (3)	-0.170 (5)	0.439 (4)	0.045 (12)*
01	0.90398 (13)	0.2094 (3)	0.3753 (2)	0.0248 (5)
O2	0.89298 (12)	0.5099 (3)	0.3261 (2)	0.0265 (5)
O3	1.09599 (13)	0.2087 (3)	0.4210 (2)	0.0251 (5)
O4	0.89011 (12)	0.0082 (3)	0.1235 (2)	0.0268 (5)
C1	0.86289 (19)	0.3603 (4)	0.3608 (3)	0.0200 (6)
C2	0.76960 (19)	0.3550 (4)	0.3732 (3)	0.0232 (7)
C3	0.7238 (2)	0.2112 (5)	0.3086 (4)	0.0370 (9)
Н3	0.7528	0.1119	0.2766	0.044*
C4	0.6336 (2)	0.2110 (6)	0.2897 (4)	0.0509 (11)
H4	0.6032	0.1110	0.2469	0.061*
C5	0.5907 (2)	0.3560 (6)	0.3335 (4)	0.0460 (10)

supplementary materials

Н5	0.5309	0.3571	0.3169	0.055*
C6	0.63495 (19)	0.5047 (5)	0.4034 (3)	0.0334 (8)
C7	0.5903 (2)	0.6559 (5)	0.4497 (4)	0.0437 (10)
H7	0.5305	0.6576	0.4323	0.052*
C8	0.6326 (2)	0.7975 (6)	0.5184 (4)	0.0501 (10)
H8	0.6021	0.8983	0.5449	0.060*
C9	0.7223 (2)	0.7935 (5)	0.5499 (3)	0.0368 (9)
Н9	0.7508	0.8913	0.5990	0.044*
C10	0.7689 (2)	0.6497 (4)	0.5105 (3)	0.0248 (7)
C11	1.13824 (19)	0.3572 (4)	0.4273 (3)	0.0198 (6)
C12	0.72618 (18)	0.5038 (4)	0.4298 (3)	0.0234 (7)

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
Mn1	0.0187 (3)	0.0169 (2)	0.0185 (3)	0.00005 (19)	0.00249 (17)	-0.00056 (18)
O1W	0.0221 (13)	0.0214 (11)	0.0194 (12)	0.0009 (9)	0.0017 (10)	0.0025 (8)
O1	0.0230 (12)	0.0284 (12)	0.0234 (12)	0.0067 (10)	0.0048 (9)	-0.0014 (9)
O2	0.0246 (12)	0.0283 (13)	0.0282 (12)	-0.0030 (10)	0.0091 (9)	0.0008 (9)
O3	0.0230 (12)	0.0288 (12)	0.0232 (12)	-0.0073 (10)	0.0026 (9)	-0.0045 (9)
O4	0.0240 (12)	0.0282 (13)	0.0264 (12)	-0.0009 (9)	-0.0023 (9)	-0.0033 (9)
C1	0.0205 (17)	0.0268 (17)	0.0128 (14)	-0.0021 (13)	0.0027 (11)	-0.0038 (12)
C2	0.0192 (17)	0.0269 (17)	0.0234 (16)	-0.0011 (12)	0.0029 (12)	-0.0009 (13)
C3	0.027 (2)	0.034 (2)	0.050 (2)	-0.0056 (15)	0.0051 (16)	-0.0138 (16)
C4	0.029 (2)	0.051 (3)	0.070 (3)	-0.0170 (18)	-0.0015 (19)	-0.026 (2)
C5	0.0181 (19)	0.063 (3)	0.055 (2)	-0.0063 (17)	0.0005 (16)	-0.0129 (19)
C6	0.0208 (19)	0.044 (2)	0.035 (2)	0.0001 (15)	0.0018 (14)	-0.0031 (16)
C7	0.0168 (19)	0.057 (3)	0.056 (2)	0.0107 (16)	0.0010 (16)	-0.0082 (19)
C8	0.031 (2)	0.052 (3)	0.067 (3)	0.0167 (19)	0.0066 (19)	-0.016 (2)
C9	0.026 (2)	0.037 (2)	0.046 (2)	0.0074 (15)	-0.0002 (15)	-0.0138 (16)
C10	0.0203 (17)	0.0282 (17)	0.0251 (17)	0.0016 (13)	0.0010 (13)	0.0008 (13)
C11	0.0197 (16)	0.0268 (17)	0.0130 (14)	0.0009 (13)	0.0033 (11)	-0.0024 (12)
C12	0.0200 (17)	0.0252 (17)	0.0245 (17)	-0.0003 (13)	0.0017 (12)	0.0010 (13)

Geometric parameters (Å, °)

Mn1—O2 ⁱ	2.115 (2)	C6—C12	1.418 (4)
Mn1—O4	2.122 (2)	С7—С8	1.343 (5)
Mn1—O1	2.156 (2)	С7—Н7	0.9300
Mn1—O3	2.159 (2)	C8—C9	1.396 (5)
Mn1—O1W	2.214 (2)	С8—Н8	0.9300
Mn1—O1W ⁱⁱ	2.232 (2)	C9—C10	1.362 (4)
C1—O2	1.247 (3)	С9—Н9	0.9300
C1—O1	1.262 (3)	C10—C12	1.423 (4)
C1—C2	1.491 (4)	C10—C11 ⁱⁱⁱ	1.494 (4)
C2—C3	1.364 (4)	C11—O4 ⁱⁱ	1.252 (3)
C2—C12	1.430 (4)	C11—O3	1.257 (3)
C3—C4	1.401 (5)	C11—C10 ⁱⁱⁱ	1.494 (4)

С3—Н3	0.9300	O2—Mn1 ⁱⁱ	2.115 (2)
C4—C5	1.350 (5)	04—C11 ⁱ	1.252 (3)
C4—H4	0.9300	O1W—Mn1 ⁱ	2.232 (2)
C5—C6	1.400 (5)	O1W—H1WA	0.89 (4)
С5—Н5	0.9300	O1W—H1WB	0.80 (4)
C6—C7	1.410 (5)		
O2 ⁱ —Mn1—O4	105.32 (8)	C5—C6—C12	119.9 (3)
O2 ⁱ —Mn1—O1	171.04 (8)	C7—C6—C12	118.9 (3)
O4—Mn1—O1	83.54 (8)	C8—C7—C6	121.3 (3)
O2 ⁱ —Mn1—O3	83.67 (8)	С8—С7—Н7	119.4
O4—Mn1—O3	170.82 (8)	С6—С7—Н7	119.4
O1—Mn1—O3	87.43 (8)	С7—С8—С9	120.0 (4)
O2 ⁱ —Mn1—O1W	90.70 (9)	С7—С8—Н8	120.0
O4—Mn1—O1W	90.40 (9)	С9—С8—Н8	120.0
O1—Mn1—O1W	87.88 (9)	C10—C9—C8	121.5 (3)
O3—Mn1—O1W	87.61 (9)	С10—С9—Н9	119.3
O2 ⁱ —Mn1—O1W ⁱⁱ	85.20 (9)	С8—С9—Н9	119.3
O4—Mn1—O1W ⁱⁱ	86.44 (9)	C9—C10—C12	119.6 (3)
O1—Mn1—O1W ⁱⁱ	96.86 (8)	C9—C10—C11 ⁱⁱⁱ	116.3 (3)
O3—Mn1—O1W ⁱⁱ	96.31 (9)	C12—C10—C11 ⁱⁱⁱ	123.4 (3)
O1W—Mn1—O1W ⁱⁱ	173.97 (6)	O4 ⁱⁱ —C11—O3	124.7 (3)
O2-C1-O1	124.6 (3)	O4 ⁱⁱ —C11—C10 ⁱⁱⁱ	117.3 (3)
O2—C1—C2	117.6 (3)	O3—C11—C10 ⁱⁱⁱ	117.8 (3)
O1—C1—C2	117.5 (3)	C6—C12—C10	118.4 (3)
C3—C2—C12	120.2 (3)	C6—C12—C2	117.5 (3)
C3—C2—C1	115.9 (3)	C10—C12—C2	124.0 (3)
C12—C2—C1	123.2 (3)	C1—O1—Mn1	129.36 (18)
C2—C3—C4	120.9 (3)	C1—O2—Mn1 ⁱⁱ	138.1 (2)
С2—С3—Н3	119.6	C11—O3—Mn1	130.17 (19)
С4—С3—Н3	119.6	C11 ⁱ —O4—Mn1	137.39 (19)
C5—C4—C3	120.1 (3)	Mn1—O1W—Mn1 ⁱ	108.74 (9)
С5—С4—Н4	120.0	Mn1—O1W—H1WA	112 (2)
C3—C4—H4	120.0	Mn1 ⁱ —O1W—H1WA	105 (2)
C4—C5—C6	121.1 (3)	Mn1—O1W—H1WB	115 (3)
С4—С5—Н5	119.5	Mn1 ⁱ —O1W—H1WB	105 (3)
С6—С5—Н5	119.5	H1WA—O1W—H1WB	110 (4)
C5—C6—C7	121.2 (3)		
O2—C1—C2—C3	131.1 (3)	C1—C2—C12—C6	163.6 (3)
O1—C1—C2—C3	-43.2 (4)	C3—C2—C12—C10	173.6 (3)
O2—C1—C2—C12	-39.4 (4)	C1—C2—C12—C10	-16.3 (5)
O1—C1—C2—C12	146.3 (3)	O2—C1—O1—Mn1	-35.5 (4)
C12—C2—C3—C4	3.5 (5)	C2—C1—O1—Mn1	138.5 (2)
C1—C2—C3—C4	-167.3 (3)	O4—Mn1—O1—C1	-84.6 (2)
C2—C3—C4—C5	1.2 (6)	O3—Mn1—O1—C1	97.1 (2)
C3—C4—C5—C6	-2.8 (6)	O1W—Mn1—O1—C1	-175.2 (2)

supplementary materials

C4—C5—C6—C7	-179.8 (4)	O1W ⁱⁱ —Mn1—O1—C1	1.0 (3)		
C4—C5—C6—C12	-0.4 (6)	O1—C1—O2—Mn1 ⁱⁱ	14.5 (5)		
C5—C6—C7—C8	179.1 (4)	C2—C1—O2—Mn1 ⁱⁱ	-159.4 (2)		
C12—C6—C7—C8	-0.3 (6)	O4 ⁱⁱ —C11—O3—Mn1	34.3 (4)		
C6—C7—C8—C9	-2.5 (6)	C10 ⁱⁱⁱ —C11—O3—Mn1	-140.3 (2)		
C7—C8—C9—C10	1.2 (6)	O2 ⁱ —Mn1—O3—C11	83.3 (2)		
C8—C9—C10—C12	2.9 (5)	O1—Mn1—O3—C11	-97.7 (3)		
C8—C9—C10—C11 ⁱⁱⁱ	-168.6 (3)	O1W—Mn1—O3—C11	174.3 (3)		
C5-C6-C12-C10	-175.1 (3)	O1W ⁱⁱ —Mn1—O3—C11	-1.1 (3)		
C7—C6—C12—C10	4.3 (5)	O2 ⁱ —Mn1—O4—C11 ⁱ	55.2 (3)		
C5—C6—C12—C2	4.9 (5)	O1—Mn1—O4—C11 ⁱ	-123.4 (3)		
C7—C6—C12—C2	-175.7 (3)	O1W—Mn1—O4—C11 ⁱ	-35.6 (3)		
C9—C10—C12—C6	-5.6 (5)	O1W ⁱⁱ —Mn1—O4—C11 ⁱ	139.2 (3)		
C11 ⁱⁱⁱ —C10—C12—C6	165.3 (3)	O2 ⁱ —Mn1—O1W—Mn1 ⁱ	-52.06 (11)		
C9—C10—C12—C2	174.4 (3)	O4—Mn1—O1W—Mn1 ⁱ	53.27 (11)		
C11 ⁱⁱⁱ —C10—C12—C2	-14.7 (5)	O1—Mn1—O1W—Mn1 ⁱ	136.79 (11)		
C3—C2—C12—C6	-6.5 (4)	O3—Mn1—O1W—Mn1 ⁱ	-135.70 (11)		
Symmetry codes: (i) $-x+2$, $y-1/2$, $-z+1/2$; (ii) $-x+2$, $y+1/2$, $-z+1/2$; (iii) $-x+2$, $-y+1$, $-z+1$.					



Fig. 2





Fig. 3