

Bis(4-nitrophenyl) 1,3-phenylene-dimethylene dicarbonate

Syed Nawazish Ali,^{a,b} Sabira Begum,^a Mitchell A. Winnik^b and Alan J. Lough^{b*}

^aHEJ Research Institute of Chemistry, International Center for Chemical Sciences, University of Karachi, Karachi 75270, Pakistan, and ^bDepartment of Chemistry, University of Toronto, Toronto, Ontario, Canada M5S 3H6
Correspondence e-mail: alough@chem.utoronto.ca


Received 20 February 2008; accepted 5 March 2008

Key indicators: single-crystal X-ray study; $T = 150\text{ K}$; mean $\sigma(\text{C}-\text{C}) = 0.005\text{ \AA}$; R factor = 0.065; wR factor = 0.167; data-to-parameter ratio = 14.9.

In the title molecule, $\text{C}_{22}\text{H}_{16}\text{N}_2\text{O}_{10}$, the dihedral angles between the benzene rings of the 4-nitrophenyl groups and the central benzene ring are $32.7(1)$ and $34.7(1)^\circ$, while the dihedral angle between the two benzene rings of the 4-nitrophenyl groups is $3.6(2)^\circ$. In the crystal structure, weak intermolecular $\text{C}-\text{H}\cdots\text{O}$ hydrogen bonds link molecules into centrosymmetric dimers.

Related literature

For related literature, see: Nawazish Ali *et al.* (2008).



Experimental

Crystal data

$\text{C}_{22}\text{H}_{16}\text{N}_2\text{O}_{10}$	$\gamma = 105.674(3)^\circ$
$M_r = 468.37$	$V = 1020.00(10)\text{ \AA}^3$
Triclinic, $P\bar{1}$	$Z = 2$
$a = 8.5956(4)\text{ \AA}$	Mo $K\alpha$ radiation
$b = 9.2367(5)\text{ \AA}$	$\mu = 0.12\text{ mm}^{-1}$
$c = 14.1550(8)\text{ \AA}$	$T = 150(1)\text{ K}$
$\alpha = 94.094(2)^\circ$	$0.34 \times 0.20 \times 0.20\text{ mm}$
$\beta = 107.134(3)^\circ$	

Data collection

Bruker–Nonius KappaCCD diffractometer	10107 measured reflections
Absorption correction: multi-scan (<i>SORTAV</i> ; Blessing, 1995)	4580 independent reflections
$T_{\min} = 0.808$, $T_{\max} = 0.980$	3182 reflections with $I > 2\sigma(I)$
	$R_{\text{int}} = 0.054$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.064$	308 parameters
$wR(F^2) = 0.166$	H-atom parameters constrained
$S = 1.15$	$\Delta\rho_{\max} = 0.30\text{ e \AA}^{-3}$
4580 reflections	$\Delta\rho_{\min} = -0.26\text{ e \AA}^{-3}$

Table 1
Hydrogen-bond geometry (\AA , $^\circ$).

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
C10—H10A \cdots O10 ⁱ	0.95	2.55	3.134 (4)	120
C15—H15B \cdots O9 ⁱ	0.99	2.58	3.504 (4)	155
C21—H21A \cdots O7 ⁱ	0.95	2.50	3.264 (3)	138

Symmetry code: (i) $-x + 1$, $-y + 1$, $-z + 2$.

Data collection: *COLLECT* (Nonius, 2002); cell refinement: *DENZO-SMN* (Otwinowski & Minor, 1997); data reduction: *DENZO-SMN*; program(s) used to solve structure: *SIR92* (Altomare *et al.*, 1994); program(s) used to refine structure: *SHELXTL* (Sheldrick, 2008); molecular graphics: *SHELXTL*; software used to prepare material for publication: *SHELXTL*.

The authors acknowledge the Higher Education Commission (HEC) of Pakistan, Materials and Manufacturing Ontario (MMO), Canada, NSERC Canada and the University of Toronto for funding.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: CF2186).

References

- Nawazish Ali, S., Begum, S., Winnik, M. A. & Lough, A. J. (2008). *Acta Cryst. E64*, o281.
- Altomare, A., Cascarano, G., Giacovazzo, C., Guagliardi, A., Burla, M. C., Polidori, G. & Camalli, M. (1994). *J. Appl. Cryst. 27*, 435.
- Blessing, R. H. (1995). *Acta Cryst. A51*, 33–38.
- Nonius (2002). *COLLECT*. Nonius BV, Delft, The Netherlands.
- Otwinowski, Z. & Minor, W. (1997). *Methods in Enzymology*, Vol. 276, *Macromolecular Crystallography*, Part A, edited by C. W. Carter Jr & R. M. Sweet, pp. 307–326. New York: Academic Press.
- Sheldrick, G. M. (2008). *Acta Cryst. A64*, 112–122.

supplementary materials

Acta Cryst. (2008). E64, o692 [doi:10.1107/S1600536808006132]

Bis(4-nitrophenyl) 1,3-phenylenedimethylene dicarbonate

S. Nawazish Ali, S. Begum, M. A. Winnik and A. J. Lough

Comment

For background information and relevant references see Ali *et al.* (2008). In the title molecule (Fig. 1) the dihedral angles between the benzene rings of the *p*-nitrophenyl groups and the central benzene ring are 32.7 (1) (for C9—C14) and 34.7 (1) $^{\circ}$ (for C17—C22), while the dihedral angle between the two benzene rings of the *p*-nitrophenyl groups is 3.6 (2) $^{\circ}$. In the crystal structure, weak intermolecular C—H \cdots O hydrogen bonds link molecules into centrosymmetric dimers (Fig. 2).

Experimental

A solution of 4-nitrophenylchloroformate (14.1 g, 70 mmol) in dry dichloromethane (70 ml) was added dropwise *via* a 250 ml separatory funnel to a solution of 1,3-phenylenedimethanol (4.82 g, 35 mmol) in anhydrous pyridine (5.38 g, 5.5 ml, 68.0 mmol) and dry dichloromethane (20 ml) in a 250 ml round-bottom flask. A white suspension appeared which was stirred gently at room temperature for 10 h. After this time more dry dichloromethane (50 ml) was added, which dissolved the suspension and then the reaction mixture was stirred for another 6 h. It was then quenched by adding deionized water (50 ml). The reaction mixture was transferred to a separatory funnel (500 ml), and the lower organic phase was removed. The aqueous phase was washed with dichloromethane (30 ml \times 3), and all the dichloromethane solutions were combined. These were then washed with deionized water (40 ml \times 3), a 1.0% solution of acetic acid (50 ml \times 4) and once more with deionized water (40 ml \times 3), and then dried over anhydrous magnesium sulfate and filtered. After filtration, the solvent was removed by rotary evaporator. The product was dried in air overnight in a fume hood and then in a vacuum oven for 24 h at room temperature (< 1 Torr). The desired product was obtained in a moderate yield (11.4 g, 70.0%) as a white solid; the product was recrystallized by dissolving in a mixture of dichloromethane and ethanol (95%) (1:1). The reaction mixture was heated at 358 K, and filtered after 40 minutes. X-ray quality crystals were obtained after slow evaporation of the solvent at room temperature.

Refinement

Hydrogen atoms were placed in calculated positions with C—H = 0.95–1.00 Å and they were included in the refinement in the riding-model approximation with $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$.

Figures




Fig. 1. The molecular structure of the title compound showing displacement ellipsoids drawn at the 30% probability level.

supplementary materials




Fig. 2. Part of the crystal structure with weak intermolecular C—H···O hydrogen bonds shown as dashed lines.

Bis(4-nitrophenyl) 1,3-phenylenedimethylene dicarbonate

Crystal data

C ₂₂ H ₁₆ N ₂ O ₁₀	Z = 2
M _r = 468.37	F ₀₀₀ = 484
Triclinic, P $\bar{1}$	D _x = 1.525 Mg m ⁻³
Hall symbol: -P 1	Mo K α radiation
a = 8.5956 (4) Å	λ = 0.71073 Å
b = 9.2367 (5) Å	Cell parameters from 10107 reflections
c = 14.1550 (8) Å	θ = 2.6–27.5°
α = 94.094 (2)°	μ = 0.12 mm ⁻¹
β = 107.134 (3)°	T = 150 (1) K
γ = 105.674 (3)°	Block, colourless
V = 1020.00 (10) Å ³	0.34 × 0.20 × 0.20 mm

Data collection

Bruker–Nonius KappaCCD diffractometer	4580 independent reflections
Radiation source: fine-focus sealed tube	3182 reflections with $I > 2\sigma(I)$
Monochromator: graphite	$R_{\text{int}} = 0.054$
Detector resolution: 9 pixels mm ⁻¹	$\theta_{\text{max}} = 27.5^\circ$
T = 150(2) K	$\theta_{\text{min}} = 2.6^\circ$
φ scans and ω scans with κ offsets	$h = -11 \rightarrow 10$
Absorption correction: multi-scan (SORTAV; Blessing, 1995)	$k = -11 \rightarrow 11$
$T_{\text{min}} = 0.808$, $T_{\text{max}} = 0.980$	$l = -18 \rightarrow 18$
10107 measured reflections	

Refinement

Refinement on F^2	Hydrogen site location: inferred from neighbouring sites
Least-squares matrix: full	H-atom parameters constrained
$R[F^2 > 2\sigma(F^2)] = 0.064$	$w = 1/[\sigma^2(F_{\text{o}}^2) + (0.035P)^2 + 1.3721P]$
$wR(F^2) = 0.166$	where $P = (F_{\text{o}}^2 + 2F_{\text{c}}^2)/3$
$S = 1.15$	$(\Delta/\sigma)_{\text{max}} < 0.001$
4580 reflections	$\Delta\rho_{\text{max}} = 0.30 \text{ e \AA}^{-3}$
	$\Delta\rho_{\text{min}} = -0.26 \text{ e \AA}^{-3}$

308 parameters
 Extinction correction: SHELXTL (Sheldrick, 2008),
 $F_c^* = k F_c [1 + 0.001 x F_c^2 \lambda^3 / \sin(2\theta)]^{1/4}$

Primary atom site location: structure-invariant direct
 methods Extinction coefficient: 0.021 (4)

Secondary atom site location: difference Fourier map

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > 2\text{sigma}(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
O1	0.8872 (3)	0.1353 (2)	0.51451 (16)	0.0340 (5)
O2	0.6463 (3)	0.2045 (3)	0.48906 (18)	0.0406 (6)
O3	0.8682 (3)	0.3232 (2)	0.43660 (16)	0.0339 (5)
O4	0.5734 (3)	0.8621 (3)	0.32218 (18)	0.0493 (7)
O5	0.5700 (3)	0.7631 (3)	0.17823 (17)	0.0453 (6)
O6	0.7702 (3)	0.1855 (2)	0.94414 (15)	0.0321 (5)
O7	0.7572 (3)	0.4000 (2)	1.02591 (16)	0.0346 (5)
O8	0.6017 (3)	0.1596 (2)	1.03074 (15)	0.0304 (5)
O9	0.1915 (5)	0.4431 (4)	1.2504 (3)	0.0781 (10)
O10	0.2930 (3)	0.3121 (3)	1.35819 (18)	0.0490 (7)
N1	0.6000 (3)	0.7673 (3)	0.26870 (19)	0.0343 (6)
N2	0.2722 (4)	0.3547 (3)	1.2770 (2)	0.0413 (7)
C1	0.8609 (4)	0.1437 (3)	0.7314 (2)	0.0289 (6)
H1A	0.7826	0.1949	0.6996	0.035*
C2	0.9034 (4)	0.0426 (3)	0.6733 (2)	0.0269 (6)
C3	1.0188 (4)	-0.0314 (4)	0.7203 (2)	0.0326 (7)
H3A	1.0505	-0.0993	0.6814	0.039*
C4	1.0875 (4)	-0.0059 (4)	0.8237 (2)	0.0388 (8)
H4A	1.1658	-0.0571	0.8556	0.047*
C5	1.0431 (4)	0.0932 (4)	0.8811 (2)	0.0363 (7)
H5A	1.0893	0.1082	0.9521	0.044*
C6	0.9314 (4)	0.1712 (3)	0.8356 (2)	0.0313 (7)
C7	0.8208 (4)	0.0058 (3)	0.5615 (2)	0.0333 (7)
H7A	0.8443	-0.0854	0.5354	0.040*
H7B	0.6954	-0.0173	0.5444	0.040*
C8	0.7845 (4)	0.2182 (3)	0.4820 (2)	0.0300 (6)
C9	0.7965 (4)	0.4351 (3)	0.3983 (2)	0.0288 (6)
C10	0.7170 (4)	0.5092 (3)	0.4481 (2)	0.0311 (7)

supplementary materials

H10A	0.7052	0.4839	0.5100	0.037*
C11	0.6548 (4)	0.6215 (3)	0.4058 (2)	0.0314 (7)
H11A	0.6008	0.6758	0.4387	0.038*
C12	0.6728 (4)	0.6530 (3)	0.3153 (2)	0.0287 (6)
C13	0.7562 (4)	0.5817 (4)	0.2664 (2)	0.0320 (7)
H13A	0.7691	0.6080	0.2049	0.038*
C14	0.8204 (4)	0.4712 (3)	0.3092 (2)	0.0310 (7)
H14A	0.8799	0.4208	0.2781	0.037*
C15	0.8850 (4)	0.2793 (4)	0.8979 (3)	0.0382 (8)
H15A	0.9887	0.3477	0.9501	0.046*
H15B	0.8267	0.3424	0.8556	0.046*
C16	0.7147 (4)	0.2644 (3)	1.0016 (2)	0.0269 (6)
C17	0.5156 (4)	0.2113 (3)	1.0894 (2)	0.0261 (6)
C18	0.5105 (4)	0.1426 (3)	1.1723 (2)	0.0284 (6)
H18A	0.5621	0.0642	1.1865	0.034*
C19	0.4293 (4)	0.1892 (3)	1.2346 (2)	0.0295 (6)
H19A	0.4271	0.1461	1.2933	0.035*
C20	0.3518 (4)	0.2999 (3)	1.2088 (2)	0.0294 (6)
C21	0.3483 (4)	0.3636 (3)	1.1233 (2)	0.0312 (7)
H21A	0.2898	0.4368	1.1067	0.037*
C22	0.4322 (4)	0.3182 (3)	1.0620 (2)	0.0279 (6)
H22A	0.4323	0.3597	1.0025	0.033*

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
O1	0.0368 (12)	0.0373 (12)	0.0328 (11)	0.0141 (10)	0.0145 (10)	0.0116 (9)
O2	0.0349 (13)	0.0401 (13)	0.0535 (15)	0.0122 (10)	0.0215 (11)	0.0171 (11)
O3	0.0352 (12)	0.0365 (12)	0.0347 (12)	0.0114 (10)	0.0163 (10)	0.0116 (10)
O4	0.0688 (18)	0.0461 (15)	0.0451 (14)	0.0304 (14)	0.0230 (13)	0.0126 (12)
O5	0.0525 (15)	0.0504 (15)	0.0315 (12)	0.0159 (12)	0.0094 (11)	0.0155 (11)
O6	0.0388 (12)	0.0276 (11)	0.0331 (11)	0.0059 (9)	0.0210 (10)	0.0018 (9)
O7	0.0409 (12)	0.0249 (12)	0.0371 (12)	0.0039 (9)	0.0185 (10)	0.0001 (9)
O8	0.0381 (12)	0.0240 (11)	0.0351 (11)	0.0082 (9)	0.0217 (10)	0.0060 (9)
O9	0.110 (3)	0.081 (2)	0.102 (3)	0.070 (2)	0.078 (2)	0.0417 (19)
O10	0.0583 (16)	0.0476 (15)	0.0417 (14)	0.0040 (12)	0.0308 (13)	-0.0023 (11)
N1	0.0335 (14)	0.0357 (15)	0.0321 (14)	0.0068 (12)	0.0105 (12)	0.0111 (12)
N2	0.0466 (17)	0.0318 (15)	0.0512 (18)	0.0068 (13)	0.0302 (15)	0.0010 (13)
C1	0.0275 (15)	0.0283 (15)	0.0332 (16)	0.0083 (12)	0.0135 (13)	0.0064 (13)
C2	0.0259 (15)	0.0261 (15)	0.0294 (15)	0.0060 (12)	0.0114 (12)	0.0056 (12)
C3	0.0328 (16)	0.0361 (17)	0.0366 (17)	0.0152 (14)	0.0180 (14)	0.0077 (14)
C4	0.0333 (17)	0.050 (2)	0.0390 (18)	0.0189 (16)	0.0137 (15)	0.0152 (16)
C5	0.0319 (16)	0.047 (2)	0.0261 (15)	0.0045 (15)	0.0105 (13)	0.0049 (14)
C6	0.0306 (16)	0.0287 (16)	0.0349 (16)	0.0022 (13)	0.0182 (14)	0.0026 (13)
C7	0.0425 (18)	0.0285 (16)	0.0299 (16)	0.0112 (14)	0.0127 (14)	0.0058 (13)
C8	0.0357 (17)	0.0294 (16)	0.0235 (14)	0.0092 (13)	0.0087 (13)	0.0034 (12)
C9	0.0308 (15)	0.0265 (15)	0.0260 (14)	0.0053 (12)	0.0076 (12)	0.0051 (12)
C10	0.0377 (17)	0.0299 (16)	0.0229 (14)	0.0059 (13)	0.0103 (13)	0.0022 (12)

C11	0.0341 (16)	0.0290 (16)	0.0280 (15)	0.0048 (13)	0.0106 (13)	0.0017 (12)
C12	0.0284 (15)	0.0261 (15)	0.0265 (15)	0.0031 (12)	0.0059 (12)	0.0051 (12)
C13	0.0312 (16)	0.0350 (17)	0.0256 (15)	0.0014 (13)	0.0108 (13)	0.0068 (13)
C14	0.0279 (15)	0.0330 (17)	0.0302 (15)	0.0047 (13)	0.0113 (13)	0.0041 (13)
C15	0.0449 (19)	0.0300 (17)	0.0402 (18)	0.0003 (14)	0.0262 (16)	0.0001 (14)
C16	0.0280 (15)	0.0261 (16)	0.0242 (14)	0.0051 (12)	0.0085 (12)	0.0025 (12)
C17	0.0284 (15)	0.0236 (14)	0.0251 (14)	0.0046 (12)	0.0112 (12)	-0.0005 (11)
C18	0.0316 (16)	0.0245 (15)	0.0301 (15)	0.0077 (12)	0.0118 (13)	0.0067 (12)
C19	0.0314 (16)	0.0290 (16)	0.0276 (15)	0.0038 (13)	0.0132 (13)	0.0067 (12)
C20	0.0299 (15)	0.0250 (15)	0.0330 (16)	0.0028 (12)	0.0164 (13)	-0.0021 (12)
C21	0.0288 (15)	0.0277 (16)	0.0362 (17)	0.0088 (13)	0.0097 (13)	0.0032 (13)
C22	0.0300 (15)	0.0277 (15)	0.0229 (14)	0.0067 (12)	0.0063 (12)	0.0037 (12)

Geometric parameters (\AA , $^\circ$)

O1—C8	1.324 (4)	C5—H5A	0.950
O1—C7	1.472 (4)	C6—C15	1.494 (4)
O2—C8	1.195 (4)	C7—H7A	0.990
O3—C8	1.362 (3)	C7—H7B	0.990
O3—C9	1.404 (3)	C9—C10	1.379 (4)
O4—N1	1.227 (3)	C9—C14	1.385 (4)
O5—N1	1.225 (3)	C10—C11	1.385 (4)
O6—C16	1.323 (3)	C10—H10A	0.950
O6—C15	1.467 (3)	C11—C12	1.377 (4)
O7—C16	1.199 (3)	C11—H11A	0.950
O8—C16	1.355 (3)	C12—C13	1.382 (4)
O8—C17	1.400 (3)	C13—C14	1.382 (4)
O9—N2	1.219 (4)	C13—H13A	0.950
O10—N2	1.220 (4)	C14—H14A	0.950
N1—C12	1.468 (4)	C15—H15A	0.990
N2—C20	1.471 (4)	C15—H15B	0.990
C1—C2	1.391 (4)	C17—C18	1.380 (4)
C1—C6	1.394 (4)	C17—C22	1.383 (4)
C1—H1A	0.950	C18—C19	1.386 (4)
C2—C3	1.392 (4)	C18—H18A	0.950
C2—C7	1.501 (4)	C19—C20	1.379 (4)
C3—C4	1.384 (4)	C19—H19A	0.950
C3—H3A	0.950	C20—C21	1.378 (4)
C4—C5	1.381 (4)	C21—C22	1.389 (4)
C4—H4A	0.950	C21—H21A	0.950
C5—C6	1.390 (4)	C22—H22A	0.950
C8—O1—C7	116.3 (2)	C9—C10—H10A	120.7
C8—O3—C9	119.8 (2)	C11—C10—H10A	120.7
C16—O6—C15	114.3 (2)	C12—C11—C10	118.7 (3)
C16—O8—C17	118.4 (2)	C12—C11—H11A	120.7
O5—N1—O4	123.6 (3)	C10—C11—H11A	120.7
O5—N1—C12	117.9 (3)	C11—C12—C13	122.9 (3)
O4—N1—C12	118.5 (2)	C11—C12—N1	118.5 (3)
O9—N2—O10	123.2 (3)	C13—C12—N1	118.6 (3)

supplementary materials


O9—N2—C20	118.2 (3)	C12—C13—C14	118.4 (3)
O10—N2—C20	118.6 (3)	C12—C13—H13A	120.8
C2—C1—C6	121.0 (3)	C14—C13—H13A	120.8
C2—C1—H1A	119.5	C13—C14—C9	118.8 (3)
C6—C1—H1A	119.5	C13—C14—H14A	120.6
C1—C2—C3	119.2 (3)	C9—C14—H14A	120.6
C1—C2—C7	121.4 (3)	O6—C15—C6	106.4 (2)
C3—C2—C7	119.3 (3)	O6—C15—H15A	110.4
C4—C3—C2	119.9 (3)	C6—C15—H15A	110.4
C4—C3—H3A	120.0	O6—C15—H15B	110.4
C2—C3—H3A	120.0	C6—C15—H15B	110.4
C5—C4—C3	120.6 (3)	H15A—C15—H15B	108.6
C5—C4—H4A	119.7	O7—C16—O6	128.0 (3)
C3—C4—H4A	119.7	O7—C16—O8	126.2 (3)
C4—C5—C6	120.4 (3)	O6—C16—O8	105.7 (2)
C4—C5—H5A	119.8	C18—C17—C22	122.3 (3)
C6—C5—H5A	119.8	C18—C17—O8	116.0 (2)
C5—C6—C1	118.8 (3)	C22—C17—O8	121.6 (2)
C5—C6—C15	120.2 (3)	C17—C18—C19	119.2 (3)
C1—C6—C15	120.9 (3)	C17—C18—H18A	120.4
O1—C7—C2	110.4 (2)	C19—C18—H18A	120.4
O1—C7—H7A	109.6	C20—C19—C18	118.0 (3)
C2—C7—H7A	109.6	C20—C19—H19A	121.0
O1—C7—H7B	109.6	C18—C19—H19A	121.0
C2—C7—H7B	109.6	C21—C20—C19	123.2 (3)
H7A—C7—H7B	108.1	C21—C20—N2	118.6 (3)
O2—C8—O1	128.1 (3)	C19—C20—N2	118.2 (3)
O2—C8—O3	126.4 (3)	C20—C21—C22	118.5 (3)
O1—C8—O3	105.5 (2)	C20—C21—H21A	120.8
C10—C9—C14	122.6 (3)	C22—C21—H21A	120.8
C10—C9—O3	122.7 (3)	C17—C22—C21	118.6 (3)
C14—C9—O3	114.6 (3)	C17—C22—H22A	120.7
C9—C10—C11	118.5 (3)	C21—C22—H22A	120.7

Hydrogen-bond geometry (Å, °)

<i>D</i> —H··· <i>A</i>	<i>D</i> —H	H··· <i>A</i>	<i>D</i> ··· <i>A</i>	<i>D</i> —H··· <i>A</i>
C10—H10A···O10 ⁱ	0.95	2.55	3.134 (4)	120
C15—H15B···O9 ⁱ	0.99	2.58	3.504 (4)	155
C21—H21A···O7 ⁱ	0.95	2.50	3.264 (3)	138

Symmetry codes: (i) $-x+1, -y+1, -z+2$.

Fig. 1



supplementary materials

Fig. 2

