

**(2-Hydroxyphenylimido- κN)-
(methanolato- κO)[2-(2-oxidobenzyl-
ideneamino)phenolato- $\kappa^2 O,N,O'$]-
(triphenylphosphine- κP)rhenium(V)**

Jason P. Holland,^a Peter J. Barnard,^a Jonathan R. Dilworth^{a*} and David J. Watkin^b

^aChemistry Research Laboratory, University of Oxford, 12 Mansfield Road, Oxford OX1 3TA, England, and ^bChemical Crystallography, Chemistry Research Laboratory, University of Oxford, 12 Mansfield Road, Oxford OX1 3TA, England
Correspondence e-mail: jon.dilworth@chem.ox.ac.uk


Received 28 March 2008; accepted 17 April 2008

Key indicators: single-crystal X-ray study; $T = 150$ K; mean $\sigma(C-C) = 0.008 \text{ \AA}$; disorder in main residue; R factor = 0.046; wR factor = 0.086; data-to-parameter ratio = 16.5.

In the neutral title compound, $[\text{Re}(\text{C}_6\text{H}_5\text{NO})(\text{C}_{13}\text{H}_9\text{NO}_2)(\text{CH}_3\text{O})(\text{C}_{18}\text{H}_{15}\text{P})]$, an 18-valence-electron complex, the Re^{V} ion lies in an octahedral coordination geometry with the tridentate dianionic Schiff base 2-(2-oxidobenzylideneamino)phenolate ligand occupying three equatorial coordination sites, and with the triphenylphosphine ligand situated *trans* to the imine N atom. The Re^{V} coordination is completed with a methanolate ligand and a 2-hydroxyphenylimido(2-) ligand. There are two molecules in the asymmetric unit. The crystal structure involves $O-\text{H}\cdots O$ and $C-\text{H}\cdots O$ hydrogen bonds. One N and one C atom are disordered over two positions; the site occupancy factors are *ca* 0.7 and 0.3.

Related literature

For related literature, see: Chen *et al.* (2000, 2001); Femia *et al.* (2001); Sheldrick (2008).



Experimental

Crystal data

$[\text{Re}(\text{C}_6\text{H}_5\text{NO})(\text{C}_{13}\text{H}_9\text{NO}_2)(\text{CH}_3\text{O})(\text{C}_{18}\text{H}_{15}\text{P})]$	$\beta = 90.1597 (4)^\circ$
$M_r = 797.86$	$V = 6429.64 (16) \text{ \AA}^3$
Monoclinic, $P2_1/n$	$Z = 8$
$a = 10.0193 (2) \text{ \AA}$	Mo $K\alpha$ radiation
$b = 32.9759 (3) \text{ \AA}$	$\mu = 3.87 \text{ mm}^{-1}$
$c = 19.4605 (2) \text{ \AA}$	$T = 150 \text{ K}$
	$0.24 \times 0.24 \times 0.06 \text{ mm}$

Data collection

Nonius KappaCCD diffractometer	56004 measured reflections
Absorption correction: multi-scan (<i>DENZO/SCALEPACK</i> ; Otwinowski & Minor, 1997)	14195 independent reflections
$R_{\text{int}} = 0.052$	10958 reflections with $I > 2\sigma(I)$
$T_{\min} = 0.39$, $T_{\max} = 0.79$	

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.046$	614 restraints
$wR(F^2) = 0.085$	H-atom parameters constrained
$S = 0.99$	$\Delta\rho_{\max} = 2.85 \text{ e \AA}^{-3}$
13952 reflections	$\Delta\rho_{\min} = -3.36 \text{ e \AA}^{-3}$
847 parameters	

Table 1
Hydrogen-bond geometry (\AA , $^\circ$).

$D-\text{H}\cdots A$	$D-\text{H}$	$H\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
O3—H31 \cdots O1	0.81	1.93	2.693 (8)	156
O7—H71 \cdots O5	0.83	1.89	2.720 (8)	177
C34—H341 \cdots O1	0.94	2.53	3.397 (8)	153
C60—H601 \cdots N4	0.94	2.59	3.342 (8)	137
C72—H721 \cdots O5	0.92	2.38	2.983 (8)	123

Data collection: *COLLECT* (Nonius, 2001); cell refinement: *DENZO/SCALEPACK* (Otwinowski & Minor, 1997); data reduction: *DENZO/SCALEPACK*; program(s) used to solve structure: *SIR92* (Altomare *et al.*, 1994); program(s) used to refine structure: *CRYSTALS* (Betteridge *et al.*, 2003); molecular graphics: *CAMERON* (Watkin *et al.*, 1996); software used to prepare material for publication: *CRYSTALS*.

JPH thanks Merton College and the EPSRC for financial support. PJB thanks GlaxoSmithKlein for a postdoctoral fellowship.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: BR2071).

References

- Altomare, A., Cascarano, G., Giacovazzo, G., Guagliardi, A., Burla, M. C., Polidori, G. & Camalli, M. (1994). *J. Appl. Cryst.* **27**, 435.
- Betteridge, P. W., Carruthers, J. R., Cooper, R. I., Prout, K. & Watkin, D. J. (2003). *J. Appl. Cryst.* **36**, 1487.
- Chen, X., Femia, F. J., Babich, J. W. & Zubieta, J. (2000). *Inorg. Chim. Acta*, **308**, 80–90.
- Chen, X., Femia, F. J., Babich, J. W. & Zubieta, J. (2001). *Inorg. Chim. Acta*, **316**, 33–40.
- Femia, F. J., Chen, X., Babich, J. W. & Zubieta, J. (2001). *Inorg. Chim. Acta*, **316**, 145–148.
- Nonius (2001). *COLLECT*. Nonius BV, Delft, The Netherlands.
- Otwinowski, Z. & Minor, W. (1997). *Methods in Enzymology*, Vol. 276, *Macromolecular Crystallography*, Part A, edited by C. W. Carter Jr & R. M. Sweet, pp. 307–326. New York: Academic Press.
- Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.
- Watkin, D. J., Prout, C. K. & Pearce, L. J. (1996). *CAMERON*. Chemical Crystallography Laboratory, Oxford, England.

supplementary materials

Acta Cryst. (2008). E64, m773 [doi:10.1107/S1600536808010684]

(2-Hydroxyphenylimido- κN)(methanolato- κO)[2-(2-oxidobenzylideneamino)phenolato- $\kappa^2 O,N,O'$](triphenylphosphine- κP)rhenium(V)

J. P. Holland, P. J. Barnard, J. R. Dilworth and D. J. Watkin

Comment

The asymmetric unit contains two crystallographically distinct molecules, neither of which possess any crystallographic symmetry. These differ in the conformation of the PPh₃ ligands. One of the molecules (Re2 *etc.*) exhibited unusually large thermal parameters for some of the atoms of the imine ligand, suggesting that it may be disordered. This was modelled satisfactorily by 'splitting' the nitrogen and one carbon atom. The hydroxyl groups of the coordinated 2-hydroxyphenylimido(2-) ligands form intramolecular hydrogen bonds to an oxygen atom of the imido ligand (O3…O1, 2.694 (6) Å and O7…O5, 2.720 (6) Å).

Experimental

Dark-brown crystals of the neutral Re^V complex were isolated as a by-product from the crude reaction mixture after reacting [Re^{III}Cl₃(CH₃CN)(PPh₃)₂] (0.40 g, 5.0 × 10⁻⁴ mol) with 3 equiv. of the Schiff base salicylaldehyde-2-hydroxyaniline (0.32 g, 1.5 × 10⁻³ mol) in the presence of excess triethylamine, in methanol (30 ml). After stirring under reflux for 8 h, the reaction mixture was allowed to cool for 12 h during which time crystals formed.

Refinement

The structure contains two independent molecules in the asymmetric unit ($Z=2$). One of them is well resolved except for a marginal Hirshfeld test on atoms C7—C8. In the other molecule, the [salicylaldehyde-2-hydroxyanilato(2-)] moiety is disordered with the atoms N103 and N203, and C145 and C245 being clearly distinguished in a difference map. Refinement of the disorder was achieved by the use of Marquardt shift limiting restraints (damping) and molecular geometry and thermal similarity restraints.

The H atoms were all located in a difference map, but those attached to carbon atoms were repositioned geometrically. The H atoms were initially refined with soft restraints on the bond lengths and angles to regularize their geometry (C—H in the range 0.93–0.98, Å) and $U_{\text{iso}}(\text{H})$ (in the range 1.2–1.5 times U_{eq} of the parent atom), after which the positions were refined with riding constraints.

supplementary materials

Figures




Fig. 1. *ORTEP* representation of the title complex with displacement ellipsoids at 50% probability. H atoms have been omitted for clarity.




Fig. 2. *ORTEP* representation (50% probability) of the two crystallographically distinct molecules in the asymmetric unit.

(2-Hydroxyphenylimido- κ N)(methanolato- κ O)[2-(2-oxidobenzylideneamino)phenolato- κ^2 O,N,O'](*triphenylphosphine*- κ P)rhenium(V)

Crystal data

[Re(C ₆ H ₅ NO)(C ₁₃ H ₉ NO ₂)(CH ₃ O)(C ₁₈ H ₁₅ P)]	$F_{000} = 3168$
$M_r = 797.86$	$D_x = 1.648 \text{ Mg m}^{-3}$
Monoclinic, $P2_1/n$	Mo $K\alpha$ radiation
Hall symbol: -P 2yn	$\lambda = 0.71073 \text{ \AA}$
$a = 10.0193 (2) \text{ \AA}$	Cell parameters from 56004 reflections
$b = 32.9759 (3) \text{ \AA}$	$\theta = 5\text{--}28^\circ$
$c = 19.4605 (2) \text{ \AA}$	$\mu = 3.87 \text{ mm}^{-1}$
$\beta = 90.1597 (4)^\circ$	$T = 150 \text{ K}$
$V = 6429.64 (16) \text{ \AA}^3$	Plate, dark brown
$Z = 8$	$0.24 \times 0.24 \times 0.06 \text{ mm}$

Data collection

Area diffractometer	10958 reflections with $I > 2\sigma(I)$
Monochromator: graphite	$R_{\text{int}} = 0.052$
$T = 150 \text{ K}$	$\theta_{\max} = 27.6^\circ$
ω scans	$\theta_{\min} = 5.2^\circ$
Absorption correction: multi-scan (DENZO/SCALEPACK; Otwinowski & Minor, 1997)	$h = -12 \rightarrow 12$
$T_{\min} = 0.39, T_{\max} = 0.79$	$k = -42 \rightarrow 42$
56004 measured reflections	$l = -25 \rightarrow 25$
14195 independent reflections	

Refinement

Refinement on F^2	Primary atom site location: structure-invariant direct methods
Least-squares matrix: full	Hydrogen site location: inferred from neighbouring sites
$R[F^2 > 2\sigma(F^2)] = 0.046$	H-atom parameters constrained
$wR(F^2) = 0.085$	Method = Modified Sheldrick (2008) $w = 1/\sigma^2(F^2)$ + $(0.01P)^2 + 33.25P$, where $P = [\max(F_o^2, 0) + 2F_c^2]/3$
$S = 0.99$	$(\Delta/\sigma)_{\max} = 0.002$
13952 reflections	$\Delta\rho_{\max} = 2.85 \text{ e \AA}^{-3}$
847 parameters	$\Delta\rho_{\min} = -3.36 \text{ e \AA}^{-3}$
614 restraints	Extinction correction: None

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$	Occ. (<1)
Re1	0.335488 (19)	0.426935 (7)	0.267904 (10)	0.0258	
O1	0.4009 (3)	0.45761 (11)	0.35638 (18)	0.0311	
C1	0.5212 (5)	0.44409 (16)	0.3784 (2)	0.0256	
C2	0.5808 (5)	0.46241 (18)	0.4355 (3)	0.0354	
C3	0.7041 (6)	0.4494 (2)	0.4585 (3)	0.0428	
C4	0.7718 (6)	0.4188 (2)	0.4258 (3)	0.0450	
C5	0.7142 (5)	0.40022 (18)	0.3692 (3)	0.0390	
C6	0.5893 (5)	0.41223 (17)	0.3462 (3)	0.0295	
N1	0.5143 (4)	0.39498 (14)	0.2899 (2)	0.0353	
C7	0.5504 (6)	0.36392 (18)	0.2578 (3)	0.0394	
C8	0.4841 (5)	0.34664 (17)	0.1976 (3)	0.0321	
C9	0.5415 (6)	0.31020 (18)	0.1743 (3)	0.0401	
C10	0.4927 (6)	0.2899 (2)	0.1185 (3)	0.0464	
C11	0.3827 (7)	0.3060 (2)	0.0845 (3)	0.0476	
C12	0.3247 (6)	0.34162 (19)	0.1052 (3)	0.0378	
C13	0.3724 (5)	0.36310 (17)	0.1623 (3)	0.0332	
O2	0.3101 (4)	0.39741 (12)	0.17743 (17)	0.0350	
N2	0.2287 (4)	0.39752 (13)	0.3194 (2)	0.0242	
C14	0.1583 (5)	0.37914 (16)	0.3718 (2)	0.0251	
C15	0.0806 (5)	0.34454 (16)	0.3589 (3)	0.0311	
C16	0.0163 (5)	0.32490 (18)	0.4116 (3)	0.0378	
C17	0.0291 (5)	0.33928 (18)	0.4783 (3)	0.0363	
C18	0.1056 (5)	0.37316 (17)	0.4923 (3)	0.0324	
C19	0.1705 (5)	0.39350 (16)	0.4391 (2)	0.0255	
O3	0.2464 (3)	0.42580 (11)	0.45571 (17)	0.0316	
O4	0.4528 (3)	0.46395 (12)	0.2215 (2)	0.0390	
C20	0.5704 (6)	0.4654 (3)	0.1904 (4)	0.0755	
P1	0.14834 (12)	0.46856 (4)	0.23254 (6)	0.0235	
C21	0.0321 (5)	0.43868 (16)	0.1788 (3)	0.0265	

supplementary materials

C22	-0.0394 (5)	0.40837 (19)	0.2099 (3)	0.0389
C23	-0.1214 (6)	0.3834 (2)	0.1718 (3)	0.0459
C24	-0.1324 (7)	0.3893 (2)	0.1015 (4)	0.0552
C25	-0.0620 (7)	0.4197 (2)	0.0704 (3)	0.0566
C26	0.0197 (6)	0.44445 (19)	0.1090 (3)	0.0393
C27	0.1911 (5)	0.51265 (16)	0.1801 (2)	0.0252
C28	0.2798 (5)	0.50819 (18)	0.1253 (2)	0.0313
C29	0.3110 (6)	0.54079 (19)	0.0842 (3)	0.0392
C30	0.2544 (6)	0.57833 (19)	0.0968 (3)	0.0418
C31	0.1678 (6)	0.58301 (18)	0.1505 (3)	0.0405
C32	0.1367 (5)	0.55041 (17)	0.1929 (3)	0.0331
C33	0.0393 (5)	0.48936 (15)	0.2985 (2)	0.0239
C34	0.0928 (5)	0.50044 (16)	0.3615 (2)	0.0274
C35	0.0119 (5)	0.51914 (16)	0.4101 (3)	0.0290
C36	-0.1211 (5)	0.52736 (17)	0.3962 (3)	0.0352
C37	-0.1735 (5)	0.51677 (18)	0.3336 (3)	0.0389
C38	-0.0951 (5)	0.49755 (18)	0.2851 (3)	0.0343
Re2	0.65712 (2)	0.188938 (7)	0.281907 (11)	0.0288
O5	0.7172 (3)	0.23421 (11)	0.35005 (19)	0.0353
C39	0.6234 (5)	0.26209 (16)	0.3650 (3)	0.0270
C40	0.6492 (6)	0.29110 (18)	0.4152 (3)	0.0360
C41	0.5526 (7)	0.31904 (18)	0.4336 (3)	0.0496
C42	0.4290 (7)	0.3181 (2)	0.4027 (3)	0.0544
C43	0.4026 (6)	0.2901 (2)	0.3520 (3)	0.0497
C44	0.4983 (5)	0.26254 (16)	0.3323 (2)	0.0301
N103	0.4943 (5)	0.22937 (17)	0.2813 (3)	0.0279
C145	0.3975 (7)	0.2261 (2)	0.2390 (3)	0.0316
C46	0.3818 (5)	0.19131 (16)	0.1954 (3)	0.0307
C47	0.2645 (6)	0.1960 (2)	0.1550 (3)	0.0537
C48	0.2186 (7)	0.1650 (3)	0.1142 (3)	0.0669
C49	0.2873 (7)	0.1293 (3)	0.1119 (3)	0.0598
C50	0.3991 (6)	0.12388 (19)	0.1494 (3)	0.0389
C51	0.4511 (5)	0.15396 (17)	0.1918 (3)	0.0300
O6	0.5628 (3)	0.14568 (11)	0.22653 (19)	0.0342
N4	0.7487 (4)	0.21231 (13)	0.2162 (2)	0.0290
C52	0.8353 (5)	0.23423 (16)	0.1770 (3)	0.0268
C53	0.8459 (5)	0.22802 (17)	0.1053 (3)	0.0338
C54	0.9336 (6)	0.25030 (18)	0.0662 (3)	0.0376
C55	1.0136 (6)	0.27876 (19)	0.0977 (3)	0.0430
C56	1.0058 (6)	0.28569 (19)	0.1671 (3)	0.0411
C57	0.9162 (5)	0.26396 (17)	0.2072 (3)	0.0328
O7	0.9078 (4)	0.27265 (13)	0.27508 (19)	0.0496
O8	0.5679 (3)	0.16633 (11)	0.36129 (18)	0.0346
C58	0.5740 (6)	0.1690 (2)	0.4332 (3)	0.0454
P2	0.84347 (12)	0.14393 (4)	0.30527 (6)	0.0237
C59	0.9067 (5)	0.11364 (16)	0.2334 (2)	0.0245
C60	0.8667 (5)	0.12224 (17)	0.1664 (3)	0.0309
C61	0.9140 (6)	0.09914 (18)	0.1123 (3)	0.0351
C62	0.9999 (6)	0.06725 (19)	0.1250 (3)	0.0411

C63	1.0381 (5)	0.05808 (18)	0.1910 (3)	0.0390
C64	0.9927 (5)	0.08123 (17)	0.2453 (3)	0.0309
C65	0.8028 (5)	0.10430 (16)	0.3673 (2)	0.0270
C66	0.7012 (5)	0.07760 (18)	0.3496 (3)	0.0353
C67	0.6680 (6)	0.04605 (18)	0.3925 (3)	0.0396
C68	0.7342 (6)	0.0408 (2)	0.4543 (3)	0.0434
C69	0.8325 (6)	0.0677 (2)	0.4733 (3)	0.0488
C70	0.8689 (5)	0.0992 (2)	0.4296 (3)	0.0396
C71	0.9885 (5)	0.16904 (16)	0.3422 (2)	0.0262
C72	0.9667 (5)	0.19405 (19)	0.3990 (3)	0.0372
C73	1.0719 (6)	0.2129 (2)	0.4330 (3)	0.0434
C74	1.2007 (6)	0.20680 (19)	0.4107 (3)	0.0421
C75	1.2234 (6)	0.18277 (18)	0.3542 (3)	0.0389
C76	1.1182 (5)	0.16410 (16)	0.3200 (3)	0.0293
H31	0.2729	0.4390	0.4232	0.0514*
H71	0.8482	0.2609	0.2969	0.0742*
H21	0.5361	0.4835	0.4581	0.0421*
H2452	0.7422	0.4617	0.4979	0.0513*
H41	0.8558	0.4108	0.4413	0.0530*
H51	0.7582	0.3798	0.3462	0.0462*
H2453	0.6262	0.3499	0.2742	0.0481*
H91	0.6156	0.2996	0.1981	0.0502*
H101	0.5316	0.2660	0.1036	0.0590*
H111	0.3473	0.2922	0.0470	0.0569*
H121	0.2513	0.3519	0.0807	0.0441*
H151	0.0713	0.3344	0.3140	0.0389*
H161	-0.0335	0.3020	0.4020	0.0459*
H171	-0.0163	0.3258	0.5138	0.0437*
H181	0.1145	0.3827	0.5369	0.0393*
H201	0.5826	0.4920	0.1712	0.1122*
H203	0.6414	0.4601	0.2221	0.1121*
H202	0.5735	0.4457	0.1541	0.1123*
H221	-0.0325	0.4045	0.2577	0.0491*
H231	-0.1684	0.3625	0.1935	0.0549*
H241	-0.1880	0.3727	0.0751	0.0649*
H251	-0.0692	0.4241	0.0227	0.0711*
H261	0.0650	0.4652	0.0869	0.0453*
H281	0.3180	0.4826	0.1170	0.0376*
H291	0.3679	0.5379	0.0470	0.0482*
H301	0.2756	0.6000	0.0681	0.0522*
H311	0.1293	0.6082	0.1579	0.0514*
H321	0.0796	0.5539	0.2306	0.0399*
H341	0.1833	0.4956	0.3710	0.0337*
H351	0.0468	0.5264	0.4526	0.0330*
H361	-0.1752	0.5396	0.4293	0.0436*
H371	-0.2608	0.5223	0.3240	0.0449*
H381	-0.1322	0.4902	0.2428	0.0404*
H401	0.7335	0.2919	0.4368	0.0421*
H411	0.5731	0.3383	0.4667	0.0648*

supplementary materials

H421	0.3643	0.3361	0.4165	0.0589*	
H431	0.3196	0.2898	0.3310	0.0620*	
H471	0.2176	0.2202	0.1557	0.0651*	
H481	0.1399	0.1688	0.0885	0.0800*	
H491	0.2579	0.1081	0.0835	0.0719*	
H501	0.4457	0.0993	0.1478	0.0450*	
H531	0.7926	0.2084	0.0845	0.0392*	
H541	0.9359	0.2465	0.0180	0.0459*	
H551	1.0748	0.2937	0.0719	0.0517*	
H561	1.0616	0.3051	0.1869	0.0487*	
H582	0.4868	0.1631	0.4514	0.0674*	
H581	0.6012	0.1960	0.4479	0.0674*	
H583	0.6377	0.1494	0.4513	0.0672*	
H601	0.8080	0.1438	0.1584	0.0379*	
H611	0.8878	0.1054	0.0679	0.0419*	
H621	1.0312	0.0518	0.0883	0.0500*	
H631	1.0949	0.0363	0.1987	0.0452*	
H641	1.0190	0.0747	0.2903	0.0345*	
H661	0.6552	0.0811	0.3079	0.0415*	
H671	0.6011	0.0278	0.3799	0.0469*	
H681	0.7119	0.0192	0.4826	0.0540*	
H691	0.8739	0.0645	0.5156	0.0578*	
H701	0.9377	0.1165	0.4424	0.0458*	
H721	0.8809	0.1986	0.4147	0.0439*	
H731	1.0535	0.2295	0.4703	0.0488*	
H741	1.2725	0.2186	0.4343	0.0527*	
H751	1.3101	0.1788	0.3386	0.0487*	
H761	1.1369	0.1476	0.2821	0.0347*	
N203	0.4631 (14)	0.2133 (4)	0.2461 (7)	0.0287	0.2708
C245	0.4222 (16)	0.2442 (5)	0.2775 (7)	0.0289	0.2708
H1451	0.3334	0.2472	0.2359	0.0398*	0.7292
H2451	0.3385	0.2555	0.2647	0.0398*	0.2708

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
Re1	0.02088 (10)	0.03125 (12)	0.02539 (11)	0.00382 (9)	0.00238 (8)	0.00394 (9)
O1	0.0259 (18)	0.030 (2)	0.037 (2)	-0.0006 (15)	-0.0077 (15)	0.0008 (16)
C1	0.020 (2)	0.030 (3)	0.027 (3)	-0.004 (2)	-0.0071 (19)	0.007 (2)
C2	0.037 (3)	0.038 (3)	0.031 (3)	-0.006 (2)	0.000 (2)	-0.004 (2)
C3	0.038 (3)	0.061 (4)	0.029 (3)	-0.015 (3)	-0.011 (2)	0.007 (3)
C4	0.029 (3)	0.051 (4)	0.054 (4)	-0.001 (2)	-0.007 (2)	0.016 (3)
C5	0.032 (3)	0.037 (3)	0.048 (3)	0.006 (2)	0.003 (2)	0.008 (2)
C6	0.028 (3)	0.032 (3)	0.029 (3)	-0.006 (2)	-0.002 (2)	0.004 (2)
N1	0.035 (2)	0.036 (3)	0.035 (2)	0.003 (2)	0.0063 (19)	0.005 (2)
C7	0.043 (3)	0.036 (3)	0.040 (3)	0.005 (2)	0.013 (2)	0.006 (2)
C8	0.036 (3)	0.034 (3)	0.027 (3)	-0.005 (2)	0.003 (2)	-0.001 (2)
C9	0.045 (3)	0.039 (3)	0.036 (3)	0.005 (2)	0.008 (2)	0.007 (2)

supplementary materials

C10	0.060 (4)	0.042 (4)	0.036 (3)	0.013 (3)	0.012 (3)	-0.003 (2)
C11	0.061 (4)	0.052 (4)	0.030 (3)	-0.001 (3)	0.005 (3)	-0.012 (3)
C12	0.037 (3)	0.051 (4)	0.025 (3)	0.003 (2)	0.004 (2)	0.002 (2)
C13	0.041 (3)	0.031 (3)	0.028 (3)	0.001 (2)	0.013 (2)	0.001 (2)
O2	0.039 (2)	0.040 (2)	0.0260 (19)	0.0152 (17)	0.0013 (15)	-0.0028 (16)
N2	0.019 (2)	0.030 (2)	0.024 (2)	0.0037 (17)	-0.0035 (16)	-0.0042 (17)
C14	0.021 (2)	0.029 (3)	0.025 (2)	0.002 (2)	0.0053 (19)	0.000 (2)
C15	0.028 (3)	0.032 (3)	0.034 (3)	-0.001 (2)	0.005 (2)	-0.003 (2)
C16	0.029 (3)	0.037 (3)	0.047 (3)	-0.007 (2)	0.007 (2)	0.000 (2)
C17	0.035 (3)	0.035 (3)	0.039 (3)	0.002 (2)	0.009 (2)	0.006 (2)
C18	0.033 (3)	0.038 (3)	0.026 (3)	0.003 (2)	0.005 (2)	-0.003 (2)
C19	0.022 (2)	0.027 (3)	0.027 (3)	0.002 (2)	0.0003 (19)	0.002 (2)
O3	0.0334 (19)	0.036 (2)	0.0252 (18)	-0.0073 (16)	0.0014 (15)	-0.0004 (16)
O4	0.0212 (18)	0.047 (2)	0.049 (2)	0.0023 (16)	0.0080 (16)	0.0198 (18)
C20	0.036 (3)	0.093 (5)	0.098 (5)	0.011 (3)	0.013 (3)	0.042 (3)
P1	0.0205 (6)	0.0314 (8)	0.0185 (6)	0.0014 (5)	-0.0006 (5)	-0.0006 (6)
C21	0.020 (2)	0.033 (3)	0.026 (3)	0.004 (2)	-0.0038 (19)	-0.008 (2)
C22	0.028 (3)	0.049 (4)	0.040 (3)	0.000 (2)	-0.009 (2)	0.003 (2)
C23	0.039 (3)	0.042 (4)	0.058 (4)	-0.009 (2)	0.004 (3)	-0.004 (3)
C24	0.050 (4)	0.058 (4)	0.058 (4)	-0.015 (3)	-0.015 (3)	-0.021 (3)
C25	0.067 (4)	0.071 (5)	0.032 (3)	-0.013 (3)	-0.012 (3)	-0.013 (3)
C26	0.045 (3)	0.044 (3)	0.029 (3)	-0.007 (2)	-0.007 (2)	-0.003 (2)
C27	0.023 (2)	0.030 (3)	0.022 (2)	0.001 (2)	-0.0038 (19)	0.001 (2)
C28	0.028 (3)	0.044 (3)	0.022 (2)	-0.001 (2)	-0.006 (2)	0.000 (2)
C29	0.040 (3)	0.052 (4)	0.025 (3)	-0.013 (3)	-0.001 (2)	0.001 (2)
C30	0.050 (3)	0.037 (3)	0.038 (3)	-0.011 (3)	-0.008 (2)	0.011 (2)
C31	0.043 (3)	0.027 (3)	0.052 (3)	-0.001 (2)	-0.004 (3)	0.005 (2)
C32	0.031 (3)	0.034 (3)	0.034 (3)	0.000 (2)	0.001 (2)	-0.002 (2)
C33	0.024 (2)	0.027 (3)	0.021 (2)	0.0042 (19)	0.0030 (19)	0.0036 (19)
C34	0.028 (3)	0.032 (3)	0.022 (2)	0.001 (2)	-0.002 (2)	0.001 (2)
C35	0.037 (3)	0.030 (3)	0.021 (2)	-0.001 (2)	-0.002 (2)	-0.005 (2)
C36	0.040 (3)	0.036 (3)	0.030 (3)	0.004 (2)	0.011 (2)	-0.003 (2)
C37	0.027 (3)	0.046 (4)	0.044 (3)	0.007 (2)	0.009 (2)	-0.002 (2)
C38	0.029 (3)	0.047 (3)	0.027 (3)	0.004 (2)	-0.002 (2)	-0.002 (2)
Re2	0.02128 (11)	0.03115 (13)	0.03394 (12)	0.00348 (9)	0.00380 (8)	0.00742 (10)
O5	0.0309 (19)	0.036 (2)	0.040 (2)	0.0039 (16)	0.0085 (16)	0.0016 (17)
C39	0.026 (3)	0.029 (3)	0.026 (3)	-0.002 (2)	0.005 (2)	-0.002 (2)
C40	0.037 (3)	0.041 (3)	0.030 (3)	-0.013 (2)	0.001 (2)	-0.002 (2)
C41	0.085 (4)	0.029 (3)	0.036 (3)	-0.011 (3)	0.016 (3)	-0.010 (2)
C42	0.060 (4)	0.050 (4)	0.054 (4)	0.030 (3)	0.019 (3)	0.015 (3)
C43	0.041 (3)	0.065 (4)	0.043 (3)	0.014 (3)	0.001 (2)	0.021 (3)
C44	0.033 (2)	0.030 (2)	0.027 (2)	-0.0051 (19)	-0.0010 (18)	0.0018 (18)
N103	0.027 (2)	0.026 (3)	0.031 (2)	0.0012 (19)	0.0012 (19)	0.0043 (19)
C145	0.032 (3)	0.029 (3)	0.034 (3)	0.003 (2)	-0.002 (2)	0.001 (2)
C46	0.032 (2)	0.030 (2)	0.030 (2)	-0.0026 (19)	-0.0023 (18)	0.0005 (18)
C47	0.041 (3)	0.069 (4)	0.051 (4)	0.022 (3)	0.008 (3)	0.024 (3)
C48	0.036 (3)	0.127 (6)	0.038 (3)	-0.022 (3)	-0.020 (3)	0.010 (3)
C49	0.061 (4)	0.089 (5)	0.029 (3)	-0.041 (3)	0.003 (3)	-0.011 (3)
C50	0.046 (3)	0.040 (3)	0.031 (3)	-0.008 (2)	0.009 (2)	-0.008 (2)

supplementary materials

C51	0.025 (3)	0.039 (3)	0.026 (3)	-0.005 (2)	0.000 (2)	0.004 (2)
O6	0.0297 (19)	0.030 (2)	0.043 (2)	-0.0045 (15)	-0.0053 (16)	0.0109 (16)
N4	0.025 (2)	0.032 (3)	0.030 (2)	0.0013 (18)	0.0009 (17)	0.0028 (18)
C52	0.027 (3)	0.024 (3)	0.030 (3)	0.005 (2)	-0.001 (2)	0.005 (2)
C53	0.035 (3)	0.032 (3)	0.034 (3)	-0.002 (2)	-0.004 (2)	0.001 (2)
C54	0.043 (3)	0.043 (3)	0.028 (3)	0.004 (2)	0.007 (2)	0.008 (2)
C55	0.044 (3)	0.047 (4)	0.038 (3)	-0.004 (3)	0.012 (2)	0.011 (2)
C56	0.037 (3)	0.040 (3)	0.047 (3)	-0.011 (2)	0.005 (2)	0.002 (2)
C57	0.036 (3)	0.031 (3)	0.031 (3)	-0.003 (2)	0.009 (2)	-0.002 (2)
O7	0.056 (3)	0.057 (3)	0.036 (2)	-0.027 (2)	0.0111 (18)	-0.0117 (19)
O8	0.0298 (19)	0.037 (2)	0.037 (2)	0.0049 (16)	0.0123 (15)	0.0092 (16)
C58	0.043 (3)	0.058 (4)	0.036 (3)	0.012 (3)	0.012 (2)	0.005 (3)
P2	0.0213 (6)	0.0301 (8)	0.0197 (6)	0.0015 (5)	-0.0002 (5)	-0.0002 (5)
C59	0.022 (2)	0.029 (3)	0.023 (2)	0.000 (2)	0.0010 (19)	-0.003 (2)
C60	0.030 (3)	0.036 (3)	0.026 (3)	-0.005 (2)	-0.001 (2)	-0.001 (2)
C61	0.042 (3)	0.046 (3)	0.018 (2)	-0.009 (2)	0.002 (2)	-0.005 (2)
C62	0.038 (3)	0.047 (4)	0.038 (3)	-0.014 (2)	0.012 (2)	-0.019 (2)
C63	0.029 (3)	0.036 (3)	0.052 (3)	0.005 (2)	0.002 (2)	-0.012 (2)
C64	0.027 (3)	0.037 (3)	0.029 (3)	0.003 (2)	-0.003 (2)	-0.001 (2)
C65	0.024 (2)	0.033 (3)	0.024 (2)	0.002 (2)	-0.0009 (19)	0.000 (2)
C66	0.035 (3)	0.041 (3)	0.030 (3)	0.001 (2)	-0.003 (2)	0.007 (2)
C67	0.045 (3)	0.038 (3)	0.036 (3)	-0.009 (2)	0.001 (2)	0.005 (2)
C68	0.050 (3)	0.047 (4)	0.034 (3)	0.002 (3)	0.002 (2)	0.016 (2)
C69	0.038 (3)	0.076 (4)	0.032 (3)	-0.005 (3)	-0.002 (2)	0.017 (3)
C70	0.030 (3)	0.055 (4)	0.033 (3)	-0.002 (2)	-0.006 (2)	0.009 (2)
C71	0.030 (3)	0.026 (3)	0.022 (2)	-0.001 (2)	-0.0020 (19)	0.002 (2)
C72	0.029 (3)	0.054 (4)	0.028 (3)	-0.002 (2)	-0.002 (2)	-0.010 (2)
C73	0.044 (3)	0.054 (4)	0.032 (3)	-0.002 (3)	-0.005 (2)	-0.016 (2)
C74	0.039 (3)	0.045 (4)	0.042 (3)	-0.012 (2)	-0.007 (2)	0.001 (3)
C75	0.030 (3)	0.039 (3)	0.048 (3)	-0.008 (2)	0.006 (2)	0.004 (2)
C76	0.027 (3)	0.030 (3)	0.031 (3)	-0.004 (2)	0.006 (2)	0.001 (2)
N203	0.029 (3)	0.028 (4)	0.029 (3)	0.001 (3)	-0.001 (3)	0.002 (3)
C245	0.031 (4)	0.029 (4)	0.027 (3)	-0.002 (3)	-0.002 (3)	0.001 (3)

Geometric parameters (\AA , $^\circ$)

Re1—O1	2.100 (3)	Re2—O5	2.084 (4)
Re1—N1	2.122 (5)	Re2—N103	2.107 (6)
Re1—O2	2.027 (3)	Re2—O6	2.021 (4)
Re1—N2	1.760 (4)	Re2—N4	1.754 (4)
Re1—O4	1.921 (3)	Re2—O8	1.936 (3)
Re1—P1	2.4220 (13)	Re2—P2	2.4272 (13)
O1—C1	1.354 (6)	O5—C39	1.347 (6)
C1—C2	1.396 (7)	C39—C40	1.390 (7)
C1—C6	1.401 (7)	C39—C44	1.405 (7)
C2—C3	1.382 (8)	C40—C41	1.384 (8)
C2—H21	0.939	C40—H401	0.943
C3—C4	1.372 (9)	C41—C42	1.375 (9)
C3—H2452	0.947	C41—H411	0.929

C4—C5	1.386 (8)	C42—C43	1.377 (9)
C4—H41	0.931	C42—H421	0.919
C5—C6	1.386 (7)	C43—C44	1.376 (8)
C5—H51	0.922	C43—H431	0.926
C6—N1	1.444 (7)	C44—C245	1.443 (9)
N1—C7	1.254 (7)	C44—N103	1.478 (6)
C7—C8	1.461 (8)	N103—C145	1.275 (7)
C7—H2453	0.945	C145—C46	1.434 (7)
C8—C9	1.408 (8)	C145—H1451	0.950
C8—C13	1.420 (8)	C46—C47	1.421 (8)
C9—C10	1.365 (8)	C46—C51	1.416 (7)
C9—H91	0.941	C46—N203	1.469 (9)
C10—C11	1.389 (9)	C46—C47	1.421 (8)
C10—H101	0.924	C46—C51	1.416 (7)
C11—C12	1.373 (8)	C47—C48	1.372 (10)
C11—H111	0.929	C47—H471	0.927
C12—C13	1.400 (8)	C48—C49	1.366 (11)
C12—H121	0.938	C48—H481	0.940
C13—O2	1.326 (6)	C49—C50	1.348 (9)
N2—C14	1.381 (6)	C49—H491	0.937
C14—C15	1.403 (7)	C50—C51	1.390 (8)
C14—C19	1.398 (7)	C50—H501	0.934
C15—C16	1.374 (7)	C51—O6	1.334 (6)
C15—H151	0.939	N4—C52	1.365 (6)
C16—C17	1.388 (8)	C52—C53	1.413 (7)
C16—H161	0.923	C52—C57	1.401 (7)
C17—C18	1.381 (8)	C53—C54	1.377 (7)
C17—H171	0.938	C53—H531	0.931
C18—C19	1.396 (7)	C54—C55	1.377 (8)
C18—H181	0.927	C54—H541	0.947
C19—O3	1.347 (6)	C55—C56	1.372 (8)
O3—H31	0.814	C55—H551	0.934
O4—C20	1.327 (7)	C56—C57	1.390 (7)
C20—H201	0.961	C56—H561	0.932
C20—H203	0.957	C57—O7	1.354 (6)
C20—H202	0.959	O7—H71	0.830
P1—C21	1.848 (5)	O8—C58	1.404 (6)
P1—C27	1.828 (5)	C58—H582	0.965
P1—C33	1.822 (5)	C58—H581	0.973
C21—C22	1.371 (8)	C58—H583	0.973
C21—C26	1.376 (7)	P2—C59	1.833 (5)
C22—C23	1.377 (8)	P2—C65	1.826 (5)
C22—H221	0.941	P2—C71	1.819 (5)
C23—C24	1.386 (9)	C59—C60	1.393 (7)
C23—H231	0.935	C59—C64	1.391 (7)
C24—C25	1.369 (9)	C60—C61	1.384 (7)
C24—H241	0.934	C60—H601	0.936
C25—C26	1.378 (8)	C61—C62	1.380 (8)
C25—H251	0.942	C61—H611	0.926

supplementary materials

C26—H261	0.926	C62—C63	1.373 (8)
C27—C28	1.398 (7)	C62—H621	0.933
C27—C32	1.382 (7)	C63—C64	1.382 (7)
C28—C29	1.377 (8)	C63—H631	0.928
C28—H281	0.940	C64—H641	0.938
C29—C30	1.384 (8)	C65—C66	1.389 (7)
C29—H291	0.926	C65—C70	1.390 (7)
C30—C31	1.368 (8)	C66—C67	1.375 (7)
C30—H301	0.932	C66—H661	0.940
C31—C32	1.392 (8)	C67—C68	1.382 (8)
C31—H311	0.928	C67—H671	0.932
C32—H321	0.937	C68—C69	1.375 (9)
C33—C34	1.387 (7)	C68—H681	0.930
C33—C38	1.397 (7)	C69—C70	1.392 (8)
C34—C35	1.391 (7)	C69—H691	0.927
C34—H341	0.938	C70—H701	0.929
C35—C36	1.386 (7)	C71—C72	1.396 (7)
C35—H351	0.929	C71—C76	1.381 (7)
C36—C37	1.372 (8)	C72—C73	1.389 (8)
C36—H361	0.934	C72—H721	0.925
C37—C38	1.384 (7)	C73—C74	1.377 (8)
C37—H371	0.912	C73—H731	0.929
C38—H381	0.934	C74—C75	1.375 (8)
Re2—O5	2.084 (4)	C74—H741	0.938
Re2—O6	2.021 (4)	C75—C76	1.388 (7)
Re2—N4	1.754 (4)	C75—H751	0.931
Re2—O8	1.936 (3)	C76—H761	0.936
Re2—P2	2.4272 (13)	N203—C245	1.256 (9)
Re2—N203	2.214 (14)	C245—H2451	0.950
O1—Re1—N1	79.17 (16)	P2—Re2—N203	162.8 (3)
O1—Re1—O2	168.92 (14)	O5—Re2—N103	76.85 (17)
N1—Re1—O2	92.33 (16)	O5—Re2—O6	168.12 (14)
O1—Re1—N2	89.27 (16)	N103—Re2—O6	94.75 (18)
N1—Re1—N2	97.22 (17)	O5—Re2—N4	89.90 (17)
O2—Re1—N2	98.93 (17)	N103—Re2—N4	97.1 (2)
O1—Re1—O4	83.63 (16)	O6—Re2—N4	99.58 (17)
N1—Re1—O4	83.85 (16)	O5—Re2—O8	84.34 (15)
O2—Re1—O4	88.43 (16)	N103—Re2—O8	83.63 (19)
N2—Re1—O4	172.49 (18)	O6—Re2—O8	86.41 (15)
O1—Re1—P1	101.51 (10)	N4—Re2—O8	173.86 (18)
N1—Re1—P1	172.60 (12)	O5—Re2—P2	95.64 (10)
O2—Re1—P1	86.01 (10)	N103—Re2—P2	169.50 (15)
N2—Re1—P1	90.16 (13)	O6—Re2—P2	91.53 (11)
O4—Re1—P1	88.90 (11)	N4—Re2—P2	90.08 (14)
Re1—O1—C1	112.1 (3)	O8—Re2—P2	88.38 (11)
O1—C1—C2	119.2 (5)	Re2—O5—C39	115.3 (3)
O1—C1—C6	122.6 (4)	O5—C39—C40	119.6 (5)
C2—C1—C6	118.2 (5)	O5—C39—C44	122.1 (5)
C1—C2—C3	120.2 (5)	C40—C39—C44	118.3 (5)

C1—C2—H21	119.4	C39—C40—C41	120.7 (5)
C3—C2—H21	120.4	C39—C40—H401	119.8
C2—C3—C4	121.4 (5)	C41—C40—H401	119.5
C2—C3—H2452	119.1	C40—C41—C42	120.1 (6)
C4—C3—H2452	119.5	C40—C41—H411	118.8
C3—C4—C5	119.2 (5)	C42—C41—H411	121.1
C3—C4—H41	120.4	C41—C42—C43	119.9 (6)
C5—C4—H41	120.3	C41—C42—H421	119.5
C4—C5—C6	120.2 (6)	C43—C42—H421	120.6
C4—C5—H51	120.7	C42—C43—C44	120.7 (6)
C6—C5—H51	119.0	C42—C43—H431	119.5
C1—C6—C5	120.7 (5)	C44—C43—H431	119.8
C1—C6—N1	112.5 (4)	C39—C44—C43	120.1 (5)
C5—C6—N1	126.9 (5)	C39—C44—C245	143.1 (8)
Re1—N1—C6	113.3 (3)	C43—C44—C245	96.7 (8)
Re1—N1—C7	123.3 (4)	C39—C44—C43	120.1 (5)
C6—N1—C7	123.4 (5)	C39—C44—N103	108.6 (5)
N1—C7—C8	126.0 (6)	C43—C44—N103	131.2 (5)
N1—C7—H2453	117.7	C44—N103—Re2	116.4 (4)
C8—C7—H2453	116.3	C44—N103—C145	121.1 (5)
C7—C8—C9	113.9 (5)	Re2—N103—C145	122.5 (5)
C7—C8—C13	126.6 (5)	N103—C145—C46	122.1 (6)
C9—C8—C13	119.5 (5)	N103—C145—H1451	119.4
C8—C9—C10	121.9 (6)	C46—C145—H1451	118.4
C8—C9—H91	118.8	C47—C46—C51	118.2 (5)
C10—C9—H91	119.2	C47—C46—N203	140.8 (8)
C9—C10—C11	118.3 (6)	C51—C46—N203	101.0 (7)
C9—C10—H101	121.1	C145—C46—C47	109.3 (5)
C11—C10—H101	120.6	C145—C46—C51	132.2 (5)
C10—C11—C12	121.5 (6)	C47—C46—C51	118.2 (5)
C10—C11—H111	119.3	C46—C47—C48	121.0 (6)
C12—C11—H111	119.2	C46—C47—H471	120.3
C11—C12—C13	121.5 (6)	C48—C47—H471	118.7
C11—C12—H121	119.4	C47—C48—C49	119.5 (6)
C13—C12—H121	119.0	C47—C48—H481	119.1
C8—C13—C12	117.2 (5)	C49—C48—H481	121.3
C8—C13—O2	126.1 (5)	C48—C49—C50	121.0 (6)
C12—C13—O2	116.7 (5)	C48—C49—H491	120.3
Re1—O2—C13	123.0 (3)	C50—C49—H491	118.7
Re1—N2—C14	167.1 (4)	C49—C50—C51	122.5 (6)
N2—C14—C15	120.6 (4)	C49—C50—H501	120.7
N2—C14—C19	120.0 (4)	C51—C50—H501	116.8
C15—C14—C19	119.3 (5)	C46—C51—C50	117.9 (5)
C14—C15—C16	120.7 (5)	C46—C51—O6	124.3 (5)
C14—C15—H151	120.6	C50—C51—O6	117.8 (5)
C16—C15—H151	118.7	Re2—O6—C51	121.1 (3)
C15—C16—C17	119.7 (5)	Re2—N4—C52	167.3 (4)
C15—C16—H161	119.3	N4—C52—C53	121.7 (5)
C17—C16—H161	121.1	N4—C52—C57	120.2 (5)

supplementary materials

C16—C17—C18	120.7 (5)	C53—C52—C57	118.1 (5)
C16—C17—H171	118.9	C52—C53—C54	121.2 (5)
C18—C17—H171	120.5	C52—C53—H531	119.0
C17—C18—C19	120.1 (5)	C54—C53—H531	119.7
C17—C18—H181	120.8	C53—C54—C55	119.3 (5)
C19—C18—H181	119.1	C53—C54—H541	119.7
C14—C19—C18	119.5 (5)	C55—C54—H541	121.0
C14—C19—O3	122.7 (4)	C54—C55—C56	121.1 (5)
C18—C19—O3	117.8 (4)	C54—C55—H551	120.3
C19—O3—H31	115.0	C56—C55—H551	118.6
Re1—O4—C20	141.5 (4)	C55—C56—C57	120.4 (6)
O4—C20—H201	108.9	C55—C56—H561	119.0
O4—C20—H203	111.0	C57—C56—H561	120.6
H201—C20—H203	108.9	C52—C57—C56	119.9 (5)
O4—C20—H202	110.0	C52—C57—O7	121.4 (5)
H201—C20—H202	109.0	C56—C57—O7	118.7 (5)
H203—C20—H202	109.0	C57—O7—H71	116.5
Re1—P1—C21	110.18 (17)	Re2—O8—C58	138.8 (4)
Re1—P1—C27	115.27 (16)	O8—C58—H582	108.4
C21—P1—C27	104.9 (2)	O8—C58—H581	111.3
Re1—P1—C33	118.60 (16)	H582—C58—H581	109.4
C21—P1—C33	102.8 (2)	O8—C58—H583	110.2
C27—P1—C33	103.6 (2)	H582—C58—H583	109.0
P1—C21—C22	117.9 (4)	H581—C58—H583	108.5
P1—C21—C26	122.7 (4)	Re2—P2—C59	117.23 (16)
C22—C21—C26	119.4 (5)	Re2—P2—C65	112.86 (16)
C21—C22—C23	120.6 (5)	C59—P2—C65	101.1 (2)
C21—C22—H221	119.9	Re2—P2—C71	114.13 (17)
C23—C22—H221	119.5	C59—P2—C71	105.8 (2)
C22—C23—C24	119.5 (6)	C65—P2—C71	104.1 (2)
C22—C23—H231	119.8	P2—C59—C60	120.3 (4)
C24—C23—H231	120.6	P2—C59—C64	120.4 (4)
C23—C24—C25	120.0 (6)	C60—C59—C64	119.3 (5)
C23—C24—H241	120.5	C59—C60—C61	120.1 (5)
C25—C24—H241	119.5	C59—C60—H601	119.3
C24—C25—C26	119.9 (6)	C61—C60—H601	120.6
C24—C25—H251	120.7	C60—C61—C62	119.9 (5)
C26—C25—H251	119.4	C60—C61—H611	119.4
C25—C26—C21	120.5 (6)	C62—C61—H611	120.8
C25—C26—H261	118.4	C61—C62—C63	120.5 (5)
C21—C26—H261	121.1	C61—C62—H621	119.3
P1—C27—C28	119.5 (4)	C63—C62—H621	120.2
P1—C27—C32	121.5 (4)	C62—C63—C64	120.1 (5)
C28—C27—C32	119.0 (5)	C62—C63—H631	119.4
C27—C28—C29	120.5 (5)	C64—C63—H631	120.5
C27—C28—H281	119.0	C59—C64—C63	120.1 (5)
C29—C28—H281	120.5	C59—C64—H641	120.3
C28—C29—C30	120.1 (5)	C63—C64—H641	119.6
C28—C29—H291	121.0	P2—C65—C66	117.1 (4)

C30—C29—H291	118.9	P2—C65—C70	123.8 (4)
C29—C30—C31	119.9 (5)	C66—C65—C70	119.1 (5)
C29—C30—H301	119.0	C65—C66—C67	120.5 (5)
C31—C30—H301	121.1	C65—C66—H661	119.6
C30—C31—C32	120.6 (6)	C67—C66—H661	119.9
C30—C31—H311	119.0	C66—C67—C68	120.4 (6)
C32—C31—H311	120.3	C66—C67—H671	120.2
C31—C32—C27	119.9 (5)	C68—C67—H671	119.4
C31—C32—H321	120.6	C67—C68—C69	119.7 (6)
C27—C32—H321	119.5	C67—C68—H681	119.7
P1—C33—C34	119.4 (4)	C69—C68—H681	120.6
P1—C33—C38	121.4 (4)	C68—C69—C70	120.4 (5)
C34—C33—C38	119.0 (5)	C68—C69—H691	118.9
C33—C34—C35	119.6 (5)	C70—C69—H691	120.7
C33—C34—H341	120.0	C69—C70—C65	119.8 (5)
C35—C34—H341	120.4	C69—C70—H701	119.4
C34—C35—C36	121.0 (5)	C65—C70—H701	120.8
C34—C35—H351	120.0	P2—C71—C72	117.1 (4)
C36—C35—H351	118.9	P2—C71—C76	125.1 (4)
C35—C36—C37	119.3 (5)	C72—C71—C76	117.8 (5)
C35—C36—H361	120.7	C71—C72—C73	121.4 (5)
C37—C36—H361	120.0	C71—C72—H721	120.3
C36—C37—C38	120.4 (5)	C73—C72—H721	118.3
C36—C37—H371	119.7	C72—C73—C74	119.7 (5)
C38—C37—H371	119.9	C72—C73—H731	119.0
C33—C38—C37	120.7 (5)	C74—C73—H731	121.3
C33—C38—H381	119.7	C73—C74—C75	119.5 (5)
C37—C38—H381	119.6	C73—C74—H741	120.2
O5—Re2—O6	168.12 (14)	C75—C74—C76	120.2
O5—Re2—N4	89.90 (17)	C74—C75—H751	120.8 (5)
O6—Re2—N4	99.58 (17)	C74—C75—H751	120.0
O5—Re2—O8	84.34 (15)	C76—C75—H751	119.3
O6—Re2—O8	86.41 (15)	C75—C76—C71	120.8 (5)
N4—Re2—O8	173.86 (18)	C75—C76—H761	118.8
O5—Re2—P2	95.64 (10)	C71—C76—H761	120.4
O6—Re2—P2	91.53 (11)	Re2—N203—C46	121.1 (8)
N4—Re2—P2	90.08 (14)	Re2—N203—C245	115.4 (9)
O8—Re2—P2	88.38 (11)	C46—N203—C245	123.0 (11)
O5—Re2—N203	101.1 (3)	C44—C245—N203	121.8 (12)
O6—Re2—N203	71.3 (3)	C44—C245—H2451	119.5
N4—Re2—N203	94.1 (4)	N203—C245—H2451	118.7
O8—Re2—N203	89.1 (4)		

Hydrogen-bond geometry (Å, °)

D—H···A	D—H	H···A	D···A	D—H···A
O3—H31···O1	0.81	1.93	2.693 (8)	156
O7—H71···O5	0.83	1.89	2.720 (8)	177
C34—H341···O1	0.94	2.53	3.397 (8)	153

supplementary materials

C60—H601···N4	0.94	2.59	3.342 (8)	137
C72—H721···O5	0.92	2.38	2.983 (8)	123

Fig. 1




Fig. 2

