

3-Pentanone 2,4-dinitrophenylhydrazone

Lu-Feng Xu,^a Shang Shan,^{b*} Wen-Long Wang^b and
 Shan-Heng Wang^b

^aDepartment of Chemical Engineering, West Branch, Zhejiang University of Technology, People's Republic of China, and ^bCollege of Chemical Engineering and Materials Science, Zhejiang University of Technology, People's Republic of China
 Correspondence e-mail: shanshang@mail.hz.zj.cn


Received 28 May 2008; accepted 3 June 2008

Key indicators: single-crystal X-ray study; $T = 294\text{ K}$; mean $\sigma(\text{C}-\text{C}) = 0.004\text{ \AA}$; R factor = 0.044; wR factor = 0.137; data-to-parameter ratio = 14.2.

Crystals of the title compound, $\text{C}_{11}\text{H}_{14}\text{N}_4\text{O}_4$, were obtained from a condensation reaction of 2,4-dinitrophenylhydrazine and 3-pentanone. In the crystal structure, the molecule, except one methyl group, displays a nearly planar structure. The imino group links to the adjacent nitro group via intramolecular hydrogen bonding. The partially overlapped arrangement and face-to-face separation of $3.410(9)\text{ \AA}$ between parallel benzene rings indicate the existence of $\pi-\pi$ stacking between adjacent molecules. The crystal structure also contains weak intermolecular $\text{C}-\text{H}\cdots\text{O}$ hydrogen bonding.

Related literature

For general background, see: Okabe *et al.* (1993); Shan *et al.* (2003); Shan *et al.* (2006). For related structures, see: Shan *et al.* (2008a,b); Cotton & Wilkinson (1972).



Experimental

Crystal data

$\text{C}_{11}\text{H}_{14}\text{N}_4\text{O}_4$
 $M_r = 266.26$
 Monoclinic, $P2_1/c$

$a = 12.5298(15)\text{ \AA}$
 $b = 14.089(2)\text{ \AA}$
 $c = 7.3983(8)\text{ \AA}$

$\beta = 93.235(12)^\circ$
 $V = 1303.9(3)\text{ \AA}^3$
 $Z = 4$
 Mo $K\alpha$ radiation

$\mu = 0.10\text{ mm}^{-1}$
 $T = 294(2)\text{ K}$
 $0.31 \times 0.29 \times 0.22\text{ mm}$

Data collection

Rigaku R-AXIS RAPID IP diffractometer
 Absorption correction: none
 10943 measured reflections

2543 independent reflections
 1130 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.037$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.043$
 $wR(F^2) = 0.136$
 $S = 1.01$
 2543 reflections
 179 parameters

H atoms treated by a mixture of independent and constrained refinement
 $\Delta\rho_{\text{max}} = 0.15\text{ e \AA}^{-3}$
 $\Delta\rho_{\text{min}} = -0.12\text{ e \AA}^{-3}$

Table 1
 Hydrogen-bond geometry (\AA , $^\circ$).

| $D-\text{H}\cdots A$ | $D-\text{H}$ | $\text{H}\cdots A$ | $D\cdots A$ | $D-\text{H}\cdots A$ |
|--------------------------------|--------------|--------------------|-------------|----------------------|
| N3—H3N \cdots O1 | 0.87 (2) | 1.91 (2) | 2.606 (3) | 136 (2) |
| C5—H5 \cdots O1 ⁱ | 0.93 | 2.58 | 3.399 (3) | 147 |

Symmetry code: (i) $-x + 1, y + \frac{1}{2}, -z + \frac{1}{2}$.

Data collection: *PROCESS-AUTO* (Rigaku, 1998); cell refinement: *PROCESS-AUTO*; data reduction: *CrystalStructure* (Rigaku/MSC, 2002); program(s) used to solve structure: *SIR92* (Altomare *et al.*, 1993); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3 for Windows* (Farrugia, 1997); software used to prepare material for publication: *WinGX* (Farrugia, 1999).

The work was supported by the Natural Science Foundation of Zhejiang Province, China (No. M203027).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: XU2428).

References

- Altomare, A., Cascarano, G., Giacovazzo, C. & Guagliardi, A. (1993). *J. Appl. Cryst.* **26**, 343–350.
- Cotton, F. A. & Wilkinson, D. (1972). *Advanced Inorganic Chemistry* p. 120, New York: John Wiley & Sons.
- Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.
- Farrugia, L. J. (1999). *J. Appl. Cryst.* **32**, 837–838.
- Okabe, N., Nakamura, T. & Fukuda, H. (1993). *Acta Cryst.* **C49**, 1678–1680.
- Rigaku (1998). *PROCESS-AUTO*. Rigaku Corporation, Tokyo, Japan.
- Rigaku/MSC (2002). *CrystalStructure*. Rigaku/MSC, The Woodlands, Texas, USA.
- Shan, S., Fan, Z. & Xu, D.-J. (2006). *Acta Cryst.* **E62**, o1123–o1125.
- Shan, S., Tian, Y.-L., Wang, S.-H., Wang, W.-L. & Xu, Y.-L. (2008a). *Acta Cryst.* **E64**, o1153.
- Shan, S., Tian, Y.-L., Wang, S.-H., Wang, W.-L. & Xu, Y.-L. (2008b). *Acta Cryst.* **E64**, o1156.
- Shan, S., Xu, D.-J., Hung, C.-H., Wu, J.-Y. & Chiang, M. Y. (2003). *Acta Cryst.* **C59**, o135–o136.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.

supplementary materials

Acta Cryst. (2008). E64, o1229 [doi:10.1107/S1600536808016887]

3-Pentanone 2,4-dinitrophenylhydrazone

L.-F. Xu, S. Shan, W.-L. Wang and S.-H. Wang

Comment

As some phenylhydrazone derivatives have shown to be potentially DNA damaging and mutagenic agents (Okabe *et al.*, 1993), a series of new phenylhydrazone derivatives have been synthesized in our laboratory (Shan *et al.*, 2003; Shan *et al.*, 2006). As part of the ongoing investigation, the title compound has recently been prepared and its crystal structure is reported here.

The molecular structure of the title compound is shown in Fig. 1. The molecule, except the C11-methyl group, displays a nearly co-planar structure, the angle between the C11—C10 bond and C1/N3/N4/C7/C8/C9 mean plane being 61.4 (2)°. The N4—C7 bond distance is significantly shorter than N3—N4 and N3—C1 bond distances (Table 1), and indicates the typical C=N double bond. The imino group links with adjacent nitro group *via* intra-molecular hydrogen bonding (Fig. 1 and Table 2), which agrees with that found in related structures, *e.g.* furyl methyl ketone 2,4-dinitrophenylhydrazone (Shan *et al.*, 2008a) and 2-thiazolyl methyl ketone 2,4-dinitrophenylhydrazone (Shan *et al.*, 2008b).

A partially overlapped arrangement between parallel benzene rings of the adjacent molecules is illustrated in Fig. 2. The face-to-face separation of 3.410 (9) Å between C1-benzene and C1ⁱ-benzene rings [symmetry code: (i) 1 - x , 1 - y , - z] is significantly shorter than van der Waals thickness of the aromatic ring (3.70 Å, Cotton & Wilkinson, 1972) and indicates the existence of π — π stacking in the crystal structure. The crystal structure also contains intermolecular weak C—H···O hydrogen bonding (Table 2).

Experimental

2,4-Dinitrophenylhydrazine (0.4 g, 2 mmol) was dissolved in ethanol (10 ml), and H₂SO₄ solution (98%, 0.5 ml) was slowly added to the ethanol solution with stirring. The solution was heated at about 333 K for several min until the solution cleared. 3-Pentanone (0.17 g, 2 mmol) was then added to the above solution with continuous stirring. The mixture was refluxed for 30 min. When the solution had cooled to room temperature red powder crystals appeared. The powder crystals were separated and washed with water three times. Recrystallization from absolute ethanol solution yielded well shaped single crystals of the title compound.

Refinement

Imino H atom was located in a difference Fourier map and refined isotropically. Methyl H atoms were placed in calculated positions with C—H = 0.96 Å and torsion angles were refined to fit the electron density, $U_{\text{iso}}(\text{H}) = 1.5U_{\text{eq}}(\text{C})$. Other H atoms were placed in calculated positions with C—H = 0.93 (aromatic) and 0.97 Å (methylene), and refined in riding mode with $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$.

supplementary materials

Figures




Fig. 1. The molecular structure of the title compound with 30% probability displacement ellipsoids for non-H atoms, dashed line indicates hydrogen bonding.




Fig. 2. A diagram showing the partially overlapped arrangement of benzene rings [symmetry code: (i) 1 - x , 1 - y , - z].

3-Pentanone 2,4-dinitrophenylhydrazone

Crystal data

| | |
|---|---|
| C ₁₁ H ₁₄ N ₄ O ₄ | $F_{000} = 560$ |
| $M_r = 266.26$ | $D_x = 1.356 \text{ Mg m}^{-3}$ |
| Monoclinic, $P2_1/c$ | Mo $K\alpha$ radiation |
| Hall symbol: -P 2ybc | $\lambda = 0.71069 \text{ \AA}$ |
| $a = 12.5298 (15) \text{ \AA}$ | Cell parameters from 2556 reflections |
| $b = 14.089 (2) \text{ \AA}$ | $\theta = 3.5\text{--}25.0^\circ$ |
| $c = 7.3983 (8) \text{ \AA}$ | $\mu = 0.11 \text{ mm}^{-1}$ |
| $\beta = 93.235 (12)^\circ$ | $T = 294 (2) \text{ K}$ |
| $V = 1303.9 (3) \text{ \AA}^3$ | Prism, red |
| $Z = 4$ | $0.31 \times 0.29 \times 0.22 \text{ mm}$ |

Data collection

| | |
|--|--|
| Rigaku R-AXIS RAPID IP diffractometer | 2543 independent reflections |
| Radiation source: fine-focus sealed tube | 1130 reflections with $I > 2\sigma(I)$ |
| Monochromator: graphite | $R_{\text{int}} = 0.037$ |
| Detector resolution: 10.00 pixels mm^{-1} | $\theta_{\text{max}} = 26.0^\circ$ |
| $T = 294(2) \text{ K}$ | $\theta_{\text{min}} = 3.1^\circ$ |
| ω scans | $h = -15 \rightarrow 15$ |
| Absorption correction: none | $k = -17 \rightarrow 17$ |
| 10943 measured reflections | $l = -9 \rightarrow 8$ |

Refinement

| | |
|----------------------------|--|
| Refinement on F^2 | Hydrogen site location: inferred from neighbouring sites |
| Least-squares matrix: full | H atoms treated by a mixture of independent and constrained refinement |

| | |
|--|--|
| $R[F^2 > 2\sigma(F^2)] = 0.043$ | $w = 1/[\sigma^2(F_o^2) + (0.0627P)^2 + 0.0303P]$ where $P = (F_o^2 + 2F_c^2)/3$ |
| $wR(F^2) = 0.136$ | $(\Delta/\sigma)_{\max} < 0.001$ |
| $S = 1.01$ | $\Delta\rho_{\max} = 0.15 \text{ e } \text{\AA}^{-3}$ |
| 2543 reflections | $\Delta\rho_{\min} = -0.12 \text{ e } \text{\AA}^{-3}$ |
| 179 parameters | Extinction correction: SHELXL, $F_c^* = k F_c [1 + 0.001 x F_c^2 \lambda^3 / \sin(2\theta)]^{-1/4}$ |
| Primary atom site location: structure-invariant direct methods | Extinction coefficient: 0.014 (2) |
| Secondary atom site location: difference Fourier map | |

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

| | x | y | z | $U_{\text{iso}}^*/U_{\text{eq}}$ |
|-----|--------------|--------------|-------------|----------------------------------|
| N1 | 0.49005 (19) | 0.29067 (16) | 0.0607 (3) | 0.0817 (6) |
| N2 | 0.79233 (17) | 0.4911 (2) | 0.2228 (3) | 0.0928 (7) |
| N3 | 0.35067 (15) | 0.43228 (17) | 0.2123 (3) | 0.0742 (6) |
| N4 | 0.28589 (14) | 0.50533 (14) | 0.2635 (2) | 0.0758 (6) |
| O1 | 0.39384 (16) | 0.27125 (13) | 0.0591 (3) | 0.1056 (6) |
| O2 | 0.55348 (16) | 0.23773 (14) | -0.0069 (3) | 0.1145 (7) |
| O3 | 0.84951 (15) | 0.42733 (18) | 0.1731 (3) | 0.1230 (8) |
| O4 | 0.82618 (14) | 0.56837 (18) | 0.2750 (3) | 0.1248 (8) |
| C1 | 0.45801 (16) | 0.44522 (16) | 0.2116 (2) | 0.0610 (6) |
| C2 | 0.52770 (16) | 0.37825 (16) | 0.1427 (2) | 0.0636 (6) |
| C3 | 0.63704 (17) | 0.39319 (17) | 0.1474 (3) | 0.0707 (6) |
| H3 | 0.6823 | 0.3478 | 0.1019 | 0.085* |
| C4 | 0.67726 (16) | 0.47555 (18) | 0.2196 (3) | 0.0687 (6) |
| C5 | 0.61123 (17) | 0.54410 (17) | 0.2870 (3) | 0.0696 (6) |
| H5 | 0.6402 | 0.6000 | 0.3352 | 0.083* |
| C6 | 0.50387 (17) | 0.52968 (16) | 0.2827 (3) | 0.0665 (6) |
| H6 | 0.4599 | 0.5763 | 0.3275 | 0.080* |
| C7 | 0.18529 (19) | 0.4892 (2) | 0.2520 (3) | 0.0854 (7) |
| C8 | 0.11384 (19) | 0.5688 (2) | 0.3035 (4) | 0.1065 (9) |
| H8A | 0.0615 | 0.5796 | 0.2040 | 0.128* |
| H8B | 0.0752 | 0.5485 | 0.4068 | 0.128* |
| C9 | 0.1670 (2) | 0.6608 (2) | 0.3497 (4) | 0.1228 (11) |

supplementary materials

| | | | | |
|------|-------------|-------------|------------|-------------|
| H9A | 0.2204 | 0.6513 | 0.4462 | 0.184* |
| H9B | 0.1148 | 0.7054 | 0.3874 | 0.184* |
| H9C | 0.2001 | 0.6851 | 0.2453 | 0.184* |
| C10 | 0.1317 (2) | 0.3981 (2) | 0.1833 (4) | 0.1104 (10) |
| H10A | 0.0593 | 0.4123 | 0.1380 | 0.132* |
| H10B | 0.1703 | 0.3733 | 0.0836 | 0.132* |
| C11 | 0.1285 (3) | 0.3250 (3) | 0.3265 (4) | 0.1350 (11) |
| H11A | 0.2002 | 0.3082 | 0.3670 | 0.202* |
| H11B | 0.0920 | 0.2697 | 0.2788 | 0.202* |
| H11C | 0.0914 | 0.3496 | 0.4264 | 0.202* |
| H3N | 0.3286 (18) | 0.3785 (18) | 0.167 (3) | 0.092 (9)* |

Atomic displacement parameters (\AA^2)

| | U^{11} | U^{22} | U^{33} | U^{12} | U^{13} | U^{23} |
|-----|-------------|-------------|-------------|--------------|-------------|--------------|
| N1 | 0.0977 (15) | 0.0693 (15) | 0.0780 (13) | 0.0007 (13) | 0.0042 (12) | -0.0036 (11) |
| N2 | 0.0699 (15) | 0.116 (2) | 0.0930 (15) | -0.0022 (14) | 0.0047 (11) | 0.0069 (14) |
| N3 | 0.0693 (13) | 0.0696 (15) | 0.0838 (13) | -0.0045 (12) | 0.0044 (10) | 0.0017 (11) |
| N4 | 0.0664 (12) | 0.0779 (15) | 0.0833 (12) | 0.0052 (10) | 0.0063 (9) | 0.0082 (10) |
| O1 | 0.1008 (13) | 0.0832 (14) | 0.1323 (15) | -0.0184 (11) | 0.0006 (11) | -0.0159 (11) |
| O2 | 0.1273 (15) | 0.0911 (15) | 0.1265 (16) | 0.0073 (12) | 0.0198 (12) | -0.0373 (12) |
| O3 | 0.0742 (11) | 0.143 (2) | 0.1533 (19) | 0.0159 (12) | 0.0156 (11) | -0.0054 (14) |
| O4 | 0.0865 (13) | 0.138 (2) | 0.1503 (18) | -0.0311 (13) | 0.0091 (11) | -0.0206 (15) |
| C1 | 0.0659 (13) | 0.0637 (16) | 0.0532 (11) | -0.0012 (11) | 0.0020 (10) | 0.0093 (10) |
| C2 | 0.0733 (14) | 0.0604 (15) | 0.0570 (12) | 0.0004 (12) | 0.0022 (10) | 0.0053 (11) |
| C3 | 0.0761 (15) | 0.0749 (17) | 0.0613 (13) | 0.0131 (12) | 0.0072 (11) | 0.0077 (11) |
| C4 | 0.0618 (13) | 0.0807 (17) | 0.0637 (13) | -0.0006 (13) | 0.0040 (10) | 0.0075 (12) |
| C5 | 0.0746 (15) | 0.0700 (16) | 0.0637 (12) | -0.0068 (12) | 0.0010 (11) | 0.0018 (11) |
| C6 | 0.0700 (14) | 0.0647 (15) | 0.0647 (13) | 0.0042 (11) | 0.0043 (10) | 0.0014 (11) |
| C7 | 0.0660 (15) | 0.099 (2) | 0.0907 (17) | -0.0043 (14) | 0.0038 (12) | 0.0060 (14) |
| C8 | 0.0719 (16) | 0.124 (3) | 0.124 (2) | 0.0170 (17) | 0.0121 (15) | 0.0007 (19) |
| C9 | 0.104 (2) | 0.103 (3) | 0.163 (3) | 0.0176 (18) | 0.0196 (19) | -0.003 (2) |
| C10 | 0.0770 (17) | 0.136 (3) | 0.118 (2) | -0.0064 (17) | 0.0036 (16) | 0.002 (2) |
| C11 | 0.147 (3) | 0.123 (3) | 0.135 (3) | -0.027 (2) | 0.015 (2) | -0.001 (2) |

Geometric parameters (\AA , $^\circ$)

| | | | |
|--------|-----------|----------|-----------|
| N1—O2 | 1.218 (2) | C5—H5 | 0.9300 |
| N1—O1 | 1.235 (2) | C6—H6 | 0.9300 |
| N1—C2 | 1.442 (3) | C7—C8 | 1.497 (4) |
| N2—O3 | 1.219 (3) | C7—C10 | 1.523 (4) |
| N2—O4 | 1.222 (3) | C8—C9 | 1.489 (4) |
| N2—C4 | 1.457 (3) | C8—H8A | 0.9700 |
| N3—C1 | 1.358 (3) | C8—H8B | 0.9700 |
| N3—N4 | 1.377 (3) | C9—H9A | 0.9600 |
| N3—H3N | 0.87 (2) | C9—H9B | 0.9600 |
| N4—C7 | 1.279 (3) | C9—H9C | 0.9600 |
| C1—C2 | 1.401 (3) | C10—C11 | 1.479 (4) |
| C1—C6 | 1.410 (3) | C10—H10A | 0.9700 |

| | | | |
|-----------|-------------|---------------|-----------|
| C2—C3 | 1.385 (3) | C10—H10B | 0.9700 |
| C3—C4 | 1.362 (3) | C11—H11A | 0.9600 |
| C3—H3 | 0.9300 | C11—H11B | 0.9600 |
| C4—C5 | 1.383 (3) | C11—H11C | 0.9600 |
| C5—C6 | 1.359 (3) | | |
| O2—N1—O1 | 121.3 (2) | N4—C7—C8 | 116.9 (2) |
| O2—N1—C2 | 119.4 (2) | N4—C7—C10 | 125.9 (2) |
| O1—N1—C2 | 119.3 (2) | C8—C7—C10 | 117.2 (2) |
| O3—N2—O4 | 123.5 (2) | C9—C8—C7 | 116.4 (2) |
| O3—N2—C4 | 118.8 (3) | C9—C8—H8A | 108.2 |
| O4—N2—C4 | 117.7 (3) | C7—C8—H8A | 108.2 |
| C1—N3—N4 | 120.0 (2) | C9—C8—H8B | 108.2 |
| C1—N3—H3N | 114.2 (16) | C7—C8—H8B | 108.2 |
| N4—N3—H3N | 125.4 (16) | H8A—C8—H8B | 107.4 |
| C7—N4—N3 | 116.3 (2) | C8—C9—H9A | 109.5 |
| N3—C1—C2 | 123.3 (2) | C8—C9—H9B | 109.5 |
| N3—C1—C6 | 119.7 (2) | H9A—C9—H9B | 109.5 |
| C2—C1—C6 | 117.06 (19) | C8—C9—H9C | 109.5 |
| C3—C2—C1 | 121.6 (2) | H9A—C9—H9C | 109.5 |
| C3—C2—N1 | 116.1 (2) | H9B—C9—H9C | 109.5 |
| C1—C2—N1 | 122.2 (2) | C11—C10—C7 | 112.2 (2) |
| C4—C3—C2 | 118.9 (2) | C11—C10—H10A | 109.2 |
| C4—C3—H3 | 120.6 | C7—C10—H10A | 109.2 |
| C2—C3—H3 | 120.6 | C11—C10—H10B | 109.2 |
| C3—C4—C5 | 121.4 (2) | C7—C10—H10B | 109.2 |
| C3—C4—N2 | 118.6 (2) | H10A—C10—H10B | 107.9 |
| C5—C4—N2 | 120.0 (2) | C10—C11—H11A | 109.5 |
| C6—C5—C4 | 119.9 (2) | C10—C11—H11B | 109.5 |
| C6—C5—H5 | 120.0 | H11A—C11—H11B | 109.5 |
| C4—C5—H5 | 120.0 | C10—C11—H11C | 109.5 |
| C5—C6—C1 | 121.1 (2) | H11A—C11—H11C | 109.5 |
| C5—C6—H6 | 119.4 | H11B—C11—H11C | 109.5 |
| C1—C6—H6 | 119.4 | | |

Hydrogen-bond geometry (Å, °)

| <i>D</i> —H··· <i>A</i> | <i>D</i> —H | H··· <i>A</i> | <i>D</i> ··· <i>A</i> | <i>D</i> —H··· <i>A</i> |
|-------------------------|-------------|---------------|-----------------------|-------------------------|
| N3—H3N···O1 | 0.87 (2) | 1.91 (2) | 2.606 (3) | 136 (2) |
| C5—H5···O1 ⁱ | 0.93 | 2.58 | 3.399 (3) | 147 |

Symmetry codes: (i) $-x+1, y+1/2, -z+1/2$.

supplementary materials

Fig. 1




Fig. 2

