

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

3-Chloro-6-(3,5-dimethyl-1*H*-pyrazol-1-yl)picolinic acid–triphenylphosphine oxide (1/1)

Fei-Long Hu, Zhong-Jing Huang,* Shan-Shan Zhang, Yue Zhuang and Wei-Qiang Luo

College of Chemistry and Ecological Engineering, Guangxi University for Nationalities, Nanning 530006, People's Republic of China


Correspondence e-mail: yxhphd@163.com

Received 1 July 2008; accepted 3 July 2008

Key indicators: single-crystal X-ray study; $T = 298$ K; mean $\sigma(\text{C}-\text{C}) = 0.005$ Å; R factor = 0.045; wR factor = 0.084; data-to-parameter ratio = 14.0.

In the title 1:1 adduct, $\text{C}_{11}\text{H}_{10}\text{ClN}_3\text{O}_2 \cdot \text{C}_{18}\text{H}_{15}\text{OP}$, the dihedral angle between the pyridine and pyrazole rings is 10.3 (2)°. The two components of the adduct are linked by an $\text{O}-\text{H} \cdots \text{O}$ hydrogen bond.

Related literature

For background, see: Mann *et al.* (1992).

Experimental

Crystal data

$\text{C}_{11}\text{H}_{10}\text{ClN}_3\text{O}_2 \cdot \text{C}_{18}\text{H}_{15}\text{OP}$
 $M_r = 529.94$
 Monoclinic, $P2_1/c$

$a = 16.6694$ (14) Å
 $b = 9.8176$ (11) Å
 $c = 18.272$ (2) Å

$\beta = 116.089$ (2)°
 $V = 2685.7$ (5) Å³
 $Z = 4$
 Mo $K\alpha$ radiation

$\mu = 0.24$ mm⁻¹
 $T = 298$ (2) K
 $0.23 \times 0.18 \times 0.09$ mm

Data collection

Bruker SMART CCD diffractometer
 Absorption correction: multi-scan (SADABS; Sheldrick, 1996)
 $T_{\min} = 0.947$, $T_{\max} = 0.979$

13279 measured reflections
 4721 independent reflections
 2333 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.063$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.045$
 $wR(F^2) = 0.083$
 $S = 1.03$
 4721 reflections
 337 parameters

H atoms treated by a mixture of independent and constrained refinement
 $\Delta\rho_{\text{max}} = 0.18$ e Å⁻³
 $\Delta\rho_{\text{min}} = -0.27$ e Å⁻³

Table 1

Hydrogen-bond geometry (Å, °).

$D-H \cdots A$	$D-H$	$H \cdots A$	$D \cdots A$	$D-H \cdots A$
$\text{O1}-\text{H1} \cdots \text{O3}$	0.79	1.76	2.537 (2)	165

Data collection: SMART (Siemens, 1996); cell refinement: SAINT (Siemens, 1996); data reduction: SAINT; program(s) used to solve structure: SHELXS97 (Sheldrick, 2008); program(s) used to refine structure: SHELXL97 (Sheldrick, 2008); molecular graphics: SHELXTL (Sheldrick, 2008); software used to prepare material for publication: SHELXTL.

The authors thank the National Natural Science Foundation of China (grant No. 20761002). This research was sponsored by the fund of the Talent Highland research program of Guangxi University (grant No. 205121), the Science Foundation of the State Ethnic Affairs Commission (grant No. 07GX05), the Development Foundation Guangxi Research Institute of Chemical Industry, and the Science Foundation of Guangxi University for Nationalities (grant Nos. 0409032, 0409012, 0509ZD047).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: HB2757).

References

- Mann, F., Chiment, F., Balasco, A., Cenicola, M. L., Amico, M. D., Parrilo, C., Rossi, F. & Marmo, E. (1992). *Eur. J. Med. Chem.* **27**, 633–639.
 Sheldrick, G. M. (1996). *SADABS*. University of Göttingen, Germany.
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
 Siemens (1996). *SMART* and *SAINTE*. Siemens Analytical X-ray Instruments Inc., Madison, Wisconsin, USA.

supplementary materials

Acta Cryst. (2008). E64, o1427 [doi:10.1107/S160053680802045X]

3-Chloro-6-(3,5-dimethyl-1*H*-pyrazol-1-yl)picolinic acid-triphenylphosphine oxide (1/1)

F.-L. Hu, Z.-J. Huang, S.-S. Zhang, Y. Zhuang and W.-Q. Luo

Comment

Pyrazoles have been investigated extensively, owing to their chelating ability with metal ions and their potentially beneficial biological activities (e.g. Mann *et al.*, 1992). As part of our studies on these compounds, we report here the synthesis and crystal structure of the title compound, (I), (Fig. 1).

In the 3-chloro-6-(3,5-dimethyl-1*H*-pyrazol-1-yl)picolinic acid molecule, the dihedral angle between the two ring mean planes is 10.3 (2) °. The two components of the adduct interact by way of an O—H···O hydrogen bond (Table 1).

Experimental

3-Chloro-6-(3,5-dimethyl-1*H*-pyrazol-1-yl)picolinic acid (1 mmol, 251.04 mg) was dissolved in distilled water (15 ml) and triphenylphosphine oxide (0.5 mmol, 139.04 mg) in distilled water (5 ml) was added with stirring at 323 K. The resulting solution was allowed to react for 5 h and was then filtered. Colourless blocks of (I) were obtained by slow evaporation of a water solution over a period of one month (yield 75%). Elemental analysis: found: C 65.71; H 4.73; N 7.94; O 9.06%. calc. for C₂₉H₂₅ClN₃O₃P: C 65.72; H 4.75; N 7.93; O 9.06%.

Refinement

The C-bound H atoms were positioned geometrically (C—H = 0.93–0.96 Å) and refined as riding with $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$ or $1.5U_{\text{eq}}(\text{methyl C})$. The O-bound H atom was located in a difference map and refined as riding in its as-found relative position with $U_{\text{iso}}(\text{H}) = 1.5U_{\text{eq}}(\text{O})$.

Figures




Fig. 1. The molecular structure of (I) showing 30% probability displacement ellipsoids for the non-hydrogen atoms. The hydrogen bond is indicated by a double-dashed line.

3-Chloro-6-(3,5-dimethyl-1*H*-pyrazol-1-yl)picolinic acid–triphenylphosphine oxide (1/1)

Crystal data

C₁₁H₁₀ClN₃O₂·C₁₈H₁₅OP

$M_r = 529.94$

$F_{000} = 1104$

$D_x = 1.311 \text{ Mg m}^{-3}$

supplementary materials

Monoclinic, $P2_1/c$

Hall symbol: -P 2ybc

$a = 16.6694 (14) \text{ \AA}$

$b = 9.8176 (11) \text{ \AA}$

$c = 18.272 (2) \text{ \AA}$

$\beta = 116.089 (2)^\circ$

$V = 2685.7 (5) \text{ \AA}^3$

$Z = 4$

Mo $K\alpha$ radiation

$\lambda = 0.71073 \text{ \AA}$

Cell parameters from 2022 reflections

$\theta = 2.3\text{--}25.2^\circ$

$\mu = 0.24 \text{ mm}^{-1}$

$T = 298 (2) \text{ K}$

Block, colourless

$0.23 \times 0.18 \times 0.09 \text{ mm}$

Data collection

Bruker SMART CCD
diffractometer

Radiation source: fine-focus sealed tube

Monochromator: graphite

$T = 298(2) \text{ K}$

ω scans

Absorption correction: multi-scan
(SADABS; Sheldrick, 1996)

$T_{\min} = 0.947$, $T_{\max} = 0.979$

13279 measured reflections

4721 independent reflections

2333 reflections with $I > 2\sigma(I)$

$R_{\text{int}} = 0.063$

$\theta_{\max} = 25.0^\circ$

$\theta_{\min} = 1.4^\circ$

$h = -19 \rightarrow 19$

$k = -11 \rightarrow 11$

$l = -11 \rightarrow 21$

Refinement

Refinement on F^2

Least-squares matrix: full

$R[F^2 > 2\sigma(F^2)] = 0.045$

$wR(F^2) = 0.083$

$S = 1.04$

4721 reflections

337 parameters

Primary atom site location: structure-invariant direct
methods

Secondary atom site location: difference Fourier map

Hydrogen site location: inferred from neighbouring
sites

H atoms treated by a mixture of
independent and constrained refinement

$w = 1/[\sigma^2(F_o^2) + (0.0142P)^2]$

where $P = (F_o^2 + 2F_c^2)/3$

$(\Delta/\sigma)_{\max} = 0.001$

$\Delta\rho_{\max} = 0.18 \text{ e \AA}^{-3}$

$\Delta\rho_{\min} = -0.27 \text{ e \AA}^{-3}$

Extinction correction: none

Special details

Geometry. All esds (except the esd in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell esds are taken into account individually in the estimation of esds in distances, angles and torsion angles; correlations between esds in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell esds is used for estimating esds involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R-factor wR and goodness of fit S are based on F^2 , conventional R-factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > 2\sigma(F^2)$ is used only for calculat-

ing R-factors(gt) etc. and is not relevant to the choice of reflections for refinement. R-factors based on F^2 are statistically about twice as large as those based on F , and R- factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
P1	0.12197 (5)	0.76008 (8)	0.14024 (4)	0.0528 (2)
O3	0.16936 (11)	0.88630 (18)	0.18229 (10)	0.0645 (5)
C12	0.18622 (17)	0.6094 (3)	0.18123 (18)	0.0533 (7)
C13	0.24643 (19)	0.6082 (3)	0.2624 (2)	0.0723 (9)
H13	0.2538	0.6855	0.2941	0.087*
C14	0.2960 (2)	0.4923 (4)	0.2970 (2)	0.0887 (11)
H14	0.3359	0.4920	0.3520	0.106*
C15	0.2869 (2)	0.3793 (4)	0.2513 (3)	0.0828 (11)
H15	0.3216	0.3027	0.2745	0.099*
C16	0.2266 (2)	0.3784 (3)	0.1711 (2)	0.0783 (10)
H16	0.2190	0.3003	0.1400	0.094*
C17	0.17677 (19)	0.4932 (3)	0.13616 (18)	0.0683 (9)
H17	0.1362	0.4919	0.0813	0.082*
C18	0.01884 (17)	0.7409 (3)	0.14774 (15)	0.0504 (7)
C19	-0.0251 (2)	0.6190 (3)	0.13663 (17)	0.0683 (9)
H19	-0.0013	0.5412	0.1247	0.082*
C20	-0.1048 (2)	0.6108 (3)	0.14302 (19)	0.0800 (10)
H20	-0.1339	0.5277	0.1362	0.096*
C21	-0.1400 (2)	0.7247 (4)	0.15932 (19)	0.0793 (10)
H21	-0.1939	0.7193	0.1627	0.095*
C22	-0.0977 (2)	0.8459 (4)	0.1707 (2)	0.0884 (11)
H22	-0.1224	0.9235	0.1818	0.106*
C23	-0.0169 (2)	0.8536 (3)	0.16571 (18)	0.0732 (9)
H23	0.0130	0.9364	0.1747	0.088*
C24	0.09431 (19)	0.7625 (3)	0.03445 (16)	0.0542 (7)
C25	0.16220 (19)	0.7500 (3)	0.01058 (19)	0.0682 (9)
H25	0.2203	0.7338	0.0496	0.082*
C26	0.1448 (2)	0.7614 (3)	-0.0703 (2)	0.0781 (9)
H26	0.1909	0.7529	-0.0857	0.094*
C27	0.0600 (3)	0.7849 (3)	-0.1274 (2)	0.0841 (11)
H27	0.0482	0.7926	-0.1819	0.101*
C28	-0.0077 (2)	0.7974 (3)	-0.1057 (2)	0.0905 (12)
H28	-0.0655	0.8133	-0.1453	0.109*
C29	0.0090 (2)	0.7866 (3)	-0.02499 (19)	0.0721 (9)
H29	-0.0378	0.7956	-0.0106	0.086*
O1	0.29030 (12)	1.0307 (2)	0.28946 (12)	0.0745 (6)
H1	0.2471	0.9901	0.2595	0.112*
C1	0.32200 (18)	0.9910 (3)	0.36492 (19)	0.0551 (8)
O2	0.29977 (14)	0.8882 (2)	0.38566 (13)	0.0925 (7)
C2	0.38830 (17)	1.0884 (3)	0.42273 (18)	0.0496 (7)
N1	0.43821 (15)	1.1548 (2)	0.39350 (13)	0.0558 (6)
C3	0.39748 (18)	1.1108 (3)	0.49982 (19)	0.0620 (8)

supplementary materials

C11	0.33173 (5)	1.03306 (10)	0.53878 (5)	0.0911 (3)
C4	0.4605 (2)	1.2043 (4)	0.5487 (2)	0.0834 (11)
H4A	0.4674	1.2218	0.6011	0.100*
C6	0.49929 (19)	1.2413 (3)	0.4415 (2)	0.0610 (8)
N2	0.55065 (16)	1.3065 (3)	0.4085 (2)	0.0720 (8)
C5	0.5116 (2)	1.2697 (3)	0.5199 (2)	0.0819 (10)
H5A	0.5542	1.3326	0.5521	0.098*
N3	0.60429 (19)	1.4127 (3)	0.45224 (19)	0.0929 (10)
C8	0.5594 (2)	1.2799 (4)	0.3382 (3)	0.0800 (11)
C7	0.5137 (2)	1.1695 (4)	0.27913 (19)	0.0996 (12)
H7A	0.5310	1.1728	0.2355	0.149*
H7B	0.4502	1.1812	0.2574	0.149*
H7C	0.5302	1.0830	0.3061	0.149*
C9	0.6186 (3)	1.3730 (5)	0.3377 (3)	0.1022 (15)
H9	0.638 (2)	1.383 (4)	0.298 (2)	0.123*
C10	0.6447 (2)	1.4513 (4)	0.4071 (3)	0.0998 (15)
C11	0.7108 (2)	1.5670 (4)	0.4364 (3)	0.1496 (18)
H11A	0.7145	1.6011	0.4871	0.224*
H11B	0.6915	1.6386	0.3966	0.224*
H11C	0.7685	1.5349	0.4443	0.224*

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
P1	0.0495 (5)	0.0512 (5)	0.0563 (5)	0.0002 (4)	0.0221 (4)	-0.0042 (4)
O3	0.0573 (12)	0.0545 (13)	0.0719 (13)	-0.0055 (11)	0.0194 (10)	-0.0128 (10)
C12	0.0508 (19)	0.051 (2)	0.060 (2)	0.0008 (15)	0.0264 (17)	-0.0001 (16)
C13	0.070 (2)	0.061 (2)	0.075 (2)	-0.0039 (19)	0.023 (2)	0.0053 (19)
C14	0.073 (3)	0.078 (3)	0.091 (3)	-0.002 (2)	0.013 (2)	0.023 (2)
C15	0.067 (2)	0.067 (3)	0.115 (3)	0.013 (2)	0.039 (2)	0.026 (2)
C16	0.085 (3)	0.059 (3)	0.106 (3)	0.012 (2)	0.056 (2)	0.001 (2)
C17	0.071 (2)	0.061 (2)	0.075 (2)	0.0125 (19)	0.0339 (19)	0.002 (2)
C18	0.0521 (17)	0.0464 (19)	0.0552 (17)	-0.0014 (17)	0.0259 (14)	-0.0045 (16)
C19	0.066 (2)	0.060 (2)	0.088 (2)	-0.0017 (18)	0.0424 (19)	-0.0111 (18)
C20	0.071 (2)	0.066 (3)	0.112 (3)	-0.010 (2)	0.049 (2)	-0.009 (2)
C21	0.063 (2)	0.080 (3)	0.106 (3)	-0.001 (2)	0.048 (2)	-0.004 (2)
C22	0.079 (3)	0.071 (3)	0.134 (3)	0.010 (2)	0.064 (2)	-0.011 (2)
C23	0.070 (2)	0.056 (2)	0.106 (3)	-0.0042 (19)	0.050 (2)	-0.007 (2)
C24	0.0568 (19)	0.0489 (19)	0.0603 (19)	-0.0006 (17)	0.0288 (17)	-0.0004 (16)
C25	0.069 (2)	0.071 (2)	0.072 (2)	0.0076 (19)	0.0368 (18)	0.0017 (19)
C26	0.099 (3)	0.073 (2)	0.083 (3)	0.010 (2)	0.059 (2)	0.003 (2)
C27	0.114 (3)	0.082 (3)	0.063 (2)	-0.008 (2)	0.044 (3)	0.0024 (19)
C28	0.081 (3)	0.118 (3)	0.063 (3)	-0.008 (2)	0.024 (2)	0.019 (2)
C29	0.063 (2)	0.088 (3)	0.067 (2)	0.0002 (19)	0.0297 (19)	0.0139 (18)
O1	0.0828 (15)	0.0717 (15)	0.0631 (14)	-0.0256 (12)	0.0267 (12)	-0.0080 (12)
C1	0.053 (2)	0.054 (2)	0.064 (2)	-0.0020 (17)	0.0309 (18)	0.0027 (19)
O2	0.1069 (18)	0.0782 (18)	0.0849 (16)	-0.0368 (15)	0.0353 (13)	0.0044 (14)
C2	0.0451 (18)	0.0485 (19)	0.055 (2)	-0.0011 (15)	0.0213 (16)	0.0003 (15)

N1	0.0491 (15)	0.0534 (17)	0.0658 (17)	-0.0057 (13)	0.0262 (14)	0.0016 (13)
C3	0.055 (2)	0.072 (2)	0.062 (2)	-0.0038 (18)	0.0289 (17)	0.0020 (18)
C11	0.0865 (6)	0.1195 (8)	0.0837 (6)	-0.0107 (6)	0.0526 (5)	0.0067 (5)
C4	0.076 (2)	0.103 (3)	0.069 (2)	-0.014 (2)	0.030 (2)	-0.018 (2)
C6	0.0494 (19)	0.054 (2)	0.076 (2)	-0.0038 (17)	0.0248 (18)	0.005 (2)
N2	0.0549 (17)	0.061 (2)	0.098 (2)	-0.0123 (14)	0.0318 (17)	0.0078 (17)
C5	0.069 (2)	0.085 (3)	0.085 (3)	-0.023 (2)	0.027 (2)	-0.023 (2)
N3	0.067 (2)	0.059 (2)	0.149 (3)	-0.0130 (16)	0.044 (2)	-0.0033 (19)
C8	0.059 (2)	0.084 (3)	0.098 (3)	-0.001 (2)	0.035 (2)	0.033 (2)
C7	0.089 (3)	0.140 (4)	0.075 (2)	-0.018 (3)	0.041 (2)	0.011 (2)
C9	0.070 (3)	0.104 (4)	0.136 (5)	0.001 (3)	0.049 (3)	0.050 (3)
C10	0.062 (3)	0.065 (3)	0.171 (5)	-0.003 (2)	0.050 (3)	0.030 (3)
C11	0.094 (3)	0.076 (3)	0.276 (6)	-0.028 (3)	0.079 (3)	0.018 (3)

Geometric parameters (Å, °)

P1—O3	1.4887 (17)	C27—H27	0.9300
P1—C24	1.779 (3)	C28—C29	1.379 (4)
P1—C12	1.786 (3)	C28—H28	0.9300
P1—C18	1.794 (3)	C29—H29	0.9300
C12—C17	1.376 (4)	O1—C1	1.301 (3)
C12—C13	1.378 (3)	O1—H1	0.7941
C13—C14	1.384 (4)	C1—O2	1.193 (3)
C13—H13	0.9300	C1—C2	1.492 (4)
C14—C15	1.356 (4)	C2—N1	1.339 (3)
C14—H14	0.9300	C2—C3	1.366 (3)
C15—C16	1.364 (4)	N1—C6	1.320 (3)
C15—H15	0.9300	C3—C4	1.385 (4)
C16—C17	1.378 (4)	C3—C11	1.725 (3)
C16—H16	0.9300	C4—C5	1.344 (4)
C17—H17	0.9300	C4—H4A	0.9300
C18—C23	1.364 (3)	C6—C5	1.385 (4)
C18—C19	1.371 (3)	C6—N2	1.400 (3)
C19—C20	1.385 (3)	N2—N3	1.377 (3)
C19—H19	0.9300	N2—C8	1.379 (4)
C20—C21	1.355 (4)	C5—H5A	0.9300
C20—H20	0.9300	N3—C10	1.330 (4)
C21—C22	1.351 (4)	C8—C9	1.348 (5)
C21—H21	0.9300	C8—C7	1.483 (4)
C22—C23	1.391 (4)	C7—H7A	0.9600
C22—H22	0.9300	C7—H7B	0.9600
C23—H23	0.9300	C7—H7C	0.9600
C24—C29	1.378 (3)	C9—C10	1.379 (5)
C24—C25	1.386 (3)	C9—H9	0.93 (3)
C25—C26	1.380 (3)	C10—C11	1.507 (5)
C25—H25	0.9300	C11—H11A	0.9600
C26—C27	1.358 (4)	C11—H11B	0.9600
C26—H26	0.9300	C11—H11C	0.9600
C27—C28	1.356 (4)		

supplementary materials

O3—P1—C24	112.01 (12)	C26—C27—H27	119.7
O3—P1—C12	112.87 (12)	C27—C28—C29	120.2 (3)
C24—P1—C12	106.73 (14)	C27—C28—H28	119.9
O3—P1—C18	110.91 (12)	C29—C28—H28	119.9
C24—P1—C18	106.58 (13)	C24—C29—C28	120.6 (3)
C12—P1—C18	107.40 (13)	C24—C29—H29	119.7
C17—C12—C13	118.3 (3)	C28—C29—H29	119.7
C17—C12—P1	123.1 (2)	C1—O1—H1	113.8
C13—C12—P1	118.5 (2)	O2—C1—O1	123.5 (3)
C12—C13—C14	120.3 (3)	O2—C1—C2	123.7 (3)
C12—C13—H13	119.8	O1—C1—C2	112.8 (3)
C14—C13—H13	119.8	N1—C2—C3	121.7 (3)
C15—C14—C13	120.6 (3)	N1—C2—C1	115.2 (3)
C15—C14—H14	119.7	C3—C2—C1	123.0 (3)
C13—C14—H14	119.7	C6—N1—C2	118.8 (3)
C14—C15—C16	119.7 (4)	C2—C3—C4	118.7 (3)
C14—C15—H15	120.1	C2—C3—C11	123.4 (3)
C16—C15—H15	120.1	C4—C3—C11	117.8 (3)
C15—C16—C17	120.1 (3)	C5—C4—C3	119.7 (3)
C15—C16—H16	119.9	C5—C4—H4A	120.1
C17—C16—H16	119.9	C3—C4—H4A	120.1
C12—C17—C16	120.9 (3)	N1—C6—C5	122.5 (3)
C12—C17—H17	119.5	N1—C6—N2	116.6 (3)
C16—C17—H17	119.5	C5—C6—N2	120.9 (3)
C23—C18—C19	118.8 (3)	N3—N2—C8	112.1 (3)
C23—C18—P1	117.9 (2)	N3—N2—C6	117.4 (3)
C19—C18—P1	123.3 (2)	C8—N2—C6	130.5 (3)
C18—C19—C20	120.5 (3)	C4—C5—C6	118.6 (3)
C18—C19—H19	119.7	C4—C5—H5A	120.7
C20—C19—H19	119.7	C6—C5—H5A	120.7
C21—C20—C19	119.6 (3)	C10—N3—N2	103.4 (3)
C21—C20—H20	120.2	C9—C8—N2	104.8 (4)
C19—C20—H20	120.2	C9—C8—C7	129.3 (5)
C22—C21—C20	120.9 (3)	N2—C8—C7	125.8 (3)
C22—C21—H21	119.5	C8—C7—H7A	109.5
C20—C21—H21	119.5	C8—C7—H7B	109.5
C21—C22—C23	119.4 (3)	H7A—C7—H7B	109.5
C21—C22—H22	120.3	C8—C7—H7C	109.5
C23—C22—H22	120.3	H7A—C7—H7C	109.5
C18—C23—C22	120.7 (3)	H7B—C7—H7C	109.5
C18—C23—H23	119.7	C8—C9—C10	107.9 (4)
C22—C23—H23	119.7	C8—C9—H9	126 (2)
C29—C24—C25	118.0 (3)	C10—C9—H9	126 (2)
C29—C24—P1	122.9 (2)	N3—C10—C9	111.7 (4)
C25—C24—P1	118.9 (2)	N3—C10—C11	119.0 (5)
C26—C25—C24	121.0 (3)	C9—C10—C11	129.3 (5)
C26—C25—H25	119.5	C10—C11—H11A	109.5
C24—C25—H25	119.5	C10—C11—H11B	109.5
C27—C26—C25	119.6 (3)	H11A—C11—H11B	109.5

C27—C26—H26	120.2	C10—C11—H11C	109.5
C25—C26—H26	120.2	H11A—C11—H11C	109.5
C28—C27—C26	120.7 (3)	H11B—C11—H11C	109.5
C28—C27—H27	119.7		
O3—P1—C12—C17	-152.2 (2)	C26—C27—C28—C29	0.2 (5)
C24—P1—C12—C17	-28.7 (3)	C25—C24—C29—C28	0.2 (5)
C18—P1—C12—C17	85.2 (3)	P1—C24—C29—C28	175.2 (2)
O3—P1—C12—C13	29.6 (3)	C27—C28—C29—C24	-0.3 (5)
C24—P1—C12—C13	153.1 (2)	O2—C1—C2—N1	147.7 (3)
C18—P1—C12—C13	-92.9 (2)	O1—C1—C2—N1	-32.9 (3)
C17—C12—C13—C14	0.2 (4)	O2—C1—C2—C3	-33.1 (4)
P1—C12—C13—C14	178.5 (2)	O1—C1—C2—C3	146.3 (3)
C12—C13—C14—C15	0.8 (5)	C3—C2—N1—C6	1.8 (4)
C13—C14—C15—C16	-1.8 (5)	C1—C2—N1—C6	-179.0 (2)
C14—C15—C16—C17	1.7 (5)	N1—C2—C3—C4	-0.3 (4)
C13—C12—C17—C16	-0.3 (4)	C1—C2—C3—C4	-179.4 (3)
P1—C12—C17—C16	-178.5 (2)	N1—C2—C3—C11	177.3 (2)
C15—C16—C17—C12	-0.6 (5)	C1—C2—C3—C11	-1.9 (4)
O3—P1—C18—C23	19.5 (3)	C2—C3—C4—C5	-0.7 (5)
C24—P1—C18—C23	-102.6 (2)	C11—C3—C4—C5	-178.4 (3)
C12—P1—C18—C23	143.3 (2)	C2—N1—C6—C5	-2.4 (4)
O3—P1—C18—C19	-160.2 (2)	C2—N1—C6—N2	179.0 (2)
C24—P1—C18—C19	77.6 (3)	N1—C6—N2—N3	169.7 (2)
C12—P1—C18—C19	-36.5 (3)	C5—C6—N2—N3	-8.9 (4)
C23—C18—C19—C20	0.4 (4)	N1—C6—N2—C8	-12.4 (4)
P1—C18—C19—C20	-179.8 (2)	C5—C6—N2—C8	168.9 (3)
C18—C19—C20—C21	0.9 (5)	C3—C4—C5—C6	0.2 (5)
C19—C20—C21—C22	-1.0 (5)	N1—C6—C5—C4	1.4 (5)
C20—C21—C22—C23	-0.1 (5)	N2—C6—C5—C4	180.0 (3)
C19—C18—C23—C22	-1.6 (5)	C8—N2—N3—C10	0.8 (3)
P1—C18—C23—C22	178.7 (2)	C6—N2—N3—C10	179.1 (3)
C21—C22—C23—C18	1.4 (5)	N3—N2—C8—C9	-1.0 (4)
O3—P1—C24—C29	-104.1 (3)	C6—N2—C8—C9	-178.9 (3)
C12—P1—C24—C29	131.9 (3)	N3—N2—C8—C7	177.7 (3)
C18—P1—C24—C29	17.3 (3)	C6—N2—C8—C7	-0.2 (5)
O3—P1—C24—C25	70.8 (3)	N2—C8—C9—C10	0.8 (4)
C12—P1—C24—C25	-53.2 (3)	C7—C8—C9—C10	-177.9 (3)
C18—P1—C24—C25	-167.7 (2)	N2—N3—C10—C9	-0.3 (4)
C29—C24—C25—C26	0.0 (4)	N2—N3—C10—C11	-179.4 (3)
P1—C24—C25—C26	-175.2 (2)	C8—C9—C10—N3	-0.3 (5)
C24—C25—C26—C27	-0.1 (5)	C8—C9—C10—C11	178.7 (3)
C25—C26—C27—C28	0.0 (5)		

Hydrogen-bond geometry (Å, °)

<i>D</i> —H \cdots <i>A</i>	<i>D</i> —H	H \cdots <i>A</i>	<i>D</i> \cdots <i>A</i>	<i>D</i> —H \cdots <i>A</i>
O1—H1 \cdots O3	0.79	1.76	2.537 (2)	165

Fig. 1

