

## Methyl 2-(5-methyl-3-methylsulfinyl-1-benzofuran-2-yl)acetate

Hong Dae Choi,<sup>a</sup> Pil Ja Seo,<sup>a</sup> Byeng Wha Son<sup>b</sup> and  
 Uk Lee<sup>b\*</sup>

<sup>a</sup>Department of Chemistry, Dongeui University, San 24 Kaya-dong, Busanjin-gu, Busan 614-714, Republic of Korea, and <sup>b</sup>Department of Chemistry, Pukyong National University, 599-1 Daeyeon 3-dong, Nam-gu, Busan 608-737, Republic of Korea

Correspondence e-mail: uklee@pknu.ac.kr


Received 27 July 2008; accepted 1 August 2008

Key indicators: single-crystal X-ray study;  $T = 298\text{ K}$ ; mean  $\sigma(\text{C}-\text{C}) = 0.004\text{ \AA}$ ;  $R$  factor = 0.046;  $wR$  factor = 0.124; data-to-parameter ratio = 13.5.

The title compound,  $\text{C}_{13}\text{H}_{14}\text{O}_4\text{S}$ , was prepared by oxidation of methyl 2-(5-methyl-3-methylsulfinyl-1-benzofuran-2-yl)acetate with 3-chloroperoxybenzoic acid. The O atom and methyl group of the methylsulfinyl substituent lie on opposite sides of the plane of the benzofuran system. The crystal structure is stabilized by intermolecular aromatic  $\pi-\pi$  interactions between the benzene rings of neighbouring molecules, with a centroid–centroid separation of  $3.841(3)\text{ \AA}$ .

### Related literature

For the crystal structures of similar ethyl 2-(3-methylsulfinyl-1-benzofuran-2-yl)acetate derivatives, see: Choi *et al.* (2007a,b).



### Experimental

#### Crystal data

|  |  |
|--|--|
| $\text{C}_{13}\text{H}_{14}\text{O}_4\text{S}$ | $\gamma = 84.303(1)^\circ$               |
| $M_r = 266.30$                                 | $V = 644.51(8)\text{ \AA}^3$             |
| Triclinic, $P\bar{1}$                          | $Z = 2$                                  |
| $a = 7.9331(6)\text{ \AA}$                     | Mo $K\alpha$ radiation                   |
| $b = 8.1097(6)\text{ \AA}$                     | $\mu = 0.26\text{ mm}^{-1}$              |
| $c = 10.7017(8)\text{ \AA}$                    | $T = 298(2)\text{ K}$                    |
| $\alpha = 71.601(1)^\circ$                     | $0.40 \times 0.20 \times 0.20\text{ mm}$ |
| $\beta = 81.107(1)^\circ$                      |  |

#### Data collection

|                             |  |
|-----------------------------|--|
| Bruker SMART CCD            | 2237 independent reflections           |
| diffractometer              | 1788 reflections with $I > 2\sigma(I)$ |
| Absorption correction: none | $R_{\text{int}} = 0.052$               |
| 3414 measured reflections   |  |

#### Refinement

|                                 |   |
|---------------------------------|---|
| $R[F^2 > 2\sigma(F^2)] = 0.045$ | 166 parameters                                      |
| $wR(F^2) = 0.123$               | H-atom parameters constrained                       |
| $S = 1.03$                      | $\Delta\rho_{\text{max}} = 0.34\text{ e \AA}^{-3}$  |
| 2237 reflections                | $\Delta\rho_{\text{min}} = -0.35\text{ e \AA}^{-3}$ |

Data collection: *SMART* (Bruker, 2001); cell refinement: *SAINT* (Bruker, 2001); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3* (Farrugia, 1997) and *DIAMOND* (Brandenburg, 1998); software used to prepare material for publication: *SHELXL97*.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: BH2186).

### References

- Brandenburg, K. (1998). *DIAMOND*. Crystal Impact GbR, Bonn, Germany.
- Bruker (2001). *SAINT* and *SMART*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Choi, H. D., Seo, P. J., Son, B. W. & Lee, U. (2007a). *Acta Cryst. E63*, o3832.
- Choi, H. D., Seo, P. J., Son, B. W. & Lee, U. (2007b). *Acta Cryst. E63*, o3839.
- Farrugia, L. J. (1997). *J. Appl. Cryst. 30*, 565.
- Sheldrick, G. M. (2008). *Acta Cryst. A64*, 112–122.

## **supplementary materials**

*Acta Cryst.* (2008). E64, o1711 [doi:10.1107/S1600536808024689]

## Methyl 2-(5-methyl-3-methylsulfinyl-1-benzofuran-2-yl)acetate

H. D. Choi, P. J. Seo, B. W. Son and U. Lee

### Comment

This work is related to our previous communications on the synthesis and structures of ethyl 2-(3-methylsulfinyl-1-benzofuran-2-yl)acetate analogues, *viz.* ethyl 2-(5-chloro-3-methylsulfinyl-1-benzofuran-2-yl)acetate (Choi *et al.*, 2007a) and ethyl 2-(5-methyl-3-methylsulfinyl-1-benzofuran-2-yl)acetate (Choi *et al.*, 2007b). Here we report the crystal structure of the title compound, methyl 2-(5-methyl-3-methylsulfinyl-1-benzofuran-2-yl)acetate (Fig. 1).

The benzofuran unit is essentially planar, with a mean deviation of 0.009 (2) Å from the least-squares plane defined by the nine constituent atoms. The packing structure is stabilized by aromatic π–π stacking interactions between adjacent benzene units, with a  $Cg \cdots Cg^j$  distance is 3.841 (3) Å (Fig. 2).

### Experimental

77% 3-Chloroperoxybenzoic acid (359 mg, 1.6 mmol) was added in small portions to a stirred solution of methyl 2-(5-methyl-3-methylsulfinyl-1-benzofuran-2-yl)acetate (375 mg, 1.5 mmol) in dichloromethane (30 ml) at 273 K. After being stirred for 3 h at room temperature, the mixture was washed with saturated sodium bicarbonate solution and the organic layer was separated, dried over magnesium sulfate, filtered and concentrated under vacuum. The residue was purified by column chromatography (ethyl acetate) to afford the title compound as a colorless solid [yield 79%, m.p. 380–381 K;  $R_f = 0.58$  (ethyl acetate)]. Single crystals suitable for X-ray diffraction were prepared by evaporation of a solution of the title compound in ethyl acetate at room temperature. Spectroscopic analysis:  $^1\text{H}$  NMR ( $\text{CDCl}_3$ , 400 MHz) δ 2.45 (s, 3H), 3.07 (s, 3H), 3.74 (s, 3H), 4.04 (s, 2H), 7.17 (dd,  $J = 8.44$  Hz and  $J = 1.08$  Hz, 1H), 7.38 (d,  $J = 8.40$  Hz, 1H), 7.71 (s, 1H); EI-MS 266 [ $M^+$ ].

### Refinement

All H atoms were geometrically positioned and refined using a riding model, with C—H = 0.93 Å for aromatic H atoms, 0.96 Å for methyl H atoms and 0.97 Å for methylene H atoms, respectively, and with  $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$  for aromatic and methylene H atoms and  $1.5U_{\text{eq}}(\text{C})$  for methyl H atoms.

### Figures




Fig. 1. The molecular structure of the title compound, showing displacement ellipsoids drawn at the 30% probability level.

# supplementary materials

---




Fig. 2. Intermolecular  $\pi$ - $\pi$  interactions (dotted lines) in the title compound.  $Cg$  denotes ring centroid. Symmetry code: (i) 1- $x$ , 2- $y$ , - $z$ .

## Methyl 2-(5-methyl-3-methylsulfinyl-1-benzofuran-2-yl)acetate

### Crystal data

|                                |   |
|--------------------------------|---|
| $C_{13}H_{14}O_4S$             | $Z = 2$                                   |
| $M_r = 266.30$                 | $F_{000} = 280$                           |
| Triclinic, $P\bar{1}$          | $D_x = 1.372 \text{ Mg m}^{-3}$           |
| Hall symbol: -P 1              | Melting point = 380–381 K                 |
| $a = 7.9331 (6) \text{ \AA}$   | Mo $K\alpha$ radiation                    |
| $b = 8.1097 (6) \text{ \AA}$   | $\lambda = 0.71073 \text{ \AA}$           |
| $c = 10.7017 (8) \text{ \AA}$  | Cell parameters from 1817 reflections     |
| $\alpha = 71.601 (1)^\circ$    | $\theta = 2.6\text{--}27.3^\circ$         |
| $\beta = 81.107 (1)^\circ$     | $\mu = 0.26 \text{ mm}^{-1}$              |
| $\gamma = 84.303 (1)^\circ$    | $T = 298 (2) \text{ K}$                   |
| $V = 644.51 (8) \text{ \AA}^3$ | Block, colorless                          |
|                                | $0.40 \times 0.20 \times 0.20 \text{ mm}$ |

### Data collection

|   |  |
|---|--|
| Bruker SMART CCD diffractometer                   | 2237 independent reflections           |
| Radiation source: fine-focus sealed tube          | 1788 reflections with $I > 2\sigma(I)$ |
| Monochromator: graphite                           | $R_{\text{int}} = 0.052$               |
| Detector resolution: 10.0 pixels $\text{mm}^{-1}$ | $\theta_{\text{max}} = 25.0^\circ$     |
| $T = 298(2) \text{ K}$                            | $\theta_{\text{min}} = 2.0^\circ$      |
| $\varphi$ and $\omega$ scans                      | $h = -9 \rightarrow 9$                 |
| Absorption correction: none                       | $k = -9 \rightarrow 9$                 |
| 3414 measured reflections                         | $l = -9 \rightarrow 12$                |

### Refinement

|                                 |  |
|---------------------------------|--|
| Refinement on $F^2$             | Secondary atom site location: difference Fourier map     |
| Least-squares matrix: full      | Hydrogen site location: inferred from neighbouring sites |
| $R[F^2 > 2\sigma(F^2)] = 0.045$ | H-atom parameters constrained                            |
| $wR(F^2) = 0.123$               | $w = 1/[\sigma^2(F_o^2) + (0.0647P)^2 + 0.1924P]$        |
| $S = 1.04$                      | where $P = (F_o^2 + 2F_c^2)/3$                           |
| 2237 reflections                | $(\Delta/\sigma)_{\text{max}} < 0.001$                   |
| 166 parameters                  | $\Delta\rho_{\text{max}} = 0.34 \text{ e \AA}^{-3}$      |
|                                 | $\Delta\rho_{\text{min}} = -0.35 \text{ e \AA}^{-3}$     |

Primary atom site location: structure-invariant direct  
methods Extinction correction: none

*Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )*

|      | <i>x</i>     | <i>y</i>    | <i>z</i>     | $U_{\text{iso}}^*/U_{\text{eq}}$ |
|------|--------------|-------------|--------------|----------------------------------|
| S    | 0.22227 (8)  | 0.36975 (8) | 0.45695 (6)  | 0.0430 (2)                       |
| O1   | 0.16435 (19) | 0.5432 (2)  | 0.07927 (16) | 0.0392 (4)                       |
| O2   | -0.1560 (3)  | 0.0853 (3)  | 0.3071 (3)   | 0.0850 (8)                       |
| O3   | 0.1251 (2)   | 0.0969 (2)  | 0.2923 (2)   | 0.0565 (5)                       |
| O4   | 0.2489 (3)   | 0.5059 (3)  | 0.51807 (19) | 0.0597 (5)                       |
| C1   | 0.2418 (3)   | 0.4676 (3)  | 0.2838 (2)   | 0.0348 (5)                       |
| C2   | 0.3713 (3)   | 0.5757 (3)  | 0.1944 (2)   | 0.0342 (5)                       |
| C3   | 0.5246 (3)   | 0.6396 (3)  | 0.2059 (3)   | 0.0410 (6)                       |
| H3   | 0.5647       | 0.6111      | 0.2877       | 0.049*                           |
| C4   | 0.6143 (3)   | 0.7457 (3)  | 0.0930 (3)   | 0.0445 (6)                       |
| C5   | 0.5523 (3)   | 0.7870 (3)  | -0.0291 (3)  | 0.0486 (7)                       |
| H5   | 0.6147       | 0.8592      | -0.1038      | 0.058*                           |
| C6   | 0.4028 (3)   | 0.7256 (3)  | -0.0442 (3)  | 0.0460 (6)                       |
| H6   | 0.3628       | 0.7534      | -0.1260      | 0.055*                           |
| C7   | 0.3168 (3)   | 0.6199 (3)  | 0.0709 (2)   | 0.0366 (5)                       |
| C8   | 0.1227 (3)   | 0.4533 (3)  | 0.2103 (2)   | 0.0352 (5)                       |
| C9   | -0.0416 (3)  | 0.3635 (3)  | 0.2452 (3)   | 0.0404 (6)                       |
| H9A  | -0.1049      | 0.4071      | 0.1697       | 0.048*                           |
| H9B  | -0.1081      | 0.3975      | 0.3181       | 0.048*                           |
| C10  | -0.0307 (3)  | 0.1679 (3)  | 0.2841 (3)   | 0.0447 (6)                       |
| C11  | 0.1449 (4)   | -0.0918 (4) | 0.3298 (4)   | 0.0801 (11)                      |
| H11A | 0.0761       | -0.1409     | 0.4132       | 0.120*                           |
| H11B | 0.2627       | -0.1280     | 0.3382       | 0.120*                           |
| H11C | 0.1090       | -0.1312     | 0.2629       | 0.120*                           |
| C12  | 0.7804 (3)   | 0.8174 (4)  | 0.1000 (3)   | 0.0616 (8)                       |
| H12A | 0.8119       | 0.7677      | 0.1878       | 0.092*                           |
| H12B | 0.7661       | 0.9416      | 0.0797       | 0.092*                           |
| H12C | 0.8685       | 0.7884      | 0.0369       | 0.092*                           |
| C13  | 0.4142 (4)   | 0.2333 (4)  | 0.4661 (3)   | 0.0573 (7)                       |
| H13A | 0.5112       | 0.3042      | 0.4396       | 0.086*                           |
| H13B | 0.4176       | 0.1635      | 0.4080       | 0.086*                           |
| H13C | 0.4167       | 0.1588      | 0.5556       | 0.086*                           |

*Atomic displacement parameters ( $\text{\AA}^2$ )*

|    | $U^{11}$    | $U^{22}$    | $U^{33}$    | $U^{12}$     | $U^{13}$     | $U^{23}$     |
|----|-------------|-------------|-------------|--------------|--------------|--------------|
| S  | 0.0403 (4)  | 0.0487 (4)  | 0.0362 (4)  | -0.0034 (3)  | -0.0055 (3)  | -0.0072 (3)  |
| O1 | 0.0378 (9)  | 0.0428 (9)  | 0.0376 (9)  | -0.0039 (7)  | -0.0099 (7)  | -0.0104 (7)  |
| O2 | 0.0557 (13) | 0.0589 (13) | 0.135 (2)   | -0.0209 (11) | -0.0173 (13) | -0.0150 (14) |
| O3 | 0.0415 (10) | 0.0357 (9)  | 0.0832 (14) | -0.0039 (8)  | 0.0035 (9)   | -0.0100 (9)  |
| O4 | 0.0708 (13) | 0.0711 (13) | 0.0456 (11) | 0.0066 (10)  | -0.0141 (10) | -0.0297 (10) |
| C1 | 0.0363 (12) | 0.0338 (12) | 0.0349 (12) | -0.0017 (9)  | -0.0056 (10) | -0.0110 (10) |
| C2 | 0.0354 (12) | 0.0307 (11) | 0.0377 (13) | 0.0006 (9)   | -0.0047 (10) | -0.0128 (10) |

## supplementary materials

---

|     |             |             |             |              |              |              |
|-----|-------------|-------------|-------------|--------------|--------------|--------------|
| C3  | 0.0376 (13) | 0.0413 (13) | 0.0482 (15) | -0.0020 (10) | -0.0082 (11) | -0.0182 (12) |
| C4  | 0.0369 (13) | 0.0363 (13) | 0.0611 (17) | -0.0010 (10) | -0.0039 (12) | -0.0175 (12) |
| C5  | 0.0433 (14) | 0.0415 (14) | 0.0517 (16) | -0.0044 (11) | 0.0054 (12)  | -0.0060 (12) |
| C6  | 0.0492 (15) | 0.0442 (14) | 0.0397 (14) | -0.0006 (12) | -0.0058 (12) | -0.0065 (11) |
| C7  | 0.0337 (12) | 0.0341 (12) | 0.0435 (14) | 0.0006 (9)   | -0.0065 (10) | -0.0139 (10) |
| C8  | 0.0354 (12) | 0.0317 (11) | 0.0381 (13) | -0.0004 (9)  | -0.0038 (10) | -0.0110 (10) |
| C9  | 0.0317 (12) | 0.0448 (14) | 0.0466 (15) | -0.0027 (10) | -0.0082 (11) | -0.0152 (11) |
| C10 | 0.0423 (14) | 0.0478 (15) | 0.0453 (15) | -0.0094 (11) | -0.0040 (11) | -0.0148 (12) |
| C11 | 0.070 (2)   | 0.0385 (16) | 0.115 (3)   | -0.0043 (15) | 0.006 (2)    | -0.0086 (17) |
| C12 | 0.0427 (15) | 0.0532 (16) | 0.088 (2)   | -0.0115 (12) | -0.0069 (15) | -0.0182 (16) |
| C13 | 0.0571 (17) | 0.0524 (16) | 0.0596 (18) | 0.0078 (13)  | -0.0169 (14) | -0.0116 (14) |

### Geometric parameters ( $\text{\AA}$ , $^\circ$ )

|            |             |               |           |
|------------|-------------|---------------|-----------|
| S—O4       | 1.495 (2)   | C5—H5         | 0.9300    |
| S—C1       | 1.759 (2)   | C6—C7         | 1.381 (3) |
| S—C13      | 1.788 (3)   | C6—H6         | 0.9300    |
| O1—C8      | 1.366 (3)   | C8—C9         | 1.495 (3) |
| O1—C7      | 1.392 (3)   | C9—C10        | 1.505 (3) |
| O2—C10     | 1.204 (3)   | C9—H9A        | 0.9700    |
| O3—C10     | 1.315 (3)   | C9—H9B        | 0.9700    |
| O3—C11     | 1.453 (3)   | C11—H11A      | 0.9600    |
| C1—C8      | 1.354 (3)   | C11—H11B      | 0.9600    |
| C1—C2      | 1.444 (3)   | C11—H11C      | 0.9600    |
| C2—C7      | 1.382 (3)   | C12—H12A      | 0.9600    |
| C2—C3      | 1.405 (3)   | C12—H12B      | 0.9600    |
| C3—C4      | 1.381 (4)   | C12—H12C      | 0.9600    |
| C3—H3      | 0.9300      | C13—H13A      | 0.9600    |
| C4—C5      | 1.397 (4)   | C13—H13B      | 0.9600    |
| C4—C12     | 1.513 (3)   | C13—H13C      | 0.9600    |
| C5—C6      | 1.382 (4)   |               |           |
| O4—S—C1    | 107.63 (11) | O1—C8—C9      | 116.0 (2) |
| O4—S—C13   | 105.85 (13) | C8—C9—C10     | 117.4 (2) |
| C1—S—C13   | 98.82 (13)  | C8—C9—H9A     | 108.0     |
| C8—O1—C7   | 106.00 (17) | C10—C9—H9A    | 108.0     |
| C10—O3—C11 | 117.3 (2)   | C8—C9—H9B     | 108.0     |
| C8—C1—C2   | 107.3 (2)   | C10—C9—H9B    | 108.0     |
| C8—C1—S    | 122.09 (18) | H9A—C9—H9B    | 107.2     |
| C2—C1—S    | 130.59 (18) | O2—C10—O3     | 123.6 (2) |
| C7—C2—C3   | 119.0 (2)   | O2—C10—C9     | 121.9 (2) |
| C7—C2—C1   | 104.91 (19) | O3—C10—C9     | 114.4 (2) |
| C3—C2—C1   | 136.1 (2)   | O3—C11—H11A   | 109.5     |
| C4—C3—C2   | 118.5 (2)   | O3—C11—H11B   | 109.5     |
| C4—C3—H3   | 120.8       | H11A—C11—H11B | 109.5     |
| C2—C3—H3   | 120.8       | O3—C11—H11C   | 109.5     |
| C3—C4—C5   | 120.0 (2)   | H11A—C11—H11C | 109.5     |
| C3—C4—C12  | 120.5 (3)   | H11B—C11—H11C | 109.5     |
| C5—C4—C12  | 119.4 (2)   | C4—C12—H12A   | 109.5     |
| C6—C5—C4   | 123.0 (2)   | C4—C12—H12B   | 109.5     |

## supplementary materials

---

|              |              |               |             |
|--------------|--------------|---------------|-------------|
| C6—C5—H5     | 118.5        | H12A—C12—H12B | 109.5       |
| C4—C5—H5     | 118.5        | C4—C12—H12C   | 109.5       |
| C7—C6—C5     | 115.3 (2)    | H12A—C12—H12C | 109.5       |
| C7—C6—H6     | 122.4        | H12B—C12—H12C | 109.5       |
| C5—C6—H6     | 122.4        | S—C13—H13A    | 109.5       |
| C6—C7—C2     | 124.2 (2)    | S—C13—H13B    | 109.5       |
| C6—C7—O1     | 125.2 (2)    | H13A—C13—H13B | 109.5       |
| C2—C7—O1     | 110.58 (19)  | S—C13—H13C    | 109.5       |
| C1—C8—O1     | 111.21 (19)  | H13A—C13—H13C | 109.5       |
| C1—C8—C9     | 132.8 (2)    | H13B—C13—H13C | 109.5       |
| O4—S—C1—C8   | -129.6 (2)   | C1—C2—C7—C6   | 179.0 (2)   |
| C13—S—C1—C8  | 120.6 (2)    | C3—C2—C7—O1   | 179.36 (19) |
| O4—S—C1—C2   | 48.5 (2)     | C1—C2—C7—O1   | -1.1 (2)    |
| C13—S—C1—C2  | -61.4 (2)    | C8—O1—C7—C6   | -178.8 (2)  |
| C8—C1—C2—C7  | 0.5 (2)      | C8—O1—C7—C2   | 1.2 (2)     |
| S—C1—C2—C7   | -177.78 (18) | C2—C1—C8—O1   | 0.3 (3)     |
| C8—C1—C2—C3  | 180.0 (3)    | S—C1—C8—O1    | 178.70 (15) |
| S—C1—C2—C3   | 1.7 (4)      | C2—C1—C8—C9   | -178.3 (2)  |
| C7—C2—C3—C4  | 0.5 (3)      | S—C1—C8—C9    | 0.1 (4)     |
| C1—C2—C3—C4  | -178.9 (2)   | C7—O1—C8—C1   | -0.9 (2)    |
| C2—C3—C4—C5  | -0.1 (4)     | C7—O1—C8—C9   | 177.97 (19) |
| C2—C3—C4—C12 | -179.8 (2)   | C1—C8—C9—C10  | -72.1 (3)   |
| C3—C4—C5—C6  | -0.3 (4)     | O1—C8—C9—C10  | 109.3 (2)   |
| C12—C4—C5—C6 | 179.4 (2)    | C11—O3—C10—O2 | 0.7 (4)     |
| C4—C5—C6—C7  | 0.3 (4)      | C11—O3—C10—C9 | 179.8 (3)   |
| C5—C6—C7—C2  | 0.2 (4)      | C8—C9—C10—O2  | -176.1 (3)  |
| C5—C6—C7—O1  | -179.8 (2)   | C8—C9—C10—O3  | 4.8 (3)     |
| C3—C2—C7—C6  | -0.6 (3)     |               |             |

## supplementary materials

---

Fig. 1




Fig. 2

