

2-Methyl-3-phenylsulfonyl-5-propyl-1-benzofuran

Hong Dae Choi,^a Pil Ja Seo,^a Byeng Wha Son^b and Uk Lee^{b*}

^aDepartment of Chemistry, Dongeui University, San 24 Kaya-dong, Busanjin-gu, Busan 614-714, Republic of Korea, and ^bDepartment of Chemistry, Pukyong National University, 599-1 Daeyeon 3-dong, Nam-gu, Busan 608-737, Republic of Korea

Correspondence e-mail: uklee@pknu.ac.kr


Received 13 July 2008; accepted 10 August 2008

Key indicators: single-crystal X-ray study; $T = 173\text{ K}$; mean $\sigma(\text{C}-\text{C}) = 0.003\text{ \AA}$; R factor = 0.045; wR factor = 0.135; data-to-parameter ratio = 15.6.

The title compound, $\text{C}_{18}\text{H}_{18}\text{O}_3\text{S}$, was prepared by the oxidation of 2-methyl-3-phenylsulfanyl-5-propyl-1-benzofuran with 3-chloroperoxybenzoic acid. The phenyl ring makes a dihedral angle of $81.74(6)^\circ$ with the plane of the benzofuran fragment. The crystal structure is stabilized by $\text{C}-\text{H}\cdots\pi$ interactions between a methyl H atom and the phenyl ring of the phenylsulfonyl substituent from a neighbouring molecule, and by intermolecular $\text{C}-\text{H}\cdots\text{O}$ interactions.

Related literature

For the crystal structures of similar 2-methyl-3-phenylsulfonyl-1-benzofuran compounds, see: Choi *et al.* (2008*a,b*).



Experimental

Crystal data

$\text{C}_{18}\text{H}_{18}\text{O}_3\text{S}$	$V = 1595.1(4)\text{ \AA}^3$
$M_r = 314.38$	$Z = 4$
Monoclinic, $P2_1/n$	Mo $K\alpha$ radiation
$a = 7.2712(9)\text{ \AA}$	$\mu = 0.21\text{ mm}^{-1}$
$b = 17.583(2)\text{ \AA}$	$T = 173(2)\text{ K}$
$c = 12.788(2)\text{ \AA}$	$0.40 \times 0.40 \times 0.30\text{ mm}$
$\beta = 102.669(2)^\circ$	

Data collection

Bruker SMART CCD diffractometer	3125 independent reflections
Absorption correction: none	2606 reflections with $I > 2\sigma(I)$
8966 measured reflections	$R_{\text{int}} = 0.053$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.045$	200 parameters
$wR(F^2) = 0.135$	H-atom parameters constrained
$S = 1.12$	$\Delta\rho_{\text{max}} = 0.36\text{ e \AA}^{-3}$
3125 reflections	$\Delta\rho_{\text{min}} = -0.37\text{ e \AA}^{-3}$

Table 1
Hydrogen-bond geometry (\AA , $^\circ$).

Cg is the centroid of the C9–C14 phenyl ring.

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
C13–H13 \cdots O3 ⁱ	0.95	2.60	3.355 (3)	137
C18–H18C \cdots Cg ⁱⁱ	0.98	3.29	3.947 (4)	126

Symmetry codes: (i) $x + 1, y, z$; (ii) $x + \frac{1}{2}, -y + \frac{3}{2}, z + \frac{1}{2}$.

Data collection: *SMART* (Bruker, 2001); cell refinement: *SAINT* (Bruker, 2001); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3* (Farrugia, 1997) and *DIAMOND* (Brandenburg, 1998); software used to prepare material for publication: *SHELXL97*.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: GW2046).

References

- Brandenburg, K. (1998). *DIAMOND*. Crystal Impact GbR, Bonn, Germany.
- Bruker (2001). *SAINT* and *SMART*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Choi, H. D., Seo, P. J., Son, B. W. & Lee, U. (2008*a*). *Acta Cryst. E64*, o1016.
- Choi, H. D., Seo, P. J., Son, B. W. & Lee, U. (2008*b*). *Acta Cryst. E64*, o1257.
- Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.
- Sheldrick, G. M. (2008). *Acta Cryst. A64*, 112–122.

supplementary materials

Acta Cryst. (2008). E64, o1761 [doi:10.1107/S1600536808025786]

2-Methyl-3-phenylsulfonyl-5-propyl-1-benzofuran

H. D. Choi, P. J. Seo, B. W. Son and U. Lee

Comment

This work is related to our communications on the synthesis and structure of 2-methyl-3-phenylsulfonyl-1-benzofuran analogues, *viz.* 5-ethyl-2-methyl-3-phenylsulfonyl-1-benzofuran (Choi *et al.*, 2008a) and 5-isopropyl-2-methyl-3-phenylsulfonyl-1-benzofuran (Choi *et al.*, 2008b). Here we report the crystal structure of the title compound, 2-methyl-3-phenylsulfonyl-5-propyl-1-benzofuran (Fig. 1).

The benzofuran unit is almost planar, with a mean deviation of 0.018 (2) Å from the least-squares plane defined by the nine constituent atoms. The phenyl ring (C9–C14) makes a dihedral angle of 81.74 (6)° with the plane of the benzofuran fragment. The crystal packing (Fig. 2) is stabilized by intermolecular C—H···π interactions between a methyl H atom and the phenyl ring of the phenylsulfonyl substituent, with a C18—H18C···Cgⁱⁱ separation of 3.291 (4) Å (Fig. 2 and Table 1; Cg is the centroid of the C9–C14 phenyl ring, symmetry code as in Fig. 2). The molecular packing is further stabilized by intermolecular C—H···O interactions (Fig. 2 and Table 1; symmetry code as in Fig. 2).

Experimental

77% 3-Chloroperoxybenzoic acid (471 mg, 2.1 mmol) was added in small portions to a stirred solution of 2-methyl-3-phenylsulfonyl-5-propyl-1-benzofuran (282 mg, 1.0 mmol) in dichloromethane (30 ml) at 273 K. After being stirred for 4 h at room temperature, the mixture was washed with saturated sodium bicarbonate solution and the organic layer was separated, dried over magnesium sulfate, filtered and concentrated under vacuum. The residue was purified by column chromatography (hexane–ethyl acetate, 2:1 v/v) to afford the title compound as a colorless solid [yield 83%, m.p. 388–389 K; R_f = 0.75 (hexane–ethyl acetate, 2:1 v/v)]. Single crystals suitable for X-ray diffraction were prepared by evaporation of a solution of the title compound in acetone at room temperature. Spectroscopic analysis: ^1H NMR (CDCl_3 , 400 MHz) δ 0.94 (t, J = 7.32 Hz, 3H), 1.62–1.69 (m, 2H), 2.68 (t, J = 7.32 Hz, 2H), 2.79 (s, 3H), 7.12 (d, J = 8.44 Hz, 1H), 7.31 (d, J = 8.44 Hz, 1H), 7.48–7.60 (m, 3H), 7.67 (s, 1H), 8.01 (d, J = 8.44 Hz, 2H); EI-MS 314 [M^+].

Refinement

All H atoms were positioned geometrically and refined using a riding model, with C—H = 0.95 Å for aromatic H atoms, 0.99 Å for the methylene H atoms, and 0.98 Å for methyl H atoms, respectively, and with $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$ for aromatic and methylene H atoms, and $U_{\text{iso}}(\text{H}) = 1.5U_{\text{eq}}(\text{C})$ for methyl H atoms.

supplementary materials

Figures




Fig. 1. The molecular structure of the title compound, showing displacement ellipsoids drawn at the 50% probability level.




Fig. 2. C—H···π and C—H···O interactions (dotted lines) in the title compound. Cg denotes the ring centroid. [Symmetry code: (i) $x + 1, y, z$; (ii) $x + 1/2, -y + 3/2, 1/2 + z + 1/2$; (iii) $x - 1, y, z$; (iv) $x - 1/2, -y + 3/2, z + 1/2$.]

2-Methyl-3-phenylsulfonyl-5-propyl-1-benzofuran

Crystal data

$C_{18}H_{18}O_3S$	$F_{000} = 664$
$M_r = 314.38$	$D_x = 1.309 \text{ Mg m}^{-3}$
Monoclinic, $P2_1/n$	Mo $K\alpha$ radiation
Hall symbol: -P_2yn	$\lambda = 0.71073 \text{ \AA}$
$a = 7.2712 (9) \text{ \AA}$	Cell parameters from 3769 reflections
$b = 17.583 (2) \text{ \AA}$	$\theta = 2.4\text{--}28.3^\circ$
$c = 12.788 (2) \text{ \AA}$	$\mu = 0.21 \text{ mm}^{-1}$
$\beta = 102.669 (2)^\circ$	$T = 173 (2) \text{ K}$
$V = 1595.1 (4) \text{ \AA}^3$	Block, colourless
$Z = 4$	$0.40 \times 0.40 \times 0.30 \text{ mm}$

Data collection

Bruker SMART CCD diffractometer	3125 independent reflections
Radiation source: fine-focus sealed tube	2606 reflections with $I > 2\sigma(I)$
Monochromator: graphite	$R_{\text{int}} = 0.053$
Detector resolution: 10.0 pixels mm^{-1}	$\theta_{\text{max}} = 26.0^\circ$
$T = 173(2) \text{ K}$	$\theta_{\text{min}} = 2.0^\circ$
φ and ω scans	$h = -8 \rightarrow 5$
Absorption correction: none	$k = -21 \rightarrow 21$
8966 measured reflections	$l = -13 \rightarrow 15$

Refinement

Refinement on F^2	Secondary atom site location: difference Fourier map
Least-squares matrix: full	Hydrogen site location: inferred from neighbouring sites

$R[F^2 > 2\sigma(F^2)] = 0.045$	H-atom parameters constrained
$wR(F^2) = 0.135$	$w = 1/[\sigma^2(F_o^2) + (0.0731P)^2 + 0.5558P]$ where $P = (F_o^2 + 2F_c^2)/3$
$S = 1.12$	$(\Delta/\sigma)_{\max} = 0.001$
3125 reflections	$\Delta\rho_{\max} = 0.36 \text{ e } \text{\AA}^{-3}$
200 parameters	$\Delta\rho_{\min} = -0.37 \text{ e } \text{\AA}^{-3}$
Primary atom site location: structure-invariant direct methods	Extinction correction: none

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
S	0.61553 (7)	0.71791 (3)	0.30885 (4)	0.02750 (18)
O1	0.7452 (2)	0.52071 (8)	0.44838 (12)	0.0335 (4)
O2	0.7324 (2)	0.76700 (8)	0.38556 (12)	0.0367 (4)
O3	0.4196 (2)	0.73668 (9)	0.27128 (12)	0.0359 (4)
C1	0.6276 (3)	0.62641 (11)	0.36076 (15)	0.0258 (4)
C2	0.4937 (3)	0.56569 (11)	0.32516 (16)	0.0266 (4)
C3	0.3214 (3)	0.55783 (13)	0.25182 (16)	0.0310 (5)
H3	0.2625	0.6007	0.2131	0.037*
C4	0.2374 (3)	0.48657 (13)	0.23632 (17)	0.0347 (5)
C5	0.3257 (3)	0.42403 (13)	0.29533 (19)	0.0403 (6)
H5	0.2669	0.3756	0.2839	0.048*
C6	0.4948 (3)	0.43051 (12)	0.36937 (19)	0.0380 (5)
H6	0.5528	0.3880	0.4094	0.046*
C7	0.5749 (3)	0.50211 (12)	0.38205 (16)	0.0300 (5)
C8	0.7750 (3)	0.59641 (12)	0.43314 (16)	0.0304 (5)
C9	0.7172 (3)	0.71003 (11)	0.19608 (16)	0.0276 (4)
C10	0.6070 (3)	0.68438 (12)	0.09947 (17)	0.0327 (5)
H10	0.4781	0.6717	0.0939	0.039*
C11	0.6880 (4)	0.67762 (13)	0.01194 (18)	0.0403 (6)
H11	0.6144	0.6603	-0.0546	0.048*
C12	0.8757 (4)	0.69593 (13)	0.0204 (2)	0.0407 (6)
H12	0.9304	0.6910	-0.0402	0.049*
C13	0.9842 (3)	0.72143 (13)	0.1167 (2)	0.0393 (5)
H13	1.1129	0.7341	0.1218	0.047*

supplementary materials

C14	0.9063 (3)	0.72851 (12)	0.20576 (18)	0.0339 (5)
H14	0.9804	0.7457	0.2722	0.041*
C15	0.0537 (3)	0.47675 (16)	0.1550 (2)	0.0445 (6)
H15A	0.0473	0.5158	0.0986	0.053*
H15B	0.0549	0.4264	0.1205	0.053*
C16	-0.1198 (4)	0.4823 (2)	0.1979 (2)	0.0575 (8)
H16A	-0.1251	0.5334	0.2296	0.069*
H16B	-0.1129	0.4444	0.2558	0.069*
C17	-0.2983 (3)	0.46938 (15)	0.1141 (2)	0.0463 (6)
H17A	-0.2957	0.4185	0.0833	0.056*
H17B	-0.3080	0.5076	0.0573	0.056*
H17C	-0.4074	0.4737	0.1472	0.056*
C18	0.9566 (3)	0.62697 (14)	0.4949 (2)	0.0458 (6)
H18A	1.0596	0.6087	0.4633	0.069*
H18B	0.9770	0.6097	0.5695	0.069*
H18C	0.9532	0.6827	0.4929	0.069*

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
S	0.0294 (3)	0.0218 (3)	0.0307 (3)	0.00328 (19)	0.0053 (2)	-0.00131 (19)
O1	0.0344 (8)	0.0271 (7)	0.0364 (8)	0.0002 (6)	0.0022 (6)	0.0050 (6)
O2	0.0446 (9)	0.0263 (7)	0.0377 (8)	-0.0017 (7)	0.0059 (7)	-0.0062 (6)
O3	0.0323 (9)	0.0338 (8)	0.0409 (9)	0.0094 (7)	0.0069 (7)	0.0003 (7)
C1	0.0277 (10)	0.0236 (9)	0.0264 (10)	0.0004 (8)	0.0063 (8)	-0.0003 (8)
C2	0.0277 (10)	0.0266 (10)	0.0274 (10)	-0.0005 (8)	0.0099 (8)	-0.0029 (8)
C3	0.0278 (11)	0.0360 (11)	0.0302 (11)	0.0009 (9)	0.0088 (8)	-0.0021 (9)
C4	0.0314 (12)	0.0418 (12)	0.0340 (11)	-0.0063 (9)	0.0143 (9)	-0.0110 (9)
C5	0.0435 (14)	0.0326 (11)	0.0490 (14)	-0.0125 (10)	0.0193 (11)	-0.0104 (10)
C6	0.0452 (14)	0.0271 (11)	0.0440 (13)	-0.0023 (10)	0.0148 (11)	0.0019 (9)
C7	0.0314 (11)	0.0293 (10)	0.0302 (10)	-0.0010 (8)	0.0088 (9)	-0.0002 (8)
C8	0.0327 (11)	0.0259 (10)	0.0312 (10)	0.0002 (9)	0.0042 (9)	0.0008 (8)
C9	0.0314 (11)	0.0202 (9)	0.0309 (11)	0.0037 (8)	0.0065 (8)	0.0043 (8)
C10	0.0315 (11)	0.0325 (11)	0.0327 (11)	-0.0003 (9)	0.0040 (9)	0.0041 (9)
C11	0.0518 (15)	0.0368 (12)	0.0314 (11)	-0.0026 (11)	0.0074 (10)	0.0025 (9)
C12	0.0534 (15)	0.0316 (11)	0.0427 (13)	0.0031 (11)	0.0228 (11)	0.0062 (10)
C13	0.0343 (12)	0.0323 (11)	0.0545 (14)	0.0007 (9)	0.0165 (11)	0.0067 (10)
C14	0.0324 (12)	0.0280 (10)	0.0399 (12)	-0.0006 (9)	0.0045 (9)	0.0018 (9)
C15	0.0374 (13)	0.0589 (15)	0.0392 (13)	-0.0113 (11)	0.0130 (10)	-0.0187 (11)
C16	0.0352 (14)	0.096 (2)	0.0409 (14)	0.0089 (14)	0.0068 (11)	-0.0107 (14)
C17	0.0322 (13)	0.0517 (15)	0.0532 (15)	0.0029 (11)	0.0057 (11)	-0.0032 (12)
C18	0.0391 (13)	0.0368 (12)	0.0523 (14)	-0.0034 (10)	-0.0103 (11)	0.0062 (11)

Geometric parameters (\AA , $^\circ$)

S—O2	1.437 (2)	C10—C11	1.380 (3)
S—O3	1.438 (2)	C10—H10	0.9500
S—C1	1.735 (2)	C11—C12	1.384 (4)
S—C9	1.765 (2)	C11—H11	0.9500

O1—C8	1.369 (2)	C12—C13	1.384 (4)
O1—C7	1.378 (3)	C12—H12	0.9500
C1—C8	1.360 (3)	C13—C14	1.384 (3)
C1—C2	1.449 (3)	C13—H13	0.9500
C2—C7	1.392 (3)	C14—H14	0.9500
C2—C3	1.398 (3)	C15—C16	1.485 (4)
C3—C4	1.389 (3)	C15—H15A	0.9900
C3—H3	0.9500	C15—H15B	0.9900
C4—C5	1.407 (3)	C16—C17	1.508 (3)
C4—C15	1.512 (3)	C16—H16A	0.9900
C5—C6	1.382 (3)	C16—H16B	0.9900
C5—H5	0.9500	C17—H17A	0.9800
C6—C7	1.382 (3)	C17—H17B	0.9800
C6—H6	0.9500	C17—H17C	0.9800
C8—C18	1.483 (3)	C18—H18A	0.9800
C9—C14	1.391 (3)	C18—H18B	0.9800
C9—C10	1.392 (3)	C18—H18C	0.9800
O2—S—O3	118.98 (9)	C10—C11—C12	120.4 (2)
O2—S—C1	108.86 (9)	C10—C11—H11	119.8
O3—S—C1	107.68 (10)	C12—C11—H11	119.8
O2—S—C9	108.30 (10)	C13—C12—C11	120.4 (2)
O3—S—C9	107.87 (9)	C13—C12—H12	119.8
C1—S—C9	104.17 (9)	C11—C12—H12	119.8
C8—O1—C7	106.97 (15)	C12—C13—C14	120.3 (2)
C8—C1—C2	107.64 (18)	C12—C13—H13	119.8
C8—C1—S	125.89 (16)	C14—C13—H13	119.8
C2—C1—S	126.07 (15)	C13—C14—C9	118.7 (2)
C7—C2—C3	119.09 (19)	C13—C14—H14	120.6
C7—C2—C1	104.40 (18)	C9—C14—H14	120.6
C3—C2—C1	136.49 (19)	C16—C15—C4	115.6 (2)
C4—C3—C2	119.1 (2)	C16—C15—H15A	108.4
C4—C3—H3	120.4	C4—C15—H15A	108.4
C2—C3—H3	120.4	C16—C15—H15B	108.4
C3—C4—C5	119.6 (2)	C4—C15—H15B	108.4
C3—C4—C15	119.7 (2)	H15A—C15—H15B	107.4
C5—C4—C15	120.7 (2)	C15—C16—C17	113.4 (2)
C6—C5—C4	122.4 (2)	C15—C16—H16A	108.9
C6—C5—H5	118.8	C17—C16—H16A	108.9
C4—C5—H5	118.8	C15—C16—H16B	108.9
C7—C6—C5	116.4 (2)	C17—C16—H16B	108.9
C7—C6—H6	121.8	H16A—C16—H16B	107.7
C5—C6—H6	121.8	C16—C17—H17A	109.5
O1—C7—C6	126.0 (2)	C16—C17—H17B	109.5
O1—C7—C2	110.60 (18)	H17A—C17—H17B	109.5
C6—C7—C2	123.4 (2)	C16—C17—H17C	109.5
C1—C8—O1	110.39 (18)	H17A—C17—H17C	109.5
C1—C8—C18	134.4 (2)	H17B—C17—H17C	109.5
O1—C8—C18	115.24 (18)	C8—C18—H18A	109.5
C14—C9—C10	121.3 (2)	C8—C18—H18B	109.5

supplementary materials


C14—C9—S	119.47 (16)	H18A—C18—H18B	109.5
C10—C9—S	119.19 (17)	C8—C18—H18C	109.5
C11—C10—C9	118.9 (2)	H18A—C18—H18C	109.5
C11—C10—H10	120.6	H18B—C18—H18C	109.5
C9—C10—H10	120.6		
O2—S—C1—C8	-27.3 (2)	C1—C2—C7—C6	-177.9 (2)
O3—S—C1—C8	-157.57 (18)	C2—C1—C8—O1	-0.9 (2)
C9—S—C1—C8	88.1 (2)	S—C1—C8—O1	-173.94 (14)
O2—S—C1—C2	160.91 (17)	C2—C1—C8—C18	177.5 (2)
O3—S—C1—C2	30.7 (2)	S—C1—C8—C18	4.4 (4)
C9—S—C1—C2	-83.72 (19)	C7—O1—C8—C1	1.0 (2)
C8—C1—C2—C7	0.4 (2)	C7—O1—C8—C18	-177.68 (19)
S—C1—C2—C7	173.44 (15)	O2—S—C9—C14	19.23 (19)
C8—C1—C2—C3	-177.8 (2)	O3—S—C9—C14	149.23 (16)
S—C1—C2—C3	-4.7 (3)	C1—S—C9—C14	-96.53 (17)
C7—C2—C3—C4	-1.1 (3)	O2—S—C9—C10	-161.66 (16)
C1—C2—C3—C4	176.9 (2)	O3—S—C9—C10	-31.66 (18)
C2—C3—C4—C5	0.7 (3)	C1—S—C9—C10	82.58 (17)
C2—C3—C4—C15	-178.30 (18)	C14—C9—C10—C11	-0.2 (3)
C3—C4—C5—C6	0.1 (3)	S—C9—C10—C11	-179.34 (16)
C15—C4—C5—C6	179.2 (2)	C9—C10—C11—C12	0.1 (3)
C4—C5—C6—C7	-0.6 (3)	C10—C11—C12—C13	-0.2 (3)
C8—O1—C7—C6	177.3 (2)	C11—C12—C13—C14	0.3 (3)
C8—O1—C7—C2	-0.7 (2)	C12—C13—C14—C9	-0.4 (3)
C5—C6—C7—O1	-177.6 (2)	C10—C9—C14—C13	0.4 (3)
C5—C6—C7—C2	0.2 (3)	S—C9—C14—C13	179.49 (16)
C3—C2—C7—O1	178.77 (17)	C3—C4—C15—C16	-94.1 (3)
C1—C2—C7—O1	0.2 (2)	C5—C4—C15—C16	86.9 (3)
C3—C2—C7—C6	0.6 (3)	C4—C15—C16—C17	-178.0 (2)

Hydrogen-bond geometry (\AA , °)

$D\text{—H}\cdots A$	$D\text{—H}$	$H\cdots A$	$D\cdots A$	$D\text{—H}\cdots A$
C13—H13···O3 ⁱ	0.95	2.60	3.355 (3)	137
C18—H18C···Cg ⁱⁱ	0.98	3.29	3.947 (4)	126

Symmetry codes: (i) $x+1, y, z$; (ii) $x+1/2, -y+3/2, z+1/2$.

Fig. 1



supplementary materials

Fig. 2

