

***trans*-Bis(perchlorato- $\kappa$ O)tetrakis(1*H*-pyrazole- $\kappa$ N<sup>2</sup>)copper(II)**Frank T. Edelmann,<sup>a\*</sup> Dieter E. Kaufmann,<sup>b</sup> Steffen Blaurock,<sup>a</sup> Thomas Wagner<sup>a</sup> and Viktor Zapol'skii<sup>b</sup><sup>a</sup>Chemisches Institut, Otto-von-Guericke-Universität Magdeburg, Universitätsplatz 2, D-39106 Magdeburg, Germany, and <sup>b</sup>Institut für Organische Chemie, Technische Universität Clausthal, Leibnizstrasse 6, D-38678 Clausthal-Zellerfeld, Germany  
Correspondence e-mail: frank.edelmann@ovgu.de


Received 8 September 2008; accepted 18 September 2008

Key indicators: single-crystal X-ray study;  $T = 173$  K; mean  $\sigma(\text{C}-\text{C}) = 0.002$  Å;  $R$  factor = 0.025;  $wR$  factor = 0.068; data-to-parameter ratio = 15.4.

The title compound,  $[\text{Cu}(\text{ClO}_4)_2(\text{C}_3\text{H}_4\text{N}_2)_4]$ , was obtained unexpectedly by the reaction of copper(II) perchlorate hexahydrate with equimolar amounts of 1-chloro-1-nitro-2,2,2-tripyrzolyethane in methanol solution. The crystal structure comprises octahedrally coordinated  $\text{Cu}^{2+}$  ions, located on an inversion centre, with four pyrazole ligands in the equatorial plane. The average Cu—N distance is 2.000 (1) Å. Two perchlorate ions are coordinated to copper in *trans* positions [Cu—O = 2.4163 (11) Å].

**Related literature**

For general background on weakly coordinating anions, see: Gowda *et al.* (1984); Rosenthal (1973); Strauss (1993). For previous literature on the title compound, see: Misra *et al.* (1998); Reedijk (1969); Sastry *et al.* (1986). For 1-chloro-1-nitro-2,2,2-tripyrzolyethane, see: Zapol'skii & Kaufmann (2008).

**Experimental***Crystal data* $[\text{Cu}(\text{ClO}_4)_2(\text{C}_3\text{H}_4\text{N}_2)_4]$  $M_r = 534.77$ Monoclinic,  $C2/c$   
 $a = 14.1537$  (11) Å  
 $b = 9.9483$  (5) Å  
 $c = 15.7414$  (12) Å  
 $\beta = 114.946$  (6)°  
 $V = 2009.7$  (3) Å<sup>3</sup> $Z = 4$   
Mo  $K\alpha$  radiation  
 $\mu = 1.41$  mm<sup>-1</sup>  
 $T = 173$  (2) K  
 $0.40 \times 0.30 \times 0.20$  mm*Data collection*Stoe IPDS 2T diffractometer  
Absorption correction: integration  
(*X-RED*; Stoe & Cie, 2001)  
 $T_{\min} = 0.606$ ,  $T_{\max} = 0.881$ 9046 measured reflections  
2687 independent reflections  
2518 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.017$ *Refinement* $R[F^2 > 2\sigma(F^2)] = 0.025$   
 $wR(F^2) = 0.068$   
 $S = 0.99$   
2687 reflections174 parameters  
All H-atom parameters refined  
 $\Delta\rho_{\max} = 0.37$  e Å<sup>-3</sup>  
 $\Delta\rho_{\min} = -0.34$  e Å<sup>-3</sup>**Table 1**

Hydrogen-bond geometry (Å, °).

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
$\text{N2}-\text{H2N}\cdots\text{O3}^i$	0.81 (3)	2.25 (3)	3.0517 (19)	171 (2)
$\text{N2}-\text{H2N}\cdots\text{O4}^i$	0.81 (3)	2.58 (2)	3.0722 (17)	121 (2)
$\text{N4}-\text{H4N}\cdots\text{O4}^i$	0.79 (2)	2.24 (2)	2.8124 (17)	129.3 (17)
$\text{N4}-\text{H4N}\cdots\text{O2}^{ii}$	0.79 (2)	2.50 (2)	3.1580 (17)	141.5 (17)

Symmetry codes: (i)  $-x + \frac{3}{2}, -y + \frac{3}{2}, -z + 1$ ; (ii)  $x - \frac{1}{2}, y - \frac{1}{2}, z$ .

Data collection: *X-AREA* (Stoe & Cie, 2001); cell refinement: *X-AREA*; data reduction: *X-RED* (Stoe & Cie, 2001); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL-Plus* (Sheldrick, 2008); software used to prepare material for publication: *SHELXTL-Plus*.

Financial support of this work by the Otto-von-Guericke-Universität Magdeburg and the Technische Universität Clausthal is gratefully acknowledged. Special thanks are due to Christian Meyer, TU Clausthal, for providing a sample of 1-chloro-1-nitro-2,2,2-tris(pyrazolyl)ethane.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: BT2785).

**References**

- Gowda, N. M. N., Naikar, S. B. & Reddy, G. K. N. (1984). *Adv. Inorg. Chem. Radiochem.* **28**, 255–299.
- Misra, B. N., Kripal, R. & Narayan, A. (1998). *Indian J. Pure Appl. Phys.* **36**, 412–414.
- Reedijk, J. (1969). *Rec. Trav. Chim. Pays-Bas*, **88**, 1451–1470.
- Rosenthal, M. R. (1973). *J. Chem. Educ.* **50**, 331–334.
- Sastry, B. A., Balaiah, B., Reddy, K. V. G., Madhu, B., Ponticelli, G., Massaccesi, M. & Puggioni, G. (1986). *Indian J. Pure Appl. Phys.* **24**, 460–462.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Stoe & Cie (2001). *X-AREA* and *X-RED*. Stoe & Cie, Darmstadt, Germany.
- Strauss, S. H. (1993). *Chem. Rev.* **93**, 927–942.
- Zapol'skii, V. & Kaufmann, D. (2008). Unpublished work.

**supplementary materials**

*Acta Cryst.* (2008). E64, m1315 [ doi:10.1107/S1600536808030080 ]

## ***trans*-Bis(perchlorato- $\kappa O$ )tetrakis(1*H*-pyrazole- $\kappa N^2$ )copper(II)**

**F. T. Edelmann, D. E. Kaufmann, S. Blaurock, T. Wagner and V. Zapol'skii**

### **Comment**

Today it is generally recognized that the classical "noncoordinating" anions such as  $\text{ClO}_4^-$ ,  $\text{BF}_4^-$  or  $\text{PF}_6^-$  can coordinate to metal ions from all regions of the periodic table (Strauss, 1993; Rosenthal, 1973; Gowda *et al.*, 1984). In the course of an investigation on the coordination chemistry of various azolyl-nitrochloroalkanes (Zapol'skii & Kaufmann, 2008), we studied the reaction of copper(II) perchlorate hexahydrate with equimolar amounts of 1-chloro-1-nitro-2,2,2-tris(pyrazolyl)ethane,  $\text{Cl}(\text{NO}_2)\text{CH}-\text{C}(\text{C}_3\text{H}_3\text{N}_2)_3$ , in methanol solution. Quite unexpectedly, complete degradation of the starting material took place during the course of this reaction. Direct crystallization from the concentrated reaction mixture afforded dark blue single-crystals. An X-ray structure determination revealed the presence of the title compound, *trans*-bis(perchlorato)-tetrakis(pyrazole)copper(II). The formation of free pyrazol can only be explained by a solvolytic degradation of the starting material. This degradation must take place on a large extent as the isolated yield of the title compound was 64%. The complex *trans*-bis(perchlorato)-tetrakis(pyrazole)copper(II) has been mentioned three times before in the earlier literature, but structural characterization was lacking until now. Reedijk (1969) first described the preparation of the title compound by direct treatment of copper perchlorate with pyrazole. The compound was characterized and identified by elemental analysis and physical measurements. Infrared spectroscopy evidently showed coordination of the perchlorate anions to the central copper(2+) ion. This was now confirmed by the present X-ray diffraction study. The structure of the title compound is shown below. Dimensions are available in the archived CIF. In the solid state, the title compound comprises octahedral molecules in which the central  $\text{Cu}^{2+}$  ion is surrounded by four neutral pyrazole ligand in the equatorial plane. The average Cu—N distance is 2.000 (1) Å. Two perchlorate ions are coordinated to copper in the *trans* positions (Cu—O 2.4163 (11) Å).

### **Experimental**

The title compound was obtained as an unexpected product from a reaction of copper(II) perchlorate hexahydrate with equimolar amounts of 1-chloro-1-nitro-2,2,2-tris(pyrazolyl)ethane,  $\text{Cl}(\text{NO}_2)\text{CH}-\text{C}(\text{C}_3\text{H}_3\text{N}_2)_3$ , in methanol solution. Solid 1-chloro-1-nitro-2,2,2-tris(pyrazolyl)ethane (0.56 g) was added to a solution of  $\text{Cu}(\text{ClO}_4)_2 \cdot 6\text{H}_2\text{O}$  in methanol (50 ml) and the mixture was stirred at ambient temperature for 2 h. The solution was concentrated under vacuum to a total volume of *ca* 15 ml and allowed to stand undisturbed at room temperature. After several days, dark blue single-crystals of the title compound were obtained in 64% yield (0.45 g, based on  $\text{Cu}(\text{ClO}_4)_2 \cdot 6\text{H}_2\text{O}$ ). Anal. calcd for  $\text{C}_{12}\text{H}_{16}\text{Cl}_2\text{CuN}_8\text{O}_8$  (534.75  $\text{g mol}^{-1}$ ): C 26.85, H 3.04; found: C 26.11, H 3.18%.

### **Refinement**

All H atoms were freely refined.

Figures




Fig. 1. The molecule of the title compound in the crystal. Thermal ellipsoids represent 50% probability levels. H-Atom radii are arbitrary.

***trans*-Bis(perchlorato- $\kappa$ O)tetrakis(1H-pyrazole- $\kappa$ N<sup>2</sup>)copper(II)**

*Crystal data*

[Cu(ClO<sub>4</sub>)<sub>2</sub>(C<sub>3</sub>H<sub>4</sub>N<sub>2</sub>)<sub>4</sub>]

$M_r = 534.77$

Monoclinic,  $C2/c$

Hall symbol:  $-C2yc$

$a = 14.1537$  (11) Å

$b = 9.9483$  (5) Å

$c = 15.7414$  (12) Å

$\beta = 114.946$  (6)°

$V = 2009.7$  (3) Å<sup>3</sup>

$Z = 4$

$F_{000} = 1084$

$D_x = 1.767$  Mg m<sup>-3</sup>

Mo  $K\alpha$  radiation

$\lambda = 0.71073$  Å

Cell parameters from 16684 reflections

$\theta = 2.6$ – $29.5$ °

$\mu = 1.41$  mm<sup>-1</sup>

$T = 173$  (2) K

Prism, green

$0.40 \times 0.30 \times 0.20$  mm

*Data collection*

Stoe IPDS 2T  
diffractometer

Monochromator: plane graphite

Detector resolution: 6.67 pixels mm<sup>-1</sup>

$T = 173$ (2) K

rotation method scans

Absorption correction: integration  
(XRED; Stoe & Cie, 2001)

$T_{\min} = 0.606$ ,  $T_{\max} = 0.881$

9046 measured reflections

2687 independent reflections

2518 reflections with  $I > 2\sigma(I)$

$R_{\text{int}} = 0.017$

$\theta_{\max} = 29.2$ °

$\theta_{\min} = 2.6$ °

$h = -19 \rightarrow 19$

$k = -13 \rightarrow 13$

$l = -21 \rightarrow 21$

*Refinement*

Refinement on  $F^2$

Least-squares matrix: full

$R[F^2 > 2\sigma(F^2)] = 0.025$

Secondary atom site location: difference Fourier map

Hydrogen site location: inferred from neighbouring sites

All H-atom parameters refined

$wR(F^2) = 0.068$	$w = 1/[\sigma^2(F_o^2) + (0.0449P)^2 + 1.7635P]$
$S = 0.99$	where $P = (F_o^2 + 2F_c^2)/3$
2687 reflections	$(\Delta/\sigma)_{\max} = 0.001$
174 parameters	$\Delta\rho_{\max} = 0.37 \text{ e } \text{\AA}^{-3}$
Primary atom site location: structure-invariant direct methods	$\Delta\rho_{\min} = -0.34 \text{ e } \text{\AA}^{-3}$
	Extinction correction: none

### Special details

**Geometry.** All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted  $R$ -factor  $wR$  and goodness of fit  $S$  are based on  $F^2$ , conventional  $R$ -factors  $R$  are based on  $F$ , with  $F$  set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating  $R$ -factors(gt) *etc.* and is not relevant to the choice of reflections for refinement.  $R$ -factors based on  $F^2$  are statistically about twice as large as those based on  $F$ , and  $R$ -factors based on ALL data will be even larger.

### Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )

	$x$	$y$	$z$	$U_{\text{iso}}^*/U_{\text{eq}}$
Cu1	0.7500	0.7500	0.5000	0.01532 (8)
Cl2	0.90323 (2)	1.06663 (3)	0.56166 (2)	0.01900 (9)
O1	0.98696 (11)	1.03113 (16)	0.64859 (9)	0.0454 (3)
O2	0.94232 (9)	1.14470 (12)	0.50756 (8)	0.0312 (2)
O3	0.82438 (10)	1.13865 (14)	0.57726 (10)	0.0412 (3)
O4	0.85586 (8)	0.94534 (11)	0.51056 (8)	0.0283 (2)
N1	0.87702 (9)	0.63692 (11)	0.55955 (8)	0.0191 (2)
N2	0.87750 (10)	0.50290 (13)	0.54924 (11)	0.0299 (3)
N3	0.74610 (9)	0.77577 (12)	0.62524 (8)	0.0186 (2)
N4	0.67422 (9)	0.71389 (13)	0.64642 (9)	0.0218 (2)
C1	0.97459 (11)	0.66995 (15)	0.61591 (11)	0.0254 (3)
C2	1.03738 (12)	0.55634 (17)	0.64268 (14)	0.0364 (4)
C3	0.97222 (14)	0.45238 (18)	0.59796 (17)	0.0435 (5)
C4	0.80535 (11)	0.84451 (16)	0.70182 (10)	0.0241 (3)
C5	0.77179 (12)	0.82591 (17)	0.77210 (10)	0.0274 (3)
C6	0.68758 (13)	0.74111 (16)	0.73397 (11)	0.0262 (3)
H2N	0.825 (2)	0.460 (3)	0.5206 (17)	0.045 (6)*
H4N	0.6330 (15)	0.666 (2)	0.6088 (14)	0.023 (4)*
H1	0.9926 (19)	0.764 (2)	0.6332 (17)	0.033 (5)*
H2	1.107 (2)	0.554 (2)	0.6810 (17)	0.047 (6)*
H3	0.984 (2)	0.356 (3)	0.599 (2)	0.063 (8)*
H4	0.8596 (16)	0.894 (2)	0.7022 (15)	0.032 (5)*
H5	0.7974 (19)	0.866 (3)	0.8298 (18)	0.048 (6)*
H6	0.6457 (18)	0.705 (2)	0.7603 (17)	0.042 (6)*

## supplementary materials

---

### Atomic displacement parameters ( $\text{\AA}^2$ )

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
Cu1	0.01307 (11)	0.01805 (12)	0.01317 (11)	-0.00047 (7)	0.00391 (8)	-0.00027 (7)
Cl2	0.02026 (15)	0.01988 (15)	0.01697 (14)	-0.00576 (10)	0.00797 (11)	-0.00313 (10)
O1	0.0377 (7)	0.0568 (8)	0.0245 (6)	-0.0117 (6)	-0.0037 (5)	0.0078 (6)
O2	0.0409 (6)	0.0281 (5)	0.0297 (6)	-0.0113 (5)	0.0197 (5)	0.0010 (4)
O3	0.0382 (6)	0.0409 (7)	0.0548 (8)	-0.0038 (5)	0.0296 (6)	-0.0205 (6)
O4	0.0268 (5)	0.0224 (5)	0.0380 (6)	-0.0107 (4)	0.0158 (5)	-0.0110 (4)
N1	0.0174 (5)	0.0182 (5)	0.0195 (5)	0.0002 (4)	0.0057 (4)	-0.0006 (4)
N2	0.0197 (6)	0.0200 (6)	0.0445 (8)	-0.0023 (5)	0.0080 (5)	-0.0083 (5)
N3	0.0173 (5)	0.0216 (5)	0.0167 (5)	-0.0016 (4)	0.0070 (4)	-0.0004 (4)
N4	0.0205 (5)	0.0250 (5)	0.0215 (6)	-0.0042 (4)	0.0104 (5)	-0.0016 (5)
C1	0.0183 (6)	0.0208 (6)	0.0296 (7)	-0.0009 (5)	0.0028 (5)	0.0002 (5)
C2	0.0189 (7)	0.0262 (7)	0.0507 (10)	0.0035 (6)	0.0015 (6)	0.0011 (7)
C3	0.0273 (8)	0.0215 (7)	0.0708 (13)	0.0049 (6)	0.0098 (8)	-0.0038 (8)
C4	0.0218 (6)	0.0291 (7)	0.0180 (6)	-0.0042 (5)	0.0051 (5)	-0.0017 (5)
C5	0.0278 (7)	0.0359 (8)	0.0156 (6)	0.0015 (6)	0.0063 (5)	-0.0018 (5)
C6	0.0272 (7)	0.0327 (8)	0.0216 (6)	0.0031 (5)	0.0131 (6)	0.0044 (5)

### Geometric parameters ( $\text{\AA}$ , $^\circ$ )

Cu1—N1 <sup>i</sup>	1.9887 (11)	N3—C4	1.3310 (18)
Cu1—N1	1.9887 (11)	N3—N4	1.3460 (16)
Cu1—N3 <sup>i</sup>	2.0117 (12)	N4—C6	1.3373 (19)
Cu1—N3	2.0117 (12)	N4—H4N	0.79 (2)
Cu1—O4 <sup>i</sup>	2.4164 (10)	C1—C2	1.389 (2)
Cu1—O4	2.4164 (10)	C1—H1	0.98 (2)
Cl2—O1	1.4261 (12)	C2—C3	1.367 (2)
Cl2—O2	1.4255 (11)	C2—H2	0.91 (3)
Cl2—O3	1.4318 (12)	C3—H3	0.97 (3)
Cl2—O4	1.4483 (10)	C4—C5	1.388 (2)
N1—C1	1.3299 (17)	C4—H4	0.91 (2)
N1—N2	1.3435 (17)	C5—C6	1.375 (2)
N2—C3	1.331 (2)	C5—H5	0.91 (3)
N2—H2N	0.81 (3)	C6—H6	0.93 (2)
N1 <sup>i</sup> —Cu1—N1	180.000 (1)	C3—N2—H2N	125.5 (18)
N1 <sup>i</sup> —Cu1—N3 <sup>i</sup>	90.18 (5)	N1—N2—H2N	123.2 (18)
N1—Cu1—N3 <sup>i</sup>	89.82 (5)	C4—N3—N4	105.30 (11)
N1 <sup>i</sup> —Cu1—N3	89.82 (5)	C4—N3—Cu1	133.31 (10)
N1—Cu1—N3	90.18 (5)	N4—N3—Cu1	121.37 (9)
N3 <sup>i</sup> —Cu1—N3	180.0	C6—N4—N3	111.69 (12)
N1 <sup>i</sup> —Cu1—O4 <sup>i</sup>	90.65 (4)	C6—N4—H4N	129.1 (14)
N1—Cu1—O4 <sup>i</sup>	89.35 (4)	N3—N4—H4N	119.1 (14)
N3 <sup>i</sup> —Cu1—O4 <sup>i</sup>	95.89 (4)	N1—C1—C2	110.67 (13)

N3—Cu1—O4 <sup>i</sup>	84.11 (4)	N1—C1—H1	119.8 (14)
N1 <sup>i</sup> —Cu1—O4	89.35 (4)	C2—C1—H1	129.5 (14)
N1—Cu1—O4	90.65 (4)	C3—C2—C1	104.66 (14)
N3 <sup>i</sup> —Cu1—O4	84.11 (4)	C3—C2—H2	128.5 (16)
N3—Cu1—O4	95.89 (4)	C1—C2—H2	126.8 (16)
O4 <sup>i</sup> —Cu1—O4	180.00 (6)	N2—C3—C2	107.94 (15)
O1—C12—O2	109.46 (8)	N2—C3—H3	120.5 (16)
O1—C12—O3	110.60 (9)	C2—C3—H3	131.5 (16)
O2—C12—O3	110.90 (8)	N3—C4—C5	110.90 (13)
O1—C12—O4	109.23 (8)	N3—C4—H4	119.4 (13)
O2—C12—O4	109.12 (7)	C5—C4—H4	129.6 (13)
O3—C12—O4	107.49 (7)	C6—C5—C4	105.01 (13)
Cl2—O4—Cu1	146.78 (7)	C6—C5—H5	127.3 (15)
C1—N1—N2	105.61 (11)	C4—C5—H5	127.6 (15)
C1—N1—Cu1	130.74 (10)	N4—C6—C5	107.09 (13)
N2—N1—Cu1	123.64 (9)	N4—C6—H6	122.9 (15)
C3—N2—N1	111.12 (13)	C5—C6—H6	130.0 (15)
O1—C12—O4—Cu1	71.01 (15)	N1—Cu1—N3—C4	70.96 (14)
O2—C12—O4—Cu1	-169.36 (12)	N3 <sup>i</sup> —Cu1—N3—C4	0(100)
O3—C12—O4—Cu1	-49.03 (15)	O4 <sup>i</sup> —Cu1—N3—C4	160.28 (14)
N1 <sup>i</sup> —Cu1—O4—Cl2	81.05 (13)	O4—Cu1—N3—C4	-19.72 (14)
N1—Cu1—O4—Cl2	-98.95 (13)	N1 <sup>i</sup> —Cu1—N3—N4	72.95 (11)
N3 <sup>i</sup> —Cu1—O4—Cl2	171.30 (14)	N1—Cu1—N3—N4	-107.05 (11)
N3—Cu1—O4—Cl2	-8.70 (14)	N3 <sup>i</sup> —Cu1—N3—N4	0(100)
O4 <sup>i</sup> —Cu1—O4—Cl2	111 (100)	O4 <sup>i</sup> —Cu1—N3—N4	-17.73 (10)
N1 <sup>i</sup> —Cu1—N1—C1	-140 (100)	O4—Cu1—N3—N4	162.27 (10)
N3 <sup>i</sup> —Cu1—N1—C1	108.25 (14)	C4—N3—N4—C6	-0.55 (16)
N3—Cu1—N1—C1	-71.75 (14)	Cu1—N3—N4—C6	177.94 (10)
O4 <sup>i</sup> —Cu1—N1—C1	-155.85 (14)	N2—N1—C1—C2	-0.78 (19)
O4—Cu1—N1—C1	24.15 (14)	Cu1—N1—C1—C2	178.35 (12)
N1 <sup>i</sup> —Cu1—N1—N2	39 (100)	N1—C1—C2—C3	0.9 (2)
N3 <sup>i</sup> —Cu1—N1—N2	-72.76 (12)	N1—N2—C3—C2	0.2 (2)
N3—Cu1—N1—N2	107.24 (12)	C1—C2—C3—N2	-0.6 (2)
O4 <sup>i</sup> —Cu1—N1—N2	23.13 (12)	N4—N3—C4—C5	0.38 (17)
O4—Cu1—N1—N2	-156.87 (12)	Cu1—N3—C4—C5	-177.85 (11)
C1—N1—N2—C3	0.4 (2)	N3—C4—C5—C6	-0.09 (18)
Cu1—N1—N2—C3	-178.83 (14)	N3—N4—C6—C5	0.51 (17)
N1 <sup>i</sup> —Cu1—N3—C4	-109.04 (14)	C4—C5—C6—N4	-0.24 (17)

Symmetry codes: (i)  $-x+3/2, -y+3/2, -z+1$ .

*Hydrogen-bond geometry* (Å, °)

<i>D</i> —H $\cdots$ <i>A</i>	<i>D</i> —H	H $\cdots$ <i>A</i>	<i>D</i> $\cdots$ <i>A</i>	<i>D</i> —H $\cdots$ <i>A</i>
N2—H2N $\cdots$ O3 <sup>i</sup>	0.81 (3)	2.25 (3)	3.0517 (19)	171 (2)
N2—H2N $\cdots$ O4 <sup>i</sup>	0.81 (3)	2.58 (2)	3.0722 (17)	121 (2)

## supplementary materials

---

N4—H4N $\cdots$ O4 <sup>i</sup>	0.79 (2)	2.24 (2)	2.8124 (17)	129.3 (17)
N4—H4N $\cdots$ O2 <sup>ii</sup>	0.79 (2)	2.50 (2)	3.1580 (17)	141.5 (17)

Symmetry codes: (i)  $-x+3/2, -y+3/2, -z+1$ ; (ii)  $x-1/2, y-1/2, z$ .



Fig. 1

