

(\pm)-Cyclohexane-1,2-diyl bis(4-nitrobenzoate)

Sok Teng Tong, David Barker,* Ka Wai Choi, Peter D. W. Boyd and Margaret A. Brimble

Department of Chemistry, University of Auckland, Private Bag 92019, Auckland, New Zealand

Correspondence e-mail: d.barker@auckland.ac.nz


Received 29 September 2008; accepted 16 October 2008

Key indicators: single-crystal X-ray study; $T = 89$ K; mean $\sigma(C-C) = 0.002$ Å; R factor = 0.041; wR factor = 0.098; data-to-parameter ratio = 18.4.

The crystal structure of the title compound, $C_{20}H_{18}N_2O_8$, has been investigated to establish the relative stereochemistry between the ester groups. The cyclohexane ring adopts a chair conformation, in which the two ester groups occupy the adjacent equatorial positions in a *trans* relationship with each other. The molecules assemble in the crystal as chains along the c axis via $C-H \cdots \pi$ interactions between the cyclohexane ring and a pair of nitrophenyl rings of the neighbouring molecule. Also observed are $\pi-\pi$ stacking interactions between the nitrophenyl rings of neighbouring chains, with a perpendicular distance between these rings of 3.409 Å and a slippage of 0.969 Å.

Related literature

For the related synthesis of cyclohexane-1,2-diyl-bis(4-bromobenzoate) from *trans*-cyclohexane-1,2-diol, see: Hayashi *et al.* (2004); for non-conventional hydrogen contacts and stacking interactions, see: Desiraju & Steiner (2001) and Ciunik & Jarosz (1998).



Experimental

Crystal data

| | |
|-------------------------------|----------------------------------|
| $C_{20}H_{18}N_2O_8$ | $V = 1942.39 (5)$ Å ³ |
| $M_r = 414.36$ | $Z = 4$ |
| Monoclinic, $P2_1/c$ | Mo $K\alpha$ radiation |
| $a = 12.6510 (2)$ Å | $\mu = 0.11$ mm ⁻¹ |
| $b = 12.2720 (2)$ Å | $T = 89 (2)$ K |
| $c = 13.2186 (2)$ Å | $0.2 \times 0.1 \times 0.05$ mm |
| $\beta = 108.8300 (10)^\circ$ | |

Data collection

| | |
|---|--|
| Siemens SMART diffractometer with an APEXII CCD detector | 4973 independent reflections |
| Absorption correction: none | 2999 reflections with $I > 2\sigma(I)$ |
| 15207 measured reflections | $R_{\text{int}} = 0.077$ |

Refinement

| | |
|---------------------------------|---|
| $R[F^2 > 2\sigma(F^2)] = 0.041$ | 271 parameters |
| $wR(F^2) = 0.098$ | H-atom parameters constrained |
| $S = 0.91$ | $\Delta\rho_{\text{max}} = 0.28$ e Å ⁻³ |
| 4973 reflections | $\Delta\rho_{\text{min}} = -0.30$ e Å ⁻³ |

Table 1
Hydrogen-bond geometry (Å, °).

| $D-H \cdots A$ | $D-H$ | $H \cdots A$ | $D \cdots A$ | $D-H \cdots A$ |
|-----------------------------|-------|--------------|--------------|----------------|
| C14—H14···O8 ⁱ | 0.93 | 2.40 | 3.240 (2) | 150 |
| C16—H16···O3 | 0.93 | 2.57 | 3.4374 (19) | 156 |
| C19—H19···O3 ⁱⁱ | 0.93 | 2.29 | 3.0919 (19) | 145 |
| C5—H5A···Cg2 ⁱⁱⁱ | 0.97 | 2.79 | 3.7273 (18) | 162 |

Symmetry codes: (i) $-x, -y, -z + 1$; (ii) $-x, y + \frac{1}{2}, -z + \frac{1}{2}$; (iii) $x, -y - \frac{1}{2}, z - \frac{3}{2}$.

Data collection: *SMART* (Siemens, 1995); cell refinement: *SAINT* (Siemens, 1995); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEPIII* (Burnett & Johnson, 1996) and *Mercury* (Macrae *et al.*, 2006); software used to prepare material for publication: *WinGX* (Farrugia, 1999) and *publCIF* (Westrip, 2008).

The authors thank Tania Groutso for data collection. The award of an International Doctoral Scholarship from the University of Auckland and a New Zealand International Doctoral Research Scholarship from Education New Zealand (to STT) are greatly appreciated.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: SI2117).

References

- Burnett, M. N. & Johnson, C. K. (1996). *ORTEPIII*. Report ORNL-6895. Oak Ridge National Laboratory, Tennessee, USA.
- Ciunik, Z. & Jarosz, S. (1998). *J. Mol. Struct.* **442**, 115–119.
- Desiraju, G. R. & Steiner, T. (2001). *The Weak Hydrogen Bond: In Structural Chemistry and Biology*, IUCr Monographs on Crystallography, No. 9, pp. 122–201. New York: Oxford University Press Inc.
- Farrugia, L. J. (1999). *J. Appl. Cryst.* **32**, 837–838.
- Hayashi, Y., Yamaguchi, J., Sumiya, T., Hibino, K. & Shoji, M. (2004). *J. Org. Chem.* **69**, 5966–5973.
- Macrae, C. F., Edgington, P. R., McCabe, P., Pidcock, E., Shields, G. P., Taylor, R., Towler, M. & van de Streek, J. (2006). *J. Appl. Cryst.* **39**, 453–457.
- Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.
- Siemens (1995). *SMART* and *SAINT*. Siemens Analytical X-ray Instruments Inc., Madison, Wisconsin, USA.
- Westrip, S. P. (2008). *publCIF*. In preparation.

supplementary materials

Acta Cryst. (2008). E64, o2174 [doi:10.1107/S1600536808033874]

(\pm)-Cyclohexane-1,2-diyI bis(4-nitrobenzoate)

S. T. Tong, D. Barker, K. W. Choi, P. D. W. Boyd and M. A. Brimble

Comment

The title diester was isolated as a part of the study towards the organocatalytic α -oxidation of cyclohexanone catalysed by (*S*)-proline. Using 3-phenyl-2-tosyl-1,2-oxaziridine as the oxidant, cyclohexanone was oxidized to α -hydroxycyclohexanone which was subsequently reduced *in-situ* to the corresponding diol with sodium borohydride. Concomitant esterification of the two hydroxyl groups afforded the title diester.

The crystal structure reveals the relative stereochemistry of the racemic diester to be 1*R*^{*},2*R*^{*} and 1*S*^{*},2*S*^{*} (1*R*^{*},6*R*^{*} and 1*S*^{*},6*S*^{*} in the crystallographic numbering scheme, Fig. 1). The two adjacent ester groups occupy the *trans* diequatorial position of the cyclohexane ring in the chair conformation with a C₂ rotational axis bisecting the cyclohexane ring between the two ester groups (Figure 1). The cyclohexane moiety fits into a cleft formed by the two nitrophenyl groups of a neighbouring diester of opposite stereochemistry with an interplanar angle of 89.16 (6)° (Fig. 2) and the molecules are connected to each other *via* C—H···π interactions and C—H···O contacts (Table 1). Weak non-conventional C—H···O and C—H···π contacts are extensively discussed by Desiraju & Steiner (2001), and a combination of C—H···O and π···π stacking interactions are reported by Ciunik & Jarosz (1998). These interactions lead to the formation of chains of molecules running along the *c* axis. Each chain is surrounded by four similar chains that are propagated in the opposite direction, and π···π stacking interactions are observed between the nitrophenyl groups of neighbouring chains (Fig. 3). The centroid (Cg) separation between the stacking phenyl ring (Cg2, C9–C14) and the neighbouring ring (Cg2^{IV}), is 3.5441 (9) Å, (symmetry code iv = 1 - *x*, - *y*, 1 - *z*). The slippage of the two rings is 0.969 Å along the 1,4 (C9–C12) vector and the perpendicular distance between Cg2 and the second symmetry related ring is 3.409 Å.

Experimental

To a solution of cyclohexane-1,2-diol (19.0 mg, 0.164 mmol) in CH₂Cl₂ (1.2 ml) was added triethylamine (0.400 ml, 2.89 mmol), 4-nitrobenzoyl chloride (152 mg, 0.818 mmol) and a catalytic amount of 4-(dimethylamino)-pyridine at room temperature. After overnight stirring, the mixture was quenched with pH 7 phosphate buffer (2 ml). The organic phase was separated and the aqueous phase was extracted with EtOAc (5 ml *x* 3). The combined organic extracts were washed with brine, dried over MgSO₄ and concentrated *in vacuo* to afford a crude dark brown oil. Purification by flash chromatography using hexane-EtOAc (4:1) as eluent furnished the title diester as a brown solid (64.0 mg, 94%). Recrystallization of the title diester from methanol afforded yellow needles. Melting point: 381 K.

Refinement

H atoms were placed in calculated positions and were refined using a riding model (C—H = 0.93 or 0.97 Å), with *U*_{iso}(H) = 1.2 or 1.5 times *U*_{eq}(C).

supplementary materials

Figures




Fig. 1. The molecular structure and atom numbering scheme of (1*R*^{*},2*R*^{*})-diester (1*R*^{*},6*R*^{*} in the crystallographic numbering scheme) with displacement ellipsoids drawn at the 50% probability level for non-H atoms.




Fig. 2. The molecular packing of racemic diester within a unit cell. The origin of the unit cell is labelled as *O* while cell axes are labelled as *a* (red), *b* (green) and *c* (blue), respectively.




Fig. 3. The molecular packing of racemic diester with non-conventional hydrogen bonding represented as dashed lines. Hydrogen atoms not involved in hydrogen bonding have been omitted for clarity.

(±)-Cyclohexane-1,2-diyl bis(4-nitrobenzoate)

Crystal data

C₂₀H₁₈N₂O₈

D_x = 1.417 Mg m⁻³

M_r = 414.36

Melting point: 381(1) K

Monoclinic, P2₁/c

Mo *K*α radiation

a = 12.6510 (2) Å

λ = 0.71073 Å

b = 12.2720 (2) Å

Cell parameters from 4298 reflections

c = 13.2186 (2) Å

θ = 1.7–25.1°

β = 108.8300 (10)°

μ = 0.11 mm⁻¹

V = 1942.39 (5) Å³

T = 89 (2) K

Z = 4

Needle, yellow

*F*₀₀₀ = 864

0.2 × 0.1 × 0.05 mm

Data collection

Siemens SMART
diffractometer with an APEXII CCD detector
Radiation source: fine-focus sealed tube

2999 reflections with *I* > 2σ(*I*)

*R*_{int} = 0.077

Monochromator: graphite $\theta_{\max} = 28.8^\circ$
 $T = 89(2)$ K $\theta_{\min} = 1.7^\circ$
 area-detector ω scans $h = -16 \rightarrow 17$
 Absorption correction: none $k = -16 \rightarrow 16$
 15207 measured reflections $l = -17 \rightarrow 17$
 4973 independent reflections

Refinement

Refinement on F^2 Secondary atom site location: difference Fourier map
 Least-squares matrix: full Hydrogen site location: inferred from neighbouring sites
 $R[F^2 > 2\sigma(F^2)] = 0.041$ H-atom parameters constrained
 $wR(F^2) = 0.098$ $w = 1/[\sigma^2(F_o^2) + (0.0453P)^2]$
 $S = 0.91$ where $P = (F_o^2 + 2F_c^2)/3$
 4973 reflections $(\Delta/\sigma)_{\max} < 0.001$
 271 parameters $\Delta\rho_{\max} = 0.28 \text{ e \AA}^{-3}$
 $\Delta\rho_{\min} = -0.30 \text{ e \AA}^{-3}$
 Primary atom site location: structure-invariant direct methods Extinction correction: none

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

| | x | y | z | $U_{\text{iso}}^*/U_{\text{eq}}$ |
|-----|---------------|--------------|--------------|----------------------------------|
| O2 | 0.13143 (8) | 0.12316 (9) | 0.12240 (8) | 0.0237 (2) |
| O4 | 0.07109 (9) | 0.29575 (9) | 0.08144 (8) | 0.0294 (3) |
| O1 | 0.36109 (8) | 0.08691 (8) | 0.21140 (7) | 0.0238 (3) |
| O3 | 0.26940 (8) | -0.03067 (9) | 0.28553 (8) | 0.0263 (3) |
| O6 | 0.62313 (9) | 0.29785 (10) | 0.71389 (8) | 0.0337 (3) |
| O7 | -0.20229 (9) | 0.24599 (10) | 0.45414 (8) | 0.0341 (3) |
| O5 | 0.55152 (10) | 0.16681 (9) | 0.78095 (8) | 0.0368 (3) |
| O8 | -0.16503 (10) | 0.07314 (10) | 0.46935 (9) | 0.0371 (3) |
| C9 | 0.39653 (12) | 0.09399 (12) | 0.39838 (11) | 0.0213 (3) |
| N1 | 0.56407 (11) | 0.21667 (11) | 0.70528 (10) | 0.0280 (3) |
| N2 | -0.16168 (10) | 0.16318 (12) | 0.42995 (10) | 0.0269 (3) |
| C18 | -0.10386 (12) | 0.17208 (13) | 0.34967 (11) | 0.0221 (3) |

supplementary materials

| | | | | |
|-----|---------------|--------------|---------------|------------|
| C1 | 0.29657 (12) | 0.04900 (13) | 0.10370 (11) | 0.0224 (3) |
| H1 | 0.2646 | -0.0229 | 0.1080 | 0.027* |
| C12 | 0.50482 (13) | 0.17579 (12) | 0.59718 (11) | 0.0236 (3) |
| C6 | 0.20401 (12) | 0.13022 (13) | 0.05672 (11) | 0.0235 (3) |
| H6 | 0.2354 | 0.2038 | 0.0614 | 0.028* |
| C15 | 0.00784 (12) | 0.19370 (13) | 0.20538 (10) | 0.0206 (3) |
| C16 | 0.02556 (12) | 0.10200 (13) | 0.27072 (11) | 0.0238 (4) |
| H16 | 0.0757 | 0.0487 | 0.2655 | 0.029* |
| C14 | 0.35143 (13) | 0.07916 (13) | 0.48064 (12) | 0.0261 (4) |
| H14 | 0.2843 | 0.0420 | 0.4676 | 0.031* |
| C17 | -0.03163 (12) | 0.09018 (13) | 0.34374 (11) | 0.0247 (4) |
| H17 | -0.0215 | 0.0289 | 0.3873 | 0.030* |
| C10 | 0.49575 (13) | 0.15077 (13) | 0.41674 (11) | 0.0240 (3) |
| H10 | 0.5254 | 0.1603 | 0.3615 | 0.029* |
| C20 | -0.06729 (12) | 0.27323 (13) | 0.21196 (11) | 0.0226 (3) |
| H20 | -0.0799 | 0.3335 | 0.1669 | 0.027* |
| C13 | 0.40625 (13) | 0.11952 (13) | 0.58144 (12) | 0.0270 (4) |
| H13 | 0.3776 | 0.1091 | 0.6373 | 0.032* |
| C4 | 0.21805 (13) | 0.09860 (14) | -0.12498 (12) | 0.0315 (4) |
| H4A | 0.1763 | 0.0791 | -0.1981 | 0.038* |
| H4B | 0.2514 | 0.1697 | -0.1257 | 0.038* |
| C11 | 0.55089 (13) | 0.19336 (13) | 0.51698 (12) | 0.0254 (4) |
| H11 | 0.6169 | 0.2326 | 0.5299 | 0.031* |
| C7 | 0.33501 (12) | 0.04317 (13) | 0.29358 (12) | 0.0225 (3) |
| C5 | 0.13918 (13) | 0.10373 (15) | -0.05883 (11) | 0.0302 (4) |
| H5A | 0.0829 | 0.1592 | -0.0878 | 0.036* |
| H5B | 0.1016 | 0.0342 | -0.0625 | 0.036* |
| C8 | 0.07180 (12) | 0.21209 (13) | 0.12914 (11) | 0.0226 (3) |
| C19 | -0.12367 (12) | 0.26323 (13) | 0.28548 (11) | 0.0226 (3) |
| H19 | -0.1735 | 0.3166 | 0.2914 | 0.027* |
| C3 | 0.30937 (13) | 0.01510 (14) | -0.07859 (12) | 0.0297 (4) |
| H3A | 0.3599 | 0.0142 | -0.1203 | 0.036* |
| H3B | 0.2763 | -0.0568 | -0.0826 | 0.036* |
| C2 | 0.37471 (12) | 0.04183 (14) | 0.03779 (11) | 0.0259 (4) |
| H2A | 0.4302 | -0.0143 | 0.0670 | 0.031* |
| H2B | 0.4134 | 0.1107 | 0.0412 | 0.031* |

Atomic displacement parameters (\AA^2)

| | U^{11} | U^{22} | U^{33} | U^{12} | U^{13} | U^{23} |
|----|------------|------------|------------|-------------|------------|-------------|
| O2 | 0.0232 (5) | 0.0264 (6) | 0.0246 (5) | 0.0030 (5) | 0.0120 (4) | 0.0016 (5) |
| O4 | 0.0333 (6) | 0.0289 (6) | 0.0296 (6) | 0.0057 (6) | 0.0154 (5) | 0.0067 (5) |
| O1 | 0.0238 (6) | 0.0269 (6) | 0.0198 (5) | -0.0028 (5) | 0.0057 (4) | -0.0001 (5) |
| O3 | 0.0266 (6) | 0.0235 (6) | 0.0279 (6) | -0.0040 (5) | 0.0077 (5) | -0.0001 (5) |
| O6 | 0.0331 (6) | 0.0315 (7) | 0.0330 (6) | -0.0044 (6) | 0.0057 (5) | -0.0059 (6) |
| O7 | 0.0320 (6) | 0.0451 (8) | 0.0290 (6) | 0.0127 (6) | 0.0150 (5) | 0.0018 (6) |
| O5 | 0.0551 (8) | 0.0320 (7) | 0.0227 (6) | 0.0051 (6) | 0.0118 (5) | 0.0032 (5) |
| O8 | 0.0417 (7) | 0.0364 (7) | 0.0406 (7) | -0.0056 (6) | 0.0236 (6) | 0.0053 (6) |

| | | | | | | |
|-----|------------|-------------|------------|-------------|------------|-------------|
| C9 | 0.0220 (8) | 0.0188 (8) | 0.0218 (7) | 0.0018 (7) | 0.0053 (6) | 0.0023 (7) |
| N1 | 0.0317 (8) | 0.0258 (8) | 0.0247 (7) | 0.0069 (7) | 0.0065 (6) | -0.0003 (6) |
| N2 | 0.0208 (7) | 0.0354 (9) | 0.0248 (7) | -0.0002 (7) | 0.0078 (6) | 0.0009 (7) |
| C18 | 0.0185 (7) | 0.0299 (9) | 0.0183 (7) | 0.0004 (7) | 0.0066 (6) | -0.0008 (7) |
| C1 | 0.0207 (8) | 0.0255 (9) | 0.0197 (7) | -0.0011 (7) | 0.0046 (6) | -0.0016 (7) |
| C12 | 0.0279 (8) | 0.0198 (8) | 0.0205 (7) | 0.0033 (7) | 0.0041 (6) | 0.0003 (7) |
| C6 | 0.0221 (8) | 0.0273 (9) | 0.0240 (8) | 0.0009 (7) | 0.0114 (6) | 0.0018 (7) |
| C15 | 0.0190 (7) | 0.0251 (8) | 0.0165 (7) | -0.0001 (7) | 0.0043 (6) | -0.0020 (7) |
| C16 | 0.0224 (8) | 0.0255 (9) | 0.0245 (8) | 0.0056 (7) | 0.0087 (6) | 0.0006 (7) |
| C14 | 0.0242 (8) | 0.0257 (9) | 0.0292 (8) | -0.0031 (8) | 0.0098 (7) | 0.0003 (7) |
| C17 | 0.0260 (8) | 0.0242 (9) | 0.0235 (8) | 0.0009 (7) | 0.0075 (6) | 0.0030 (7) |
| C10 | 0.0268 (8) | 0.0232 (9) | 0.0225 (7) | 0.0002 (8) | 0.0087 (6) | 0.0025 (7) |
| C20 | 0.0230 (8) | 0.0237 (9) | 0.0189 (7) | 0.0018 (7) | 0.0038 (6) | 0.0014 (7) |
| C13 | 0.0336 (9) | 0.0265 (9) | 0.0245 (8) | 0.0009 (8) | 0.0142 (7) | 0.0014 (7) |
| C4 | 0.0302 (9) | 0.0416 (11) | 0.0220 (8) | 0.0001 (9) | 0.0077 (7) | -0.0028 (8) |
| C11 | 0.0249 (8) | 0.0234 (9) | 0.0271 (8) | -0.0015 (7) | 0.0071 (7) | 0.0002 (7) |
| C7 | 0.0205 (8) | 0.0217 (8) | 0.0251 (8) | 0.0032 (7) | 0.0072 (6) | 0.0033 (7) |
| C5 | 0.0248 (8) | 0.0420 (11) | 0.0233 (8) | 0.0040 (8) | 0.0069 (7) | -0.0009 (8) |
| C8 | 0.0219 (8) | 0.0238 (9) | 0.0204 (7) | 0.0026 (7) | 0.0044 (6) | -0.0005 (7) |
| C19 | 0.0203 (8) | 0.0248 (9) | 0.0221 (7) | 0.0041 (7) | 0.0057 (6) | -0.0013 (7) |
| C3 | 0.0283 (9) | 0.0353 (10) | 0.0277 (8) | -0.0006 (8) | 0.0122 (7) | -0.0057 (8) |
| C2 | 0.0214 (8) | 0.0294 (9) | 0.0285 (8) | -0.0004 (8) | 0.0101 (7) | -0.0018 (7) |

Geometric parameters (Å, °)

| | | | |
|---------|-------------|---------|-----------|
| O2—C8 | 1.3459 (18) | C15—C16 | 1.392 (2) |
| O2—C6 | 1.4557 (16) | C15—C8 | 1.499 (2) |
| O4—C8 | 1.2034 (17) | C16—C17 | 1.388 (2) |
| O1—C7 | 1.3447 (17) | C16—H16 | 0.9300 |
| O1—C1 | 1.4694 (16) | C14—C13 | 1.380 (2) |
| O3—C7 | 1.2101 (17) | C14—H14 | 0.9300 |
| O6—N1 | 1.2283 (16) | C17—H17 | 0.9300 |
| O7—N2 | 1.2267 (16) | C10—C11 | 1.385 (2) |
| O5—N1 | 1.2258 (16) | C10—H10 | 0.9300 |
| O8—N2 | 1.2281 (17) | C20—C19 | 1.384 (2) |
| C9—C10 | 1.387 (2) | C20—H20 | 0.9300 |
| C9—C14 | 1.393 (2) | C13—H13 | 0.9300 |
| C9—C7 | 1.489 (2) | C4—C3 | 1.518 (2) |
| N1—C12 | 1.4710 (19) | C4—C5 | 1.526 (2) |
| N2—C18 | 1.4746 (18) | C4—H4A | 0.9700 |
| C18—C17 | 1.378 (2) | C4—H4B | 0.9700 |
| C18—C19 | 1.377 (2) | C11—H11 | 0.9300 |
| C1—C6 | 1.510 (2) | C5—H5A | 0.9700 |
| C1—C2 | 1.5166 (19) | C5—H5B | 0.9700 |
| C1—H1 | 0.9800 | C19—H19 | 0.9300 |
| C12—C11 | 1.382 (2) | C3—C2 | 1.529 (2) |
| C12—C13 | 1.381 (2) | C3—H3A | 0.9700 |
| C6—C5 | 1.517 (2) | C3—H3B | 0.9700 |
| C6—H6 | 0.9800 | C2—H2A | 0.9700 |

supplementary materials

| | | | |
|-------------|-------------|-------------|-------------|
| C15—C20 | 1.385 (2) | C2—H2B | 0.9700 |
| C8—O2—C6 | 117.78 (12) | C9—C10—H10 | 119.8 |
| C7—O1—C1 | 116.87 (11) | C15—C20—C19 | 120.09 (14) |
| C10—C9—C14 | 120.30 (13) | C15—C20—H20 | 120.0 |
| C10—C9—C7 | 123.02 (13) | C19—C20—H20 | 120.0 |
| C14—C9—C7 | 116.65 (13) | C14—C13—C12 | 118.21 (14) |
| O6—N1—O5 | 124.36 (13) | C14—C13—H13 | 120.9 |
| O6—N1—C12 | 118.07 (13) | C12—C13—H13 | 120.9 |
| O5—N1—C12 | 117.57 (13) | C3—C4—C5 | 110.47 (13) |
| O7—N2—O8 | 124.06 (13) | C3—C4—H4A | 109.6 |
| O7—N2—C18 | 118.23 (14) | C5—C4—H4A | 109.6 |
| O8—N2—C18 | 117.70 (14) | C3—C4—H4B | 109.6 |
| C17—C18—C19 | 123.34 (13) | C5—C4—H4B | 109.6 |
| C17—C18—N2 | 118.64 (14) | H4A—C4—H4B | 108.1 |
| C19—C18—N2 | 118.01 (13) | C12—C11—C10 | 117.91 (15) |
| O1—C1—C6 | 107.69 (12) | C12—C11—H11 | 121.0 |
| O1—C1—C2 | 108.28 (11) | C10—C11—H11 | 121.0 |
| C6—C1—C2 | 111.39 (12) | O3—C7—O1 | 124.61 (14) |
| O1—C1—H1 | 109.8 | O3—C7—C9 | 122.21 (14) |
| C6—C1—H1 | 109.8 | O1—C7—C9 | 113.17 (13) |
| C2—C1—H1 | 109.8 | C6—C5—C4 | 110.17 (12) |
| C11—C12—C13 | 123.12 (14) | C6—C5—H5A | 109.6 |
| C11—C12—N1 | 118.90 (14) | C4—C5—H5A | 109.6 |
| C13—C12—N1 | 117.97 (13) | C6—C5—H5B | 109.6 |
| O2—C6—C1 | 105.67 (11) | C4—C5—H5B | 109.6 |
| O2—C6—C5 | 110.34 (12) | H5A—C5—H5B | 108.1 |
| C1—C6—C5 | 111.59 (13) | O4—C8—O2 | 124.52 (13) |
| O2—C6—H6 | 109.7 | O4—C8—C15 | 124.49 (14) |
| C1—C6—H6 | 109.7 | O2—C8—C15 | 110.98 (13) |
| C5—C6—H6 | 109.7 | C18—C19—C20 | 118.17 (14) |
| C20—C15—C16 | 120.49 (14) | C18—C19—H19 | 120.9 |
| C20—C15—C8 | 117.80 (14) | C20—C19—H19 | 120.9 |
| C16—C15—C8 | 121.67 (14) | C4—C3—C2 | 110.83 (13) |
| C17—C16—C15 | 120.01 (14) | C4—C3—H3A | 109.5 |
| C17—C16—H16 | 120.0 | C2—C3—H3A | 109.5 |
| C15—C16—H16 | 120.0 | C4—C3—H3B | 109.5 |
| C13—C14—C9 | 120.12 (14) | C2—C3—H3B | 109.5 |
| C13—C14—H14 | 119.9 | H3A—C3—H3B | 108.1 |
| C9—C14—H14 | 119.9 | C1—C2—C3 | 110.46 (12) |
| C18—C17—C16 | 117.87 (14) | C1—C2—H2A | 109.6 |
| C18—C17—H17 | 121.1 | C3—C2—H2A | 109.6 |
| C16—C17—H17 | 121.1 | C1—C2—H2B | 109.6 |
| C11—C10—C9 | 120.32 (14) | C3—C2—H2B | 109.6 |
| C11—C10—H10 | 119.8 | H2A—C2—H2B | 108.1 |

Hydrogen-bond geometry (\AA , $^\circ$)

| $D\cdots H$ | $D\cdots A$ | $H\cdots A$ | $D\cdots A$ | $D\cdots H\cdots A$ |
|-------------|-------------|-------------|-------------|---------------------|
| 0.93 | 2.40 | 3.240 (2) | 150 | |

supplementary materials

| | | | | |
|-----------------------------|------|------|-------------|-----|
| C16—H16···O3 | 0.93 | 2.57 | 3.4374 (19) | 156 |
| C19—H19···O3 ⁱⁱ | 0.93 | 2.29 | 3.0919 (19) | 145 |
| C5—H5A···Cg2 ⁱⁱⁱ | 0.97 | 2.79 | 3.7273 (18) | 162 |

Symmetry codes: (i) $-x, -y, -z+1$; (ii) $-x, y+1/2, -z+1/2$; (iii) $x, -y-1/2, z-3/2$.

supplementary materials

Fig. 1





Fig. 2



supplementary materials

Fig. 3

