

3-(4-Ethoxybenzoyl)propionic acid

Sajid Ali,^a Aurangzeb Hasan,^{a*} Nasim Hasan Rama,^a Amir Badshah^a and Ales Ruczika^b

^aDepartment of Chemistry, Quaid-i-Azam University, Islamabad 45320, Pakistan, and ^bDepartment of General and Inorganic Chemistry, Faculty of Chemical Technology, University of Pardubice, Nam. Cs. Legii' 565, 53210 Pardubice, Czech Republic

Correspondence e-mail: nasimhrama@yahoo.com


Received 18 October 2008; accepted 21 October 2008

Key indicators: single-crystal X-ray study; $T = 150\text{ K}$; mean $\sigma(\text{C}-\text{C}) = 0.002\text{ \AA}$; R factor = 0.047; wR factor = 0.123; data-to-parameter ratio = 17.3.

The title compound, $C_{12}H_{14}O_4$, is an important intermediate in the synthesis of biologically active heterocyclic compounds. In the crystal structure, intermolecular $\text{O}-\text{H}\cdots\text{O}$ and $\text{C}-\text{H}\cdots\text{O}$ hydrogen bonds link the molecules. There are also $\text{C}-\text{H}\cdots\pi$ contacts between the benzene ring and the methylene groups.

Related literature

For general background, see: Hashem *et al.* (2007); Husain *et al.* (2005). For bond-length data, see: Allen *et al.* (1987).



Experimental

Crystal data

$C_{12}H_{14}O_4$	$\gamma = 107.142(4)^\circ$
$M_r = 222.23$	$V = 556.34(6)\text{ \AA}^3$
Triclinic, $P\bar{1}$	$Z = 2$
$a = 7.8371(3)\text{ \AA}$	Mo $K\alpha$ radiation
$b = 8.7399(5)\text{ \AA}$	$\mu = 0.10\text{ mm}^{-1}$
$c = 9.8140(5)\text{ \AA}$	$T = 150(1)\text{ K}$
$\alpha = 106.993(4)^\circ$	$0.34 \times 0.32 \times 0.31\text{ mm}$
$\beta = 107.541(4)^\circ$	

Data collection

Bruker–Nonius KappaCCD area-detector diffractometer
Absorption correction: Gaussian (Coppens, 1970)
 $T_{\min} = 0.964$, $T_{\max} = 0.987$

8993 measured reflections
2508 independent reflections
2089 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.059$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.047$
 $wR(F^2) = 0.123$
 $S = 1.11$
2508 reflections

145 parameters
H-atom parameters constrained
 $\Delta\rho_{\max} = 0.22\text{ e \AA}^{-3}$
 $\Delta\rho_{\min} = -0.24\text{ e \AA}^{-3}$

Table 1
Hydrogen-bond geometry (\AA , $^\circ$).

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
O2—H2 \cdots O1 ⁱ	0.82	1.85	2.664 (3)	172
C2—H2B \cdots O3 ⁱⁱ	0.97	2.44	3.386 (3)	165
C11—H11B \cdots O3 ⁱⁱⁱ	0.97	2.50	3.445 (3)	166
C3—H3B \cdots Cg1 ^{iv}	0.97	2.66	3.528 (3)	150
C11—H11A \cdots Cg1 ^v	0.97	2.84	3.679 (3)	145

Symmetry codes: (i) $-x, -y + 1, -z$; (ii) $-x, -y, -z$; (iii) $x + 1, y, z$; (iv) $-x + 1, -y, -z$; (v) $-x + 2, -y + 1, -z + 1$. Cg1 is the centroid of the phenyl ring.

Data collection: *COLLECT* (Hooft, 1998); cell refinement: *COLLECT* and *DENZO* (Otwinowski & Minor, 1997); data reduction: *COLLECT* and *DENZO*; program(s) used to solve structure: *SIR92* (Altomare *et al.*, 1994); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *PLATON* (Spek, 2003); software used to prepare material for publication: *SHELXL97*.

The authors gratefully acknowledge funds from the Higher Education Commission, Islamabad, Pakistan.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: HK2555).

References

- Allen, F. H., Kennard, O., Watson, D. G., Brammer, L., Orpen, A. G. & Taylor, R. (1987). *J. Chem. Soc. Perkin Trans. 2*, pp. S1–19.
Altomare, A., Cascarano, G., Giacovazzo, C., Guagliardi, A., Burla, M. C., Polidori, G. & Camallie, M. (1994). *J. Appl. Cryst.* **27**, 435.
Coppens, P. (1970). *Crystallographic Computing*, edited by F. R. Ahmed, S. R. Hall & C. P. Huber, pp. 255–270. Copenhagen: Munksgaard.
Hashem, A. I., Youssef, A. S. A., Kandeel, K. A. & Abou-Elmangd, W. S. I. (2007). *Eur. J. Med. Chem.* **42**, 934–939.
Hooft, R. W. W. (1998). *COLLECT*. Nonius BV, Delft, The Netherlands.
Husain, A., Khan, M. S. Y., Hasan, S. M. & Alam, M. M. (2005). *Eur. J. Med. Chem.* **40**, 1394–1404.
Otwinowski, Z. & Minor, W. (1997). *Methods in Enzymology*, Vol. 276, *Macromolecular Crystallography*, Part A, edited by C. W. Carter Jr & R. M. Sweet, pp. 307–326. New York: Academic Press.
Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.
Spek, A. L. (2003). *J. Appl. Cryst.* **36**, 7–13.

supplementary materials

Acta Cryst. (2008). E64, o2206 [doi:10.1107/S1600536808034429]

3-(4-Ethoxybenzoyl)propionic acid

S. Ali, A. Hasan, N. H. Rama, A. Badshah and A. Ruczika

Comment

Benzoyl propionic acids are important intermediates in heterocyclic chemistry and have been used for the synthesis of various biologically active five-membered heterocycles such as butenolides, pyrrolones (Husain *et al.*, 2005), oxadiazoles and triazoles (Hashem *et al.*, 2007). In view of the versatility of these compounds, we synthesized the title compound and reported herein its crystal structure.

In the title compound (Fig. 1), the bond lengths (Allen *et al.*, 1987) and angles are within normal ranges. O4, C2, C3, C4, C11 and C12 atoms are -0.011 (3), 0.162 (4), 0.189 (4), -0.09 (3), -0.143 (3) and -0.151 (3) Å away from the phenyl plane, respectively.

In the crystal structure, intermolecular O-H···O and C-H···O hydrogen bonds (Table 1) link the molecules (Fig. 2), in which they may be effective in the stabilization of the structure. There also exist C—H···π contacts (Table 1) between the phenyl ring and the methylene groups.

Experimental

The title compound was synthesized by the condensation of succinic anhydride (2 g, 20 mmol) with 1-ethoxybenzene (10 ml) in the presence of aluminum chloride (6 g, 42 mmol). The reaction mixture was refluxed for 4 h. After completion of the reaction, excess solvent (Anisol) was removed by steam distillation. The resultant solid product was purified by dissolving it in sodium hydroxide solution (5%, *w/v*), filtering followed by addition of hydrochloric acid. The obtained solid mass was filtered, washed with cold water, dried and crystallized from methanol (yield; 67%, m.p. 404–405 K).

Figures




Fig. 1. The molecular structure of the title molecule, with the atom-numbering scheme.




Fig. 2. A partial packing diagram. Hydrogen bonds are shown as dashed lines.



Fig. 3. The formation of the title compound.

3-(4-Ethoxybenzoyl)propionic acid

Crystal data

C₁₂H₁₄O₄

Z = 2

supplementary materials

$M_r = 222.23$	$F_{000} = 236$
Triclinic, $P\bar{1}$	$D_x = 1.327 \text{ Mg m}^{-3}$
Hall symbol: -P 1	Melting point: 404(1) K
$a = 7.8371 (3) \text{ \AA}$	Mo $K\alpha$ radiation
$b = 8.7399 (5) \text{ \AA}$	$\lambda = 0.71073 \text{ \AA}$
$c = 9.8140 (5) \text{ \AA}$	Cell parameters from 9044 reflections
$\alpha = 106.993 (4)^\circ$	$\theta = 1-27.5^\circ$
$\beta = 107.541 (4)^\circ$	$\mu = 0.10 \text{ mm}^{-1}$
$\gamma = 107.142 (4)^\circ$	$T = 150 (1) \text{ K}$
$V = 556.34 (6) \text{ \AA}^3$	Block, colorless
	$0.34 \times 0.32 \times 0.31 \text{ mm}$

Data collection

Bruker–Nonius KappaCCD area-detector diffractometer	2508 independent reflections
Radiation source: fine-focus sealed tube	2089 reflections with $I > 2\sigma(I)$
Monochromator: graphite	$R_{\text{int}} = 0.059$
Detector resolution: 9.091 pixels mm^{-1}	$\theta_{\text{max}} = 27.5^\circ$
$T = 150(1) \text{ K}$	$\theta_{\text{min}} = 2.4^\circ$
φ and ω scans	$h = -10 \rightarrow 10$
Absorption correction: Gaussian (Coppens, 1970)	$k = -11 \rightarrow 11$
$T_{\text{min}} = 0.964$, $T_{\text{max}} = 0.987$	$l = -12 \rightarrow 12$
8993 measured reflections	

Refinement

Refinement on F^2	Secondary atom site location: difference Fourier map
Least-squares matrix: full	Hydrogen site location: inferred from neighbouring sites
$R[F^2 > 2\sigma(F^2)] = 0.047$	H-atom parameters constrained
$wR(F^2) = 0.123$	$w = 1/[\sigma^2(F_o^2) + (0.0401P)^2 + 0.2871P]$ where $P = (F_o^2 + 2F_c^2)/3$
$S = 1.11$	$(\Delta/\sigma)_{\text{max}} < 0.001$
2508 reflections	$\Delta\rho_{\text{max}} = 0.22 \text{ e \AA}^{-3}$
145 parameters	$\Delta\rho_{\text{min}} = -0.24 \text{ e \AA}^{-3}$
Primary atom site location: structure-invariant direct methods	Extinction correction: none

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
O1	0.19232 (17)	0.45879 (16)	0.01166 (16)	0.0387 (3)
O2	-0.11942 (17)	0.27131 (16)	-0.14840 (16)	0.0419 (3)
H2	-0.1388	0.3584	-0.1118	0.050*
O3	0.21830 (18)	0.16047 (18)	0.13387 (15)	0.0373 (3)
O4	1.07552 (17)	0.25792 (17)	0.51668 (14)	0.0352 (3)
C1	0.0717 (2)	0.3129 (2)	-0.08709 (19)	0.0287 (3)
C2	0.1221 (2)	0.1655 (2)	-0.15467 (19)	0.0295 (3)
H2A	0.1061	0.1493	-0.2606	0.035*
H2B	0.0308	0.0577	-0.1615	0.035*
C3	0.3310 (2)	0.1968 (2)	-0.05809 (19)	0.0279 (3)
H3A	0.4210	0.3134	-0.0364	0.033*
H3B	0.3658	0.1115	-0.1184	0.033*
C4	0.3542 (2)	0.1827 (2)	0.09544 (18)	0.0261 (3)
C5	0.5470 (2)	0.1981 (2)	0.19915 (18)	0.0258 (3)
C6	0.5593 (2)	0.1507 (2)	0.32477 (19)	0.0302 (4)
H6	0.4458	0.1043	0.3385	0.036*
C7	0.7366 (3)	0.1717 (2)	0.4281 (2)	0.0322 (4)
H7	0.7427	0.1394	0.5111	0.039*
C8	0.9075 (2)	0.2414 (2)	0.40859 (19)	0.0293 (3)
C9	0.8975 (2)	0.2867 (2)	0.2828 (2)	0.0326 (4)
H9	1.0105	0.3314	0.2679	0.039*
C10	0.7176 (2)	0.2637 (2)	0.1798 (2)	0.0306 (4)
H10	0.7107	0.2933	0.0952	0.037*
C11	1.2575 (2)	0.3431 (2)	0.5103 (2)	0.0338 (4)
H11A	1.2781	0.4618	0.5209	0.041*
H11B	1.2554	0.2783	0.4105	0.041*
C12	1.4192 (3)	0.3482 (3)	0.6432 (2)	0.0424 (4)
H12A	1.4192	0.4118	0.7412	0.051*
H12B	1.5439	0.4059	0.6429	0.051*
H12C	1.3981	0.2300	0.6308	0.051*

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
O1	0.0274 (6)	0.0308 (6)	0.0479 (8)	0.0141 (5)	0.0076 (5)	0.0101 (6)
O2	0.0270 (6)	0.0365 (7)	0.0490 (8)	0.0156 (5)	0.0077 (6)	0.0076 (6)
O3	0.0318 (6)	0.0519 (8)	0.0351 (7)	0.0193 (6)	0.0182 (5)	0.0212 (6)
O4	0.0299 (6)	0.0454 (7)	0.0319 (6)	0.0157 (5)	0.0100 (5)	0.0213 (6)
C1	0.0257 (8)	0.0316 (8)	0.0305 (8)	0.0125 (7)	0.0099 (7)	0.0170 (7)

supplementary materials

C2	0.0294 (8)	0.0327 (8)	0.0249 (8)	0.0138 (7)	0.0094 (6)	0.0116 (6)
C3	0.0294 (8)	0.0308 (8)	0.0278 (8)	0.0166 (7)	0.0129 (7)	0.0130 (7)
C4	0.0292 (8)	0.0233 (7)	0.0267 (8)	0.0121 (6)	0.0132 (6)	0.0091 (6)
C5	0.0297 (8)	0.0256 (7)	0.0248 (8)	0.0144 (6)	0.0118 (6)	0.0110 (6)
C6	0.0321 (8)	0.0338 (8)	0.0308 (8)	0.0157 (7)	0.0172 (7)	0.0155 (7)
C7	0.0369 (9)	0.0364 (9)	0.0290 (8)	0.0169 (7)	0.0154 (7)	0.0178 (7)
C8	0.0311 (8)	0.0295 (8)	0.0272 (8)	0.0151 (7)	0.0095 (7)	0.0122 (7)
C9	0.0293 (8)	0.0389 (9)	0.0347 (9)	0.0145 (7)	0.0156 (7)	0.0197 (8)
C10	0.0322 (8)	0.0382 (9)	0.0286 (8)	0.0170 (7)	0.0146 (7)	0.0192 (7)
C11	0.0305 (8)	0.0383 (9)	0.0297 (9)	0.0135 (7)	0.0103 (7)	0.0141 (7)
C12	0.0325 (9)	0.0505 (11)	0.0374 (10)	0.0138 (8)	0.0088 (8)	0.0196 (9)

Geometric parameters (\AA , $^\circ$)

O2—H2	0.8200	C5—C10	1.384 (2)
O3—C4	1.2156 (19)	C6—C7	1.373 (2)
O4—C8	1.3552 (19)	C6—H6	0.9300
O4—C11	1.431 (2)	C7—H7	0.9300
C1—O1	1.214 (2)	C8—C7	1.394 (2)
C1—O2	1.3210 (19)	C8—C9	1.390 (2)
C1—C2	1.488 (2)	C9—H9	0.9300
C2—H2A	0.9700	C10—C9	1.381 (2)
C2—H2B	0.9701	C10—H10	0.9300
C3—C2	1.517 (2)	C11—C12	1.500 (2)
C3—C4	1.508 (2)	C11—H11A	0.9700
C3—H3A	0.9700	C11—H11B	0.9700
C3—H3B	0.9700	C12—H12A	0.9599
C5—C4	1.487 (2)	C12—H12B	0.9600
C5—C6	1.397 (2)	C12—H12C	0.9600
C1—O2—H2	109.5	C5—C6—H6	119.6
C8—O4—C11	117.96 (13)	C6—C7—C8	120.05 (15)
O1—C1—O2	122.54 (15)	C6—C7—H7	120.0
O1—C1—C2	124.21 (14)	C8—C7—H7	120.0
O2—C1—C2	113.22 (14)	O4—C8—C9	124.30 (15)
C1—C2—C3	112.93 (14)	O4—C8—C7	115.80 (14)
C1—C2—H2A	109.0	C9—C8—C7	119.89 (15)
C3—C2—H2A	109.0	C10—C9—C8	119.16 (15)
C1—C2—H2B	109.0	C10—C9—H9	120.4
C3—C2—H2B	108.9	C8—C9—H9	120.4
H2A—C2—H2B	107.8	C9—C10—C5	121.76 (15)
C4—C3—C2	111.95 (13)	C9—C10—H10	119.2
C4—C3—H3A	109.1	C5—C10—H10	119.1
C2—C3—H3A	109.1	O4—C11—C12	107.39 (14)
C4—C3—H3B	109.4	O4—C11—H11A	110.2
C2—C3—H3B	109.4	C12—C11—H11A	110.3
H3A—C3—H3B	107.9	O4—C11—H11B	110.3
O3—C4—C5	120.78 (14)	C12—C11—H11B	110.2
O3—C4—C3	120.57 (14)	H11A—C11—H11B	108.5
C5—C4—C3	118.65 (13)	C11—C12—H12A	109.4

C10—C5—C6	118.30 (15)	C11—C12—H12B	109.5
C10—C5—C4	122.60 (14)	H12A—C12—H12B	109.5
C6—C5—C4	119.06 (14)	C11—C12—H12C	109.5
C7—C6—C5	120.82 (15)	H12A—C12—H12C	109.5
C7—C6—H6	119.6	H12B—C12—H12C	109.5

Hydrogen-bond geometry (\AA , $^\circ$)

$D\cdots H$	$H\cdots A$	$D\cdots A$	$D\cdots H\cdots A$
O2—H2 \cdots O1 ⁱ	0.82	1.85	2.664 (3)
C2—H2B \cdots O3 ⁱⁱ	0.97	2.44	3.386 (3)
C11—H11B \cdots O3 ⁱⁱⁱ	0.97	2.50	3.445 (3)
C3—H3B \cdots Cg1 ^{iv}	0.97	2.66	3.528 (3)
C11—H11A \cdots Cg1 ^v	0.97	2.84	3.679 (3)

Symmetry codes: (i) $-x, -y+1, -z$; (ii) $-x, -y, -z$; (iii) $x+1, y, z$; (iv) $-x+1, -y, -z$; (v) $-x+2, -y+1, -z+1$.

supplementary materials

Fig. 1





Fig. 2



supplementary materials

Fig. 3

