

4-[2-{3-(2-Ammonioacetamido)-propanamido}ethyl]-1*H*-imidazol-3-i^bum dichloride

Katalin Selmeczi,^{a*} Bernard Henry,^a Emmanuel Wenger^b and Slimane Dahaoui^b

^aGroupe Complexation et Cinétique en Milieu Microhétérogène, Laboratoire SRSMC (UMR 7565 CNRS - Université Henri Poincaré Nancy 1), Nancy Université, BP 70239, F-54506 Vandoeuvre-lès-Nancy Cedex, France, and ^bLaboratoire de Cristallographie et de Modélisation des Matériaux, Minéraux et Biologiques LCM3B (UMR 7036 CNRS - Université Henri Poincaré, Nancy 1), Nancy Université, BP 70239, F-54506 Vandoeuvre-lès-Nancy Cedex, France
Correspondence e-mail: Katalin.Selmeczi@lesoc.uhp-nancy.fr


Received 18 September 2008; accepted 3 November 2008

Key indicators: single-crystal X-ray study; $T = 110\text{ K}$; mean $\sigma(\text{C}-\text{C}) = 0.004\text{ \AA}$; R factor = 0.046; wR factor = 0.111; data-to-parameter ratio = 19.2.

Molecules of the title compound, Gly- β -Ala-Histamine dihydrochloride, $\text{C}_{10}\text{H}_{19}\text{N}_5\text{O}_2^{2+}\cdot 2\text{Cl}^-$, are linked by N—H···O and N—H···Cl hydrogen bonds into two-dimensional polymeric sheets parallel to the (011) plane, forming a stacked structure along the a axis. The parallel layers are also interlinked alternately by different N—H···Cl hydrogen bonds, forming a three-dimensional framework.

Related literature

For the complexation abilities of oligopeptides towards different metals, see: Kozlowski *et al.* (1999); Gajda *et al.* (1996). For bond lengths and angles in other oligopeptides, see: Itoh *et al.* (1977). For hydrogen-bond motifs, see: Bernstein *et al.* (1995). For related literature, see: Henry *et al.* (1993).



Experimental

Crystal data



$M_r = 312.20$

Triclinic, $P\bar{1}$

$a = 7.2923 (10)\text{ \AA}$

$b = 8.2215 (11)\text{ \AA}$

$c = 13.0767 (15)\text{ \AA}$

$\alpha = 81.702 (11)^\circ$

$\beta = 77.863 (11)^\circ$

$\gamma = 69.543 (12)^\circ$

$V = 715.98 (16)\text{ \AA}^3$

$Z = 2$

Mo $K\alpha$ radiation

$\mu = 0.46\text{ mm}^{-1}$

$T = 110 (2)\text{ K}$

$0.30 \times 0.20 \times 0.12\text{ mm}$

Data collection

Oxford Diffraction Xcalibur-Sapphire2 CCD diffractometer
Absorption correction: numerical (*ABSORB*; DeTitta, 1985)
 $R_{\min} = 0.874$, $T_{\max} = 0.952$

12727 measured reflections
3307 independent reflections
1798 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.061$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.046$
 $wR(F^2) = 0.111$
 $S = 0.97$
3307 reflections

172 parameters
H-atom parameters constrained
 $\Delta\rho_{\max} = 0.51\text{ e \AA}^{-3}$
 $\Delta\rho_{\min} = -0.35\text{ e \AA}^{-3}$

Table 1
Hydrogen-bond geometry (\AA , $^\circ$).

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
N1—H1'···Cl1	0.88	2.27	3.083 (4)	153
N2—H2'···O1 ⁱ	0.88	1.81	2.670 (4)	165
N3—H3'···O2 ⁱ	0.88	2.07	2.927 (4)	165
N4—H4'···Cl1 ⁱⁱ	0.88	2.31	3.192 (4)	178
N5—H5C'···Cl2 ⁱⁱⁱ	0.91	2.32	3.152 (4)	152
N5—H5B'···Cl2	0.91	2.32	3.191 (4)	160
N5—H5A'···Cl1 ^{iv}	0.91	2.31	3.161 (4)	156

Symmetry codes: (i) $x, y + 1, z$; (ii) $x, y - 1, z + 1$; (iii) $-x + 2, -y - 1, -z + 2$; (iv) $-x + 1, -y + 1, -z + 1$.

Data collection: CryslicCCD (Oxford Diffraction, 2003); cell refinement: *CrysAlis RED* (Oxford Diffraction, 2003); data reduction: *CrysAlis RED*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3 for Windows* (Farrugia, 1997); software used to prepare material for publication: *enCIFer* (Allen *et al.*, 2004).

Technical support (NMR, ESI-MS and X-ray measurements) from Université Henry Poincaré, Nancy 1, is gratefully acknowledged.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: CS2096).

References

- Allen, F. H., Johnson, O., Shields, G. P., Smith, B. R. & Towler, M. (2004). *J. Appl. Cryst.* **37**, 335–338.
- Bernstein, J., Davis, R. E., Shimoni, L. & Chang, N.-L. (1995). *Angew. Chem. Int. Ed. Engl.* **34**, 1555–1573.
- DeTitta, G. T. (1985). *J. Appl. Cryst.* **18**, 75–79.
- Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.
- Gajda, T., Henry, B., Aubry, A. & Delpuech, J.-J. (1996). *Inorg. Chem.* **35**, 586–593.
- Henry, B., Gajda, T., Selve, C. & Delpuech, J.-J. (1993). *Amino Acids* **5**, 113–114.
- Itoh, H., Yamane, T., Ashida, T. & Kakudo, M. (1977). *Acta Cryst. B* **33**, 2959–2961.
- Kozlowski, H., Bal, W., Dyba, M. & Kowalik-Jankowska, T. (1999). *Coord. Chem. Rev.* **184**, 319–346.
- Oxford Diffraction (2003). *CrysAlis CCD* and *CrysAlis RED*. Oxford Diffraction, Wroclaw, Poland.
- Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.

supplementary materials

Acta Cryst. (2008). E64, o2476 [doi:10.1107/S1600536808035952]

4-{2-[3-(2-Ammonioacetamido)propanamido]ethyl}-1*H*-imidazol-3-i^{um} dichloride

K. Selmeczi, B. Henry, E. Wenger and S. Dahaoui

Comment

Serum albumin (SA) is the most abundant protein in human, and considered as the trace metal carrier between tissues and blood. To mimicking the coordination site in SA many oligopeptides have been synthesized and their complexation abilities towards different metals (Cu, Ni, Co, Mn, etc.) have been studied (Kozlowski *et al.*, 1999, Gajda *et al.*, 1996). We report here the molecular structure of the pseudo-tripeptide Glycyl- β -Alanyl-Histamine dihydrochloride (I) as a potential model compound which was synthesized in two steps from histamine hydrochloride, BOC- β -Alanine (BOC: *N*-(*tert*-butoxycarbonyl)) and BOC-Glycine. The asymmetric unit consists of the bicationic form of the pseudo-tripeptide and two chloride anions (Fig. 1). The organic cation is essentially planar (maximum deviation from the mean plane is 0.102 (4) Å). The bond distances and angles of the peptide bonds and the protonated imidazolium rings are close to the values measured for other oligopeptides (Itoh *et al.*, 1977). Ions in the title salt are interlinked by two types of hydrogen bridges in the crystal. The N2 and N3 nitrogen atoms form strong N—H···O hydrogen bonds with O1ⁱ and O2ⁱ carbonyl oxygen atoms of neighbouring pseudo-tripeptide molecules, respectively [symmetry codes: (i) $x, y + 1, z$], giving an $R_2^2(14)$ hydrogen-bonded ring motif (Bernstein *et al.*, 1995). The N1, N4 and N5 nitrogen atoms form N—H···Cl1 hydrogen bonds with Cl1, Cl1ⁱⁱ and Cl1^{iv}, respectively [symmetry codes: (ii) $x, y - 1, z + 1$ and (iv) $-x + 1, -y + 1, -z + 1$], and are engaged in two other cyclic patterns ($R_2^3(13)$ and $R_3^5(22)$). This complex hydrogen bond framework gives a two-dimensional polymer parallel to the (011) plane (Fig. 2). Layers are linked along the a axis and Cl1 and Cl2 atoms are alternatively involved. The distances between the two layers are 2.914 (4) Å and 3.747 (4) Å (N5···Cl1···N5 and N5···Cl2···N5, respectively) (Fig. 3).

Experimental

The title compound was synthesized in two steps. First, β -Ala-histamine was prepared from *N*-(*tert*-butoxycarbonyl)- β -alanine and histamine dihydrochloride according to the procedure described earlier (Henry *et al.*, 1993). Using the same method in the second step, the title compound was obtained from the reaction of *N*-(*tert*-butoxycarbonyl)-glycine on β -Ala-histamine. Suitable crystals were obtained by slow diffusion of ethyl acetate into the methanolic solution of the title compound.

Refinement

All H atoms bonded to C and N atoms were initially located from difference Fourier maps. Nevertheless, all the H atoms were constrained in a riding motion approximation with fixed bond lengths and U_{iso} parameters: C_{aryl}—H = 0.95 Å, with $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$; C_{methylene}—H = 0.99 Å, with $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$; N—H = 0.88 Å, with $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{N})$; N_{amine}—H = 0.91 Å, with $U_{\text{iso}}(\text{H}) = 1.5U_{\text{eq}}(\text{N})$.

supplementary materials

Figures




Fig. 1. The molecular structure of the title salt with the atom-numbering scheme. Displacement ellipsoids are drawn at the 50% probability level.




Fig. 2. A partial packing diagram of (I), viewed along the a axis, showing the $\text{N}—\text{H}···\text{O}$ and $\text{N}—\text{H}···\text{Cl1}$ hydrogen bonds. H atoms have been omitted for clarity.




Fig. 3. A view of the crystal packing of (I), showing the alternation of $\text{N5}—\text{H}···\text{Cl1}$ and $\text{N5}—\text{H}···\text{Cl2}$ hydrogen bonds (dashed lines) between two layers along the a axis. H atoms have been omitted for clarity.

4-{2-[3-(2-Ammonioacetamido)propanamido]ethyl}-1*H*-imidazol-3-ium dichloride

Crystal data

$\text{C}_{10}\text{H}_{19}\text{N}_5\text{O}_2^{2+} \cdot 2\text{Cl}^-$	$Z = 2$
$M_r = 312.20$	$F_{000} = 328$
Triclinic, $P\bar{1}$	$D_x = 1.448 \text{ Mg m}^{-3}$
Hall symbol: -P 1	Mo $K\alpha$ radiation
$a = 7.2923 (10) \text{ \AA}$	$\lambda = 0.71073 \text{ \AA}$
$b = 8.2215 (11) \text{ \AA}$	Cell parameters from 12727 reflections
$c = 13.0767 (15) \text{ \AA}$	$\theta = 2.7\text{--}29.2^\circ$
$\alpha = 81.702 (11)^\circ$	$\mu = 0.46 \text{ mm}^{-1}$
$\beta = 77.863 (11)^\circ$	$T = 110 (2) \text{ K}$
$\gamma = 69.543 (12)^\circ$	Prism, colourless
$V = 715.98 (16) \text{ \AA}^3$	$0.30 \times 0.20 \times 0.12 \text{ mm}$

Data collection

Oxford Diffraction Xcalibur-Saphire2 CCD diffractometer	3307 independent reflections
Radiation source: fine-focus sealed tube	1798 reflections with $I > 2\sigma(I)$
Monochromator: graphite	$R_{\text{int}} = 0.061$
$T = 110(2) \text{ K}$	$\theta_{\text{max}} = 29.2^\circ$
ω scan	$\theta_{\text{min}} = 2.7^\circ$
Absorption correction: numerical (ABSORB; DeTitta, 1985)	$h = -9 \rightarrow 9$
$T_{\text{min}} = 0.874$, $T_{\text{max}} = 0.952$	$k = -11 \rightarrow 11$
12727 measured reflections	$l = -17 \rightarrow 16$

Refinement

Refinement on F^2	Secondary atom site location: difference Fourier map
Least-squares matrix: full	Hydrogen site location: inferred from neighbouring sites
$R[F^2 > 2\sigma(F^2)] = 0.046$	H-atom parameters constrained
$wR(F^2) = 0.111$	$w = 1/[\sigma^2(F_o^2) + (0.0489P)^2]$ where $P = (F_o^2 + 2F_c^2)/3$
$S = 0.97$	$(\Delta/\sigma)_{\text{max}} < 0.001$
3307 reflections	$\Delta\rho_{\text{max}} = 0.51 \text{ e \AA}^{-3}$
172 parameters	$\Delta\rho_{\text{min}} = -0.35 \text{ e \AA}^{-3}$
Primary atom site location: structure-invariant direct methods	Extinction correction: none

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
O1	0.7290 (4)	0.3622 (3)	0.54649 (15)	0.0302 (6)
O2	0.7180 (3)	-0.1826 (2)	0.77310 (14)	0.0255 (5)
N1	0.7705 (4)	1.0791 (3)	0.25403 (18)	0.0255 (6)
H1'	0.7720	1.0903	0.1859	0.031*
N2	0.7640 (4)	1.1387 (3)	0.40854 (18)	0.0230 (6)
H2'	0.7614	1.1961	0.4609	0.028*
N3	0.7314 (4)	0.5944 (3)	0.61436 (17)	0.0217 (6)
H3'	0.7289	0.6443	0.6701	0.026*
N4	0.7164 (4)	0.0643 (3)	0.83121 (17)	0.0205 (6)
H4'	0.7173	0.1161	0.8854	0.025*
N5	0.7507 (4)	-0.3688 (3)	0.95958 (18)	0.0223 (6)
H5C'	0.7717	-0.4211	1.0243	0.033*
H5B'	0.8438	-0.4329	0.9097	0.033*
H5A'	0.6275	-0.3610	0.9505	0.033*
C1	0.7671 (5)	1.2013 (4)	0.3094 (2)	0.0271 (7)
H1	0.7668	1.3152	0.2829	0.033*
C2	0.7655 (4)	0.9685 (3)	0.4167 (2)	0.0189 (7)
C3	0.7717 (5)	0.9304 (4)	0.3183 (2)	0.0222 (7)
H3	0.7759	0.8228	0.2977	0.027*
C4	0.7614 (5)	0.8637 (4)	0.5201 (2)	0.0217 (7)
H4B	0.6470	0.9288	0.5709	0.026*
H4A	0.8842	0.8465	0.5473	0.026*
C5	0.7448 (5)	0.6879 (3)	0.5113 (2)	0.0201 (7)
H5B	0.6251	0.7041	0.4814	0.024*
H5A	0.8626	0.6195	0.4638	0.024*
C6	0.7229 (4)	0.4335 (4)	0.6247 (2)	0.0217 (7)
C7	0.7099 (5)	0.3428 (3)	0.7336 (2)	0.0195 (7)
H7B	0.5899	0.4119	0.7796	0.023*
H7A	0.8276	0.3333	0.7634	0.023*
C8	0.7003 (5)	0.1626 (3)	0.7299 (2)	0.0203 (7)

supplementary materials

H8B	0.5730	0.1730	0.7097	0.024*
H8A	0.8098	0.0998	0.6761	0.024*
C9	0.7297 (4)	-0.1029 (4)	0.8434 (2)	0.0190 (7)
C10	0.7655 (5)	-0.1917 (3)	0.9503 (2)	0.0202 (7)
H10B	0.8992	-0.1998	0.9607	0.024*
H10A	0.6660	-0.1223	1.0054	0.024*
Cl2	1.15091 (12)	-0.57052 (9)	0.81161 (5)	0.0251 (2)
Cl1	0.71393 (12)	1.24682 (9)	0.03128 (5)	0.0240 (2)

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
O1	0.0512 (17)	0.0260 (12)	0.0199 (11)	-0.0198 (12)	-0.0059 (10)	-0.0041 (9)
O2	0.0408 (15)	0.0195 (11)	0.0184 (11)	-0.0124 (11)	-0.0042 (10)	-0.0036 (9)
N1	0.0291 (17)	0.0326 (15)	0.0148 (13)	-0.0124 (13)	-0.0004 (11)	-0.0010 (11)
N2	0.0277 (16)	0.0206 (14)	0.0224 (14)	-0.0095 (13)	-0.0025 (12)	-0.0060 (11)
N3	0.0330 (17)	0.0177 (13)	0.0162 (12)	-0.0125 (12)	0.0004 (11)	-0.0027 (10)
N4	0.0304 (16)	0.0170 (13)	0.0163 (12)	-0.0106 (12)	-0.0030 (11)	-0.0030 (10)
N5	0.0267 (16)	0.0202 (13)	0.0191 (13)	-0.0084 (12)	-0.0010 (11)	-0.0010 (10)
C1	0.0218 (19)	0.0225 (17)	0.0353 (19)	-0.0076 (15)	-0.0070 (15)	0.0070 (15)
C2	0.0193 (18)	0.0114 (15)	0.0254 (16)	-0.0051 (13)	-0.0008 (13)	-0.0032 (12)
C3	0.0227 (19)	0.0222 (17)	0.0223 (16)	-0.0085 (15)	-0.0035 (14)	-0.0018 (13)
C4	0.0229 (19)	0.0242 (16)	0.0186 (15)	-0.0093 (15)	-0.0029 (13)	-0.0009 (13)
C5	0.0232 (18)	0.0178 (15)	0.0180 (15)	-0.0053 (14)	-0.0033 (13)	-0.0019 (12)
C6	0.0210 (19)	0.0240 (17)	0.0202 (16)	-0.0080 (15)	-0.0023 (13)	-0.0023 (13)
C7	0.0255 (19)	0.0165 (15)	0.0151 (15)	-0.0070 (14)	-0.0011 (13)	-0.0008 (12)
C8	0.0228 (19)	0.0217 (16)	0.0186 (15)	-0.0100 (14)	-0.0031 (13)	-0.0026 (12)
C9	0.0128 (17)	0.0208 (16)	0.0230 (16)	-0.0062 (14)	0.0002 (13)	-0.0035 (13)
C10	0.0221 (18)	0.0154 (15)	0.0234 (16)	-0.0055 (14)	-0.0045 (14)	-0.0033 (12)
Cl2	0.0295 (5)	0.0243 (4)	0.0217 (4)	-0.0097 (4)	-0.0006 (3)	-0.0055 (3)
Cl1	0.0291 (5)	0.0241 (4)	0.0215 (4)	-0.0114 (4)	-0.0050 (3)	-0.0022 (3)

Geometric parameters (\AA , $^\circ$)

O1—C6	1.235 (3)	C1—H1	0.9500
O2—C9	1.237 (3)	C2—C3	1.356 (4)
N1—C1	1.311 (4)	C2—C4	1.495 (4)
N1—C3	1.378 (3)	C3—H3	0.9500
N1—H1'	0.8800	C4—C5	1.514 (4)
N2—C1	1.322 (4)	C4—H4B	0.9900
N2—C2	1.384 (3)	C4—H4A	0.9900
N2—H2'	0.8800	C5—H5B	0.9900
N3—C6	1.333 (3)	C5—H5A	0.9900
N3—C5	1.454 (3)	C6—C7	1.510 (4)
N3—H3'	0.8800	C7—C8	1.515 (3)
N4—C9	1.332 (3)	C7—H7B	0.9900
N4—C8	1.453 (3)	C7—H7A	0.9900
N4—H4'	0.8800	C8—H8B	0.9900
N5—C10	1.483 (3)	C8—H8A	0.9900

N5—H5C'	0.9100	C9—C10	1.510 (4)
N5—H5B'	0.9100	C10—H10B	0.9900
N5—H5A'	0.9100	C10—H10A	0.9900
C1—N1—C3	109.9 (2)	H4B—C4—H4A	107.9
C1—N1—H1'	125.0	N3—C5—C4	109.9 (2)
C3—N1—H1'	125.0	N3—C5—H5B	109.7
C1—N2—C2	109.1 (2)	C4—C5—H5B	109.7
C1—N2—H2'	125.4	N3—C5—H5A	109.7
C2—N2—H2'	125.4	C4—C5—H5A	109.7
C6—N3—C5	120.2 (2)	H5B—C5—H5A	108.2
C6—N3—H3'	119.9	O1—C6—N3	120.1 (3)
C5—N3—H3'	119.9	O1—C6—C7	122.2 (2)
C9—N4—C8	121.1 (2)	N3—C6—C7	117.8 (2)
C9—N4—H4'	119.4	C6—C7—C8	110.2 (2)
C8—N4—H4'	119.4	C6—C7—H7B	109.6
C10—N5—H5C'	109.5	C8—C7—H7B	109.6
C10—N5—H5B'	109.5	C6—C7—H7A	109.6
H5C'—N5—H5B'	109.5	C8—C7—H7A	109.6
C10—N5—H5A'	109.5	H7B—C7—H7A	108.1
H5C'—N5—H5A'	109.5	N4—C8—C7	110.9 (2)
H5B'—N5—H5A'	109.5	N4—C8—H8B	109.5
N1—C1—N2	108.3 (2)	C7—C8—H8B	109.5
N1—C1—H1	125.9	N4—C8—H8A	109.5
N2—C1—H1	125.9	C7—C8—H8A	109.5
C3—C2—N2	106.4 (2)	H8B—C8—H8A	108.0
C3—C2—C4	132.2 (2)	O2—C9—N4	123.5 (2)
N2—C2—C4	121.4 (2)	O2—C9—C10	121.6 (2)
C2—C3—N1	106.3 (2)	N4—C9—C10	114.9 (2)
C2—C3—H3	126.9	N5—C10—C9	110.0 (2)
N1—C3—H3	126.9	N5—C10—H10B	109.7
C2—C4—C5	111.9 (2)	C9—C10—H10B	109.7
C2—C4—H4B	109.2	N5—C10—H10A	109.7
C5—C4—H4B	109.2	C9—C10—H10A	109.7
C2—C4—H4A	109.2	H10B—C10—H10A	108.2
C5—C4—H4A	109.2		

Hydrogen-bond geometry (Å, °)

D—H···A	D—H	H···A	D···A	D—H···A
N1—H1'···Cl1	0.88	2.27	3.083 (4)	153
N2—H2'···O1 ⁱ	0.88	1.81	2.670 (4)	165
N3—H3'···O2 ⁱ	0.88	2.07	2.927 (4)	165
N4—H4'···Cl1 ⁱⁱ	0.88	2.31	3.192 (4)	178
N5—H5C'···Cl2 ⁱⁱⁱ	0.91	2.32	3.152 (4)	152
N5—H5B'···Cl2	0.91	2.32	3.191 (4)	160
N5—H5A'···Cl1 ^{iv}	0.91	2.31	3.161 (4)	156

Symmetry codes: (i) $x, y+1, z$; (ii) $x, y-1, z+1$; (iii) $-x+2, -y-1, -z+2$; (iv) $-x+1, -y+1, -z+1$.

supplementary materials

Fig. 1





Fig. 2



supplementary materials

Fig. 3

