

## 3-Bromo-N'-(3,5-dichloro-2-hydroxybenzylidene)benzohydrazide

Chuan-Gao Zhu, Yi-Jun Wei\* and Qi-Yong Zhu

Department of Chemistry, Huainan Normal College, Huainan 232001, People's Republic of China

Correspondence e-mail: huainanweiyijun@163.com


Received 1 December 2008; accepted 7 December 2008

Key indicators: single-crystal X-ray study;  $T = 298\text{ K}$ ; mean  $\sigma(\text{C}-\text{C}) = 0.004\text{ \AA}$ ;  $R$  factor = 0.036;  $wR$  factor = 0.075; data-to-parameter ratio = 16.6.

The title compound,  $\text{C}_{14}\text{H}_9\text{BrCl}_2\text{N}_2\text{O}_2$ , was prepared by the reaction of 3,5-dichloro-2-hydroxybenzaldehyde and 3-bromobenzohydrazide in methanol. The dihedral angle between the two benzene rings is  $13.0(2)^\circ$ . An intramolecular O—H $\cdots$ N hydrogen bond is observed. The molecules are linked into chains along the  $c$  axis by intermolecular N—H $\cdots$ O hydrogen bonds.

### Related literature

For the synthesis of Schiff bases, see: Akitsu & Einaga (2006); Butcher *et al.* (2005); Habibi *et al.* (2007); Pradeep (2005). For related structures, see: Bao & Wei (2008); Odabaşoğlu *et al.* (2007); Wang *et al.* (2006); Wei *et al.* (2008); Yathirajan *et al.* (2007); Yehye *et al.* (2008); Zhu *et al.* (2007).



### Experimental

#### Crystal data



$M_r = 388.04$

Monoclinic,  $P2_1/c$

$a = 8.272(2)\text{ \AA}$

$b = 22.366(3)\text{ \AA}$

$c = 8.237(2)\text{ \AA}$

$\beta = 104.014(2)^\circ$

$V = 1478.6(5)\text{ \AA}^3$

$Z = 4$

Mo  $K\alpha$  radiation

$\mu = 3.15\text{ mm}^{-1}$

$T = 298(2)\text{ K}$

$0.23 \times 0.23 \times 0.22\text{ mm}$

#### Data collection

Bruker SMART 1000 CCD area-detector diffractometer  
 Absorption correction: multi-scan (*SADABS*; Sheldrick, 1996)  
 $T_{\min} = 0.495$ ,  $T_{\max} = 0.513$

8590 measured reflections  
 3224 independent reflections  
 2144 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.035$

#### Refinement

$R[F^2 > 2\sigma(F^2)] = 0.036$   
 $wR(F^2) = 0.075$   
 $S = 0.98$   
 3224 reflections  
 194 parameters  
 1 restraint

H atoms treated by a mixture of independent and constrained refinement  
 $\Delta\rho_{\max} = 0.32\text{ e \AA}^{-3}$   
 $\Delta\rho_{\min} = -0.29\text{ e \AA}^{-3}$

**Table 1**  
 Hydrogen-bond geometry ( $\text{\AA}$ ,  $^\circ$ ).

$D-\text{H} \cdots A$	$D-\text{H}$	$\text{H} \cdots A$	$D \cdots A$	$D-\text{H} \cdots A$
O1—H1 $\cdots$ N1	0.82	1.88	2.598 (3)	145
N2—H2 $\cdots$ O2 <sup>i</sup>	0.89 (1)	2.03 (1)	2.898 (3)	165 (3)

Symmetry code: (i)  $x, -y + \frac{3}{2}, z - \frac{1}{2}$ .

Data collection: *SMART* (Bruker, 2002); cell refinement: *SAINT* (Bruker, 2002); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL* (Sheldrick, 2008); software used to prepare material for publication: *SHELXTL*.

The authors thank the Natural Science Foundation of the Education Office of Anhui Province, China, for financial support (grant No. KJ2007A126ZC).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: CI2740).

### References

- Akitsu, T. & Einaga, Y. (2006). *Acta Cryst. E62*, o4315–o4317.
- Bao, X. & Wei, Y.-J. (2008). *Acta Cryst. E64*, o1682.
- Bruker (2002). *SMART* and *SAINT*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Butcher, R. J., Basu Baul, T. S., Singh, K. S. & Smith, F. E. (2005). *Acta Cryst. E61*, o1007–o1009.
- Habibi, M. H., Mokhtari, R., Harrington, R. W. & Clegg, W. (2007). *Acta Cryst. E63*, o2881.
- Odabaşoğlu, M., Büyükgüngör, O., Narayana, B., Vijesh, A. M. & Yathirajan, H. S. (2007). *Acta Cryst. E63*, o1916–o1918.
- Pradeep, C. P. (2005). *Acta Cryst. E61*, o3825–o3827.
- Sheldrick, G. M. (1996). *SADABS*. University of Göttingen, Germany.
- Sheldrick, G. M. (2008). *Acta Cryst. A64*, 112–122.
- Wang, F.-W., Wei, Y.-J. & Zhu, Q.-Y. (2006). *Chin. J. Struct. Chem.* **25**, 1179–1182.
- Wei, Y.-J., Wang, F.-W. & Zhu, Q.-Y. (2008). *Transition Met. Chem.* **33**, 543–546.
- Yathirajan, H. S., Vijesh, A. M., Narayana, B., Sarojini, B. K. & Bolte, M. (2007). *Acta Cryst. E63*, o936–o938.
- Yehye, W. A., Ariffin, A. & Ng, S. W. (2008). *Acta Cryst. E64*, o1452.
- Zhu, C.-G., Wei, Y.-J. & Wang, F.-W. (2007). *Acta Cryst. E63*, m3197–m3198.

## **supplementary materials**

Acta Cryst. (2009). E65, o85 [ doi:10.1107/S1600536808041378 ]

### 3-Bromo-*N'*-(3,5-dichloro-2-hydroxybenzylidene)benzohydrazide

C.-G. Zhu, Y.-J. Wei and Q.-Y. Zhu

#### Comment

Schiff bases are readily synthesized by the reaction of aldehydes with primary amines (Akitsu & Einaga, 2006; Pradeep, 2005; Butcher *et al.*, 2005; Habibi *et al.*, 2007). We have reported a few Schiff bases and their complexes (Wei *et al.*, 2008; Zhu *et al.*, 2007; Wang *et al.*, 2006). In this paper, the crystal structure of a new Schiff base compound is reported.

The C≡N bond length in the title molecule (Fig. 1) is comparable with those observed in other Schiff bases (Yehye *et al.*, 2008; Odabaşoğlu *et al.*, 2007; Yathirajan *et al.*, 2007). All bond lengths are within normal ranges and are comparable to those observed in a related compound (Bao & Wei, 2008). The dihedral angle between C1—C6 and C9—C14 phenyl rings is 13.0 (2)°, indicating that the molecule is non-planar. An intramolecular O1—H1…N1 hydrogen bond is observed.

The crystal structure is stabilized by intermolecular N—H…O hydrogen bonds (Table 1), forming chains along the *c* axis (Fig. 2).

#### Experimental

3,5-Dichloro-2-hydroxybenzaldehyde (1.0 mmol) and 3-bromobenzohydrazide (1.0 mmol) were dissolved in methanol (30 ml). The mixture was stirred at reflux for 10 min to give a clear colourless solution. After keeping this solution in air for 5 d, colourless needle-shaped crystals were formed.

#### Refinement

Atom H2 was located in a difference Fourier map and refined isotropically, with the N—H distance restrained to 0.90 (1) Å. All other H atoms were positioned geometrically (C—H = 0.93 Å and O—H = 0.82 Å) and refined as riding, with  $U_{\text{iso}}(\text{H})$  values set at  $1.2U_{\text{eq}}(\text{C})$  and  $1.5U_{\text{eq}}(\text{O})$ .

#### Figures




Fig. 1. The molecular structure of the title compound, showing 30% probability displacement ellipsoids. The dashed line indicates a hydrogen bond.




Fig. 2. Molecular packing of the title compound, viewed along the *a* axis. Hydrogen bonds are shown as dashed lines.

# supplementary materials

---

## 3-Bromo-N<sup>1</sup>-(3,5-dichloro-2-hydroxybenzylidene)benzohydrazide

### Crystal data

C <sub>14</sub> H <sub>9</sub> BrCl <sub>2</sub> N <sub>2</sub> O <sub>2</sub>	$F_{000} = 768$
$M_r = 388.04$	$D_x = 1.743 \text{ Mg m}^{-3}$
Monoclinic, $P2_1/c$	Mo $K\alpha$ radiation
Hall symbol: -P 2ybc	$\lambda = 0.71073 \text{ \AA}$
$a = 8.272 (2) \text{ \AA}$	Cell parameters from 1779 reflections
$b = 22.366 (3) \text{ \AA}$	$\theta = 2.5\text{--}24.9^\circ$
$c = 8.237 (2) \text{ \AA}$	$\mu = 3.15 \text{ mm}^{-1}$
$\beta = 104.014 (2)^\circ$	$T = 298 (2) \text{ K}$
$V = 1478.6 (5) \text{ \AA}^3$	Cut from needle, colorless
$Z = 4$	$0.23 \times 0.23 \times 0.22 \text{ mm}$

### Data collection

Bruker SMART 1000 CCD area-detector diffractometer	3224 independent reflections
Radiation source: fine-focus sealed tube	2144 reflections with $I > 2\sigma(I)$
Monochromator: graphite	$R_{\text{int}} = 0.035$
$T = 298(2) \text{ K}$	$\theta_{\max} = 27.0^\circ$
$\omega$ scans	$\theta_{\min} = 2.5^\circ$
Absorption correction: multi-scan (SADABS; Sheldrick, 1996)	$h = -10 \rightarrow 10$
$T_{\min} = 0.495$ , $T_{\max} = 0.513$	$k = -25 \rightarrow 28$
8590 measured reflections	$l = -9 \rightarrow 10$

### Refinement

Refinement on $F^2$	Secondary atom site location: difference Fourier map
Least-squares matrix: full	Hydrogen site location: inferred from neighbouring sites
$R[F^2 > 2\sigma(F^2)] = 0.036$	H atoms treated by a mixture of independent and constrained refinement
$wR(F^2) = 0.075$	$w = 1/[\sigma^2(F_o^2) + (0.0309P)^2]$ where $P = (F_o^2 + 2F_c^2)/3$
$S = 0.98$	$(\Delta/\sigma)_{\max} = 0.001$
3224 reflections	$\Delta\rho_{\max} = 0.32 \text{ e \AA}^{-3}$
194 parameters	$\Delta\rho_{\min} = -0.29 \text{ e \AA}^{-3}$
1 restraint	Extinction correction: none
Primary atom site location: structure-invariant direct methods	

*Special details*

**Geometry.** All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted  $R$ -factor  $wR$  and goodness of fit  $S$  are based on  $F^2$ , conventional  $R$ -factors  $R$  are based on  $F$ , with  $F$  set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating  $R$ -factors(gt) etc. and is not relevant to the choice of reflections for refinement.  $R$ -factors based on  $F^2$  are statistically about twice as large as those based on  $F$ , and  $R$ -factors based on ALL data will be even larger.

*Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )*

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
Br1	0.48270 (4)	0.491887 (13)	-0.27385 (4)	0.05628 (13)
Cl1	1.05566 (10)	1.05415 (3)	0.26163 (9)	0.0498 (2)
Cl2	1.25693 (10)	0.85535 (3)	0.61875 (9)	0.0575 (2)
N1	0.7849 (3)	0.79256 (10)	0.0814 (3)	0.0410 (6)
N2	0.6808 (3)	0.76119 (10)	-0.0450 (3)	0.0422 (6)
O1	1.0195 (3)	0.79478 (8)	0.3556 (2)	0.0541 (5)
H1	0.9462	0.7793	0.2827	0.081*
O2	0.6767 (3)	0.68457 (8)	0.1345 (2)	0.0489 (5)
C1	0.9228 (3)	0.88201 (12)	0.1849 (3)	0.0367 (6)
C2	1.0236 (3)	0.85387 (12)	0.3269 (3)	0.0395 (7)
C3	1.1329 (3)	0.88909 (12)	0.4431 (3)	0.0397 (7)
C4	1.1435 (3)	0.94963 (12)	0.4228 (3)	0.0409 (7)
H4	1.2183	0.9722	0.5017	0.049*
C5	1.0430 (3)	0.97700 (11)	0.2850 (3)	0.0373 (7)
C6	0.9340 (3)	0.94382 (12)	0.1660 (3)	0.0387 (7)
H6	0.8676	0.9626	0.0726	0.046*
C7	0.8091 (3)	0.84757 (12)	0.0558 (3)	0.0417 (7)
H7	0.7548	0.8656	-0.0442	0.050*
C8	0.6373 (3)	0.70501 (12)	-0.0078 (3)	0.0392 (7)
C9	0.5343 (3)	0.67109 (12)	-0.1518 (3)	0.0373 (6)
C10	0.5519 (3)	0.60935 (11)	-0.1486 (3)	0.0371 (6)
H10	0.6248	0.5906	-0.0595	0.044*
C11	0.4591 (3)	0.57631 (12)	-0.2802 (3)	0.0404 (7)
C12	0.3488 (4)	0.60312 (13)	-0.4123 (3)	0.0468 (7)
H12	0.2877	0.5801	-0.5000	0.056*
C13	0.3297 (4)	0.66421 (13)	-0.4133 (4)	0.0500 (8)
H13	0.2544	0.6826	-0.5013	0.060*
C14	0.4222 (4)	0.69829 (13)	-0.2838 (3)	0.0444 (7)
H14	0.4093	0.7396	-0.2852	0.053*
H2	0.662 (4)	0.7733 (13)	-0.1513 (18)	0.080*

## supplementary materials

---

### *Atomic displacement parameters ( $\text{\AA}^2$ )*

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
Br1	0.0667 (2)	0.04067 (18)	0.0550 (2)	-0.00069 (16)	0.00200 (16)	-0.00918 (15)
Cl1	0.0677 (6)	0.0367 (4)	0.0459 (4)	-0.0006 (3)	0.0154 (4)	0.0005 (3)
Cl2	0.0656 (6)	0.0545 (5)	0.0430 (4)	0.0122 (4)	-0.0048 (4)	0.0070 (4)
N1	0.0484 (15)	0.0403 (14)	0.0325 (13)	-0.0066 (11)	0.0066 (11)	-0.0035 (11)
N2	0.0558 (16)	0.0401 (13)	0.0280 (12)	-0.0083 (12)	0.0053 (12)	-0.0038 (11)
O1	0.0718 (17)	0.0375 (11)	0.0463 (13)	-0.0037 (10)	0.0013 (11)	0.0071 (10)
O2	0.0714 (15)	0.0428 (11)	0.0283 (11)	-0.0042 (10)	0.0042 (10)	-0.0001 (9)
C1	0.0396 (16)	0.0403 (16)	0.0311 (14)	-0.0024 (13)	0.0103 (12)	-0.0019 (13)
C2	0.0462 (18)	0.0379 (16)	0.0361 (16)	0.0023 (13)	0.0130 (14)	0.0055 (13)
C3	0.0410 (17)	0.0448 (17)	0.0311 (15)	0.0044 (14)	0.0047 (13)	0.0022 (13)
C4	0.0429 (18)	0.0442 (17)	0.0335 (15)	-0.0037 (14)	0.0050 (13)	-0.0038 (13)
C5	0.0457 (19)	0.0329 (15)	0.0346 (15)	-0.0011 (12)	0.0119 (14)	-0.0007 (12)
C6	0.0467 (18)	0.0403 (16)	0.0295 (14)	0.0050 (14)	0.0100 (13)	0.0049 (13)
C7	0.0463 (19)	0.0455 (18)	0.0324 (15)	-0.0037 (14)	0.0076 (13)	-0.0004 (13)
C8	0.0462 (18)	0.0393 (16)	0.0317 (16)	0.0023 (13)	0.0085 (13)	-0.0041 (13)
C9	0.0430 (18)	0.0408 (16)	0.0280 (14)	-0.0024 (13)	0.0085 (13)	-0.0018 (13)
C10	0.0418 (17)	0.0370 (15)	0.0302 (15)	0.0013 (13)	0.0044 (12)	-0.0003 (12)
C11	0.0399 (18)	0.0410 (16)	0.0404 (17)	0.0012 (13)	0.0098 (14)	-0.0043 (14)
C12	0.0464 (19)	0.0520 (19)	0.0375 (17)	-0.0042 (15)	0.0016 (14)	-0.0060 (14)
C13	0.0449 (19)	0.056 (2)	0.0424 (18)	0.0007 (15)	-0.0023 (14)	0.0041 (15)
C14	0.0495 (19)	0.0385 (16)	0.0440 (17)	0.0040 (14)	0.0094 (15)	0.0053 (14)

### *Geometric parameters ( $\text{\AA}$ , $^\circ$ )*

Br1—C11	1.898 (3)	C4—H4	0.93
Cl1—C5	1.742 (3)	C5—C6	1.377 (4)
Cl2—C3	1.731 (3)	C6—H6	0.93
N1—C7	1.272 (3)	C7—H7	0.93
N1—N2	1.372 (3)	C8—C9	1.490 (4)
N2—C8	1.362 (3)	C9—C14	1.387 (4)
N2—H2	0.893 (10)	C9—C10	1.388 (3)
O1—C2	1.345 (3)	C10—C11	1.381 (4)
O1—H1	0.82	C10—H10	0.93
O2—C8	1.227 (3)	C11—C12	1.377 (4)
C1—C6	1.397 (4)	C12—C13	1.375 (4)
C1—C2	1.410 (4)	C12—H12	0.93
C1—C7	1.458 (4)	C13—C14	1.381 (4)
C2—C3	1.391 (4)	C13—H13	0.93
C3—C4	1.370 (3)	C14—H14	0.93
C4—C5	1.377 (4)		
C7—N1—N2	117.7 (2)	N1—C7—H7	120.3
C8—N2—N1	116.9 (2)	C1—C7—H7	120.3
C8—N2—H2	120 (2)	O2—C8—N2	122.4 (2)
N1—N2—H2	121 (2)	O2—C8—C9	122.6 (2)

C2—O1—H1	109.5	N2—C8—C9	115.0 (2)
C6—C1—C2	119.5 (3)	C14—C9—C10	119.9 (3)
C6—C1—C7	119.3 (3)	C14—C9—C8	123.1 (2)
C2—C1—C7	121.1 (2)	C10—C9—C8	117.0 (2)
O1—C2—C3	118.4 (2)	C11—C10—C9	118.8 (3)
O1—C2—C1	123.3 (3)	C11—C10—H10	120.6
C3—C2—C1	118.3 (2)	C9—C10—H10	120.6
C4—C3—C2	121.7 (3)	C12—C11—C10	121.6 (3)
C4—C3—Cl2	119.4 (2)	C12—C11—Br1	119.9 (2)
C2—C3—Cl2	118.9 (2)	C10—C11—Br1	118.5 (2)
C3—C4—C5	119.8 (3)	C13—C12—C11	119.4 (3)
C3—C4—H4	120.1	C13—C12—H12	120.3
C5—C4—H4	120.1	C11—C12—H12	120.3
C4—C5—C6	120.5 (3)	C12—C13—C14	120.2 (3)
C4—C5—Cl1	119.4 (2)	C12—C13—H13	119.9
C6—C5—Cl1	120.1 (2)	C14—C13—H13	119.9
C5—C6—C1	120.2 (3)	C13—C14—C9	120.2 (3)
C5—C6—H6	119.9	C13—C14—H14	119.9
C1—C6—H6	119.9	C9—C14—H14	119.9
N1—C7—C1	119.4 (3)		

*Hydrogen-bond geometry (Å, °)*

<i>D</i> —H··· <i>A</i>	<i>D</i> —H	H··· <i>A</i>	<i>D</i> ··· <i>A</i>	<i>D</i> —H··· <i>A</i>
O1—H1···N1	0.82	1.88	2.598 (3)	145
N2—H2···O2 <sup>i</sup>	0.89 (1)	2.03 (1)	2.898 (3)	165 (3)

Symmetry codes: (i)  $x, -y+3/2, z-1/2$ .

## supplementary materials

---

Fig. 1




Fig. 2

