

Methyl 1*H*-1,2,3-triazole-4-carboxylate

K. Prabakaran,^a T. Maiyalagan,^a Venkatesha R. Hathwar,^b Canan Kazak^c and F. Nawaz Khan^{a*}

^aChemistry Division, School of Science and Humanities, VIT University, Vellore 632 014, Tamil Nadu, India, ^bSolid State and Structural Chemistry Unit, Indian Institute of Science, Bangalore 560 012, Karnataka, India, and ^cOndokuz Mayis University, Arts and Sciences Faculty, Department of Physics, 55139 Samsun, Turkey
Correspondence e-mail: nawaz_f@yahoo.co.in


Received 6 January 2009; accepted 8 January 2009

Key indicators: single-crystal X-ray study; $T = 290\text{ K}$; mean $\sigma(\text{C}-\text{C}) = 0.002\text{ \AA}$; R factor = 0.039; wR factor = 0.116; data-to-parameter ratio = 12.1.

The title compound, $\text{C}_4\text{H}_5\text{N}_3\text{O}_2$, features an essentially planar molecule (r.m.s. deviation for all non-H atoms = 0.013 Å). The crystal structure is stabilized by intermolecular N—H···O hydrogen bonds and π – π stacking interactions (centroid–centroid distance 3.882 Å).

Related literature

For general background, see: Abu-Orabi *et al.* (1989); Fan & Katritzky (1996); Dehne (1994). For a related structure, see: Wang *et al.* (1998).



Experimental

Crystal data

$\text{C}_4\text{H}_5\text{N}_3\text{O}_2$	$V = 588.12(19)\text{ \AA}^3$
$M_r = 127.11$	$Z = 4$
Monoclinic, $P2_1/n$	Mo $K\alpha$ radiation
$a = 3.8823(7)\text{ \AA}$	$\mu = 0.12\text{ mm}^{-1}$
$b = 17.499(3)\text{ \AA}$	$T = 290(2)\text{ K}$
$c = 8.8171(17)\text{ \AA}$	$0.30 \times 0.23 \times 0.20\text{ mm}$
$\beta = 100.938(3)^\circ$	

Data collection

Bruker SMART CCD area-detector diffractometer	4285 measured reflections
Absorption correction: multi-scan (<i>SADABS</i> ; Bruker, 2004)	1098 independent reflections
$T_{\min} = 0.956$, $T_{\max} = 0.977$	917 reflections with $I > 2\sigma(I)$
	$R_{\text{int}} = 0.016$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.039$	H atoms treated by a mixture of independent and constrained refinement
$wR(F^2) = 0.116$	$\Delta\rho_{\text{max}} = 0.20\text{ e \AA}^{-3}$
$S = 1.06$	$\Delta\rho_{\text{min}} = -0.12\text{ e \AA}^{-3}$
1098 reflections	
91 parameters	

Table 1

Hydrogen-bond geometry (Å, °).

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
N3—H3N \cdots O1 ⁱ	0.896 (19)	1.980 (19)	2.8659 (19)	169.56 (18)
Symmetry code: (i) $x + \frac{1}{2}, -y + \frac{1}{2}, z - \frac{1}{2}$				

Data collection: *SMART* (Bruker, 2004); cell refinement: *SAINT* (Bruker, 2004); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3* (Farrugia, 1999) and *CAMERON* (Watkin *et al.*, 1993); software used to prepare material for publication: *PLATON* (Spek, 2003).

We thank the Department of Science and Technology, India, for use of the CCD facility set up under the IRHPA-DST program at IISc. We thank Prof T. N. Guru Row, IISc, Bangalore, for useful crystallographic discussions. FNK thanks the DST for Fast Track Proposal funding.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: BT2847).

References

- Abu-Orabi, S. T., Alfah, M. A., Jibril, I., Mari'i, F. M. & Ali, A. A. S. (1989). *J. Heterocycl. Chem.* **26**, 1461–1468.
Bruker (2004). *SMART*, *SAINT* and *SADABS*. Bruker AXS Inc., Madison, Wisconsin, USA.
Dehne, H. (1994). *Methoden der Organischen Chemie*, Vol. E8d, edited by E. Schumann, pp. 305–405. Stuttgart: Thieme.
Fan, W.-Q. & Katritzky, A. R. (1996). *Comprehensive Heterocyclic Chemistry II*, Vol. 4, edited by A. R. Katritzky, C. W. Rees & E. F. V. Scriven, pp. 1–126. Oxford: Pergamon.
Farrugia, L. J. (1999). *J. Appl. Cryst.* **32**, 837–838.
Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.
Spek, A. L. (2003). *J. Appl. Cryst.* **36**, 7–13.
Wang, Z., Jian, F., Duan, C., Bai, Z. & You, X. (1998). *Acta Cryst. C* **54**, 1927–1929.
Watkin, D. J., Pearce, L. & Prout, C. K. (1993). *CAMERON*. Chemical Crystallography Laboratory, University of Oxford, England.

supplementary materials

Acta Cryst. (2009). E65, o300 [doi:10.1107/S1600536809000877]

Methyl 1*H*-1,2,3-triazole-4-carboxylate

K. Prabakaran, T. Maiyalagan, V. R. Hathwar, C. Kazak and F. N. Khan

Comment

Triazoles play an important role in pharmaceuticals, agrochemicals, dyes, photographic materials, and in corrosion inhibition (Fan & Katritzky, 1996; Dehne, 1994; Abu-Orabi *et al.*, 1989).

The crystal structure of the title compound is stabilized by intermolecular N—H···O hydrogen bonds and $\pi^{\cdots}\pi$ stacking interactions between the triazole rings at (symmetry operator 1+*X,Y,Z*; centroid-centroid distance 3.882 Å).

Experimental

A mixture of methylpropionate, 1 and trimethylsilylazide, 2 were heated at 100 °C till the completion of reaction, monitored by TLC. Then reaction mixture was cooled and methanol was added dropwise with cooling. The solid formed was allowed to stand for 30 min and filtered off, washed with ether, then with hexane. The product was then isolated as a colourless solid by column chromatography using 10% pet.ether/EtOAc. The single-crystal for X-ray structure analysis was obtained from ether solution by slow evaporation.

Refinement

All the H atoms in (I) were positioned geometrically and refined using a riding model with C—H bond lengths of 0.93 Å and 0.97 Å for aromatic and for methyl H atoms respectively and $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$ for all carbon bound H atoms.

Figures




Fig. 1. ORTEP diagram of the asymmetric unit of the title compound with 50% probability displacement ellipsoids.




Fig. 2. The crystal packing diagram of the title compound. The dotted lines indicate intermolecular N—H···O hydrogen bonds.

Methyl 1*H*-1,2,3-triazole-4-carboxylate

Crystal data

C₄H₅N₃O₂

$F_{000} = 264$

supplementary materials

$M_r = 127.11$	$D_x = 1.436 \text{ Mg m}^{-3}$
Monoclinic, $P2_1/n$	Mo $K\alpha$ radiation
Hall symbol: -P 2yn	$\lambda = 0.71073 \text{ \AA}$
$a = 3.8823 (7) \text{ \AA}$	Cell parameters from 1804 reflections
$b = 17.499 (3) \text{ \AA}$	$\theta = 2.4\text{--}25.5^\circ$
$c = 8.8171 (17) \text{ \AA}$	$\mu = 0.12 \text{ mm}^{-1}$
$\beta = 100.938 (3)^\circ$	$T = 290 (2) \text{ K}$
$V = 588.12 (19) \text{ \AA}^3$	Block, pale yellow
$Z = 4$	$0.30 \times 0.23 \times 0.20 \text{ mm}$

Data collection

Bruker SMART CCD area-detector diffractometer	1098 independent reflections
Radiation source: fine-focus sealed tube	917 reflections with $I > 2\sigma(I)$
Monochromator: graphite	$R_{\text{int}} = 0.016$
$T = 290(2) \text{ K}$	$\theta_{\text{max}} = 25.5^\circ$
φ and ω scans	$\theta_{\text{min}} = 2.3^\circ$
Absorption correction: multi-scan (SADABS; Bruker, 2004)	$h = -4 \rightarrow 4$
$T_{\text{min}} = 0.956$, $T_{\text{max}} = 0.977$	$k = -21 \rightarrow 20$
4285 measured reflections	$l = -10 \rightarrow 10$

Refinement

Refinement on F^2	Secondary atom site location: difference Fourier map
Least-squares matrix: full	Hydrogen site location: inferred from neighbouring sites
$R[F^2 > 2\sigma(F^2)] = 0.039$	H atoms treated by a mixture of independent and constrained refinement
$wR(F^2) = 0.116$	$w = 1/[\sigma^2(F_o^2) + (0.0657P)^2 + 0.085P]$ where $P = (F_o^2 + 2F_c^2)/3$
$S = 1.06$	$(\Delta/\sigma)_{\text{max}} < 0.001$
1098 reflections	$\Delta\rho_{\text{max}} = 0.20 \text{ e \AA}^{-3}$
91 parameters	$\Delta\rho_{\text{min}} = -0.12 \text{ e \AA}^{-3}$
Primary atom site location: structure-invariant direct methods	Extinction correction: none

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
H3N	0.668 (5)	0.1865 (11)	0.529 (2)	0.069 (6)*
H1	0.630 (5)	0.3213 (10)	0.510 (2)	0.067 (5)*
O1	0.2633 (4)	0.39888 (6)	0.89548 (14)	0.0672 (4)
O2	0.4220 (4)	0.44536 (7)	0.68279 (14)	0.0670 (4)
C3	0.3702 (4)	0.38941 (9)	0.77686 (18)	0.0502 (4)
N3	0.5970 (4)	0.21920 (8)	0.59504 (15)	0.0520 (4)
C2	0.4540 (4)	0.31459 (8)	0.71907 (16)	0.0440 (4)
N2	0.5029 (4)	0.19156 (8)	0.72315 (16)	0.0577 (4)
C1	0.5704 (4)	0.29447 (9)	0.58856 (18)	0.0495 (4)
N1	0.4149 (4)	0.25012 (7)	0.79947 (15)	0.0541 (4)
C4	0.3391 (8)	0.52244 (11)	0.7273 (3)	0.0937 (8)
H4A	0.0894	0.5296	0.7056	0.141*
H4B	0.4472	0.5590	0.6700	0.141*
H4C	0.4261	0.5295	0.8358	0.141*

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
O1	0.0984 (10)	0.0524 (7)	0.0599 (8)	-0.0045 (6)	0.0379 (7)	-0.0077 (5)
O2	0.0959 (10)	0.0450 (7)	0.0671 (8)	0.0012 (6)	0.0330 (7)	0.0062 (5)
C3	0.0556 (9)	0.0481 (9)	0.0482 (9)	-0.0045 (7)	0.0137 (7)	-0.0012 (7)
N3	0.0643 (9)	0.0499 (8)	0.0443 (8)	0.0026 (6)	0.0167 (6)	-0.0038 (6)
C2	0.0478 (8)	0.0464 (8)	0.0384 (8)	-0.0034 (6)	0.0095 (6)	0.0015 (6)
N2	0.0754 (10)	0.0480 (8)	0.0532 (8)	0.0009 (6)	0.0213 (7)	0.0017 (6)
C1	0.0597 (10)	0.0499 (9)	0.0410 (9)	-0.0013 (7)	0.0152 (7)	0.0031 (7)
N1	0.0702 (9)	0.0480 (8)	0.0478 (8)	-0.0016 (6)	0.0207 (7)	0.0011 (5)
C4	0.134 (2)	0.0464 (11)	0.1117 (18)	0.0019 (11)	0.0499 (16)	0.0029 (11)

Geometric parameters (\AA , $^\circ$)

O1—C3	1.2075 (19)	C2—N1	1.3561 (19)
O2—C3	1.3231 (19)	C2—C1	1.360 (2)
O2—C4	1.458 (2)	N2—N1	1.3065 (19)
C3—C2	1.464 (2)	C1—H1	0.906 (19)
N3—C1	1.322 (2)	C4—H4A	0.9600
N3—N2	1.3416 (19)	C4—H4B	0.9600
N3—H3N	0.90 (2)	C4—H4C	0.9600
C3—O2—C4	116.63 (15)	N3—C1—C2	104.91 (14)
O1—C3—O2	124.02 (15)	N3—C1—H1	121.4 (12)
O1—C3—C2	124.05 (14)	C2—C1—H1	133.7 (12)
O2—C3—C2	111.92 (13)	N2—N1—C2	108.49 (13)
C1—N3—N2	111.36 (14)	O2—C4—H4A	109.5
C1—N3—H3N	129.6 (12)	O2—C4—H4B	109.5
N2—N3—H3N	119.0 (12)	H4A—C4—H4B	109.5

supplementary materials


N1—C2—C1	108.37 (14)	O2—C4—H4C	109.5
N1—C2—C3	120.51 (13)	H4A—C4—H4C	109.5
C1—C2—C3	131.12 (14)	H4B—C4—H4C	109.5
N1—N2—N3	106.88 (13)		
C4—O2—C3—O1	-0.7 (3)	N2—N3—C1—C2	0.00 (17)
C4—O2—C3—C2	178.67 (17)	N1—C2—C1—N3	-0.01 (17)
O1—C3—C2—N1	-0.2 (2)	C3—C2—C1—N3	-179.24 (16)
O2—C3—C2—N1	-179.54 (14)	N3—N2—N1—C2	-0.03 (18)
O1—C3—C2—C1	178.95 (17)	C1—C2—N1—N2	0.03 (18)
O2—C3—C2—C1	-0.4 (2)	C3—C2—N1—N2	179.35 (13)
C1—N3—N2—N1	0.02 (18)		

Hydrogen-bond geometry (\AA , $^\circ$)

$D\cdots H$	$H\cdots A$	$D\cdots A$	$D\cdots H$
N3—H3N \cdots O1 ⁱ	0.896 (19)	1.980 (19)	2.8659 (19)

Symmetry codes: (i) $x+1/2$, $-y+1/2$, $z-1/2$.

Fig. 1



supplementary materials

Fig. 2

