

supplementary materials

Acta Cryst. (2009). E65, o933 [doi:10.1107/S1600536809011143]

Bis(melaminium) tartrate dihydrate

H. Su, Y.-K. Lv and Y.-L. Feng

Comment

Melamine and its organic and inorganic counterparts can develop supramolecular assemblies *via* multiple hydrogen bonds (Row, 1999; Krische & Lehn, 2000; Sherrington & Taskinen, 2001; Marchewka *et al.*, 2003), while tartaric acid is a small organic molecule [C₄H₄O₆] with a bewildering array of ligation possibilities (Thushari *et al.*, 2005). Herein we report the synthesis and crystal structure of the title compound (I).

In (I) (Fig. 1), the melaminium cations form infinite floors *via* N—H···N hydrogen bonds and the D-tartrate anions link pair with waters *via* O—H···O form floors lying between two floors of melaminium. Furthermore, the N—H···O hydrogen bonds connected the neighboring cations floors and anions floors is together into a three-dimensional network. We found that the architecture of compound (I) is similar to bis (melaminium) L–tartrate 2.5-hydrate (Udaya Lakshmi *et al.*, 2006) but not the same, which indicate that using different stereo-chemical configurations can give different three-dimensional arrangements. In addition, π – π contacts [centroid-centroid distance 3.6541 (9) Å] between the six-membered rings of the melamine moieties are observed.

Experimental

Compound (I) is formed by hydrothermal reaction of D-tartaric acid (1.5 mmol) and Melamine (1 mmol) in 15 ml water for 2 days at 533 K.

Refinement

The H atoms bonded to C atoms were positioned geometrically [C—H 0.96 Å $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$]. The H atoms bonded to O atoms were located in a difference Fourier maps and their positions were refined isotropically, with O—H distances fixed by O—H = 0.85 (2) Å and H ··· H = 1.30 (2) Å, their displacement parameters were set to 1.5 $U_{\text{eq}}(\text{O})$. The H atoms bonded to N atoms were located in a difference Fourier maps and their positions were refined isotropically, with N—H distances fixed by N—H = 0.90 (2) Å and H ··· H = 1.56 (2) Å, their displacement parameters were set to 1.2 $U_{\text{eq}}(\text{N})$.

Figures




Fig. 1. View of the molecule of (I), showing the atom-numbering scheme. Displacement ellipsoids plotted at 30% probability level. [The atoms labelled with 'A' are related to the center of inversion].

supplementary materials




Fig. 2. Packing diagram for compound (I). The O—H···O and O—H···N interactions are depicted by dashed lines.

Bis(melaminium) tartrate dihydrate

Crystal data

$2\text{C}_3\text{H}_7\text{N}_6^+ \cdot \text{C}_4\text{H}_4\text{O}_6^{2-} \cdot 2\text{H}_2\text{O}$	$F_{000} = 920$
$M_r = 436.38$	$D_x = 1.621 \text{ Mg m}^{-3}$
Monoclinic, $C2/c$	Mo $K\alpha$ radiation
Hall symbol: -C 2yc	$\lambda = 0.71073 \text{ \AA}$
$a = 7.6963 (9) \text{ \AA}$	Cell parameters from 4811 reflections
$b = 21.955 (3) \text{ \AA}$	$\theta = 1.9\text{--}27.5^\circ$
$c = 10.7405 (12) \text{ \AA}$	$\mu = 0.14 \text{ mm}^{-1}$
$\beta = 98.179 (6)^\circ$	$T = 296 \text{ K}$
$V = 1796.4 (4) \text{ \AA}^3$	Block, colourless
$Z = 4$	$0.26 \times 0.22 \times 0.12 \text{ mm}$

Data collection

Bruker APEXII area-detector diffractometer	2047 independent reflections
Radiation source: fine-focus sealed tube	1712 reflections with $I > 2\sigma(I)$
Monochromator: graphite	$R_{\text{int}} = 0.027$
$T = 296 \text{ K}$	$\theta_{\text{max}} = 27.5^\circ$
ω scans	$\theta_{\text{min}} = 1.9^\circ$
Absorption correction: multi-scan (SADABS; Sheldrick, 1996)	$h = -9 \rightarrow 10$
$T_{\text{min}} = 0.963, T_{\text{max}} = 0.980$	$k = -27 \rightarrow 28$
13436 measured reflections	$l = -13 \rightarrow 13$

Refinement

Refinement on F^2	Secondary atom site location: difference Fourier map
Least-squares matrix: full	Hydrogen site location: inferred from neighbouring sites
$R[F^2 > 2\sigma(F^2)] = 0.037$	H atoms treated by a mixture of independent and constrained refinement
$wR(F^2) = 0.108$	$w = 1/[\sigma^2(F_o^2) + (0.059P)^2 + 0.9299P]$
$S = 1.00$	where $P = (F_o^2 + 2F_c^2)/3$
2047 reflections	$(\Delta/\sigma)_{\text{max}} < 0.001$
166 parameters	$\Delta\rho_{\text{max}} = 0.25 \text{ e \AA}^{-3}$
	$\Delta\rho_{\text{min}} = -0.24 \text{ e \AA}^{-3}$

15 restraints
 Primary atom site location: structure-invariant direct methods
 Extinction correction: none

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
O1	0.25143 (17)	0.05132 (5)	0.11300 (12)	0.0603 (3)
O2	0.17077 (17)	-0.04576 (5)	0.08785 (10)	0.0535 (3)
O3	0.15841 (13)	0.05730 (4)	0.33946 (9)	0.0394 (3)
H3	0.158 (2)	0.0508 (7)	0.4193 (11)	0.047*
N1	0.06055 (18)	0.17081 (6)	0.04393 (13)	0.0470 (3)
H1NA	0.074 (2)	0.1308 (6)	0.0459 (17)	0.056*
H1NB	-0.004 (2)	0.1902 (7)	-0.0177 (15)	0.056*
N2	0.23582 (16)	0.17105 (6)	0.23551 (12)	0.0428 (3)
H2NA	0.233 (2)	0.1306 (7)	0.2342 (16)	0.051*
N3	0.4140 (2)	0.17049 (7)	0.42646 (15)	0.0558 (4)
H3NA	0.407 (2)	0.1308 (7)	0.4247 (18)	0.067*
H3NB	0.477 (2)	0.1917 (8)	0.4890 (16)	0.067*
N4	0.32789 (15)	0.26210 (5)	0.33724 (11)	0.0373 (3)
N5	0.22621 (18)	0.35022 (5)	0.24256 (11)	0.0451 (3)
H5NA	0.157 (2)	0.3702 (8)	0.1812 (13)	0.054*
H5NB	0.282 (2)	0.3704 (8)	0.3088 (13)	0.054*
N6	0.13898 (15)	0.26268 (5)	0.13787 (10)	0.0353 (3)
C1	0.18246 (18)	0.00368 (6)	0.14673 (13)	0.0392 (3)
C2	0.09995 (16)	0.00520 (5)	0.26757 (11)	0.0308 (3)
H2A	0.1329	-0.0309	0.3157	0.037*
C3	0.23110 (16)	0.29059 (6)	0.23929 (11)	0.0338 (3)
C4	0.14503 (16)	0.20248 (6)	0.13831 (13)	0.0352 (3)
C5	0.32593 (17)	0.20212 (6)	0.33379 (13)	0.0386 (3)
O1W	0.45183 (14)	0.06665 (5)	-0.06993 (11)	0.0465 (3)
H1WA	0.391 (2)	0.0544 (8)	-0.0137 (16)	0.056*
H1WB	0.535 (2)	0.0446 (8)	-0.0730 (17)	0.056*

Atomic displacement parameters (\AA^2)

U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
----------	----------	----------	----------	----------	----------

supplementary materials

O1	0.0750 (8)	0.0567 (7)	0.0575 (7)	0.0020 (6)	0.0378 (6)	0.0128 (6)
O2	0.0879 (8)	0.0446 (6)	0.0312 (5)	0.0254 (5)	0.0197 (5)	0.0046 (4)
O3	0.0533 (6)	0.0362 (5)	0.0272 (5)	-0.0122 (4)	0.0010 (4)	0.0008 (4)
N1	0.0582 (8)	0.0324 (6)	0.0480 (8)	-0.0069 (5)	-0.0006 (6)	-0.0048 (5)
N2	0.0496 (7)	0.0278 (6)	0.0494 (7)	0.0002 (5)	0.0013 (5)	0.0020 (5)
N3	0.0641 (8)	0.0382 (7)	0.0591 (9)	0.0069 (6)	-0.0120 (7)	0.0110 (6)
N4	0.0433 (6)	0.0337 (6)	0.0333 (6)	0.0020 (4)	0.0003 (5)	0.0027 (4)
N5	0.0658 (8)	0.0288 (6)	0.0358 (7)	-0.0001 (5)	-0.0097 (6)	0.0001 (5)
N6	0.0434 (6)	0.0308 (6)	0.0310 (6)	-0.0022 (4)	0.0033 (5)	0.0001 (4)
C1	0.0454 (7)	0.0420 (8)	0.0320 (7)	0.0151 (6)	0.0118 (5)	0.0100 (5)
C2	0.0422 (7)	0.0264 (6)	0.0236 (6)	0.0017 (5)	0.0046 (5)	0.0031 (4)
C3	0.0395 (6)	0.0329 (7)	0.0291 (6)	-0.0004 (5)	0.0048 (5)	0.0012 (5)
C4	0.0366 (6)	0.0328 (7)	0.0372 (7)	-0.0028 (5)	0.0086 (5)	-0.0003 (5)
C5	0.0383 (6)	0.0359 (7)	0.0412 (7)	0.0022 (5)	0.0044 (5)	0.0051 (6)
O1W	0.0443 (6)	0.0467 (6)	0.0496 (6)	0.0051 (4)	0.0102 (5)	0.0143 (5)

Geometric parameters (\AA , $^\circ$)

O1—C1	1.2497 (18)	N4—C5	1.3174 (18)
O2—C1	1.2530 (18)	N4—C3	1.3527 (16)
O3—C2	1.4170 (15)	N5—C3	1.3104 (18)
O3—H3	0.870 (11)	N5—H5NA	0.901 (13)
N1—C4	1.3215 (18)	N5—H5NB	0.895 (13)
N1—H1NA	0.884 (13)	N6—C4	1.3224 (18)
N1—H1NB	0.879 (13)	N6—C3	1.3583 (16)
N2—C4	1.3590 (18)	C1—C2	1.5242 (18)
N2—C5	1.3610 (18)	C2—C2 ⁱ	1.531 (2)
N2—H2NA	0.889 (15)	C2—H2A	0.9600
N3—C5	1.3193 (18)	O1W—H1WA	0.858 (14)
N3—H3NA	0.872 (14)	O1W—H1WB	0.804 (13)
N3—H3NB	0.900 (14)		
C2—O3—H3	111.1 (11)	O2—C1—C2	116.11 (12)
C4—N1—H1NA	117.6 (12)	O3—C2—C1	110.08 (10)
C4—N1—H1NB	119.1 (12)	O3—C2—C2 ⁱ	111.37 (8)
H1NA—N1—H1NB	123.3 (16)	C1—C2—C2 ⁱ	108.42 (12)
C4—N2—C5	119.39 (13)	O3—C2—H2A	109.5
C4—N2—H2NA	119.1 (11)	C1—C2—H2A	109.3
C5—N2—H2NA	121.5 (11)	C2 ⁱ —C2—H2A	108.2
C5—N3—H3NA	119.1 (13)	N5—C3—N4	117.12 (12)
C5—N3—H3NB	117.1 (12)	N5—C3—N6	117.29 (12)
H3NA—N3—H3NB	123.8 (17)	N4—C3—N6	125.59 (13)
C5—N4—C3	115.95 (12)	N1—C4—N6	120.66 (13)
C3—N5—H5NA	118.9 (11)	N1—C4—N2	117.72 (13)
C3—N5—H5NB	120.3 (11)	N6—C4—N2	121.62 (12)
H5NA—N5—H5NB	120.5 (15)	N4—C5—N3	120.17 (13)
C4—N6—C3	115.71 (11)	N4—C5—N2	121.69 (12)
O1—C1—O2	125.57 (13)	N3—C5—N2	118.14 (14)
O1—C1—C2	118.30 (13)	H1WA—O1W—H1WB	110.6 (16)

O1—C1—C2—O3	−15.91 (17)	C3—N6—C4—N1	−179.76 (12)
O2—C1—C2—O3	165.79 (11)	C3—N6—C4—N2	0.99 (18)
O1—C1—C2—C2 ⁱ	106.14 (12)	C5—N2—C4—N1	179.33 (13)
O2—C1—C2—C2 ⁱ	−72.17 (12)	C5—N2—C4—N6	−1.4 (2)
C5—N4—C3—N5	177.80 (13)	C3—N4—C5—N3	−178.79 (13)
C5—N4—C3—N6	−2.34 (19)	C3—N4—C5—N2	1.85 (19)
C4—N6—C3—N5	−179.21 (12)	C4—N2—C5—N4	−0.1 (2)
C4—N6—C3—N4	0.93 (18)	C4—N2—C5—N3	−179.50 (13)

Symmetry codes: (i) $-x, y, -z+1/2$.

Hydrogen-bond geometry (Å, °)

<i>D</i> —H··· <i>A</i>	<i>D</i> —H	H··· <i>A</i>	<i>D</i> ··· <i>A</i>	<i>D</i> —H··· <i>A</i>
O3—H3···O2 ⁱⁱ	0.870 (11)	1.802 (12)	2.6680 (14)	173.2 (16)
N1—H1NA···O1	0.884 (13)	2.271 (14)	3.0466 (19)	146.3 (16)
N1—H1NB···N4 ⁱⁱⁱ	0.879 (13)	2.151 (13)	3.0287 (19)	177.3 (17)
N2—H2NA···O3	0.889 (15)	2.093 (15)	2.8333 (16)	140.2 (14)
N2—H2NA···O1	0.889 (15)	2.190 (15)	2.9497 (18)	143.2 (14)
N3—H3NA···O1W ^{iv}	0.872 (14)	2.261 (19)	2.8609 (18)	125.9 (15)
N3—H3NA···O3	0.872 (14)	2.573 (16)	3.2241 (18)	132.2 (16)
N3—H3NB···N6 ^v	0.900 (14)	2.133 (14)	3.0313 (19)	176.2 (18)
N5—H5NA···O1W ^{vi}	0.901 (13)	1.940 (14)	2.8148 (16)	163.2 (15)
N5—H5NB···O2 ^{vii}	0.895 (13)	2.153 (15)	2.9581 (16)	149.4 (15)
O1W—H1WA···O1	0.858 (14)	1.852 (14)	2.6861 (16)	163.8 (17)
O1W—H1WB···O2 ^{viii}	0.804 (13)	2.297 (15)	2.9738 (17)	142.3 (17)

Symmetry codes: (ii) $x, -y, z+1/2$; (iii) $x-1/2, -y+1/2, z-1/2$; (iv) $-x+1, y, -z+1/2$; (v) $x+1/2, -y+1/2, z+1/2$; (vi) $-x+1/2, -y+1/2, -z$; (vii) $-x+1/2, y+1/2, -z+1/2$; (viii) $-x+1, -y, -z$.

supplementary materials

Fig. 1




Fig. 2

