

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

2-Chloro-*N*-(3-chlorophenyl)acetamideB. Thimme Gowda,^{a*} Sabine Foro,^b Hiromitsu Terao^c and Hartmut Fuess^b

^aDepartment of Chemistry, Mangalore University, Mangalagangothri 574 199, Mangalore, India, ^bInstitute of Materials Science, Darmstadt University of Technology, Petersenstrasse 23, D-64287 Darmstadt, Germany, and ^cFaculty of Integrated Arts and Sciences, Tokushima University, Minamijosanjima-cho, Tokushima 770-8502, Japan
Correspondence e-mail: gowdabt@yahoo.com


Received 27 March 2009; accepted 30 March 2009

Key indicators: single-crystal X-ray study; $T = 299$ K; mean $\sigma(\text{C}-\text{C}) = 0.010$ Å; R factor = 0.094; wR factor = 0.103; data-to-parameter ratio = 14.6.

The N—H bond in the title compound, $\text{C}_8\text{H}_7\text{Cl}_2\text{NO}$, is *anti* to the *meta*-chloro substituent in the aromatic ring in both independent molecules comprising the asymmetric unit. The C=O bond is *anti* to the N—H bond and is also *anti* to the methylene H atoms. Intermolecular N—H...O hydrogen bonds link the molecules into supramolecular chains.

Related literature

For preparation and characterisation of the compound, see: Pies *et al.* (1971), Gowda *et al.* (2006). For related structures, see: Gowda *et al.* (2008a,b,c).



Experimental

Crystal data

 $\text{C}_8\text{H}_7\text{Cl}_2\text{NO}$ $M_r = 204.05$ Orthorhombic, $P2_12_12_1$ $a = 4.897$ (1) Å $b = 17.379$ (3) Å $c = 21.484$ (4) Å $V = 1828.4$ (6) Å³ $Z = 8$ Mo $K\alpha$ radiation $\mu = 0.66$ mm⁻¹ $T = 299$ K $0.45 \times 0.08 \times 0.02$ mm

Data collection

Oxford Diffraction Xcalibur diffractometer with a Sapphire CCD detector

Absorption correction: multi-scan (*CrysAlis RED*; Oxford)

Diffraction, 2007)

 $T_{\min} = 0.756$, $T_{\max} = 0.987$

10213 measured reflections

3179 independent reflections

1745 reflections with $I > 2\sigma(I)$ $R_{\text{int}} = 0.074$

Refinement

 $R[F^2 > 2\sigma(F^2)] = 0.094$ $wR(F^2) = 0.103$ $S = 1.23$

3179 reflections

217 parameters

H-atom parameters constrained

 $\Delta\rho_{\text{max}} = 0.36$ e Å⁻³ $\Delta\rho_{\text{min}} = -0.23$ e Å⁻³

Absolute structure: Flack (1983),

1206 Friedel pairs

Flack parameter: 0.04 (13)

Table 1

Hydrogen-bond geometry (Å, °).

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
$N1-H1N\cdots O2^i$	0.86	2.15	2.962 (6)	157
$N2-H2N\cdots O1^{ii}$	0.86	2.04	2.892 (6)	174

Symmetry codes: (i) $x + 1, y, z$; (ii) $-x, y + \frac{1}{2}, -z + \frac{1}{2}$.

Data collection: *CrysAlis CCD* (Oxford Diffraction, 2004); cell refinement: *CrysAlis RED* (Oxford Diffraction, 2007); data reduction: *CrysAlis RED*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *PLATON* (Spek, 2009); software used to prepare material for publication: *SHELXL97*.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: TK2407).

References

- Flack, H. D. (1983). *Acta Cryst.* **A39**, 876–881.
 Gowda, B. T., Foro, S. & Fuess, H. (2008a). *Acta Cryst.* **E64**, o381.
 Gowda, B. T., Foro, S. & Fuess, H. (2008b). *Acta Cryst.* **E64**, o419.
 Gowda, B. T., Shilpa & Lakshmiathy, J. K. (2006). *Z. Naturforsch. Teil A*, **61**, 595–599.
 Gowda, B. T., Svoboda, I., Foro, S., Dou, S. & Fuess, H. (2008c). *Acta Cryst.* **E64**, o208.
 Oxford Diffraction (2004). *CrysAlis CCD*. Oxford Diffraction Ltd, Köln, Germany.
 Oxford Diffraction (2007). *CrysAlis RED*. Oxford Diffraction Ltd, Köln, Germany.
 Pies, W., Rager, H. & Weiss, A. (1971). *Org. Magn. Reson.* **3**, 147–176.
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
 Spek, A. L. (2009). *Acta Cryst.* **D65**, 148–155.

supplementary materials

Acta Cryst. (2009). E65, o949 [doi:10.1107/S1600536809011660]

2-Chloro-*N*-(3-chlorophenyl)acetamide

B. T. Gowda, S. Foro, H. Terao and H. Fuess

Comment

As part of a study of the effect of ring and side-chain substitutions on the solid-state geometry of aromatic amides (Gowda *et al.*, 2008*a, b, c*), in the present work the structure of 2-chloro-*N*-(3-chlorophenyl)acetamide (I) has been determined. The N—H bond is *anti* to the *meta*-chloro substituent in the aromatic ring (Fig. 1), similar to that observed in *N*-(3-chlorophenyl)acetamide (Gowda *et al.*, 2008*a*), but in contrast to the *syn* conformations observed with respect to the *meta*-methyl group in 2-chloro-*N*-(3-methylphenyl)acetamide (Gowda *et al.*, 2008*c*) and with respect to both chloro substituents in 2-chloro-*N*-(2,3-dichlorophenyl)acetamide (Gowda *et al.*, 2008*b*). Further, the C=O bond is not only *anti* to the N—H bond but also to the methylene-H-atoms. The asymmetric unit of the structure contains two molecules that are orthogonal to each other. The molecules in (I) are linked into infinite chains through intermolecular N1—H1···O2 and N2—H2···O1 hydrogen bonding (Table 1) as viewed down the *a*-axis (Fig. 2).

Experimental

Compound (I) was prepared according to the literature method (Gowda *et al.*, 2006). The purity of (I) was checked by determining its melting point and characterised by recording its infrared, NMR and NQR spectra (Gowda *et al.*, 2006 & Pies *et al.*, 1971). Single crystals of (I) were obtained from an ethanolic solution held at room temperature.

Refinement

The H atoms were positioned with idealised geometry using a riding model with C—H = 0.93–0.97 Å and N—H = 0.86 Å, and were refined with isotropic displacement parameters set to $1.2 \times U_{eq}(C)$.

Figures




Fig. 1. Molecular structure of (I), showing the atom labelling scheme. The displacement ellipsoids are drawn at the 50% probability level.




Fig. 2. Molecular packing of (I) viewed in projection down the *a*-axis, with N—H···O hydrogen bonding shown as dashed lines.

2-Chloro-*N*-(3-chlorophenyl)acetamide

Crystal data

$C_8H_7Cl_2NO$	$F_{000} = 832$
$M_r = 204.05$	$D_x = 1.483 \text{ Mg m}^{-3}$
Orthorhombic, $P2_12_12_1$	Mo $K\alpha$ radiation
Hall symbol: P 2ac 2ab	$\lambda = 0.71073 \text{ \AA}$
$a = 4.897 (1) \text{ \AA}$	Cell parameters from 2170 reflections
$b = 17.379 (3) \text{ \AA}$	$\theta = 2.2\text{--}27.3^\circ$
$c = 21.484 (4) \text{ \AA}$	$\mu = 0.66 \text{ mm}^{-1}$
$V = 1828.4 (6) \text{ \AA}^3$	$T = 299 \text{ K}$
$Z = 8$	Needle, colourless
	$0.45 \times 0.08 \times 0.02 \text{ mm}$

Data collection

Oxford Diffraction Xcalibur diffractometer with a Sapphire CCD detector	3179 independent reflections
Radiation source: fine-focus sealed tube	1745 reflections with $I > 2\sigma(I)$
Monochromator: graphite	$R_{\text{int}} = 0.074$
$T = 299 \text{ K}$	$\theta_{\text{max}} = 25.3^\circ$
Rotation method data acquisition using ω and φ scans	$\theta_{\text{min}} = 2.2^\circ$
Absorption correction: multi-scan (CrysAlis RED; Oxford Diffraction, 2007)	$h = -5 \rightarrow 5$
$T_{\text{min}} = 0.756$, $T_{\text{max}} = 0.987$	$k = -20 \rightarrow 20$
10213 measured reflections	$l = -25 \rightarrow 23$

Refinement

Refinement on F^2	Hydrogen site location: inferred from neighbouring sites
Least-squares matrix: full	H-atom parameters constrained
$R[F^2 > 2\sigma(F^2)] = 0.094$	$w = 1/[\sigma^2(F_o^2) + (0.0084P)^2 + 1.6742P]$
$wR(F^2) = 0.103$	where $P = (F_o^2 + 2F_c^2)/3$
$S = 1.23$	$(\Delta/\sigma)_{\text{max}} = 0.005$
3179 reflections	$\Delta\rho_{\text{max}} = 0.36 \text{ e \AA}^{-3}$
217 parameters	$\Delta\rho_{\text{min}} = -0.23 \text{ e \AA}^{-3}$
Primary atom site location: structure-invariant direct methods	Extinction correction: none
Secondary atom site location: difference Fourier map	Absolute structure: Flack (1983), 1206 Friedel pairs
	Flack parameter: 0.04 (13)

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations

between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) *etc.* and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
C11	0.6906 (6)	0.02452 (11)	-0.05228 (9)	0.1205 (10)
C12	-0.0094 (4)	0.03432 (10)	0.27874 (9)	0.0775 (6)
O1	0.3155 (10)	0.0159 (2)	0.16486 (19)	0.0612 (14)
N1	0.5179 (11)	0.1333 (3)	0.1663 (2)	0.0466 (14)
H1N	0.5335	0.1741	0.1887	0.056*
C1	0.6654 (15)	0.1331 (3)	0.1102 (3)	0.0429 (17)
C2	0.6148 (14)	0.0817 (3)	0.0628 (3)	0.052 (2)
H2	0.4813	0.0441	0.0673	0.063*
C3	0.7641 (19)	0.0868 (4)	0.0088 (3)	0.065 (2)
C4	0.9656 (17)	0.1404 (5)	0.0005 (4)	0.071 (2)
H4	1.0676	0.1422	-0.0360	0.086*
C5	1.0113 (16)	0.1917 (5)	0.0482 (4)	0.076 (2)
H5	1.1442	0.2295	0.0436	0.091*
C6	0.8643 (15)	0.1880 (4)	0.1025 (3)	0.059 (2)
H6	0.8996	0.2229	0.1343	0.071*
C7	0.3544 (15)	0.0775 (4)	0.1898 (3)	0.0451 (18)
C8	0.2235 (15)	0.1014 (3)	0.2507 (3)	0.062 (2)
H8A	0.1310	0.1502	0.2449	0.074*
H8B	0.3655	0.1089	0.2816	0.074*
C13	0.3476 (5)	0.13531 (10)	0.41715 (9)	0.0882 (7)
C14	-0.7058 (4)	0.32439 (10)	0.17867 (9)	0.0819 (7)
O2	-0.2983 (9)	0.2490 (2)	0.25851 (18)	0.0523 (12)
N2	-0.1818 (11)	0.3561 (2)	0.3135 (2)	0.0484 (14)
H2N	-0.2216	0.4041	0.3169	0.058*
C9	0.0161 (13)	0.3283 (4)	0.3558 (3)	0.0400 (16)
C10	0.0721 (13)	0.2514 (4)	0.3645 (3)	0.0468 (18)
H10	-0.0243	0.2138	0.3430	0.056*
C11	0.2759 (15)	0.2317 (4)	0.4062 (3)	0.0484 (19)
C12	0.4158 (14)	0.2849 (4)	0.4398 (3)	0.058 (2)
H12	0.5517	0.2702	0.4676	0.069*
C13	0.3504 (17)	0.3615 (4)	0.4315 (3)	0.069 (2)
H13	0.4408	0.3989	0.4547	0.083*
C14	0.1548 (16)	0.3833 (4)	0.3897 (3)	0.057 (2)
H14	0.1150	0.4351	0.3841	0.068*
C15	-0.3165 (14)	0.3176 (4)	0.2684 (3)	0.0442 (16)
C16	-0.4892 (14)	0.3714 (3)	0.2297 (3)	0.0599 (19)
H16A	-0.3697	0.4050	0.2061	0.072*
H16B	-0.5973	0.4033	0.2573	0.072*

supplementary materials

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
C11	0.221 (3)	0.0728 (13)	0.0674 (14)	-0.0099 (18)	0.0240 (19)	-0.0174 (12)
C12	0.0703 (15)	0.0686 (12)	0.0935 (15)	-0.0124 (13)	0.0192 (14)	0.0007 (12)
O1	0.089 (4)	0.030 (2)	0.064 (3)	-0.017 (3)	0.007 (3)	-0.011 (2)
N1	0.060 (4)	0.031 (3)	0.049 (4)	-0.009 (3)	0.001 (3)	-0.008 (3)
C1	0.051 (5)	0.031 (4)	0.046 (4)	0.005 (4)	-0.001 (4)	0.000 (4)
C2	0.058 (6)	0.041 (4)	0.058 (5)	0.005 (4)	0.005 (4)	0.006 (4)
C3	0.090 (7)	0.044 (4)	0.061 (5)	0.005 (5)	0.003 (5)	0.008 (4)
C4	0.071 (6)	0.083 (6)	0.061 (6)	0.019 (6)	0.012 (5)	0.013 (5)
C5	0.055 (6)	0.094 (7)	0.080 (6)	-0.016 (5)	0.007 (6)	0.022 (6)
C6	0.047 (5)	0.063 (5)	0.069 (6)	-0.011 (5)	-0.015 (5)	0.004 (4)
C7	0.050 (5)	0.034 (4)	0.051 (4)	-0.001 (4)	-0.012 (4)	0.000 (4)
C8	0.079 (6)	0.047 (4)	0.059 (5)	-0.008 (4)	0.013 (5)	-0.007 (3)
C13	0.125 (2)	0.0597 (12)	0.0799 (14)	0.0279 (14)	-0.0236 (14)	0.0066 (11)
C14	0.0896 (16)	0.0693 (12)	0.0869 (14)	0.0000 (13)	-0.0394 (13)	-0.0053 (11)
O2	0.061 (3)	0.032 (2)	0.064 (3)	0.006 (3)	-0.012 (3)	-0.009 (2)
N2	0.056 (4)	0.031 (3)	0.058 (4)	0.007 (3)	-0.009 (3)	-0.013 (3)
C9	0.037 (4)	0.043 (4)	0.040 (4)	0.000 (4)	-0.004 (4)	-0.006 (4)
C10	0.053 (5)	0.035 (4)	0.052 (4)	-0.003 (4)	0.002 (4)	-0.001 (3)
C11	0.055 (5)	0.050 (4)	0.040 (4)	0.012 (4)	0.004 (4)	0.005 (3)
C12	0.049 (6)	0.073 (5)	0.051 (5)	0.000 (4)	-0.007 (4)	-0.003 (4)
C13	0.079 (6)	0.061 (5)	0.066 (6)	-0.007 (5)	-0.011 (5)	-0.016 (4)
C14	0.067 (6)	0.049 (4)	0.055 (5)	0.007 (5)	-0.009 (4)	-0.006 (4)
C15	0.046 (4)	0.040 (4)	0.047 (4)	0.010 (4)	-0.004 (4)	-0.001 (4)
C16	0.059 (5)	0.050 (4)	0.071 (5)	-0.001 (4)	-0.029 (5)	-0.011 (4)

Geometric parameters (\AA , $^\circ$)

C11—C3	1.739 (7)	C13—C11	1.728 (6)
C12—C8	1.738 (6)	C14—C16	1.730 (6)
O1—C7	1.212 (6)	O2—C15	1.215 (6)
N1—C7	1.354 (7)	N2—C15	1.349 (7)
N1—C1	1.406 (7)	N2—C9	1.415 (7)
N1—H1N	0.8600	N2—H2N	0.8600
C1—C6	1.373 (8)	C9—C10	1.376 (7)
C1—C2	1.376 (7)	C9—C14	1.380 (8)
C2—C3	1.375 (8)	C10—C11	1.384 (8)
C2—H2	0.9300	C10—H10	0.9300
C3—C4	1.369 (9)	C11—C12	1.359 (8)
C4—C5	1.376 (9)	C12—C13	1.381 (8)
C4—H4	0.9300	C12—H12	0.9300
C5—C6	1.373 (9)	C13—C14	1.366 (8)
C5—H5	0.9300	C13—H13	0.9300
C6—H6	0.9300	C14—H14	0.9300
C7—C8	1.516 (8)	C15—C16	1.510 (8)
C8—H8A	0.9700	C16—H16A	0.9700

C8—H8B	0.9700	C16—H16B	0.9700
C7—N1—C1	128.4 (5)	C15—N2—C9	128.9 (5)
C7—N1—H1N	115.8	C15—N2—H2N	115.6
C1—N1—H1N	115.8	C9—N2—H2N	115.6
C6—C1—C2	119.3 (6)	C10—C9—C14	120.2 (6)
C6—C1—N1	117.8 (6)	C10—C9—N2	123.7 (6)
C2—C1—N1	122.9 (7)	C14—C9—N2	116.1 (6)
C1—C2—C3	119.1 (7)	C9—C10—C11	118.1 (6)
C1—C2—H2	120.5	C9—C10—H10	120.9
C3—C2—H2	120.5	C11—C10—H10	120.9
C4—C3—C2	122.5 (7)	C12—C11—C10	122.6 (6)
C4—C3—C11	118.3 (7)	C12—C11—C13	119.0 (6)
C2—C3—C11	119.1 (7)	C10—C11—C13	118.3 (6)
C3—C4—C5	117.4 (8)	C11—C12—C13	118.1 (7)
C3—C4—H4	121.3	C11—C12—H12	121.0
C5—C4—H4	121.3	C13—C12—H12	121.0
C6—C5—C4	121.2 (8)	C14—C13—C12	120.9 (7)
C6—C5—H5	119.4	C14—C13—H13	119.5
C4—C5—H5	119.4	C12—C13—H13	119.5
C5—C6—C1	120.4 (7)	C13—C14—C9	120.0 (7)
C5—C6—H6	119.8	C13—C14—H14	120.0
C1—C6—H6	119.8	C9—C14—H14	120.0
O1—C7—N1	124.1 (6)	O2—C15—N2	125.2 (6)
O1—C7—C8	123.8 (6)	O2—C15—C16	123.5 (6)
N1—C7—C8	112.1 (5)	N2—C15—C16	111.3 (5)
C7—C8—C12	113.2 (4)	C15—C16—C14	113.6 (4)
C7—C8—H8A	108.9	C15—C16—H16A	108.8
C12—C8—H8A	108.9	C14—C16—H16A	108.8
C7—C8—H8B	108.9	C15—C16—H16B	108.8
C12—C8—H8B	108.9	C14—C16—H16B	108.8
H8A—C8—H8B	107.8	H16A—C16—H16B	107.7
C7—N1—C1—C6	-165.6 (6)	C15—N2—C9—C10	-11.4 (10)
C7—N1—C1—C2	15.7 (10)	C15—N2—C9—C14	169.1 (6)
C6—C1—C2—C3	-0.3 (9)	C14—C9—C10—C11	-2.2 (9)
N1—C1—C2—C3	178.4 (6)	N2—C9—C10—C11	178.3 (5)
C1—C2—C3—C4	1.1 (10)	C9—C10—C11—C12	1.9 (9)
C1—C2—C3—C11	-177.3 (5)	C9—C10—C11—C13	-179.8 (5)
C2—C3—C4—C5	-1.6 (11)	C10—C11—C12—C13	-0.1 (10)
C11—C3—C4—C5	176.8 (6)	C13—C11—C12—C13	-178.4 (5)
C3—C4—C5—C6	1.3 (11)	C11—C12—C13—C14	-1.4 (11)
C4—C5—C6—C1	-0.6 (11)	C12—C13—C14—C9	1.1 (11)
C2—C1—C6—C5	0.0 (10)	C10—C9—C14—C13	0.7 (10)
N1—C1—C6—C5	-178.7 (6)	N2—C9—C14—C13	-179.7 (6)
C1—N1—C7—O1	1.8 (10)	C9—N2—C15—O2	3.9 (11)
C1—N1—C7—C8	-177.8 (6)	C9—N2—C15—C16	-174.2 (5)
O1—C7—C8—C12	-4.6 (9)	O2—C15—C16—C14	10.9 (9)
N1—C7—C8—C12	175.0 (4)	N2—C15—C16—C14	-170.9 (4)

supplementary materials

Hydrogen-bond geometry (Å, °)

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
N1—H1N \cdots O2 ⁱ	0.86	2.15	2.962 (6)	157
N2—H2N \cdots O1 ⁱⁱ	0.86	2.04	2.892 (6)	174

Symmetry codes: (i) $x+1, y, z$; (ii) $-x, y+1/2, -z+1/2$.

Fig. 1




Fig. 2

