

## (Z)-1-[(3-Cyanophenyl)iminiomethyl]-2-naphthalene

Yong-Feng Zhao, Jin-Ping Xiong\* and Yu Zuo

College of Materials Science and Engineering, Beijing University of Chemical Technology, Beijing 100029, People's Republic of China  
Correspondence e-mail: 2007080083@grad.buct.edu.cn


Received 23 May 2009; accepted 27 May 2009

Key indicators: single-crystal X-ray study;  $T = 294\text{ K}$ ; mean  $\sigma(\text{C}-\text{C}) = 0.005\text{ \AA}$ ;  
 $R$  factor = 0.067;  $wR$  factor = 0.195; data-to-parameter ratio = 13.8.

The title compound,  $C_{18}H_{12}N_2O$ , crystallizes in a zwitterionic form. The dihedral angle between the planes of the benzene ring and naphthalene ring system is  $13.95(5)^\circ$ . An intramolecular N—H···O interaction results in the formation of a planar six-membered ring, which is oriented at dihedral angles of  $13.50(4)$  and  $4.49(4)^\circ$  with respect to the benzene ring and naphthalene ring system, respectively. In the crystal structure, intermolecular C—H···O and C—H···N interactions link the molecules into a two-dimensional network.  $\pi$ — $\pi$  contacts between the naphthalene systems [centroid–centroid distance =  $3.974(1)\text{ \AA}$ ] may further stabilize the structure.

### Related literature

For the pharmacological activity of Schiff base compounds, see: Dao *et al.* (2000); Sriram *et al.* (2006). For the role played by Schiff base compounds in coordination chemistry related to magnetism, see: Chen *et al.* (2008); Weber *et al.* (2007). For related structures, see: Elmali *et al.* (2001); Yüce *et al.* (2006). For bond-length data, see: Allen *et al.* (1987).



### Experimental

#### Crystal data

$C_{18}H_{12}N_2O$

$M_r = 272.30$

Triclinic, $P\bar{1}$	$V = 672.6(2)\text{ \AA}^3$
$a = 7.8943(16)\text{ \AA}$	$Z = 2$
$b = 9.1356(18)\text{ \AA}$	Mo $K\alpha$ radiation
$c = 9.4933(19)\text{ \AA}$	$\mu = 0.09\text{ mm}^{-1}$
$\alpha = 83.97(3)^\circ$	$T = 294\text{ K}$
$\beta = 84.41(3)^\circ$	$0.20 \times 0.20 \times 0.20\text{ mm}$
$\gamma = 82.50(3)^\circ$	

#### Data collection

Rigaku SCXmini diffractometer	6177 measured reflections
Absorption correction: multi-scan ( <i>CrystalClear</i> ; Rigaku, 2005)	2628 independent reflections
$T_{\min} = 0.976$ , $T_{\max} = 0.983$	1146 reflections with $I > 2\sigma(I)$
	$R_{\text{int}} = 0.061$

#### Refinement

$R[F^2 > 2\sigma(F^2)] = 0.067$	190 parameters
$wR(F^2) = 0.195$	H-atom parameters constrained
$S = 0.94$	$\Delta\rho_{\max} = 0.23\text{ e \AA}^{-3}$
2628 reflections	$\Delta\rho_{\min} = -0.24\text{ e \AA}^{-3}$

**Table 1**  
Hydrogen-bond geometry ( $\text{\AA}$ ,  $^\circ$ ).

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
N1—H1A···O1	0.86	1.87	2.562(3)	136
C2—H2A···N2 <sup>i</sup>	0.93	2.61	3.463(3)	152
C6—H6A···O1 <sup>ii</sup>	0.93	2.57	3.376(3)	145
C17—H17A···N2 <sup>i</sup>	0.93	2.62	3.522(3)	163

Symmetry codes: (i)  $-x + 1, -y, -z + 1$ ; (ii)  $-x + 2, -y + 1, -z$ .

Data collection: *CrystalClear* (Rigaku, 2005); cell refinement: *CrystalClear*; data reduction: *CrystalClear*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3 for Windows* (Farrugia, 1997) and *PLATON* (Spek, 2009); software used to prepare material for publication: *SHELXL97* and *PLATON*.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: HK2700).

### References

- Allen, F. H., Kennard, O., Watson, D. G., Brammer, L., Orpen, A. G. & Taylor, R. (1987). *J. Chem. Soc. Perkin Trans. 2*, pp. S1–19.
- Chen, Z. H., Morimoto, H., Matsunaga, S. & Shibasaki, M. (2008). *J. Am. Chem. Soc.* **130**, 2170–2171.
- Dao, V.-T., Gaspard, C., Mayer, M., Werner, G. H., Nguyen, S. N. & Michelot, R. J. (2000). *Eur. J. Med. Chem.* **35**, 805–813.
- Elmali, A., Elerman, Y. & Svoboda, I. (2001). *Acta Cryst. C* **57**, 485–486.
- Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.
- Rigaku (2005). *CrystalClear*. Rigaku Corporation, Tokyo, Japan.
- Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.
- Spek, A. L. (2009). *Acta Cryst. D* **65**, 148–155.
- Sriram, D., Yogeeshwari, P., Myneedu, N. S. & Saraswat, V. (2006). *Bioorg. Med. Chem. Lett.* **16**, 2127–2129.
- Weber, B., Tandon, R. & Himsel, D. (2007). *Z. Anorg. Allg. Chem.* **633**, 1159–1162.
- Yüce, S., Albayrak, Ç., Odabaşoğlu, M. & Büyükgüngör, O. (2006). *Acta Cryst. C* **62**, o389–o393.

## **supplementary materials**

*Acta Cryst.* (2009). E65, o1477 [doi:10.1107/S1600536809020224]

### (Z)-1-[(3-Cyanophenyl)iminiomethyl]-2-naphthalate

**Y.-F. Zhao, J.-P. Xiong and Y. Zuo**

#### Comment

Schiff base compounds have received considerable attention for many years, primarily due to various pharmacological activities, such as anticancer (Dao *et al.*, 2000) and anti-HIV (Sriram *et al.*, 2006) activities. In addition, Schiff base compounds play important roles in coordination chemistry related to magnetism (Weber *et al.*, 2007) and catalysis (Chen *et al.*, 2008). Generally, Schiff base compounds exhibit the phenol-imine and keto-amine forms. Another form of the Schiff base compounds is their zwitterionic form, and this form have been reported in the literature (Elmali, *et al.*, 2001). We report herein the crystal structure of the title compound.

The molecule of the title compound (Fig 1) is in a zwitterionic form. The bond lengths (Allen *et al.*, 1987) and angles are within normal ranges, and C8=N1 [1.304 (4) Å] and C10-O1 [1.287 (4) Å] bonds may be compared with the corresponding values [1.2954 (19) and 1.2946 (17) Å] in a similar zwitterionic structure (Yüce *et al.*, 2006). Phenyl and naphthalyl rings, A (C1-C6) and B (C9-C18), are, of course, planar and the dihedral angle between them is 13.95 (5)°. Intramolecular N-H···O interaction (Table 1) results in the formation of a planar six-membered ring C (O1/N1/C8-C10/H1A), which is oriented with respect to rings A and B at dihedral angles of 13.50 (4) and 4.49 (4) °, respectively.

In the crystal structure, intramolecular N-H···O and intermolecular C-H···O and C-H···N interactions (Table 1) link the molecules into a two-dimensional network (Fig. 2), in which they may be effective in the stabilization of the structure. The π-π contact between the naphthalyl rings, Cg2—Cg2<sup>i</sup> [symmetry code: (i) -x, 1 - y, 1 - z, where Cg2 is centroid of the ring (C9-C13/C18)] may further stabilize the structure, with centroid-centroid distance of 3.974 (1) Å.

#### Experimental

For the preparation of the title compound, 3-aminobenzonitrile (0.59 g, 5 mmol) and 2-hydroxynaphthalene-1-carbaldehyde (0.861 g, 5 mmol) were dissolved in ethanol (25 ml). The resulting mixture was heated to reflux for 6 h, and then cooled to room temperature. The solid product was collected by filtration. Crystals suitable for X-ray analysis were obtained on slow evaporation at room temperature.

#### Refinement

H atoms were positioned geometrically, with N-H = 0.86 Å (for NH) and C-H = 0.93 Å for aromatic H and constrained to ride on their parent atoms, with U<sub>iso</sub>(H) = 1.2U<sub>eq</sub>(C,N).

# supplementary materials

---

## Figures




Fig. 1. The molecular structure of the title molecule, with the atom-numbering scheme. Hydrogen bond is shown as dashed line.




Fig. 2. A partial packing diagram of the title compound. Hydrogen bonds are shown as dashed lines.

## (Z)-1-[(3-Cyanophenyl)iminiomethyl]-2-naphtholate

### Crystal data

C <sub>18</sub> H <sub>12</sub> N <sub>2</sub> O	Z = 2
M <sub>r</sub> = 272.30	F <sub>000</sub> = 284
Triclinic, P <bar{1}< td=""><td>D<sub>x</sub> = 1.345 Mg m<sup>-3</sup></td></bar{1}<>	D <sub>x</sub> = 1.345 Mg m <sup>-3</sup>
Hall symbol: -P 1	Mo K $\alpha$ radiation
a = 7.8943 (16) Å	$\lambda$ = 0.71073 Å
b = 9.1356 (18) Å	Cell parameters from 4320 reflections
c = 9.4933 (19) Å	$\theta$ = 3.2–27.5°
$\alpha$ = 83.97 (3)°	$\mu$ = 0.09 mm <sup>-1</sup>
$\beta$ = 84.41 (3)°	T = 294 K
$\gamma$ = 82.50 (3)°	Prism, yellow
V = 672.6 (2) Å <sup>3</sup>	0.20 × 0.20 × 0.20 mm

### Data collection

Rigaku SCXmini diffractometer	2628 independent reflections
Radiation source: fine-focus sealed tube	1146 reflections with $I > 2\sigma(I)$
Monochromator: graphite	$R_{\text{int}} = 0.061$
Detector resolution: 13.6612 pixels mm <sup>-1</sup>	$\theta_{\text{max}} = 26.0^\circ$
T = 294 K	$\theta_{\text{min}} = 3.2^\circ$
$\omega$ scans	$h = -9 \rightarrow 9$
Absorption correction: multi-scan (CrystalClear; Rigaku, 2005)	$k = -11 \rightarrow 11$

$T_{\min} = 0.976$ ,  $T_{\max} = 0.983$   
6177 measured reflections

$l = -11 \rightarrow 11$

### Refinement

Refinement on $F^2$	Secondary atom site location: difference Fourier map
Least-squares matrix: full	Hydrogen site location: inferred from neighbouring sites
$R[F^2 > 2\sigma(F^2)] = 0.067$	H-atom parameters constrained
$wR(F^2) = 0.195$	$w = 1/[\sigma^2(F_o^2) + (0.0919P)^2]$ where $P = (F_o^2 + 2F_c^2)/3$
$S = 0.94$	$(\Delta/\sigma)_{\max} = 0.016$
2628 reflections	$\Delta\rho_{\max} = 0.23 \text{ e \AA}^{-3}$
190 parameters	$\Delta\rho_{\min} = -0.23 \text{ e \AA}^{-3}$
Primary atom site location: structure-invariant direct methods	Extinction correction: none

### Special details

**Geometry.** All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted  $R$ -factor  $wR$  and goodness of fit  $S$  are based on  $F^2$ , conventional  $R$ -factors  $R$  are based on  $F$ , with  $F$  set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating  $R$ -factors(gt) etc. and is not relevant to the choice of reflections for refinement.  $R$ -factors based on  $F^2$  are statistically about twice as large as those based on  $F$ , and  $R$ -factors based on ALL data will be even larger.

### Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )

	$x$	$y$	$z$	$U_{\text{iso}}^*/U_{\text{eq}}$
O1	0.9002 (3)	0.6505 (3)	0.2062 (2)	0.0608 (8)
N1	0.7833 (3)	0.3998 (3)	0.2569 (3)	0.0439 (7)
H1A	0.8270	0.4652	0.1974	0.053*
N2	0.4237 (5)	-0.1364 (4)	0.3557 (4)	0.0852 (12)
C1	0.7515 (4)	0.2689 (4)	0.2031 (3)	0.0421 (8)
C2	0.6494 (4)	0.1697 (3)	0.2774 (3)	0.0452 (9)
H2A	0.5984	0.1876	0.3675	0.054*
C3	0.6234 (4)	0.0444 (4)	0.2177 (4)	0.0482 (9)
C4	0.6973 (5)	0.0157 (4)	0.0832 (4)	0.0609 (11)
H4A	0.6799	-0.0695	0.0437	0.073*
C5	0.7971 (5)	0.1160 (4)	0.0093 (4)	0.0654 (11)
H5A	0.8467	0.0985	-0.0812	0.079*
C6	0.8240 (4)	0.2410 (4)	0.0675 (3)	0.0514 (10)
H6A	0.8914	0.3077	0.0160	0.062*
C7	0.5115 (5)	-0.0569 (4)	0.2954 (4)	0.0611 (11)
C8	0.7525 (4)	0.4310 (3)	0.3886 (3)	0.0408 (8)

## supplementary materials

---

H8A	0.7016	0.3630	0.4536	0.049*
C9	0.7916 (4)	0.5615 (3)	0.4381 (3)	0.0405 (8)
C10	0.8725 (4)	0.6662 (3)	0.3400 (4)	0.0433 (9)
C11	0.9241 (5)	0.7903 (4)	0.3945 (4)	0.0576 (11)
H11A	0.9789	0.8582	0.3323	0.069*
C12	0.8969 (5)	0.8139 (4)	0.5334 (4)	0.0577 (10)
H12A	0.9334	0.8968	0.5645	0.069*
C13	0.8122 (4)	0.7125 (3)	0.6335 (4)	0.0424 (9)
C14	0.7876 (4)	0.7374 (4)	0.7790 (4)	0.0533 (10)
H14A	0.8261	0.8199	0.8091	0.064*
C15	0.7077 (4)	0.6415 (4)	0.8761 (4)	0.0554 (10)
H15A	0.6908	0.6590	0.9715	0.067*
C16	0.6524 (4)	0.5185 (4)	0.8304 (4)	0.0509 (9)
H16A	0.5981	0.4529	0.8957	0.061*
C17	0.6766 (4)	0.4920 (4)	0.6902 (3)	0.0483 (9)
H17A	0.6374	0.4087	0.6623	0.058*
C18	0.7585 (4)	0.5863 (3)	0.5875 (3)	0.0367 (8)

### Atomic displacement parameters ( $\text{\AA}^2$ )

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
O1	0.083 (2)	0.0657 (17)	0.0347 (15)	-0.0255 (14)	0.0047 (13)	0.0010 (12)
N1	0.0520 (19)	0.0430 (17)	0.0370 (17)	-0.0146 (13)	0.0051 (13)	-0.0025 (14)
N2	0.120 (3)	0.064 (2)	0.076 (3)	-0.043 (2)	0.011 (2)	-0.010 (2)
C1	0.043 (2)	0.044 (2)	0.040 (2)	-0.0072 (16)	-0.0024 (16)	-0.0059 (17)
C2	0.057 (2)	0.044 (2)	0.035 (2)	-0.0102 (18)	0.0011 (16)	-0.0075 (16)
C3	0.057 (2)	0.042 (2)	0.048 (2)	-0.0068 (18)	-0.0062 (18)	-0.0107 (17)
C4	0.079 (3)	0.055 (2)	0.051 (3)	-0.008 (2)	-0.004 (2)	-0.018 (2)
C5	0.083 (3)	0.069 (3)	0.047 (2)	-0.018 (2)	0.010 (2)	-0.020 (2)
C6	0.053 (2)	0.061 (2)	0.040 (2)	-0.0129 (19)	0.0046 (17)	-0.0033 (18)
C7	0.080 (3)	0.051 (2)	0.054 (3)	-0.014 (2)	-0.001 (2)	-0.011 (2)
C8	0.040 (2)	0.044 (2)	0.038 (2)	-0.0066 (16)	0.0015 (15)	-0.0029 (16)
C9	0.039 (2)	0.041 (2)	0.041 (2)	-0.0065 (16)	-0.0007 (15)	0.0003 (16)
C10	0.052 (2)	0.0366 (19)	0.042 (2)	-0.0093 (16)	-0.0054 (17)	-0.0010 (16)
C11	0.070 (3)	0.047 (2)	0.058 (3)	-0.0253 (19)	-0.001 (2)	0.003 (2)
C12	0.068 (3)	0.050 (2)	0.060 (3)	-0.022 (2)	-0.003 (2)	-0.007 (2)
C13	0.041 (2)	0.042 (2)	0.046 (2)	-0.0029 (16)	-0.0066 (16)	-0.0074 (17)
C14	0.053 (2)	0.055 (2)	0.056 (3)	-0.0066 (19)	-0.0103 (19)	-0.020 (2)
C15	0.058 (2)	0.064 (3)	0.043 (2)	-0.003 (2)	0.0004 (18)	-0.009 (2)
C16	0.057 (2)	0.051 (2)	0.043 (2)	-0.0085 (18)	0.0046 (17)	-0.0013 (18)
C17	0.052 (2)	0.045 (2)	0.048 (2)	-0.0097 (18)	0.0029 (17)	-0.0074 (18)
C18	0.0366 (19)	0.0372 (19)	0.0377 (19)	-0.0076 (15)	-0.0012 (14)	-0.0074 (15)

### Geometric parameters ( $\text{\AA}$ , $^\circ$ )

O1—C10	1.287 (4)	C9—C10	1.431 (4)
N1—C1	1.409 (4)	C9—C18	1.453 (4)
N1—C8	1.304 (4)	C11—C10	1.416 (4)
N1—H1A	0.8600	C11—C12	1.350 (5)

N2—C7	1.142 (4)	C11—H11A	0.9300
C2—C1	1.384 (4)	C12—H12A	0.9300
C2—C3	1.376 (4)	C13—C12	1.435 (4)
C2—H2A	0.9300	C13—C14	1.414 (4)
C4—C3	1.387 (5)	C13—C18	1.403 (4)
C4—C5	1.377 (5)	C14—H14A	0.9300
C4—H4A	0.9300	C15—C14	1.370 (4)
C5—H5A	0.9300	C15—C16	1.382 (5)
C6—C1	1.392 (4)	C15—H15A	0.9300
C6—C5	1.369 (5)	C16—H16A	0.9300
C6—H6A	0.9300	C17—C16	1.369 (4)
C7—C3	1.458 (5)	C17—C18	1.399 (4)
C8—H8A	0.9300	C17—H17A	0.9300
C9—C8	1.406 (4)		
C1—N1—H1A	117.0	O1—C10—C9	122.5 (3)
C8—N1—C1	126.0 (3)	O1—C10—C11	119.7 (3)
C8—N1—H1A	117.0	C11—C10—C9	117.8 (3)
C2—C1—N1	123.1 (3)	C10—C11—H11A	118.7
C2—C1—C6	119.0 (3)	C12—C11—C10	122.6 (3)
C6—C1—N1	117.9 (3)	C12—C11—H11A	118.7
C1—C2—H2A	120.1	C11—C12—C13	120.8 (3)
C3—C2—C1	119.8 (3)	C11—C12—H12A	119.6
C3—C2—H2A	120.1	C13—C12—H12A	119.6
C2—C3—C4	121.1 (3)	C14—C13—C12	120.0 (3)
C2—C3—C7	119.2 (3)	C18—C13—C12	119.9 (3)
C4—C3—C7	119.6 (3)	C18—C13—C14	120.0 (3)
C3—C4—H4A	120.7	C13—C14—H14A	119.6
C5—C4—C3	118.6 (4)	C15—C14—C13	120.8 (3)
C5—C4—H4A	120.7	C15—C14—H14A	119.6
C4—C5—H5A	119.6	C14—C15—C16	119.1 (3)
C6—C5—C4	120.9 (4)	C14—C15—H15A	120.5
C6—C5—H5A	119.6	C16—C15—H15A	120.5
C1—C6—H6A	119.7	C15—C16—H16A	119.6
C5—C6—C1	120.5 (3)	C17—C16—C15	120.8 (3)
C5—C6—H6A	119.7	C17—C16—H16A	119.6
N2—C7—C3	179.7 (4)	C16—C17—C18	122.1 (3)
N1—C8—C9	123.9 (3)	C16—C17—H17A	119.0
N1—C8—H8A	118.0	C18—C17—H17A	119.0
C9—C8—H8A	118.0	C13—C18—C9	118.5 (3)
C8—C9—C10	118.8 (3)	C17—C18—C13	117.1 (3)
C8—C9—C18	120.7 (3)	C17—C18—C9	124.4 (3)
C10—C9—C18	120.4 (3)		

*Hydrogen-bond geometry (Å, °)*

<i>D</i> —H··· <i>A</i>	<i>D</i> —H	H··· <i>A</i>	<i>D</i> ··· <i>A</i>	<i>D</i> —H··· <i>A</i>
N1—H1A···O1	0.86	1.87	2.562 (3)	136
C2—H2A···N2 <sup>i</sup>	0.93	2.61	3.463 (3)	152


## supplementary materials

---

C6—H6A···O1 <sup>ii</sup>	0.93	2.57	3.376 (3)	145
C17—H17A···N2 <sup>i</sup>	0.93	2.62	3.522 (3)	163

Symmetry codes: (i)  $-x+1, -y, -z+1$ ; (ii)  $-x+2, -y+1, -z$ .

Fig. 1



## supplementary materials

Fig. 2

