

**2-Chloro-4-fluoro-N-phenylbenzamide**

Zhengde Tan,<sup>a\*</sup> Yi Bing,<sup>a</sup> Shen Fang,<sup>a</sup> Zhao Kai<sup>b</sup> and Yang Yan<sup>a</sup>

<sup>a</sup>College of Chemistry and Chemical Engineering, Hunan Institute of Engineering, Xiangtan 411104, People's Republic of China, and <sup>b</sup>Guangxi Institute of Standards and Technology, Nanning 530022, People's Republic of China  
Correspondence e-mail: tzd0517@163.com


Received 7 June 2009; accepted 27 June 2009

Key indicators: single-crystal X-ray study;  $T = 298\text{ K}$ ; mean  $\sigma(\text{C}-\text{C}) = 0.005\text{ \AA}$ ;  $R$  factor = 0.032;  $wR$  factor = 0.079; data-to-parameter ratio = 10.9.

In the title compound,  $\text{C}_{13}\text{H}_9\text{ClFNO}$ , the dihedral angle between the two aromatic rings is  $13.6(2)^\circ$ . In the crystal, the molecules are linked by intermolecular  $\text{N}-\text{H}\cdots\text{O}$  hydrogen bonds into chains extending along the  $c$ -axis direction.

**Related literature**

For the chemical and pharmacological properties of amides, see: Arrizabalaga *et al.* (1984); Śladowska *et al.* (1999).

**Experimental***Crystal data*

$\text{C}_{13}\text{H}_9\text{ClFNO}$   
 $M_r = 249.66$   
Monoclinic,  $Cc$   
 $a = 22.262(3)\text{ \AA}$   
 $b = 5.6452(6)\text{ \AA}$

$c = 9.6743(12)\text{ \AA}$   
 $\beta = 105.832(2)^\circ$   
 $V = 1169.7(2)\text{ \AA}^3$   
 $Z = 4$   
Mo  $K\alpha$  radiation

$\mu = 0.32\text{ mm}^{-1}$   
 $T = 298\text{ K}$

$0.45 \times 0.40 \times 0.27\text{ mm}$

*Data collection*

Bruker SMART CCD diffractometer  
Absorption correction: multi-scan (*SADABS*; Sheldrick, 1996)  
 $T_{\min} = 0.869$ ,  $T_{\max} = 0.919$

2887 measured reflections  
1671 independent reflections  
1470 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.023$

*Refinement*

$R[F^2 > 2\sigma(F^2)] = 0.032$   
 $wR(F^2) = 0.079$   
 $S = 1.04$   
1671 reflections  
154 parameters  
2 restraints

H-atom parameters constrained  
 $\Delta\rho_{\max} = 0.21\text{ e \AA}^{-3}$   
 $\Delta\rho_{\min} = -0.12\text{ e \AA}^{-3}$   
Absolute structure: Flack, (1983),  
637 Friedel pairs  
Flack parameter: 0.04 (7)

**Table 1**  
Hydrogen-bond geometry ( $\text{\AA}$ ,  $^\circ$ ).

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
N1—H1 $\cdots$ O1 <sup>i</sup>	0.86	2.04	2.857 (3)	159

Symmetry code: (i)  $x, -y + 1, z + \frac{1}{2}$ .

Data collection: *SMART* (Siemens, 1996); cell refinement: *SAINT* (Siemens, 1996); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL* (Sheldrick, 2008); software used to prepare material for publication: *SHELXTL*.

The authors thank the Science Foundation of Hunan Institute of Engineering, China for support.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: SI2182).

**References**

- Arrizabalaga, P., Castan, P. & Laurent, J. P. (1984). *J. Am. Chem. Soc.* **106**, 4814–4818.  
Flack, H. D. (1983). *Acta Cryst. A* **39**, 876–881.  
Sheldrick, G. M. (1996). *SADABS*. University of Göttingen, Germany.  
Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.  
Siemens (1996). *SMART* and *SAINT*. Siemens Analytical X-ray Instruments Inc., Madison, Wisconsin, USA.  
Śladowska, H., Sieklucka-Dziuba, M., Rajtar, G., Sodowski, M. & Kleinrok, Z. (1999). *Farmaco*, **54**, 773–779.

## **supplementary materials**

Acta Cryst. (2009). E65, o1757 [doi:10.1107/S1600536809024787]

## 2-Chloro-4-fluoro-N-phenylbenzamide

Z. Tan, Y. Bing, S. Fang, Z. Kai and Y. Yan

### Comment

The chemical and pharmacological properties of acid amides have been investigated extensively, owing to their chelating ability with metal ions and to their potentially beneficial chemical and biological activities (Arrizabalaga *et al.*, 1984; Śladowska *et al.*, 1999). As part of our studies on the synthesis and characterization of related compounds, we report here the synthesis and crystal structure of 2-chloro-4-fluoro-N-phenylbenzamide. The C=O bond length is 1.224 (3) Å, indicating that the molecule is in the keto form (Fig. 1). In the crystal structure, the molecules are linked by intermolecular N—H···O hydrogen bonds into chains, which extend along the *c* direction (Table 1 and Fig. 2)

### Experimental

A solution of 2-chloro-4-fluorobenzoyl chloride (10 mmol) in 50 ml toluene was added to a solution of aniline (10 mmol) in 10 ml toluene. The reaction mixture was refluxed for 1 h with stirring then the resulting white precipitate was obtained by filtration, washed several times with ethanol and dried *in vacuo* (yield 90%). Elemental analysis calculated: C, 62.54; H, 3.63; N, 5.61; found: C, 62.51; H, 3.62; N, 5.59. Crystals were obtained by slow evaporation of a solution in methanol after one week.

### Refinement

H atoms were placed geometrically and refined using a riding model, with C—H = 0.93 Å and N—H = 0.86 Å, respectively.  $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C}, \text{N})$ .

### Figures




Fig. 1. The molecular structure of the title compound showing 50% probability displacement ellipsoids for non-H atoms.




Fig. 2. Crystal packing of the title compound, showing the hydrogen bonds as dashed lines.

# supplementary materials

---

## 2-Chloro-4-fluoro-N-phenylbenzamide

### Crystal data

C <sub>13</sub> H <sub>9</sub> ClFNO	$F_{000} = 512$
$M_r = 249.66$	$D_x = 1.418 \text{ Mg m}^{-3}$
Monoclinic, $Cc$	Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$
$a = 22.262 (3) \text{ \AA}$	Cell parameters from 1638 reflections
$b = 5.6452 (6) \text{ \AA}$	$\theta = 2.9\text{--}27.0^\circ$
$c = 9.6743 (12) \text{ \AA}$	$\mu = 0.32 \text{ mm}^{-1}$
$\beta = 105.832 (2)^\circ$	$T = 298 \text{ K}$
$V = 1169.7 (2) \text{ \AA}^3$	Block, colorless
$Z = 4$	$0.45 \times 0.40 \times 0.27 \text{ mm}$

### Data collection

Bruker SMART CCD diffractometer	1671 independent reflections
Radiation source: fine-focus sealed tube	1470 reflections with $I > 2\sigma(I)$
Monochromator: graphite	$R_{\text{int}} = 0.023$
$T = 298 \text{ K}$	$\theta_{\text{max}} = 25.0^\circ$
$\varphi$ and $\omega$ scans	$\theta_{\text{min}} = 1.9^\circ$
Absorption correction: multi-scan (SADABS; Sheldrick, 1996)	$h = -24 \rightarrow 26$
$T_{\text{min}} = 0.869$ , $T_{\text{max}} = 0.919$	$k = -6 \rightarrow 5$
2887 measured reflections	$l = -11 \rightarrow 11$

### Refinement

Refinement on $F^2$	Hydrogen site location: inferred from neighbouring sites
Least-squares matrix: full	H-atom parameters constrained
$R[F^2 > 2\sigma(F^2)] = 0.032$	$w = 1/[\sigma^2(F_o^2) + (0.0432P)^2 + 0.1416P]$ where $P = (F_o^2 + 2F_c^2)/3$
$wR(F^2) = 0.079$	$(\Delta/\sigma)_{\text{max}} < 0.001$
$S = 1.04$	$\Delta\rho_{\text{max}} = 0.21 \text{ e \AA}^{-3}$
1671 reflections	$\Delta\rho_{\text{min}} = -0.12 \text{ e \AA}^{-3}$
154 parameters	Extinction correction: none
2 restraints	Absolute structure: Flack, (1983), 637 Friedel pairs
Primary atom site location: structure-invariant direct methods	Flack parameter: 0.04 (7)
Secondary atom site location: difference Fourier map	

## Special details

**Geometry.** All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted  $R$ -factor  $wR$  and goodness of fit  $S$  are based on  $F^2$ , conventional  $R$ -factors  $R$  are based on  $F$ , with  $F$  set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating  $R$ -factors(gt) etc. and is not relevant to the choice of reflections for refinement.  $R$ -factors based on  $F^2$  are statistically about twice as large as those based on  $F$ , and  $R$ -factors based on ALL data will be even larger.

## Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )

	$x$	$y$	$z$	$U_{\text{iso}}^*/U_{\text{eq}}$
Cl1	0.25827 (4)	0.57325 (11)	0.03581 (7)	0.0567 (2)
F1	0.19086 (10)	-0.1122 (4)	0.2865 (2)	0.0839 (7)
N1	0.42846 (11)	0.5122 (4)	0.3097 (2)	0.0439 (5)
H1	0.4200	0.4944	0.3907	0.053*
O1	0.39721 (10)	0.4168 (4)	0.0742 (2)	0.0619 (6)
C1	0.38996 (13)	0.4115 (4)	0.1951 (3)	0.0407 (6)
C2	0.33604 (12)	0.2803 (4)	0.2241 (2)	0.0362 (6)
C3	0.27498 (13)	0.3337 (4)	0.1537 (3)	0.0392 (6)
C4	0.22559 (14)	0.2060 (5)	0.1747 (3)	0.0479 (7)
H4	0.1845	0.2458	0.1281	0.057*
C5	0.23956 (15)	0.0173 (6)	0.2675 (3)	0.0538 (8)
C6	0.29854 (16)	-0.0470 (5)	0.3395 (3)	0.0513 (8)
H6	0.3061	-0.1772	0.4008	0.062*
C7	0.34669 (13)	0.0887 (5)	0.3182 (3)	0.0457 (7)
H7	0.3875	0.0510	0.3681	0.055*
C8	0.48249 (13)	0.6470 (5)	0.3095 (3)	0.0428 (7)
C9	0.47880 (18)	0.8278 (6)	0.2111 (4)	0.0632 (8)
H9	0.4415	0.8593	0.1422	0.076*
C10	0.5315 (2)	0.9607 (7)	0.2168 (5)	0.0802 (12)
H10	0.5296	1.0810	0.1501	0.096*
C11	0.5862 (2)	0.9185 (6)	0.3187 (5)	0.0805 (12)
H11	0.6212	1.0107	0.3220	0.097*
C12	0.58956 (18)	0.7403 (7)	0.4161 (5)	0.0810 (10)
H12	0.6269	0.7102	0.4855	0.097*
C13	0.53723 (17)	0.6047 (6)	0.4110 (4)	0.0637 (9)
H13	0.5395	0.4838	0.4775	0.076*

## Atomic displacement parameters ( $\text{\AA}^2$ )

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
Cl1	0.0651 (5)	0.0510 (4)	0.0528 (5)	0.0117 (4)	0.0138 (3)	0.0092 (4)
F1	0.0792 (15)	0.0871 (14)	0.0939 (17)	-0.0334 (11)	0.0379 (13)	0.0012 (12)

## supplementary materials

---

N1	0.0456 (13)	0.0597 (13)	0.0304 (13)	-0.0075 (11)	0.0170 (10)	-0.0029 (10)
O1	0.0661 (15)	0.0934 (16)	0.0314 (11)	-0.0216 (11)	0.0221 (10)	-0.0078 (10)
C1	0.0450 (15)	0.0521 (15)	0.0278 (15)	0.0011 (13)	0.0145 (12)	0.0014 (12)
C2	0.0434 (15)	0.0422 (14)	0.0235 (13)	-0.0018 (12)	0.0101 (11)	-0.0035 (10)
C3	0.0473 (16)	0.0376 (13)	0.0340 (15)	0.0002 (11)	0.0133 (13)	-0.0045 (11)
C4	0.0416 (16)	0.0548 (16)	0.0473 (17)	-0.0005 (13)	0.0122 (13)	-0.0097 (14)
C5	0.060 (2)	0.0530 (17)	0.056 (2)	-0.0156 (18)	0.0290 (18)	-0.0052 (14)
C6	0.070 (2)	0.0450 (17)	0.0436 (18)	-0.0034 (14)	0.0226 (16)	0.0029 (13)
C7	0.0496 (18)	0.0528 (16)	0.0337 (15)	0.0032 (13)	0.0097 (14)	-0.0016 (13)
C8	0.0431 (18)	0.0492 (15)	0.0410 (16)	-0.0041 (13)	0.0199 (14)	-0.0049 (12)
C9	0.065 (2)	0.0698 (19)	0.057 (2)	-0.0049 (17)	0.0210 (17)	0.0119 (17)
C10	0.088 (3)	0.072 (2)	0.090 (3)	-0.018 (2)	0.042 (3)	0.014 (2)
C11	0.062 (3)	0.084 (3)	0.102 (3)	-0.021 (2)	0.034 (3)	-0.005 (2)
C12	0.048 (2)	0.088 (3)	0.103 (3)	-0.0086 (18)	0.0121 (18)	0.002 (2)
C13	0.056 (2)	0.071 (2)	0.062 (2)	-0.0065 (17)	0.0130 (17)	0.0067 (16)

*Geometric parameters (Å, °)*

C1—C3	1.743 (3)	C6—H6	0.9300
F1—C5	1.361 (4)	C7—H7	0.9300
N1—C1	1.330 (4)	C8—C13	1.362 (5)
N1—C8	1.424 (3)	C8—C9	1.382 (4)
N1—H1	0.8600	C9—C10	1.381 (5)
O1—C1	1.224 (3)	C9—H9	0.9300
C1—C2	1.500 (4)	C10—C11	1.363 (6)
C2—C3	1.377 (4)	C10—H10	0.9300
C2—C7	1.392 (4)	C11—C12	1.366 (6)
C3—C4	1.375 (4)	C11—H11	0.9300
C4—C5	1.373 (4)	C12—C13	1.383 (5)
C4—H4	0.9300	C12—H12	0.9300
C5—C6	1.357 (5)	C13—H13	0.9300
C6—C7	1.378 (4)		
C1—N1—C8	125.4 (2)	C6—C7—C2	122.0 (3)
C1—N1—H1	117.3	C6—C7—H7	119.0
C8—N1—H1	117.3	C2—C7—H7	119.0
O1—C1—N1	124.3 (3)	C13—C8—C9	120.0 (3)
O1—C1—C2	120.8 (2)	C13—C8—N1	119.7 (3)
N1—C1—C2	114.9 (2)	C9—C8—N1	120.3 (3)
C3—C2—C7	117.5 (2)	C10—C9—C8	118.9 (3)
C3—C2—C1	122.1 (2)	C10—C9—H9	120.5
C7—C2—C1	120.2 (2)	C8—C9—H9	120.5
C4—C3—C2	122.2 (2)	C11—C10—C9	121.1 (3)
C4—C3—Cl1	117.8 (2)	C11—C10—H10	119.5
C2—C3—Cl1	119.92 (19)	C9—C10—H10	119.5
C5—C4—C3	117.1 (3)	C10—C11—C12	119.8 (3)
C5—C4—H4	121.5	C10—C11—H11	120.1
C3—C4—H4	121.5	C12—C11—H11	120.1
C6—C5—F1	118.8 (3)	C11—C12—C13	119.8 (4)
C6—C5—C4	123.9 (3)	C11—C12—H12	120.1

F1—C5—C4	117.3 (3)	C13—C12—H12	120.1
C5—C6—C7	117.2 (3)	C8—C13—C12	120.5 (3)
C5—C6—H6	121.4	C8—C13—H13	119.7
C7—C6—H6	121.4	C12—C13—H13	119.7
C8—N1—C1—O1	2.1 (4)	C4—C5—C6—C7	0.7 (4)
C8—N1—C1—C2	-179.5 (2)	C5—C6—C7—C2	-1.6 (4)
O1—C1—C2—C3	-58.5 (3)	C3—C2—C7—C6	1.1 (4)
N1—C1—C2—C3	123.1 (3)	C1—C2—C7—C6	-175.2 (2)
O1—C1—C2—C7	117.5 (3)	C1—N1—C8—C13	-133.3 (3)
N1—C1—C2—C7	-60.9 (3)	C1—N1—C8—C9	49.8 (4)
C7—C2—C3—C4	0.5 (4)	C13—C8—C9—C10	0.9 (5)
C1—C2—C3—C4	176.6 (2)	N1—C8—C9—C10	177.8 (3)
C7—C2—C3—Cl1	179.33 (19)	C8—C9—C10—C11	-1.0 (6)
C1—C2—C3—Cl1	-4.5 (3)	C9—C10—C11—C12	0.8 (6)
C2—C3—C4—C5	-1.4 (4)	C10—C11—C12—C13	-0.4 (6)
Cl1—C3—C4—C5	179.8 (2)	C9—C8—C13—C12	-0.5 (5)
C3—C4—C5—C6	0.7 (4)	N1—C8—C13—C12	-177.4 (3)
C3—C4—C5—F1	-178.8 (2)	C11—C12—C13—C8	0.2 (6)
F1—C5—C6—C7	-179.8 (3)		

*Hydrogen-bond geometry (Å, °)*

<i>D</i> —H··· <i>A</i>	<i>D</i> —H	H··· <i>A</i>	<i>D</i> ··· <i>A</i>	<i>D</i> —H··· <i>A</i>
N1—H1···O1 <sup>i</sup>	0.86	2.04	2.857 (3)	159

Symmetry codes: (i)  $x, -y+1, z+1/2$ .

## supplementary materials

---

Fig. 1




Fig. 2

