

3-(6-Methyl-2-pyridyl)-2-phenoxy-3,4-dihydro-1,3,2-benzoxazaphosphorine 2-oxide

Rajni Kant,^{a*} Sabeta Kohli,^a Lovely Sarmal,^a M. Krishnaiah^b and V. H. H. Surendra Babu^b

^aDepartment of Physics, University of Jammu, Jammu Tawi 180 006, India, and

^bDepartment of Physics, S.V. University, Tirupati 517 502, India

Correspondence e-mail: rk_paper@rediffmail.com


Received 26 June 2009; accepted 22 July 2009

Key indicators: single-crystal X-ray study; $T = 293\text{ K}$; mean $\sigma(\text{C}-\text{C}) = 0.004\text{ \AA}$; R factor = 0.055; wR factor = 0.149; data-to-parameter ratio = 21.7.

In the title compound, $\text{C}_{19}\text{H}_{17}\text{N}_2\text{O}_3\text{P}$, the six-membered 1,3,2-oxazaphosphorine ring adopts a twist-boat conformation with the phosphoryl O atom in an equatorial position. The $\text{P}=\text{O}$ (oxide) bond length is $1.457(1)\text{ \AA}$ and the average value of the $\text{P}-\text{O}$ distances is 1.588 \AA . The crystal structure is stabilized by $\text{C}-\text{H}\cdots\text{O}$ and $\text{C}-\text{H}\cdots\pi$ interactions.

Related literature

For the chemistry of organophosphorus heterocyclic compounds, see: Przybylski *et al.* (1977); Riffel *et al.* (1984); Kleemann & Fluck (1985); Bettemann *et al.* (1987); He *et al.* (1998).



Experimental

Crystal data

$\text{C}_{19}\text{H}_{17}\text{N}_2\text{O}_3\text{P}$

$M_r = 352.33$

Monoclinic, $P2_1/c$
 $a = 9.2852(7)\text{ \AA}$
 $b = 14.2972(11)\text{ \AA}$
 $c = 13.3446(8)\text{ \AA}$
 $\beta = 104.545(7)^\circ$
 $V = 1714.8(2)\text{ \AA}^3$

$Z = 4$
Mo $K\alpha$ radiation
 $\mu = 0.18\text{ mm}^{-1}$
 $T = 293\text{ K}$
 $0.30 \times 0.24 \times 0.18\text{ mm}$

Data collection

Oxford Diffraction Xcalibur diffractometer
Absorption correction: none
14565 measured reflections

4922 independent reflections
4064 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.017$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.055$
 $wR(F^2) = 0.149$
 $S = 1.08$
4922 reflections

227 parameters
H-atom parameters constrained
 $\Delta\rho_{\text{max}} = 0.53\text{ e \AA}^{-3}$
 $\Delta\rho_{\text{min}} = -0.35\text{ e \AA}^{-3}$

Table 1
Hydrogen-bond geometry (\AA , $^\circ$).

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
C4—H4 \cdots O3 ⁱ	0.93	2.57	3.497 (3)	174
C9—H9 \cdots O2 ⁱ	0.93	2.82	3.706 (2)	159
C7—H7A \cdots O3 ⁱ	0.97	2.85	3.425 (2)	119
C3—H3 \cdots O1 ⁱⁱ	0.93	2.81	3.373 (3)	120
C11—H11 \cdots O3 ⁱⁱⁱ	0.93	2.66	3.561 (2)	165
C6—H6C \cdots O2 ^{iv}	0.96	2.81	3.443 (3)	124
C18—H18 \cdots N2 ^{iv}	0.93	2.92	3.818 (5)	163
C10—H10 \cdots Cg2 ⁱⁱⁱ	0.93	2.78	3.437 (2)	128

Symmetry codes: (i) $x, -y + \frac{1}{2}, z - \frac{1}{2}$; (ii) $-x, -y + 1, -z$; (iii) $x + 1, y, z$; (iv) $-x, y + \frac{1}{2}, -z + \frac{1}{2}$. Cg2 is the centroid of the N1,C1-C5 ring.

Data collection: *CrysAlis Pro* (Oxford Diffraction, 2007); cell refinement: *CrysAlis Pro*; data reduction: *CrysAlis RED* (Oxford Diffraction, 2007); program(s) used to solve structure: *SHELXS86* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3 for Windows* (Farrugia, 1997); software used to prepare material for publication: *WinGX* (Farrugia, 1999).

The authors are grateful to the Department of Science and Technology of the Government of India for funding under research project SR/S2/CMP-47/2003.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: JH2088).

References

- Bettemann, G., Look, P. & Schomburg, D. (1987). *Phosphorus Sulfur*, **30**, 499–502.
- Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.
- Farrugia, L. J. (1999). *J. Appl. Cryst.* **32**, 837–838.
- He, L., Zhuo, R., Cai, F. & Lu, A. (1998). *Wuhan Univ. J. Nat. Sci.* **3**, 126–128.
- Kleemann, S. & Fluck, E. (1985). *Z. Anorg. Allg. Chem.* **562**, 141–144.
- Oxford Diffraction (2007). *CrysAlis Pro* and *CrysAlis RED*. Oxford Diffraction Ltd, Abingdon, Oxfordshire, England.
- Przybylski, M., Ringsdorf, H., Lenssen, U., Peter, G., Voelcker, G., Wagner, T. & Hohorst, H. J. (1977). *Biomed. Mass Spectr.* **4**, 209–215.
- Riffel, H., Kleemann, S. & Hess, H. (1984). *Z. Anorg. Allg. Chem.* **508**, 61–72.
- Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.

supplementary materials

Acta Cryst. (2009). E65, o2003 [doi:10.1107/S1600536809029018]

3-(6-Methyl-2-pyridyl)-2-phenoxy-3,4-dihydro-1,3,2-benzoxazaphosphirine 2-oxide

R. Kant, S. Kohli, L. Sarmal, M. Krishnaiah and V. H. H. S. Babu

Comment

Organophosphorus heterocycle compounds containing O and N in a six membered ring have gained much attention because of anti-cancer, anti-tumor and their most significant biological activities as pesticides and drugs(Riffel *et al.* 1984, Kleemann *et al.* 1985, Bettemann *et al.* 1987, He *et al.* 1998).).

Various compounds of this class *viz.* cyclophosphamide(2-bis(2-chloroethyl)amino tetrahydro-2*H*-1,3,2-oxazaphosphorine 2-oxide),ifosfamide(3-(2-chloroethyl)-2-(2-chloroethylamino)tetrahydro-2*H*-1,3,1-oxazaphosphorine2-oxide) and trofosfamide(3-(2-chloroethyl)-2-(bis(2-chloroethyl)amino)tetrahydro-2*H*-1,3,2oxazaphosphorine2-oxide) act as antitumor agents (Przybylski *et al.*,1977).

Because of these significant properties of organophosphorus heterocycle compounds a new compound of this class, *i.e.*, 3-(6-methyl-pyrindin-2-yl)-2-phenoxy-3, 4-dihydrobenzo[*e*][1,3,2]oxazaphosphirine 2-oxide[I] has been synthesized and its crystal structure is reported here.

In the title compound, [C₁₉ H₁₇ N₂ O₃ P], the six membered oxazaphosphorine ring adopts a twist boat conformation with phosphoryl oxygen atom at equatorial position. The PO(3) bond length is 1.457 (1) Å and the average value of P—O distance is 1.588 Å. The crystal structure is stabilized by C—H···O and C—H···Π interactions.

Experimental

The title compound was synthesized by adding a solution of phenylphosphorodichloridate (0.002 mole) in 25 ml of dry tetrahydrofuran dropwise over a period of twenty minutes to a stirred solution of 2-{[(6-methyl-2-pyridyl)amino]methyl}phenol (0.002 mole) and triethylamine (0.004 mole) in 30 ml of dry tetrahydrofuran at 0°C. After completion of the addition, the temperature of the reaction mixture was slowly raised to room temperature and stirred for 30 min. Later the reaction mixture was heated to 45–50°C and maintained at that temperature for three hours with stirring. Completion of the reaction was monitored by TLC analysis. Triethylamine- hydrochloride was separated from the reaction mixture by filtration and the solvent was removed under reduced pressure. The crude product was purified by column chromatography on silica gel (100–200 mesh) as adsorbent and ethyl acetate:hexane as eluent to afford pure product. Suitable colourless transparent rectangular crystals were obtained from 2-propanol by slow evaporation technique.

Refinement

All hydrogen atoms were fixed as a riding model over their respective heavier atoms and refined isotropically with distance restraints 0.93–0.97 Å

supplementary materials

Figures




Fig. 1. View of (I) (50% probability displacement ellipsoids)




Fig. 2. Depiction of C—H..O interactions in the title compound(I)

3-(6-Methyl-2-pyridyl)-2-phenoxy-3,4-dihydro-1,3,2-benzoxazaphosphirine 2-oxide

Crystal data

C ₁₉ H ₁₇ N ₂ O ₃ P	$F_{000} = 736$
$M_r = 352.33$	$D_x = 1.365 \text{ Mg m}^{-3}$
Monoclinic, $P2_1/c$	Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$
Hall symbol: -P 2ybc	Cell parameters from 4064 reflections
$a = 9.2852 (7) \text{ \AA}$	$\theta = 3.2\text{--}30.1^\circ$
$b = 14.2972 (11) \text{ \AA}$	$\mu = 0.18 \text{ mm}^{-1}$
$c = 13.3446 (8) \text{ \AA}$	$T = 293 \text{ K}$
$\beta = 104.545 (7)^\circ$	Rectangular, colourless
$V = 1714.8 (2) \text{ \AA}^3$	$0.30 \times 0.24 \times 0.18 \text{ mm}$
$Z = 4$	

Data collection

Oxford Diffraction Xcalibur diffractometer	$R_{\text{int}} = 0.017$
ω -2 θ scans	$\theta_{\text{max}} = 30.1^\circ$
Absorption correction: none	$\theta_{\text{min}} = 3.2^\circ$
14565 measured reflections	$h = -13 \rightarrow 13$
4922 independent reflections	$k = -19 \rightarrow 20$
4064 reflections with $I > 2\sigma(I)$	$l = -18 \rightarrow 18$

Refinement

Refinement on F^2	H-atom parameters constrained
Least-squares matrix: full	$w = 1/[\sigma^2(F_o^2) + (0.0646P)^2 + 0.9398P]$ where $P = (F_o^2 + 2F_c^2)/3$
$R[F^2 > 2\sigma(F^2)] = 0.055$	$(\Delta/\sigma)_{\max} < 0.001$
$wR(F^2) = 0.149$	$\Delta\rho_{\max} = 0.53 \text{ e \AA}^{-3}$
$S = 1.08$	$\Delta\rho_{\min} = -0.35 \text{ e \AA}^{-3}$
4922 reflections	Extinction correction: none
227 parameters	

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
O3	0.05137 (15)	0.29221 (11)	0.30611 (10)	0.0431 (3)
P1	0.15450 (5)	0.32614 (3)	0.24817 (3)	0.03212 (13)
O2	0.29805 (14)	0.26052 (10)	0.27286 (10)	0.0408 (3)
N2	0.10589 (16)	0.32584 (11)	0.11909 (11)	0.0342 (3)
N1	-0.08432 (16)	0.42593 (11)	0.12856 (11)	0.0366 (3)
O1	0.22025 (15)	0.42756 (10)	0.27690 (10)	0.0409 (3)
C4	-0.0855 (2)	0.36620 (14)	-0.04067 (13)	0.0391 (4)
H4	-0.0437	0.3271	-0.0814	0.047*
C13	0.40587 (19)	0.26785 (13)	0.21602 (14)	0.0358 (4)
C5	-0.02466 (18)	0.37381 (12)	0.06657 (13)	0.0320 (3)
C8	0.35786 (19)	0.27514 (13)	0.10910 (14)	0.0363 (4)
C3	-0.2102 (2)	0.41944 (15)	-0.08287 (15)	0.0450 (4)
H3	-0.2522	0.4182	-0.1539	0.054*
C2	-0.2726 (2)	0.47435 (15)	-0.02010 (17)	0.0471 (5)
H2	-0.3565	0.5103	-0.0482	0.057*
C9	0.4650 (2)	0.27788 (16)	0.05260 (15)	0.0439 (4)
H9	0.436	0.2836	-0.0191	0.053*
C1	-0.2078 (2)	0.47521 (14)	0.08637 (16)	0.0414 (4)
C11	0.6595 (2)	0.26582 (18)	0.21010 (19)	0.0546 (5)
H11	0.7603	0.2627	0.2432	0.065*
C14	0.2129 (2)	0.47435 (14)	0.36794 (15)	0.0417 (4)
C7	0.1947 (2)	0.27754 (18)	0.05690 (16)	0.0496 (5)
H7A	0.1803	0.309	-0.0093	0.06*
H7B	0.1586	0.2139	0.0436	0.06*
C10	0.6146 (2)	0.27217 (16)	0.10275 (18)	0.0482 (5)

supplementary materials

H10	0.6856	0.2726	0.0644	0.058*
C12	0.5546 (2)	0.26421 (17)	0.26780 (16)	0.0499 (5)
H12	0.5836	0.2608	0.3397	0.06*
C19	0.1181 (3)	0.5491 (2)	0.3572 (3)	0.0860 (10)
H19	0.0597	0.5665	0.2926	0.103*
C6	-0.2732 (3)	0.5295 (2)	0.1604 (2)	0.0663 (7)
H6A	-0.2875	0.4887	0.2143	0.099*
H6B	-0.3673	0.5554	0.1241	0.099*
H6C	-0.2068	0.5792	0.1904	0.099*
C16	0.2972 (7)	0.5017 (3)	0.5483 (3)	0.1263 (18)
H16	0.3597	0.4863	0.6122	0.152*
C18	0.1120 (5)	0.5980 (3)	0.4456 (5)	0.136 (2)
H18	0.0477	0.6486	0.4405	0.163*
C17	0.2005 (7)	0.5726 (4)	0.5416 (4)	0.131 (2)
H17	0.1929	0.6044	0.6008	0.157*
C15	0.3051 (4)	0.4509 (2)	0.4605 (2)	0.0841 (10)
H15	0.3724	0.4019	0.4653	0.101*

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
O3	0.0409 (7)	0.0518 (8)	0.0405 (7)	-0.0031 (6)	0.0173 (5)	0.0077 (6)
P1	0.0333 (2)	0.0364 (2)	0.0278 (2)	-0.00139 (17)	0.00979 (15)	0.00310 (16)
O2	0.0383 (6)	0.0486 (8)	0.0376 (6)	0.0065 (6)	0.0135 (5)	0.0127 (6)
N2	0.0328 (7)	0.0418 (8)	0.0282 (6)	0.0032 (6)	0.0079 (5)	-0.0012 (6)
N1	0.0345 (7)	0.0399 (8)	0.0352 (7)	0.0003 (6)	0.0083 (6)	-0.0003 (6)
O1	0.0492 (7)	0.0427 (7)	0.0329 (6)	-0.0091 (6)	0.0145 (5)	-0.0034 (5)
C4	0.0400 (9)	0.0458 (10)	0.0310 (8)	-0.0047 (8)	0.0080 (7)	0.0007 (7)
C13	0.0346 (8)	0.0349 (8)	0.0392 (8)	0.0019 (7)	0.0117 (7)	0.0049 (7)
C5	0.0308 (7)	0.0337 (8)	0.0314 (7)	-0.0042 (6)	0.0078 (6)	0.0019 (6)
C8	0.0342 (8)	0.0379 (9)	0.0377 (8)	0.0003 (7)	0.0107 (7)	-0.0025 (7)
C3	0.0459 (10)	0.0507 (11)	0.0339 (9)	-0.0058 (8)	0.0018 (7)	0.0082 (8)
C2	0.0395 (10)	0.0432 (10)	0.0534 (11)	0.0020 (8)	0.0017 (8)	0.0109 (9)
C9	0.0438 (10)	0.0511 (11)	0.0397 (9)	0.0029 (8)	0.0160 (8)	-0.0003 (8)
C1	0.0385 (9)	0.0375 (9)	0.0475 (10)	0.0004 (7)	0.0096 (7)	0.0000 (8)
C11	0.0326 (9)	0.0686 (15)	0.0609 (13)	0.0015 (9)	0.0089 (9)	0.0047 (11)
C14	0.0473 (10)	0.0404 (10)	0.0404 (9)	-0.0088 (8)	0.0165 (8)	-0.0073 (8)
C7	0.0351 (9)	0.0737 (15)	0.0393 (9)	0.0042 (9)	0.0081 (7)	-0.0191 (10)
C10	0.0389 (9)	0.0512 (12)	0.0597 (12)	-0.0003 (8)	0.0221 (9)	0.0022 (10)
C12	0.0397 (10)	0.0657 (14)	0.0419 (10)	0.0061 (9)	0.0055 (8)	0.0082 (9)
C19	0.0632 (16)	0.077 (2)	0.114 (3)	0.0136 (15)	0.0152 (16)	-0.0319 (19)
C6	0.0618 (14)	0.0702 (17)	0.0664 (15)	0.0237 (13)	0.0150 (12)	-0.0107 (13)
C16	0.220 (5)	0.113 (3)	0.0428 (15)	-0.033 (4)	0.028 (2)	-0.0242 (19)
C18	0.104 (3)	0.113 (3)	0.209 (6)	-0.006 (3)	0.075 (4)	-0.095 (4)
C17	0.190 (5)	0.115 (3)	0.124 (4)	-0.075 (4)	0.104 (4)	-0.083 (3)
C15	0.129 (3)	0.0735 (18)	0.0397 (12)	0.0134 (18)	0.0022 (14)	-0.0051 (12)

Geometric parameters (Å, °)

O3—P1	1.4567 (13)	C1—C6	1.500 (3)
P1—O1	1.5825 (14)	C11—C12	1.385 (3)
P1—O2	1.5953 (14)	C11—C10	1.391 (3)
P1—N2	1.6675 (14)	C11—H11	0.93
O2—C13	1.404 (2)	C14—C15	1.356 (3)
N2—C5	1.416 (2)	C14—C19	1.369 (4)
N2—C7	1.479 (2)	C7—H7A	0.97
N1—C5	1.333 (2)	C7—H7B	0.97
N1—C1	1.343 (2)	C10—H10	0.93
O1—C14	1.404 (2)	C12—H12	0.93
C4—C3	1.382 (3)	C19—C18	1.385 (5)
C4—C5	1.405 (2)	C19—H19	0.93
C4—H4	0.93	C6—H6A	0.96
C13—C12	1.381 (3)	C6—H6B	0.96
C13—C8	1.388 (2)	C6—H6C	0.96
C8—C9	1.391 (2)	C16—C17	1.342 (7)
C8—C7	1.501 (3)	C16—C15	1.396 (5)
C3—C2	1.377 (3)	C16—H16	0.93
C3—H3	0.93	C18—C17	1.384 (8)
C2—C1	1.397 (3)	C18—H18	0.93
C2—H2	0.93	C17—H17	0.93
C9—C10	1.385 (3)	C15—H15	0.93
C9—H9	0.93		
O3—P1—O1	116.20 (8)	C10—C11—H11	119.9
O3—P1—O2	108.72 (8)	C15—C14—C19	122.0 (3)
O1—P1—O2	103.73 (8)	C15—C14—O1	120.9 (2)
O3—P1—N2	120.26 (8)	C19—C14—O1	116.8 (2)
O1—P1—N2	103.92 (7)	N2—C7—C8	112.96 (15)
O2—P1—N2	101.96 (7)	N2—C7—H7A	109
C13—O2—P1	121.11 (11)	C8—C7—H7A	109
C5—N2—C7	118.48 (14)	N2—C7—H7B	109
C5—N2—P1	119.09 (12)	C8—C7—H7B	109
C7—N2—P1	122.43 (12)	H7A—C7—H7B	107.8
C5—N1—C1	118.50 (15)	C9—C10—C11	120.42 (18)
C14—O1—P1	123.14 (12)	C9—C10—H10	119.8
C3—C4—C5	117.00 (18)	C11—C10—H10	119.8
C3—C4—H4	121.5	C13—C12—C11	118.40 (19)
C5—C4—H4	121.5	C13—C12—H12	120.8
C12—C13—C8	122.67 (17)	C11—C12—H12	120.8
C12—C13—O2	119.08 (16)	C14—C19—C18	117.9 (4)
C8—C13—O2	118.21 (15)	C14—C19—H19	121
N1—C5—C4	123.51 (16)	C18—C19—H19	121
N1—C5—N2	113.65 (14)	C1—C6—H6A	109.5
C4—C5—N2	122.83 (16)	C1—C6—H6B	109.5
C13—C8—C9	118.07 (16)	H6A—C6—H6B	109.5
C13—C8—C7	120.34 (16)	C1—C6—H6C	109.5

supplementary materials


C9—C8—C7	121.58 (17)	H6A—C6—H6C	109.5
C2—C3—C4	120.22 (18)	H6B—C6—H6C	109.5
C2—C3—H3	119.9	C17—C16—C15	120.8 (4)
C4—C3—H3	119.9	C17—C16—H16	119.6
C3—C2—C1	118.98 (18)	C15—C16—H16	119.6
C3—C2—H2	120.5	C17—C18—C19	120.9 (4)
C1—C2—H2	120.5	C17—C18—H18	119.5
C10—C9—C8	120.23 (18)	C19—C18—H18	119.5
C10—C9—H9	119.9	C16—C17—C18	119.4 (3)
C8—C9—H9	119.9	C16—C17—H17	120.3
N1—C1—C2	121.71 (18)	C18—C17—H17	120.3
N1—C1—C6	116.08 (18)	C14—C15—C16	118.8 (4)
C2—C1—C6	122.20 (19)	C14—C15—H15	120.6
C12—C11—C10	120.19 (18)	C16—C15—H15	120.6
C12—C11—H11	119.9		

Hydrogen-bond geometry (\AA , $^\circ$)

$D—\text{H}\cdots A$	$D—\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D—\text{H}\cdots A$
C4—H4 ⁱ —O3 ⁱ	0.93	2.57	3.497 (3)	174
C9—H9 ^j —O2 ⁱ	0.93	2.82	3.706 (2)	159
C7—H7A ^k —O3 ⁱ	0.97	2.85	3.425 (2)	119
C3—H3 ^l —O1 ⁱⁱ	0.93	2.81	3.373 (3)	120
C11—H11 ^m —O3 ⁱⁱⁱ	0.93	2.66	3.561 (2)	165
C6—H6C ⁿ —O2 ^{iv}	0.96	2.81	3.443 (3)	124
C18—H18 ^o —N2 ^{iv}	0.93	2.92	3.818 (5)	163
C10—H10 ^p —Cg2 ⁱⁱⁱ	0.93	2.78	3.437 (2)	128

Symmetry codes: (i) $x, -y+1/2, z-1/2$; (ii) $-x, -y+1, -z$; (iii) $x+1, y, z$; (iv) $-x, y+1/2, -z+1/2$.

Fig. 1



supplementary materials

Fig. 2

