

## o-Toluenesulfonamide: a redetermination

B. Thimme Gowda,<sup>a\*</sup> Sabine Foro,<sup>b</sup> K. Shakuntala<sup>a</sup> and Hartmut Fuess<sup>b</sup>

<sup>a</sup>Department of Chemistry, Mangalore University, Mangalagangotri 574 199, Mangalore, India, and <sup>b</sup>Institute of Materials Science, Darmstadt University of Technology, Petersenstrasse 23, D-64287 Darmstadt, Germany  
Correspondence e-mail: gowdab@yahoo.com


Received 10 August 2009; accepted 24 August 2009

Key indicators: single-crystal X-ray study;  $T = 299$  K; mean  $\sigma(\text{C}-\text{C}) = 0.003$  Å;  $R$  factor = 0.039;  $wR$  factor = 0.101; data-to-parameter ratio = 13.0.

The structure of the title compound,  $\text{C}_7\text{H}_9\text{NO}_2\text{S}$ , was previously determined from powder diffraction data [Tremayne, Seaton & Glidewell (2002). *Acta Cryst. B* **58**, 823–834]. It has now been refined to a significantly higher precision. The amino N-atom is bent with a  $\text{C}-\text{C}-\text{S}-\text{N}$  torsion angle of  $-65.8$  (2) deg. In the crystal, molecules are packed into a three-dimensional framework/supramolecular structure through hydrogen bonds between the two H atoms of the sulfonamide group and sulfonyl O atoms of neighbouring molecules.

### Related literature

For our studies of the effect of substituents on the solid state structures of sulfonamides, see: Gowda *et al.* (2003, 2009); Gowda, Srilatha *et al.* (2007). For the parent benzene-sulfonamide, see: Gowda, Nayak *et al.* (2007). For other aryl sulfonamides, see: Gowda *et al.* (2003, 2009); Gowda, Srilatha *et al.* (2007); Jones & Weinkauf (1993); Kumar *et al.* (1992); O'Connor & Maslen (1965). For the powder structure of the title compound, see: Tremayne *et al.* (2002).



### Experimental

#### Crystal data

$\text{C}_7\text{H}_9\text{NO}_2\text{S}$   
 $M_r = 171.21$

Tetragonal,  $I4_1/a$   
 $a = 18.670$  (3) Å

$c = 9.057$  (1) Å  
 $V = 3157.0$  (8) Å<sup>3</sup>  
 $Z = 16$   
Cu  $K\alpha$  radiation

$\mu = 3.24$  mm<sup>-1</sup>  
 $T = 299$  K  
 $0.40 \times 0.35 \times 0.02$  mm

#### Data collection

Enraf–Nonius CAD-4 diffractometer  
Absorption correction:  $\psi$  scan (North *et al.*, 1968)  
 $T_{\min} = 0.324$ ,  $T_{\max} = 0.938$   
5320 measured reflections

1403 independent reflections  
1290 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.059$   
3 standard reflections  
frequency: 120 min  
intensity decay: 1.5%

#### Refinement

$R[F^2 > 2\sigma(F^2)] = 0.039$   
 $wR(F^2) = 0.101$   
 $S = 1.07$   
1403 reflections  
108 parameters  
2 restraints

H atoms treated by a mixture of independent and constrained refinement  
 $\Delta\rho_{\max} = 0.28$  e Å<sup>-3</sup>  
 $\Delta\rho_{\min} = -0.41$  e Å<sup>-3</sup>

**Table 1**  
Hydrogen-bond geometry (Å, °).

| $D-\text{H}\cdots A$      | $D-\text{H}$ | $\text{H}\cdots A$ | $D\cdots A$ | $D-\text{H}\cdots A$ |
|---------------------------|--------------|--------------------|-------------|----------------------|
| N1—H11···O2 <sup>i</sup>  | 0.839 (16)   | 2.193 (18)         | 3.003 (2)   | 162 (2)              |
| N1—H12···O1 <sup>ii</sup> | 0.841 (16)   | 2.138 (17)         | 2.964 (2)   | 167 (2)              |

Symmetry codes: (i)  $y - \frac{1}{4}, -x + \frac{1}{4}, -z + \frac{1}{4}$ ; (ii)  $-y + \frac{1}{4}, x - \frac{1}{4}, z - \frac{1}{4}$ .

Data collection: *CAD-4-PC* (Enraf–Nonius, 1996); cell refinement: *CAD-4-PC*; data reduction: *REDU4* (Stoe & Cie, 1987); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *PLATON* (Spek, 2009); software used to prepare material for publication: *SHELXL97*.

BTG thanks the Alexander von Humboldt Foundation, Bonn, Germany, for an extension of his research fellowship.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: FL2262).

### References

- Enraf–Nonius (1996). *CAD-4-PC*. Enraf–Nonius, Delft, The Netherlands.
- Gowda, B. T., Foro, S., Shakuntala, K. & Fuess, H. (2009). *Acta Cryst. E* **65**, o2144.
- Gowda, B. T., Jyothi, K., Kozisek, J. & Fuess, H. (2003). *Z. Naturforsch. Teil A*, **58**, 656–660.
- Gowda, B. T., Nayak, R., Kožíšek, J., Tokarčík, M. & Fuess, H. (2007). *Acta Cryst. E* **63**, o2967.
- Gowda, B. T., Srilatha, Foro, S., Kozisek, J. & Fuess, H. (2007). *Z. Naturforsch. Teil A*, **62**, 417–424.
- Jones, P. G. & Weinkauf, A. (1993). *Z. Kristallogr.* **208**, 128–129.
- Kumar, S. V., Senadhi, S. E. & Rao, L. M. (1992). *Z. Kristallogr.* **202**, 1–6.
- North, A. C. T., Phillips, D. C. & Mathews, F. S. (1968). *Acta Cryst. A* **24**, 351–359.
- O'Connor, B. H. & Maslen, E. N. (1965). *Acta Cryst.* **18**, 363–366.
- Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.
- Spek, A. L. (2009). *Acta Cryst. D* **65**, 148–155.
- Stoe & Cie (1987). *REDU4*. Stoe & Cie GmbH, Darmstadt, Germany.
- Tremayne, M., Seaton, C. C. & Glidewell, C. (2002). *Acta Cryst. B* **58**, 823–834.

## **supplementary materials**

Acta Cryst. (2009). E65, o2258 [doi:10.1107/S1600536809033686]

### ***o*-Toluenesulfonamide: a redetermination**

**B. T. Gowda, S. Foro, K. Shakuntala and H. Fuess**

#### **Comment**

The chemistry of sulfonamides is of interest as they show distinct physical, chemical and biological properties. Many aryl-sulfonamides exhibit pharmacological, fungicidal and herbicidal activities. In the present work, the structure of (I) has been determined as part of our work to explore the effect of substituents on the solid state structures of sulfonamides (Gowda *et al.*, 2003, 2009; Gowda, Srilatha *et al.*, 2007).

The structure of (I) solved from X-ray powder data has been reported (Tremayne *et al.*, 2002) and the present single-crystal X-ray study confirms the powder diffraction structural parameters. (I) crystallizes in the tetragonal I 41/a space group, in contrast to the monoclinic *Pc* space group observed with the parent benzenesulfonamide (BSA) (Gowda, Nayak *et al.*, 2007), the monoclinic *cc* space group for 2-chlorobenzenesulfonamide (2CBSA) (Gowda *et al.*, 2009), the orthorhombic *Pbca* space group for both 4-fluorobenzenesulfonamide (Jones & Weinkauf, 1993) and 4-aminobenzenesulfonamide (O'Connor & Maslen, 1965), and the monoclinic *P21/n* space group for both 4-chlorobenzenesulfonamide and 4-bromobenzenesulfonamide (Gowda *et al.*, 2003), and 4-methylbenzenesulfonamide (Kumar *et al.*, 1992). The orientation of the amino group with respect to the ring is given by the C—C—S—N torsional angle of -65.8 (2) $^{\circ}$ , compared to the values of -78.1 (10) $^{\circ}$  for BSA and 64.0 (2) $^{\circ}$  for 2CBSA. In (I), the molecules are packed into layers parallel to the *b*-axis through N1—H11 $\cdots$ O1(S) and N1—H12 $\cdots$ O2(S) intermolecular hydrogen bonding (Table 1 & Fig. 2).

#### **Experimental**

The purity of the commercial sample (TCI, Tokyo) was checked and characterized by its infrared spectra. The single crystals used in X-ray diffraction studies were grown from ethanol by a slow evaporation of the solvent at room temperature.

#### **Refinement**

The H atoms of the NH<sub>2</sub> group were located in difference map and refined with restrained geometry to 0.86 (2) Å. The other H atoms were positioned with idealized geometry using a riding model [C—H = 0.93–0.96 Å]. All H atoms were refined with isotropic displacement parameters (set to 1.2 times of the *U*<sub>eq</sub> of the parent atom).

#### **Figures**




Fig. 1. Molecular structure of (I), showing the atom labelling scheme and displacement ellipsoids are drawn at the 50% probability level.

# supplementary materials

---




Fig. 2. Molecular packing of (I) with hydrogen bonding shown as dashed lines.

## *o*-Toluenesulfonamide

### Crystal data

|   |  |
|---|--|
| C <sub>7</sub> H <sub>9</sub> NO <sub>2</sub> S | Z = 16   |
| M <sub>r</sub> = 171.21                         | F <sub>000</sub> = 1440                        |
| Tetragonal, I4 <sub>1</sub> /a                  | D <sub>x</sub> = 1.441 Mg m <sup>-3</sup>      |
| Hall symbol: -I 4ad                             | Cu K $\alpha$ radiation, $\lambda$ = 1.54180 Å |
| a = 18.670 (3) Å                                | Cell parameters from 25 reflections            |
| b = 18.670 (3) Å                                | $\theta$ = 4.7–17.9°                           |
| c = 9.057 (1) Å                                 | $\mu$ = 3.24 mm <sup>-1</sup>                  |
| $\alpha$ = 90°                                  | T = 299 K                                      |
| $\beta$ = 90°                                   | Prism, colourless                              |
| $\gamma$ = 90°                                  | 0.40 × 0.35 × 0.02 mm                          |
| V = 3157.0 (8) Å <sup>3</sup>                   |  |

### Data collection

|   |                                    |
|---|------------------------------------|
| Enraf–Nonius CAD-4 diffractometer                               | R <sub>int</sub> = 0.059           |
| Radiation source: fine-focus sealed tube                        | $\theta_{\text{max}} = 66.8^\circ$ |
| Monochromator: graphite   | $\theta_{\text{min}} = 4.7^\circ$  |
| T = 299 K   | $h = -22 \rightarrow 22$           |
| $\omega/2\theta$ scans  | $k = -22 \rightarrow 22$           |
| Absorption correction: $\psi$ scan (North <i>et al.</i> , 1968) | $l = -10 \rightarrow 0$            |
| $T_{\text{min}} = 0.324$ , $T_{\text{max}} = 0.938$             | 3 standard reflections             |
| 5320 measured reflections                                       | every 120 min                      |
| 1403 independent reflections                                    | intensity decay: 1.5%              |
| 1290 reflections with $I > 2\sigma(I)$                          |                                    |

### Refinement

|                                 |  |
|---------------------------------|--|
| Refinement on $F^2$             | Secondary atom site location: difference Fourier map                   |
| Least-squares matrix: full      | Hydrogen site location: inferred from neighbouring sites               |
| $R[F^2 > 2\sigma(F^2)] = 0.039$ | H atoms treated by a mixture of independent and constrained refinement |
| $wR(F^2) = 0.101$               | $w = 1/[\sigma^2(F_o^2) + (0.0529P)^2 + 2.2812P]$                      |

|  |   |
|--|---|
| $S = 1.07$   | where $P = (F_o^2 + 2F_c^2)/3$  |
| 1403 reflections   | $(\Delta/\sigma)_{\max} = 0.001$  |
| 108 parameters   | $\Delta\rho_{\max} = 0.28 \text{ e } \text{\AA}^{-3}$   |
| 2 restraints   | $\Delta\rho_{\min} = -0.41 \text{ e } \text{\AA}^{-3}$  |
| Primary atom site location: structure-invariant direct methods | Extinction correction: SHELXL97 (Sheldrick, 2008),<br>$F_c^* = kFc[1 + 0.001xFc^2\lambda^3/\sin(2\theta)]^{-1/4}$ |
|  | Extinction coefficient: 0.00227 (18)  |

### Special details

**Geometry.** All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted  $R$ -factor  $wR$  and goodness of fit  $S$  are based on  $F^2$ , conventional  $R$ -factors  $R$  are based on  $F$ , with  $F$  set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating  $R$ -factors(gt) etc. and is not relevant to the choice of reflections for refinement.  $R$ -factors based on  $F^2$  are statistically about twice as large as those based on  $F$ , and  $R$ -factors based on ALL data will be even larger.

### Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )

|     | $x$           | $y$          | $z$          | $U_{\text{iso}}^*/U_{\text{eq}}$ |
|-----|---------------|--------------|--------------|----------------------------------|
| S1  | 0.13337 (2)   | 0.12556 (2)  | 0.26312 (5)  | 0.0365 (2)                       |
| O1  | 0.20600 (8)   | 0.10124 (10) | 0.24990 (15) | 0.0543 (5)                       |
| O2  | 0.11947 (10)  | 0.20074 (8)  | 0.25836 (16) | 0.0612 (5)                       |
| N1  | 0.09068 (10)  | 0.08933 (10) | 0.13117 (18) | 0.0454 (4)                       |
| H11 | 0.0510 (10)   | 0.1073 (12)  | 0.108 (3)    | 0.054*                           |
| H12 | 0.1053 (12)   | 0.0484 (10)  | 0.107 (3)    | 0.054*                           |
| C1  | 0.10065 (9)   | 0.09226 (9)  | 0.43325 (19) | 0.0329 (4)                       |
| C2  | 0.03095 (11)  | 0.10630 (10) | 0.4810 (2)   | 0.0395 (5)                       |
| C3  | 0.01179 (12)  | 0.07885 (12) | 0.6185 (2)   | 0.0522 (5)                       |
| H3  | -0.0341       | 0.0873       | 0.6542       | 0.063*                           |
| C4  | 0.05868 (14)  | 0.03960 (13) | 0.7032 (2)   | 0.0575 (6)                       |
| H4  | 0.0441        | 0.0222       | 0.7946       | 0.069*                           |
| C5  | 0.12671 (13)  | 0.02595 (13) | 0.6539 (2)   | 0.0545 (6)                       |
| H5  | 0.1583        | -0.0007      | 0.7113       | 0.065*                           |
| C6  | 0.14805 (11)  | 0.05211 (11) | 0.5179 (2)   | 0.0430 (5)                       |
| H6  | 0.1940        | 0.0429       | 0.4832       | 0.052*                           |
| C7  | -0.02347 (13) | 0.14733 (13) | 0.3939 (3)   | 0.0609 (6)                       |
| H7A | -0.0344       | 0.1218       | 0.3047       | 0.073*                           |
| H7B | -0.0046       | 0.1937       | 0.3695       | 0.073*                           |
| H7C | -0.0663       | 0.1529       | 0.4515       | 0.073*                           |

### Atomic displacement parameters ( $\text{\AA}^2$ )

$$U^{11} \quad U^{22} \quad U^{33} \quad U^{12} \quad U^{13} \quad U^{23}$$

## supplementary materials

---

|    |             |             |             |               |               |              |
|----|-------------|-------------|-------------|---------------|---------------|--------------|
| S1 | 0.0422 (3)  | 0.0384 (3)  | 0.0289 (3)  | -0.00894 (17) | -0.00042 (16) | 0.00272 (16) |
| O1 | 0.0375 (8)  | 0.0865 (12) | 0.0388 (8)  | -0.0106 (7)   | 0.0015 (6)    | 0.0054 (7)   |
| O2 | 0.1032 (14) | 0.0364 (8)  | 0.0441 (9)  | -0.0154 (8)   | 0.0039 (8)    | 0.0066 (6)   |
| N1 | 0.0483 (10) | 0.0500 (10) | 0.0378 (9)  | 0.0088 (8)    | -0.0116 (7)   | -0.0078 (7)  |
| C1 | 0.0401 (10) | 0.0305 (8)  | 0.0281 (8)  | -0.0057 (7)   | -0.0005 (7)   | -0.0006 (7)  |
| C2 | 0.0427 (11) | 0.0357 (10) | 0.0401 (10) | -0.0035 (8)   | 0.0019 (8)    | -0.0061 (7)  |
| C3 | 0.0541 (13) | 0.0591 (13) | 0.0435 (11) | -0.0101 (10)  | 0.0151 (9)    | -0.0081 (9)  |
| C4 | 0.0769 (16) | 0.0612 (14) | 0.0345 (10) | -0.0178 (12)  | 0.0063 (10)   | 0.0060 (10)  |
| C5 | 0.0673 (15) | 0.0549 (13) | 0.0413 (12) | -0.0066 (10)  | -0.0086 (10)  | 0.0160 (9)   |
| C6 | 0.0445 (11) | 0.0439 (11) | 0.0405 (10) | -0.0014 (8)   | -0.0025 (8)   | 0.0056 (8)   |
| C7 | 0.0474 (12) | 0.0632 (14) | 0.0721 (16) | 0.0123 (11)   | 0.0017 (11)   | 0.0027 (12)  |

### Geometric parameters ( $\text{\AA}$ , $^\circ$ )

|             |              |             |             |
|-------------|--------------|-------------|-------------|
| S1—O2       | 1.4281 (16)  | C3—C4       | 1.375 (4)   |
| S1—O1       | 1.4349 (16)  | C3—H3       | 0.9300      |
| S1—N1       | 1.5877 (17)  | C4—C5       | 1.370 (3)   |
| S1—C1       | 1.7703 (17)  | C4—H4       | 0.9300      |
| N1—H11      | 0.839 (16)   | C5—C6       | 1.384 (3)   |
| N1—H12      | 0.841 (16)   | C5—H5       | 0.9300      |
| C1—C6       | 1.390 (3)    | C6—H6       | 0.9300      |
| C1—C2       | 1.396 (3)    | C7—H7A      | 0.9600      |
| C2—C3       | 1.394 (3)    | C7—H7B      | 0.9600      |
| C2—C7       | 1.497 (3)    | C7—H7C      | 0.9600      |
| O2—S1—O1    | 118.70 (11)  | C2—C3—H3    | 119.0       |
| O2—S1—N1    | 107.74 (10)  | C5—C4—C3    | 120.5 (2)   |
| O1—S1—N1    | 106.07 (9)   | C5—C4—H4    | 119.8       |
| O2—S1—C1    | 107.98 (9)   | C3—C4—H4    | 119.8       |
| O1—S1—C1    | 106.72 (8)   | C4—C5—C6    | 119.4 (2)   |
| N1—S1—C1    | 109.41 (9)   | C4—C5—H5    | 120.3       |
| S1—N1—H11   | 117.3 (17)   | C6—C5—H5    | 120.3       |
| S1—N1—H12   | 114.9 (17)   | C5—C6—C1    | 119.9 (2)   |
| H11—N1—H12  | 126 (2)      | C5—C6—H6    | 120.1       |
| C6—C1—C2    | 121.59 (17)  | C1—C6—H6    | 120.1       |
| C6—C1—S1    | 116.72 (15)  | C2—C7—H7A   | 109.5       |
| C2—C1—S1    | 121.69 (14)  | C2—C7—H7B   | 109.5       |
| C3—C2—C1    | 116.55 (19)  | H7A—C7—H7B  | 109.5       |
| C3—C2—C7    | 119.0 (2)    | C2—C7—H7C   | 109.5       |
| C1—C2—C7    | 124.44 (19)  | H7A—C7—H7C  | 109.5       |
| C4—C3—C2    | 122.1 (2)    | H7B—C7—H7C  | 109.5       |
| C4—C3—H3    | 119.0        |             |             |
| O2—S1—C1—C6 | -128.04 (16) | S1—C1—C2—C7 | 2.5 (3)     |
| O1—S1—C1—C6 | 0.61 (17)    | C1—C2—C3—C4 | -0.3 (3)    |
| N1—S1—C1—C6 | 114.96 (15)  | C7—C2—C3—C4 | 178.8 (2)   |
| O2—S1—C1—C2 | 51.23 (17)   | C2—C3—C4—C5 | -0.2 (3)    |
| O1—S1—C1—C2 | 179.89 (15)  | C3—C4—C5—C6 | 0.1 (4)     |
| N1—S1—C1—C2 | -65.77 (17)  | C4—C5—C6—C1 | 0.4 (3)     |
| C6—C1—C2—C3 | 0.9 (3)      | C2—C1—C6—C5 | -0.9 (3)    |
| S1—C1—C2—C3 | -178.38 (14) | S1—C1—C6—C5 | 178.33 (17) |

C6—C1—C2—C7                    -178.2 (2)

*Hydrogen-bond geometry ( $\text{\AA}$ ,  $^{\circ}$ )*

| $D\text{—H}\cdots A$    | $D\text{—H}$ | $H\cdots A$ | $D\cdots A$ | $D\text{—H}\cdots A$ |
|-------------------------|--------------|-------------|-------------|----------------------|
| N1—H11…O2 <sup>i</sup>  | 0.839 (16)   | 2.193 (18)  | 3.003 (2)   | 162 (2)              |
| N1—H12…O1 <sup>ii</sup> | 0.841 (16)   | 2.138 (17)  | 2.964 (2)   | 167 (2)              |

Symmetry codes: (i)  $y-1/4, -x+1/4, -z+1/4$ ; (ii)  $-y+1/4, x-1/4, z-1/4$ .

## **supplementary materials**

---

**Fig. 1**




Fig. 2

