

## Bis(imidazole- $\kappa N^3$ )bis(nitrato- $\kappa O$ )zinc(II)

Adama Sy,<sup>a</sup> Aliou Hamady Barry,<sup>b</sup> Fatma Ben Amor,<sup>c</sup> Ahmed Driss,<sup>c</sup> Mohamed Gaye<sup>a\*</sup> and Abdou Salam Sall<sup>a</sup>

<sup>a</sup>Département de Chimie, Faculté des Sciences et Techniques, Université Cheikh Anta Diop, Dakar, Senegal, <sup>b</sup>Département de Chimie, Faculté des Sciences, Université de Nouakchott, Nouakchott, Mauritania, and <sup>c</sup>Campus Universitaire, Département de Chimie, Faculté des Sciences, Université de Tunis, 1060 Tunis, Tunisia

Correspondence e-mail: mlgayeastou@yahoo.fr


Received 10 September 2009; accepted 17 September 2009

Key indicators: single-crystal X-ray study;  $T = 293\text{ K}$ ; mean  $\sigma(\text{C}-\text{C}) = 0.005\text{ \AA}$ ;  $R$  factor = 0.044;  $wR$  factor = 0.127; data-to-parameter ratio = 17.7.

The title complex,  $[\text{Zn}(\text{NO}_3)_2(\text{C}_3\text{H}_4\text{N}_2)_2]$ , contains a  $\text{Zn}^{II}$  centre with a slightly distorted tetrahedral coordination environment, involving two N atoms from imidazole ligands and two O atoms from nitrate anions. The imino NH groups participate in intermolecular  $\text{N}-\text{H}\cdots\text{O}$  hydrogen bonds.

### Related literature

For related structures, see: Li *et al.* (2007); Xie *et al.* (2009); He *et al.* (2007); Shaw *et al.* (2009).



### Experimental

#### Crystal data

$[\text{Zn}(\text{NO}_3)_2(\text{C}_3\text{H}_4\text{N}_2)_2]$

$M_r = 325.55$

Triclinic,  $P\bar{1}$

$a = 7.785$  (6)  $\text{\AA}$

$b = 8.126$  (2)  $\text{\AA}$

$c = 11.394$  (2)  $\text{\AA}$

$\alpha = 92.36$  (2) $^\circ$

$\beta = 99.67$  (4) $^\circ$

$\gamma = 96.32$  (7) $^\circ$

$V = 704.9$  (6)  $\text{\AA}^3$

$Z = 2$

Mo  $K\alpha$  radiation

$\mu = 1.77\text{ mm}^{-1}$   
 $T = 293\text{ K}$

$0.1 \times 0.1 \times 0.1\text{ mm}$

#### Data collection

Enraf–Nonius CAD-4  
diffractometer  
Absorption correction: none  
3798 measured reflections

3068 independent reflections  
2733 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.014$

#### Refinement

$R[F^2 > 2\sigma(F^2)] = 0.044$   
 $wR(F^2) = 0.127$   
 $S = 1.07$   
3068 reflections

173 parameters  
H-atom parameters not refined  
 $\Delta\rho_{\text{max}} = 0.53\text{ e \AA}^{-3}$   
 $\Delta\rho_{\text{min}} = -0.64\text{ e \AA}^{-3}$

**Table 1**  
Selected geometric parameters ( $\text{\AA}$ ,  $^\circ$ ).

Zn1—O4	1.966 (3)	Zn1—N3	2.011 (3)
Zn1—O1	1.999 (3)	Zn1—N5	2.015 (3)
O4—Zn1—O1	104.93 (12)	O4—Zn1—N5	95.75 (11)
O4—Zn1—N3	113.61 (12)	O1—Zn1—N5	118.25 (12)
O1—Zn1—N3	113.00 (11)	N3—Zn1—N5	110.03 (13)

**Table 2**  
Hydrogen-bond geometry ( $\text{\AA}$ ,  $^\circ$ ).

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
N4—H4N $\cdots$ O1 <sup>i</sup>	0.86	1.96	2.808 (4)	170
N6—H6N $\cdots$ O6 <sup>ii</sup>	0.86	1.91	2.741 (4)	161

Symmetry codes: (i)  $x - 1, y, z$ ; (ii)  $x, y + 1, z$ .

Data collection: *CAD-4 EXPRESS* (Enraf–Nonius, 1994); cell refinement: *CAD-4 EXPRESS*; data reduction: *CAD-4 EXPRESS*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3 for Windows* (Farrugia, 1997); software used to prepare material for publication: *SHELXL97*.

The authors thank the Agence Universitaire de la Francophonie for financial support (AUF-PSCI No. 6301PS48).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: FJ2244).

### References

- Enraf–Nonius (1994). *CAD-4 EXPRESS*. Enraf–Nonius, Delft, The Netherlands.
- Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.
- He, K.-H., Li, J.-M. & Jiang, Y.-M. (2007). *Acta Cryst. E63*, m2992–m2993.
- Li, J., Noll, B. C. & Scheidt, W. R. (2007). *Acta Cryst. E63*, m1048–m1049.
- Shaw, J. L., Gwaltney, K. P. & Keer, N. (2009). *Inorg. Chim. Acta*, **362**, 2396–2401.
- Sheldrick, G. M. (2008). *Acta Cryst. A64*, 112–122.
- Xie, Q.-A., Dong, G.-Y., Yu, Y.-M. & Wang, Y.-G. (2009). *Acta Cryst. E65*, m576.

## **supplementary materials**

*Acta Cryst.* (2009). E65, m1238 [doi:10.1107/S1600536809037672]

### **Bis(imidazole- $\kappa N^3$ )bis(nitrato- $\kappa O$ )zinc(II)**

**A. Sy, A. H. Barry, F. Ben Amor, A. Driss, M. Gaye and A. S. Sall**

#### **Comment**

The asymmetric unit of the title compound, contains a Zn<sup>II</sup> cation, two imidazole ligands and two nitrate anions acting as monodentate ligands (Fig. 1). In the molecule the Zn<sup>II</sup> atom is four-coordinated in a distorted tetrahedral configuration by two N atoms from two imidazole molecules and two O atoms from monodentate two nitrate groups (Table 1). The angles O4—Zn—N5 and O1—Zn—O4 are reduced while all the others angles are increased in comparison with the ideal tetrahedral angle of 109.5° (Li *et al.*, 2007) The values of Zn—N distances, 2.011 (3) and 2.015 (3) Å, are little far to that found for tris(2-ethyl-1H-imidazole- $\kappa N^3$ )(terephthalato- $\kappa O$ )zinc(II) (Xie *et al.* 2009) and bis(1H-imidazole- $\kappa N^3$ )[(2-oxidobenzylideneamino)methanesulfonato- $\kappa^2 N,O$ ]zinc(II) (He *et al.* 2007). The Zn—O coordinating distances of 1.966 (4) and 1.999 (3) Å are comparable of those found in diphenyldipyrazolylmethane complexes with zinc(II) (Shaw *et al.* 2009). The mononuclear complex is joined into a two-dimensional layer by N—H···O type hydrogen-bonds; details have been provided in Table 2.

#### **Experimental**

Zinc(II) acetate dihydrate (0.1320 g; 0.6 mmol) and lanthanum nitrate hexahydrate (0.0433 g; 0.01 mmol) were dissolved in 10 ml of a mixture of water and methanol (1/2). To this solution was added imidazole (0.0408 g; 0.6 mmol) and tartaric acid (0.0900 g; 0.6 mmol) dissolved in 12 ml of an aqueous NaOH 0.1 M solution. After 120 m of stirring, a solution of tartaric acid (0.0900 g; 0.6 mmol) in 5 ml of methanol was added again. The reaction mixture give white solid which was filtered and dried in air. The filtrate was left to crystallize. The crystals of (I) which formed were filtered off and dried [yield 82%]. Analysis calculated for [Zn(C<sub>3</sub>H<sub>4</sub>N<sub>2</sub>)<sub>2</sub>(NO<sub>3</sub>)<sub>2</sub>]: C 22.14, H 2.48, N 25.81%; found: C 22.09, H 2.46, N 25.78%. Spectroscopic analysis, IR ( $\nu$ , cm<sup>-1</sup>): 3111, 3058, 1621, 1603, 1571, 1543, 1449, 1332 and 1072. The IR spectra were recorded with a Nicolet Magna 760 IR spectrophotometer in KBr pellets.

#### **Refinement**

All H atoms were placed geometrically and refined with a riding model.  $U_{\text{iso}}(\text{H})$  for H was assigned as 1.2 $U_{\text{eq}}$  of the attached C atoms.

# supplementary materials

---

## Figures




Fig. 1. An *ORTEP* view of the asymmetric unit of the title compound, showing the atom-numbering scheme (for all no H-atoms). Displacement ellipsoids are plotted at the 50% probability level.




Fig. 2. Molecular representation of the compound showing hydrogen bonds. The broken lines indicate hydrogen bonds.

## Bis(imidazole- $\kappa N^3$ )bis(nitrate- $\kappa O$ )zinc(II)

### Crystal data

[Zn(NO <sub>3</sub> ) <sub>2</sub> (C <sub>3</sub> H <sub>4</sub> N <sub>2</sub> ) <sub>2</sub> ]	Z = 2
M <sub>r</sub> = 325.55	F <sub>000</sub> = 328
Triclinic, P $\bar{1}$	D <sub>x</sub> = 1.534 Mg m <sup>-3</sup>
Hall symbol: -P 1	Mo K $\alpha$ radiation, $\lambda$ = 0.71073 Å
a = 7.785 (6) Å	Cell parameters from 25 reflections
b = 8.126 (2) Å	$\theta$ = 11–15°
c = 11.394 (2) Å	$\mu$ = 1.77 mm <sup>-1</sup>
$\alpha$ = 92.36 (2)°	T = 293 K
$\beta$ = 99.67 (4)°	Prism, colourless
$\gamma$ = 96.32 (7)°	0.1 × 0.1 × 0.1 mm
V = 704.9 (6) Å <sup>3</sup>	

### Data collection

Enraf–Nonius CAD-4 diffractometer	2733 reflections with $I > 2\sigma(I)$
Radiation source: fine-focus sealed tube	$R_{\text{int}} = 0.014$
Monochromator: graphite	$\theta_{\text{max}} = 27.0^\circ$
T = 293 K	$\theta_{\text{min}} = 2.5^\circ$
$\omega$ scans	$h = -9 \rightarrow 2$
Absorption correction: none	$k = -10 \rightarrow 10$
3798 measured reflections	$l = -14 \rightarrow 14$
3068 independent reflections	

## *Refinement*

Refinement on $F^2$	Hydrogen site location: inferred from neighbouring sites
Least-squares matrix: full	H-atom parameters not refined
$R[F^2 > 2\sigma(F^2)] = 0.044$	$w = 1/[\sigma^2(F_o^2) + (0.0746P)^2 + 0.6727P]$ where $P = (F_o^2 + 2F_c^2)/3$
$wR(F^2) = 0.127$	$(\Delta/\sigma)_{\max} = 0.003$
$S = 1.07$	$\Delta\rho_{\max} = 0.53 \text{ e \AA}^{-3}$
3068 reflections	$\Delta\rho_{\min} = -0.64 \text{ e \AA}^{-3}$
173 parameters	Extinction correction: SHELXL97 (Sheldrick, 2008), $F_c^* = kF_c[1 + 0.001x F_c^2 \lambda^3 / \sin(2\theta)]^{1/4}$
Primary atom site location: structure-invariant direct methods	Extinction coefficient: 0.017 (3)
Secondary atom site location: difference Fourier map	

## *Special details*

**Geometry.** All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted  $R$ -factor  $wR$  and goodness of fit  $S$  are based on  $F^2$ , conventional  $R$ -factors  $R$  are based on  $F$ , with  $F$  set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating  $R$ -factors(gt) etc. and is not relevant to the choice of reflections for refinement.  $R$ -factors based on  $F^2$  are statistically about twice as large as those based on  $F$ , and  $R$ -factors based on ALL data will be even larger.

## *Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )*

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
Zn1	0.15424 (5)	0.41605 (4)	0.23967 (3)	0.03654 (17)
O1	0.3369 (3)	0.3103 (3)	0.3456 (2)	0.0430 (5)
O2	0.3189 (6)	0.3208 (6)	-0.0920 (4)	0.0971 (13)
O3	0.1851 (4)	0.4038 (4)	0.4754 (2)	0.0547 (6)
O4	0.2364 (4)	0.4269 (3)	0.0859 (2)	0.0558 (7)
O5	0.4232 (7)	0.2470 (7)	0.5506 (5)	0.1252 (18)
O6	0.2253 (4)	0.1542 (3)	0.0596 (2)	0.0574 (7)
N1	0.3052 (4)	0.3279 (4)	0.4537 (3)	0.0510 (7)
N2	0.2542 (4)	0.2947 (4)	0.0259 (3)	0.0503 (7)
N3	-0.0884 (3)	0.2952 (3)	0.2279 (2)	0.0360 (5)
N4	-0.3596 (4)	0.2487 (4)	0.2566 (3)	0.0477 (7)
H4N	-0.4528	0.2558	0.2868	0.057*
N5	0.1481 (4)	0.6622 (3)	0.2647 (2)	0.0385 (6)
N6	0.1656 (4)	0.9234 (3)	0.2214 (3)	0.0509 (7)
H6N	0.1862	1.0114	0.1842	0.061*
C1	-0.1781 (5)	0.1749 (4)	0.1439 (3)	0.0440 (7)

## supplementary materials

---

H1	-0.1308	0.1226	0.0847	0.053*
C2	-0.3456 (5)	0.1454 (5)	0.1615 (4)	0.0535 (9)
H2	-0.4340	0.0700	0.1178	0.064*
C3	-0.2038 (4)	0.3359 (4)	0.2941 (3)	0.0417 (7)
H3	-0.1791	0.4147	0.3581	0.050*
C4	0.0906 (5)	0.7536 (4)	0.3524 (3)	0.0429 (7)
H4	0.0509	0.7110	0.4189	0.051*
C5	0.1012 (5)	0.9154 (4)	0.3262 (4)	0.0507 (8)
H5	0.0708	1.0031	0.3704	0.061*
C6	0.1905 (5)	0.7699 (4)	0.1878 (3)	0.0445 (7)
H6	0.2325	0.7422	0.1187	0.053*

### Atomic displacement parameters ( $\text{\AA}^2$ )

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
Zn1	0.0395 (2)	0.0308 (2)	0.0420 (2)	0.00520 (14)	0.01374 (15)	0.00335 (14)
O1	0.0397 (12)	0.0507 (13)	0.0420 (12)	0.0110 (10)	0.0144 (10)	0.0003 (10)
O2	0.124 (3)	0.106 (3)	0.069 (2)	0.009 (3)	0.041 (2)	0.013 (2)
O3	0.0595 (16)	0.0674 (17)	0.0446 (13)	0.0221 (13)	0.0207 (12)	0.0009 (12)
O4	0.0794 (19)	0.0442 (13)	0.0528 (15)	0.0118 (13)	0.0342 (14)	0.0027 (11)
O5	0.130 (4)	0.144 (5)	0.095 (3)	0.039 (3)	-0.018 (3)	0.028 (3)
O6	0.082 (2)	0.0396 (13)	0.0546 (15)	-0.0006 (13)	0.0282 (14)	0.0086 (11)
N1	0.0515 (17)	0.0519 (17)	0.0489 (16)	0.0010 (14)	0.0108 (13)	0.0008 (13)
N2	0.0495 (17)	0.0553 (18)	0.0472 (16)	0.0039 (14)	0.0126 (13)	0.0046 (13)
N3	0.0364 (13)	0.0365 (13)	0.0361 (13)	0.0051 (10)	0.0094 (10)	0.0005 (10)
N4	0.0363 (14)	0.0550 (17)	0.0559 (17)	0.0096 (12)	0.0167 (13)	0.0031 (14)
N5	0.0459 (14)	0.0319 (12)	0.0396 (13)	0.0048 (11)	0.0118 (11)	0.0051 (10)
N6	0.063 (2)	0.0332 (14)	0.0614 (19)	0.0060 (13)	0.0214 (16)	0.0147 (13)
C1	0.0432 (17)	0.0485 (18)	0.0397 (16)	0.0090 (14)	0.0062 (13)	-0.0084 (14)
C2	0.0428 (19)	0.052 (2)	0.061 (2)	0.0028 (15)	0.0023 (16)	-0.0091 (17)
C3	0.0446 (17)	0.0444 (17)	0.0385 (16)	0.0070 (14)	0.0141 (13)	-0.0018 (13)
C4	0.0528 (19)	0.0368 (16)	0.0407 (16)	0.0038 (14)	0.0138 (14)	0.0030 (13)
C5	0.063 (2)	0.0346 (16)	0.058 (2)	0.0075 (15)	0.0181 (18)	0.0001 (15)
C6	0.0516 (19)	0.0407 (17)	0.0453 (17)	0.0067 (14)	0.0178 (15)	0.0090 (13)

### Geometric parameters ( $\text{\AA}$ , $^\circ$ )

Zn1—O4	1.966 (3)	N4—H4N	0.8600
Zn1—O1	1.999 (3)	N5—C6	1.320 (4)
Zn1—N3	2.011 (3)	N5—C4	1.383 (4)
Zn1—N5	2.015 (3)	N6—C6	1.334 (5)
O1—N1	1.301 (4)	N6—C5	1.372 (5)
O2—N2	1.526 (5)	N6—H6N	0.8600
O3—N1	1.228 (4)	C1—C2	1.350 (5)
O4—N2	1.282 (4)	C1—H1	0.9300
O5—N1	1.532 (5)	C2—H2	0.9300
O6—N2	1.229 (4)	C3—H3	0.9300
N3—C3	1.327 (4)	C4—C5	1.356 (5)
N3—C1	1.381 (4)	C4—H4	0.9300

N4—C3	1.330 (5)	C5—H5	0.9300
N4—C2	1.369 (5)	C6—H6	0.9300
O4—Zn1—O1	104.93 (12)	C4—N5—Zn1	131.1 (2)
O4—Zn1—N3	113.61 (12)	C6—N6—C5	107.5 (3)
O1—Zn1—N3	113.00 (11)	C6—N6—H6N	126.2
O4—Zn1—N5	95.75 (11)	C5—N6—H6N	126.2
O1—Zn1—N5	118.25 (12)	C2—C1—N3	109.0 (3)
N3—Zn1—N5	110.03 (13)	C2—C1—H1	125.5
N1—O1—Zn1	107.0 (2)	N3—C1—H1	125.5
N2—O4—Zn1	121.2 (2)	C1—C2—N4	106.4 (3)
O3—N1—O1	121.1 (3)	C1—C2—H2	126.8
O3—N1—O5	122.4 (4)	N4—C2—H2	126.8
O1—N1—O5	116.5 (3)	N3—C3—N4	110.7 (3)
O6—N2—O4	123.7 (3)	N3—C3—H3	124.6
O6—N2—O2	120.5 (3)	N4—C3—H3	124.6
O4—N2—O2	115.8 (3)	C5—C4—N5	109.2 (3)
C3—N3—C1	105.9 (3)	C5—C4—H4	125.4
C3—N3—Zn1	124.1 (2)	N5—C4—H4	125.4
C1—N3—Zn1	129.5 (2)	C4—C5—N6	106.2 (3)
C3—N4—C2	108.0 (3)	C4—C5—H5	126.9
C3—N4—H4N	126.0	N6—C5—H5	126.9
C2—N4—H4N	126.0	N5—C6—N6	111.5 (3)
C6—N5—C4	105.5 (3)	N5—C6—H6	124.2
C6—N5—Zn1	123.2 (2)	N6—C6—H6	124.2

*Hydrogen-bond geometry (Å, °)*

<i>D</i> —H··· <i>A</i>	<i>D</i> —H	H··· <i>A</i>	<i>D</i> ··· <i>A</i>	<i>D</i> —H··· <i>A</i>
N4—H4N···O1 <sup>i</sup>	0.86	1.96	2.808 (4)	170
N6—H6N···O6 <sup>ii</sup>	0.86	1.91	2.741 (4)	161

Symmetry codes: (i)  $x-1, y, z$ ; (ii)  $x, y+1, z$ .

## supplementary materials

---

Fig. 1




Fig. 2

