

2,3,6-Triphenylpiperidin-4-one

N. Mahalakshmi Lavanya,^a R. Anitha,^a S. Athimoolam,^a
P. Alex Raja^b and P. L. Nilantha Lakshman^{c*}

^aDepartment of Physics, Kalasalingam University, Krishnan koil 626 190, Tamil Nadu, India, ^bDepartment of Organic Chemistry, Madurai Kamaraj University, Madurai 625 021, India, and ^cDepartment of Food Science and Technology, Faculty of Agriculture, University of Ruhuna, Mapalana, Kamburupitiya 81100, Sri Lanka
Correspondence e-mail: nilanthalakshman@yahoo.co.uk


Received 6 August 2009; accepted 3 September 2009

Key indicators: single-crystal X-ray study; $T = 293\text{ K}$; mean $\sigma(\text{C}-\text{C}) = 0.003\text{ \AA}$; R factor = 0.038; wR factor = 0.125; data-to-parameter ratio = 13.8.

In the title molecule, $\text{C}_{23}\text{H}_{21}\text{NO}$, the piperidine ring adopts a chair conformation, with the N and carbonyl C atoms as flaps, which deviate on either side of the chair by $-0.706(3)$ and $0.494(3)\text{ \AA}$, respectively. All three phenyl rings are in equatorial positions on the piperidine ring, making angles with the puckering plane of $73.5(1)$, $73.1(1)$ and $67.2(1)^\circ$. Though there is no classical hydrogen bonding, the crystal is stabilized by intermolecular $\text{C}-\text{H}\cdots\pi$ contacts and $\pi-\pi$ stacking interactions involving phenyl rings [centroid–centroid distance = $4.424(2)\text{ \AA}$].

Related literature

For the biological importance of piperidone and its derivatives, see: Robinson (1973). For similar structures, see: Mobio *et al.* (1989); Jia *et al.* (1989a,b); Cheer *et al.* (1984); Sekar *et al.* (1990, 1993); Sukumar *et al.* (1994); Ompraba *et al.* (2003). For puckering analysis, see: Cremer & Pople (1975).



Experimental

Crystal data

$\text{C}_{23}\text{H}_{21}\text{NO}$
 $M_r = 327.41$
 Monoclinic, $P2_1/c$
 $a = 12.144(4)\text{ \AA}$
 $b = 5.998(2)\text{ \AA}$
 $c = 25.127(7)\text{ \AA}$
 $\beta = 94.55(2)^\circ$
 $V = 1824.3(9)\text{ \AA}^3$
 $Z = 4$
 $\text{Mo }K\alpha$ radiation

$\mu = 0.07\text{ mm}^{-1}$
 $T = 293\text{ K}$

$0.21 \times 0.18 \times 0.15\text{ mm}$

Data collection

Nonius MACH3 sealed-tube diffractometer
 Absorption correction: ψ scan (North *et al.*, 1968)
 $T_{\min} = 0.914$, $T_{\max} = 1.000$
 3552 measured reflections

3193 independent reflections
 1906 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.029$
 3 standard reflections
 frequency: 60 min
 intensity decay: <1%

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.038$
 $wR(F^2) = 0.125$
 $S = 1.02$
 3193 reflections
 231 parameters

H atoms treated by a mixture of independent and constrained refinement
 $\Delta\rho_{\max} = 0.16\text{ e \AA}^{-3}$
 $\Delta\rho_{\min} = -0.16\text{ e \AA}^{-3}$

Table 1
 Hydrogen-bond geometry (\AA , $^\circ$).

| $D-\text{H}\cdots A$ | $D-\text{H}$ | $\text{H}\cdots A$ | $D\cdots A$ | $D-\text{H}\cdots A$ |
|------------------------------------|--------------|--------------------|-------------|----------------------|
| C14—H14 \cdots Cg2 ⁱ | 0.93 | 3.37 | 4.111 (4) | 139 |
| C35—H35 \cdots Cg3 ⁱⁱ | 0.93 | 3.37 | 4.120 (3) | 138 |

Symmetry codes: (i) $-x + 1, -y + 1, -z$; (ii) $-x, y - \frac{1}{2}, -z + \frac{1}{2}$.

Data collection: CAD-4 EXPRESS (Enraf–Nonius, 1994); cell refinement: CAD-4 EXPRESS; data reduction: XCAD4 (Harms & Wocadlo, 1995); program(s) used to solve structure: SHELXTL (Sheldrick, 2008); program(s) used to refine structure: SHELXTL; molecular graphics: PLATON (Spek, 2009); software used to prepare material for publication: SHELXTL.

NML, RA and SA sincerely thank the Vice-Chancellor and management of Kalasalingam University, Anand Nagar and Krishnan Koil, for their support and encouragement.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: BH2244).

References

- Cheer, C. J., Cosgrove, J. P. & Vittimberga, B. M. (1984). *Acta Cryst. C* **40**, 1474–1475.
- Cremer, D. & Pople, J. A. (1975). *J. Am. Chem. Soc.* **97**, 1354–1358.
- Enraf–Nonius (1994). CAD-4 EXPRESS. Enraf–Nonius, Delft, The Netherlands.
- Harms, K. & Wocadlo, S. (1995). XCAD4. University of Marburg, Germany.
- Jia, Z., Quail, J. W., Arora, V. K. & Dimmock, J. R. (1989a). *Acta Cryst. C* **45**, 285–289.
- Jia, Z., Quail, J. W., Arora, V. K. & Dimmock, J. R. (1989b). *Acta Cryst. C* **45**, 1117–1118.
- Mobio, I. G., Soldatenkov, A. T., Fedorov, V. O., Ageev, E. A., Sergeeva, N. D., Lin, S., Stashenko, E. E., Prostakov, N. S. & Andreeva, E. I. (1989). *Khim. Farm. Zh.* **23**, 421–427.
- North, A. C. T., Phillips, D. C. & Mathews, F. S. (1968). *Acta Cryst. A* **24**, 351–359.
- Ompraba, G., Srinivasan, M., Perumal, S., Sekar, K., Choudhury, A. R., Guru Row, T. N. & Rafi, Z. A. (2003). *Cryst. Res. Technol.* **38**, 918–921.
- Robinson, O. P. W. (1973). *Postgrad. Med. J. (Suppl.)*, **49**, 9–13.
- Sekar, K., Parthasarathy, S. & Radhakrishnan, T. R. (1990). *Acta Cryst. C* **46**, 1338–1340.
- Sekar, K., Parthasarathy, S. & Radhakrishnan, T. R. (1993). *Acta Cryst. C* **49**, 93–95.
- Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.
- Spek, A. L. (2009). *Acta Cryst. D* **65**, 148–155.
- Sukumar, N., Ponnuswamy, M. N., Thenmozhiyal, J. C. & Jeyaraman, R. (1994). *Bull. Chem. Soc. Jpn.* **67**, 1069–1073.

supplementary materials

Acta Cryst. (2009). E65, o2430 [doi:10.1107/S1600536809035673]

2,3,6-Triphenylpiperidin-4-one

N. M. Lavanya, R. Anitha, S. Athimoolam, P. A. Raja and P. L. N. Lakshman

Comment

Piperidones possess a variety of biological activities including antihistaminic agents, oral anesthetics, narcotic analgesics, tranquillizers, hypotensive agents, cytotoxic and anti-cancer (Robinson, 1973). Piperidine with 2,6-substitutions have been found to have bactericidal, herbicidal and fungicidal activities (Mobio *et al.*, 1989). The medicinal and fungicidal properties of the piperidones are determined by the nature and position of substituents attached to the ring. Piperidones with different substitutions have been reported earlier (Jia *et al.*, 1989a, 1989b; Cheer *et al.*, 1984; Sekar *et al.*, 1990, 1993; Sukumar *et al.*, 1994). Crystal and molecular structure of 3-phenylpiperidin-4-one with 2,6-substitution of 4-chlorophenyl was reported, which has similar structural feature of the present compound (Ompraba *et al.*, 2003). In this present investigation, the X-ray crystal and molecular structure of piperidin-4-one with 2,4,6-phenyl substitution is reported.

The configuration and conformation of the title compound, (I), and the atom numbering scheme are shown in the *ORTEP* drawing (Fig. 1). The packing diagram of the title compound is show in Fig. 2. The piperidine ring adopts a chair conformation, with the atoms C1, C2, C4 and C5 in a plane, whereas N1 and C3 deviate by -0.706 (3) and 0.494 (3) Å on either side of this plane. The O1 atom is deviated much from the plane with 1.202 (4) Å. The phenyl rings are planar, with the r.m.s. deviation of 0.0030 Å for ring P1 (C11···C16), 0.0038 Å for ring P2 (C21···C26) and 0.0052 Å for ring P3 (C31···C36). The phenyl rings P1, P2 and P3 make dihedral angles with the piperidine plane, constituted by C1, C2, C4 and C5, of 86.9 (9), 81.9 (9) and 85.5 (8)°, respectively. According to the Cremer & Pople (1975) puckering analysis, the chair conformation of the piperidine ring is confirmed by the amplitude-phase pair of 0.1542 (21) Å and 182.6 (8)° and the single puckering coordinate of -0.5291 (22) Å. The equivalent spherical polar set is 0.5503 (22) Å, 163.9 (2)°, and 182.6 (8)°. The phenyl rings P1, P2 and P3 are in equatorial 2,4,6-positions of the piperidine ring, making an angle with the puckering plane of 73.5 (1), 73.1 (1) and 67.2 (1)°, respectively. The O1 atom is also in equatorial position to the piperidine puckering plane with an angle of 70.5 (1)°. The torsion angles H1—C1—C2—H2A of -173.4 (2)° and H4—C4—C5—H5 of 176.5 (2)° show that the diaxial (*anti*) relationship of the former (6.6°) is deviated much than the later (3.5°) from the ideal value of 180°. The dihedral angles between phenyl rings P1 and P2, P2 and P3 & P3 and P1 are found to be 53.9 (9), 52.1 (8) and 7.6 (2)°, respectively. The C3 atom of the piperidine ring gives short contacts with the O1 atoms of different asymmetric units as C3···O1 (-x + 1, +y - 1/2, -z + 1/2) (3.010 (3) Å) and C3···O1 (-x + 1, +y + 1/2, -z + 1/2) (3.171 (3) Å).

The crystal structure is stabilized through C—H···π and π—π interactions. Two intermolecular C—H···π interactions are observed in the crystal structure with the distances of 4.111 (4) and 4.120 (3) Å to the centroids of the phenyl rings P2 and P3 respectively (Table 1; Cg(2) is centroid of phenyl ring C21···C26 and Cg(3) is centroid of phenyl ring C31···C36). π—π stacking interactions are observed as intra and intermolecular contacts. As an intramolecular π—π stacking, phenyls rings P2 and P3 are stacked with the centroid to centroid separation of 4.504 (2) Å. Further, the phenyl rings P1 are stacked almost parallel and involved in the π—π interactions around an inversion center (1 - x, 1 - y, -z) with a centroid to centroid separation of 4.424 (2) Å.

supplementary materials

Experimental

Ammonium acetate (0.475 g, 0.0075 mol) was dissolved in ethanol (3 ml) by heating. Benzaldehyde (1.59 g, 0.015 mol) and phenylacetone (1 g, 0.0075 mol) were added to this solution and the mixture heated until the color of the solution changed to yellow. The solution was kept at room temperature for 2-3 days. The solid precipitated was filtered off, washed with ethanol and recrystallized from ethanol and ethyl acetate. The pure compound was obtained in 61% yield.

Refinement

All C-bonded H atoms were fixed using geometrical constraints and their positions and thermal parameters were refined isotropically riding on the carrier atom. Amine H atom (H1A) was found in a difference map and refined freely. All non-hydrogen atoms are located and refined anisotropically.

Figures




Fig. 1. The molecular structure of title compound with atom numbering scheme and 50% probability displacement ellipsoids (Sheldrick, 2008).




Fig. 2. Packing diagram of the molecule viewed down a axis (Sheldrick, 2008).

2,3,6-Triphenylpiperidin-4-one

Crystal data

C₂₃H₂₁NO

$F_{000} = 696$

$M_r = 327.41$

$D_x = 1.192 \text{ Mg m}^{-3}$

$D_m = 1.173 \text{ Mg m}^{-3}$

D_m measured by Flotation technique using a liquid mixture of CCl₄ and xylene

Monoclinic, $P2_1/c$

Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$

Hall symbol: -P 2ybc

Cell parameters from 25 reflections

$a = 12.144 (4) \text{ \AA}$

$\theta = 9.7\text{--}14.4^\circ$

$b = 5.998 (2) \text{ \AA}$

$\mu = 0.07 \text{ mm}^{-1}$

$c = 25.127 (7) \text{ \AA}$

$T = 293 \text{ K}$

$\beta = 94.55 (2)^\circ$

Needle, colourless

$V = 1824.3 (9) \text{ \AA}^3$

$0.21 \times 0.18 \times 0.15 \text{ mm}$

$Z = 4$

Data collection

| | |
|--|------------------------------------|
| Nonius MACH3 sealed tube diffractometer | $R_{\text{int}} = 0.029$ |
| Radiation source: fine-focus sealed tube | $\theta_{\text{max}} = 25.0^\circ$ |
| Monochromator: graphite | $\theta_{\text{min}} = 2.3^\circ$ |
| $T = 293 \text{ K}$ | $h = 0 \rightarrow 14$ |
| ω - 2θ scans | $k = -1 \rightarrow 7$ |
| Absorption correction: ψ scan (North <i>et al.</i> , 1968) | $l = -29 \rightarrow 29$ |
| $T_{\text{min}} = 0.914, T_{\text{max}} = 1.000$ | 3 standard reflections |
| 3552 measured reflections | every 60 min |
| 3193 independent reflections | intensity decay: <1% |
| 1906 reflections with $I > 2\sigma(I)$ | |

Refinement

| | |
|--|---|
| Refinement on F^2 | Hydrogen site location: inferred from neighbouring sites |
| Least-squares matrix: full | H atoms treated by a mixture of independent and constrained refinement |
| $R[F^2 > 2\sigma(F^2)] = 0.038$ | $w = 1/[\sigma^2(F_o^2) + (0.0616P)^2 + 0.284P]$ where $P = (F_o^2 + 2F_c^2)/3$ |
| $wR(F^2) = 0.125$ | $(\Delta/\sigma)_{\text{max}} < 0.001$ |
| $S = 1.02$ | $\Delta\rho_{\text{max}} = 0.16 \text{ e } \text{\AA}^{-3}$ |
| 3193 reflections | $\Delta\rho_{\text{min}} = -0.16 \text{ e } \text{\AA}^{-3}$ |
| 231 parameters | Extinction correction: SHELXTL (Bruker, 2000), $F_c^* = kFc[1 + 0.001xFc^2\lambda^3/\sin(2\theta)]^{-1/4}$ |
| Primary atom site location: structure-invariant direct methods | Extinction coefficient: 0.0039 (12) |
| Secondary atom site location: difference Fourier map | |

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

| | x | y | z | $U_{\text{iso}}^*/U_{\text{eq}}$ |
|-----|--------------|------------|-------------|----------------------------------|
| C1 | 0.99723 (14) | 0.4257 (3) | 0.12658 (7) | 0.0525 (5) |
| H1 | 0.9826 | 0.5792 | 0.1374 | 0.063* |
| C2 | 1.04235 (15) | 0.2932 (3) | 0.17569 (7) | 0.0553 (5) |
| H2A | 1.0644 | 0.1463 | 0.1643 | 0.066* |
| H2B | 1.1077 | 0.3678 | 0.1917 | 0.066* |
| C3 | 0.96074 (15) | 0.2677 (3) | 0.21693 (7) | 0.0478 (4) |
| C4 | 0.84239 (14) | 0.2127 (3) | 0.19584 (6) | 0.0463 (4) |
| H4 | 0.8420 | 0.0553 | 0.1854 | 0.056* |
| C5 | 0.80792 (14) | 0.3482 (3) | 0.14452 (7) | 0.0476 (4) |
| H5 | 0.8036 | 0.5062 | 0.1541 | 0.057* |
| C11 | 1.07919 (15) | 0.4297 (4) | 0.08460 (8) | 0.0586 (5) |

supplementary materials

| | | | | |
|-----|--------------|------------|--------------|-------------|
| C12 | 1.0872 (2) | 0.2564 (5) | 0.04918 (9) | 0.0847 (8) |
| H12 | 1.0391 | 0.1361 | 0.0501 | 0.102* |
| C13 | 1.1653 (2) | 0.2586 (6) | 0.01234 (11) | 0.1065 (10) |
| H13 | 1.1691 | 0.1398 | -0.0112 | 0.128* |
| C14 | 1.2362 (2) | 0.4296 (8) | 0.00998 (12) | 0.1083 (12) |
| H14 | 1.2893 | 0.4287 | -0.0147 | 0.130* |
| C15 | 1.2294 (2) | 0.6038 (7) | 0.04409 (15) | 0.1093 (11) |
| H15 | 1.2775 | 0.7238 | 0.0423 | 0.131* |
| C16 | 1.15128 (19) | 0.6046 (5) | 0.08169 (11) | 0.0870 (8) |
| H16 | 1.1479 | 0.7245 | 0.1050 | 0.104* |
| C21 | 0.69698 (15) | 0.2758 (3) | 0.11922 (7) | 0.0488 (4) |
| C22 | 0.60549 (16) | 0.4111 (4) | 0.12051 (8) | 0.0644 (6) |
| H22 | 0.6126 | 0.5491 | 0.1373 | 0.077* |
| C23 | 0.50388 (18) | 0.3465 (5) | 0.09750 (9) | 0.0797 (7) |
| H23 | 0.4434 | 0.4406 | 0.0990 | 0.096* |
| C24 | 0.49144 (19) | 0.1451 (5) | 0.07247 (9) | 0.0784 (7) |
| H24 | 0.4229 | 0.1021 | 0.0567 | 0.094* |
| C25 | 0.5808 (2) | 0.0072 (4) | 0.07088 (8) | 0.0753 (7) |
| H25 | 0.5728 | -0.1305 | 0.0540 | 0.090* |
| C26 | 0.68306 (17) | 0.0707 (4) | 0.09422 (8) | 0.0633 (5) |
| H26 | 0.7430 | -0.0252 | 0.0931 | 0.076* |
| C31 | 0.75856 (15) | 0.2369 (3) | 0.23659 (6) | 0.0476 (4) |
| C32 | 0.74957 (16) | 0.4355 (3) | 0.26422 (7) | 0.0568 (5) |
| H32 | 0.7973 | 0.5524 | 0.2582 | 0.068* |
| C33 | 0.67150 (18) | 0.4629 (4) | 0.30033 (8) | 0.0688 (6) |
| H33 | 0.6674 | 0.5967 | 0.3188 | 0.083* |
| C34 | 0.59921 (19) | 0.2924 (4) | 0.30919 (9) | 0.0733 (6) |
| H34 | 0.5463 | 0.3105 | 0.3336 | 0.088* |
| C35 | 0.60573 (18) | 0.0963 (4) | 0.28186 (9) | 0.0712 (6) |
| H35 | 0.5564 | -0.0184 | 0.2874 | 0.085* |
| C36 | 0.68516 (16) | 0.0677 (3) | 0.24617 (8) | 0.0597 (5) |
| H36 | 0.6895 | -0.0673 | 0.2283 | 0.072* |
| N1 | 0.89297 (12) | 0.3218 (3) | 0.10684 (6) | 0.0526 (4) |
| O1 | 0.98843 (11) | 0.2814 (2) | 0.26421 (5) | 0.0572 (4) |
| H1A | 0.8700 (15) | 0.387 (3) | 0.0769 (8) | 0.060 (6)* |

Atomic displacement parameters (\AA^2)

| | U^{11} | U^{22} | U^{33} | U^{12} | U^{13} | U^{23} |
|-----|-------------|-------------|-------------|-------------|-------------|--------------|
| C1 | 0.0498 (10) | 0.0549 (11) | 0.0530 (10) | 0.0037 (9) | 0.0045 (8) | 0.0043 (9) |
| C2 | 0.0490 (10) | 0.0621 (12) | 0.0542 (11) | 0.0037 (9) | -0.0003 (8) | 0.0023 (9) |
| C3 | 0.0580 (11) | 0.0383 (10) | 0.0463 (10) | 0.0045 (8) | -0.0016 (8) | 0.0025 (8) |
| C4 | 0.0552 (10) | 0.0401 (9) | 0.0434 (9) | 0.0022 (8) | 0.0021 (8) | -0.0001 (8) |
| C5 | 0.0518 (10) | 0.0470 (10) | 0.0441 (9) | 0.0053 (8) | 0.0045 (8) | 0.0022 (8) |
| C11 | 0.0501 (11) | 0.0716 (13) | 0.0540 (11) | 0.0066 (10) | 0.0041 (9) | 0.0158 (11) |
| C12 | 0.0804 (16) | 0.104 (2) | 0.0731 (15) | 0.0042 (14) | 0.0276 (13) | -0.0026 (15) |
| C13 | 0.0892 (19) | 0.154 (3) | 0.0812 (18) | 0.021 (2) | 0.0349 (15) | 0.0061 (19) |
| C14 | 0.0672 (17) | 0.182 (4) | 0.0797 (19) | 0.038 (2) | 0.0269 (14) | 0.056 (2) |

| | | | | | | |
|-----|-------------|-------------|-------------|--------------|--------------|--------------|
| C15 | 0.0640 (16) | 0.134 (3) | 0.133 (3) | -0.0043 (18) | 0.0240 (17) | 0.058 (2) |
| C16 | 0.0665 (14) | 0.0945 (19) | 0.1012 (19) | -0.0062 (14) | 0.0146 (13) | 0.0186 (15) |
| C21 | 0.0511 (10) | 0.0572 (12) | 0.0383 (8) | 0.0038 (9) | 0.0053 (7) | 0.0033 (9) |
| C22 | 0.0568 (12) | 0.0752 (14) | 0.0607 (12) | 0.0116 (11) | 0.0016 (10) | -0.0041 (11) |
| C23 | 0.0560 (13) | 0.108 (2) | 0.0742 (15) | 0.0164 (13) | -0.0024 (11) | -0.0066 (15) |
| C24 | 0.0578 (13) | 0.113 (2) | 0.0629 (14) | -0.0084 (14) | -0.0055 (10) | 0.0027 (14) |
| C25 | 0.0841 (16) | 0.0814 (16) | 0.0583 (13) | -0.0117 (14) | -0.0066 (11) | -0.0106 (12) |
| C26 | 0.0657 (13) | 0.0689 (14) | 0.0544 (11) | 0.0067 (11) | -0.0008 (10) | -0.0082 (11) |
| C31 | 0.0548 (10) | 0.0473 (11) | 0.0402 (9) | 0.0003 (9) | -0.0001 (8) | 0.0031 (8) |
| C32 | 0.0630 (12) | 0.0533 (12) | 0.0546 (10) | -0.0052 (10) | 0.0089 (9) | -0.0037 (9) |
| C33 | 0.0781 (14) | 0.0658 (14) | 0.0642 (13) | 0.0040 (12) | 0.0161 (11) | -0.0094 (11) |
| C34 | 0.0736 (14) | 0.0881 (18) | 0.0611 (13) | 0.0026 (13) | 0.0224 (11) | 0.0009 (13) |
| C35 | 0.0710 (13) | 0.0754 (16) | 0.0694 (13) | -0.0147 (12) | 0.0183 (11) | 0.0075 (12) |
| C36 | 0.0700 (12) | 0.0523 (12) | 0.0571 (11) | -0.0078 (10) | 0.0061 (10) | 0.0001 (10) |
| N1 | 0.0505 (9) | 0.0654 (11) | 0.0419 (8) | 0.0059 (8) | 0.0034 (7) | 0.0056 (8) |
| O1 | 0.0705 (8) | 0.0531 (8) | 0.0463 (7) | -0.0034 (6) | -0.0062 (6) | 0.0019 (6) |

Geometric parameters (\AA , $^\circ$)

| | | | |
|-----------|-------------|-------------|-------------|
| C1—N1 | 1.462 (2) | C16—H16 | 0.9300 |
| C1—C11 | 1.507 (3) | C21—C22 | 1.378 (3) |
| C1—C2 | 1.532 (3) | C21—C26 | 1.385 (3) |
| C1—H1 | 0.9800 | C22—C23 | 1.376 (3) |
| C2—C3 | 1.498 (2) | C22—H22 | 0.9300 |
| C2—H2A | 0.9700 | C23—C24 | 1.365 (4) |
| C2—H2B | 0.9700 | C23—H23 | 0.9300 |
| C3—O1 | 1.212 (2) | C24—C25 | 1.367 (3) |
| C3—C4 | 1.528 (3) | C24—H24 | 0.9300 |
| C4—C31 | 1.507 (2) | C25—C26 | 1.384 (3) |
| C4—C5 | 1.553 (2) | C25—H25 | 0.9300 |
| C4—H4 | 0.9800 | C26—H26 | 0.9300 |
| C5—N1 | 1.464 (2) | C31—C36 | 1.384 (3) |
| C5—C21 | 1.507 (3) | C31—C32 | 1.387 (3) |
| C5—H5 | 0.9800 | C32—C33 | 1.373 (3) |
| C11—C16 | 1.372 (3) | C32—H32 | 0.9300 |
| C11—C12 | 1.377 (3) | C33—C34 | 1.377 (3) |
| C12—C13 | 1.377 (3) | C33—H33 | 0.9300 |
| C12—H12 | 0.9300 | C34—C35 | 1.367 (3) |
| C13—C14 | 1.344 (5) | C34—H34 | 0.9300 |
| C13—H13 | 0.9300 | C35—C36 | 1.379 (3) |
| C14—C15 | 1.358 (5) | C35—H35 | 0.9300 |
| C14—H14 | 0.9300 | C36—H36 | 0.9300 |
| C15—C16 | 1.391 (4) | N1—H1A | 0.87 (2) |
| C15—H15 | 0.9300 | | |
| N1—C1—C11 | 111.81 (15) | C11—C16—C15 | 120.4 (3) |
| N1—C1—C2 | 107.26 (15) | C11—C16—H16 | 119.8 |
| C11—C1—C2 | 110.99 (15) | C15—C16—H16 | 119.8 |
| N1—C1—H1 | 108.9 | C22—C21—C26 | 117.63 (18) |
| C11—C1—H1 | 108.9 | C22—C21—C5 | 121.05 (18) |

supplementary materials

| | | | |
|---------------|--------------|-----------------|--------------|
| C2—C1—H1 | 108.9 | C26—C21—C5 | 121.32 (17) |
| C3—C2—C1 | 113.35 (15) | C23—C22—C21 | 121.5 (2) |
| C3—C2—H2A | 108.9 | C23—C22—H22 | 119.3 |
| C1—C2—H2A | 108.9 | C21—C22—H22 | 119.3 |
| C3—C2—H2B | 108.9 | C24—C23—C22 | 120.4 (2) |
| C1—C2—H2B | 108.9 | C24—C23—H23 | 119.8 |
| H2A—C2—H2B | 107.7 | C22—C23—H23 | 119.8 |
| O1—C3—C2 | 121.62 (17) | C23—C24—C25 | 119.3 (2) |
| O1—C3—C4 | 122.35 (16) | C23—C24—H24 | 120.3 |
| C2—C3—C4 | 115.98 (14) | C25—C24—H24 | 120.3 |
| C31—C4—C3 | 114.28 (14) | C24—C25—C26 | 120.6 (2) |
| C31—C4—C5 | 111.20 (14) | C24—C25—H25 | 119.7 |
| C3—C4—C5 | 111.06 (14) | C26—C25—H25 | 119.7 |
| C31—C4—H4 | 106.6 | C25—C26—C21 | 120.6 (2) |
| C3—C4—H4 | 106.6 | C25—C26—H26 | 119.7 |
| C5—C4—H4 | 106.6 | C21—C26—H26 | 119.7 |
| N1—C5—C21 | 110.42 (14) | C36—C31—C32 | 117.72 (17) |
| N1—C5—C4 | 108.82 (14) | C36—C31—C4 | 121.78 (17) |
| C21—C5—C4 | 111.87 (15) | C32—C31—C4 | 120.45 (16) |
| N1—C5—H5 | 108.6 | C33—C32—C31 | 121.28 (19) |
| C21—C5—H5 | 108.6 | C33—C32—H32 | 119.4 |
| C4—C5—H5 | 108.6 | C31—C32—H32 | 119.4 |
| C16—C11—C12 | 117.7 (2) | C32—C33—C34 | 120.0 (2) |
| C16—C11—C1 | 120.6 (2) | C32—C33—H33 | 120.0 |
| C12—C11—C1 | 121.7 (2) | C34—C33—H33 | 120.0 |
| C11—C12—C13 | 121.0 (3) | C35—C34—C33 | 119.64 (19) |
| C11—C12—H12 | 119.5 | C35—C34—H34 | 120.2 |
| C13—C12—H12 | 119.5 | C33—C34—H34 | 120.2 |
| C14—C13—C12 | 121.0 (3) | C34—C35—C36 | 120.3 (2) |
| C14—C13—H13 | 119.5 | C34—C35—H35 | 119.8 |
| C12—C13—H13 | 119.5 | C36—C35—H35 | 119.8 |
| C13—C14—C15 | 119.2 (3) | C35—C36—C31 | 121.0 (2) |
| C13—C14—H14 | 120.4 | C35—C36—H36 | 119.5 |
| C15—C14—H14 | 120.4 | C31—C36—H36 | 119.5 |
| C14—C15—C16 | 120.7 (3) | C1—N1—C5 | 111.76 (14) |
| C14—C15—H15 | 119.7 | C1—N1—H1A | 108.1 (13) |
| C16—C15—H15 | 119.7 | C5—N1—H1A | 108.4 (13) |
| N1—C1—C2—C3 | -52.9 (2) | N1—C5—C21—C26 | 51.0 (2) |
| C11—C1—C2—C3 | -175.28 (16) | C4—C5—C21—C26 | -70.4 (2) |
| C1—C2—C3—O1 | -140.17 (18) | C26—C21—C22—C23 | -0.5 (3) |
| C1—C2—C3—C4 | 42.6 (2) | C5—C21—C22—C23 | 179.96 (18) |
| O1—C3—C4—C31 | 15.3 (2) | C21—C22—C23—C24 | -0.2 (3) |
| C2—C3—C4—C31 | -167.50 (15) | C22—C23—C24—C25 | 0.6 (3) |
| O1—C3—C4—C5 | 142.07 (17) | C23—C24—C25—C26 | -0.2 (3) |
| C2—C3—C4—C5 | -40.7 (2) | C24—C25—C26—C21 | -0.5 (3) |
| C31—C4—C5—N1 | 179.04 (14) | C22—C21—C26—C25 | 0.9 (3) |
| C3—C4—C5—N1 | 50.59 (19) | C5—C21—C26—C25 | -179.60 (18) |
| C31—C4—C5—C21 | -58.7 (2) | C3—C4—C31—C36 | -128.49 (18) |
| C3—C4—C5—C21 | 172.87 (14) | C5—C4—C31—C36 | 104.8 (2) |

| | | | |
|-----------------|--------------|-----------------|--------------|
| N1—C1—C11—C16 | 145.40 (19) | C3—C4—C31—C32 | 54.4 (2) |
| C2—C1—C11—C16 | −94.9 (2) | C5—C4—C31—C32 | −72.3 (2) |
| N1—C1—C11—C12 | −36.8 (3) | C36—C31—C32—C33 | 0.8 (3) |
| C2—C1—C11—C12 | 82.9 (2) | C4—C31—C32—C33 | 178.04 (18) |
| C16—C11—C12—C13 | 0.3 (4) | C31—C32—C33—C34 | −0.9 (3) |
| C1—C11—C12—C13 | −177.5 (2) | C32—C33—C34—C35 | 0.0 (3) |
| C11—C12—C13—C14 | 0.2 (4) | C33—C34—C35—C36 | 0.9 (3) |
| C12—C13—C14—C15 | −0.8 (4) | C34—C35—C36—C31 | −1.0 (3) |
| C13—C14—C15—C16 | 1.0 (4) | C32—C31—C36—C35 | 0.2 (3) |
| C12—C11—C16—C15 | −0.2 (3) | C4—C31—C36—C35 | −177.06 (17) |
| C1—C11—C16—C15 | 177.7 (2) | C11—C1—N1—C5 | −171.28 (16) |
| C14—C15—C16—C11 | −0.5 (4) | C2—C1—N1—C5 | 66.8 (2) |
| N1—C5—C21—C22 | −129.47 (18) | C21—C5—N1—C1 | 170.12 (15) |
| C4—C5—C21—C22 | 109.2 (2) | C4—C5—N1—C1 | −66.7 (2) |

Hydrogen-bond geometry (Å, °)

| D—H···A | D—H | H···A | D···A | D—H···A |
|-----------------------------|------|-------|-----------|---------|
| C14—H14···Cg2 ⁱ | 0.93 | 3.37 | 4.111 (4) | 139 |
| C35—H35···Cg3 ⁱⁱ | 0.93 | 3.37 | 4.120 (3) | 138 |

Symmetry codes: (i) $-x+1, -y+1, -z$; (ii) $-x, y-1/2, -z+1/2$.

supplementary materials

Fig. 1




Fig. 2

