

Piperidinium 4-hydroxy-3-methoxy-carbonyl-1,2-benzothiazin-2-ide 1,1-dioxide

Muhammad Nadeem Arshad,^a Muhammad Zia-ur-Rehman,^b Naveed Ahmed^c and Islam Ullah Khan^{a*}

^aDepartment of Chemistry, Government College University, Lahore-54000, Pakistan,

^bApplied Chemistry Research Centre, PCSIR Laboratories Complex, Ferozpur Road, Lahore 54600, Pakistan, and ^cFC College (a Chartered University), Ferozpur Road, Lahore 54600, Pakistan

Correspondence e-mail: iukhan.gcu@gmail.com


Received 6 September 2009; accepted 7 September 2009

Key indicators: single-crystal X-ray study; $T = 296\text{ K}$; mean $\sigma(\text{C}-\text{C}) = 0.003\text{ \AA}$; R factor = 0.036; wR factor = 0.103; data-to-parameter ratio = 17.1.

In the anion of the title compound, $\text{C}_5\text{H}_{12}\text{N}^+\cdot\text{C}_{10}\text{H}_8\text{NO}_5\text{S}^-$, the thiazine ring adopts a distorted half-chair conformation and the enolic H atom is involved in an intramolecular $\text{O}-\text{H}\cdots\text{O}$ hydrogen bond, forming a six-membered ring. The anions and cations are connected via $\text{N}-\text{H}\cdots\text{N}$ and $\text{N}-\text{H}\cdots\text{O}$ interactions.

Related literature

For the synthesis of related molecules, see: Zia-ur-Rehman *et al.* (2005, 2006); Braun (1923). For the biological activity of 1,2-benzothiazine 1,1-dioxides, see: Bihovsky *et al.* (2004); Turck *et al.* (1996); Zia-ur-Rehman *et al.* (2009). For related structures, see: Golič & Leban (1987).



Experimental

Crystal data

$\text{C}_5\text{H}_{12}\text{N}^+\cdot\text{C}_{10}\text{H}_8\text{NO}_5\text{S}^-$

$M_r = 340.39$

Monoclinic, $P2_1/n$

$a = 12.0423(5)\text{ \AA}$

$b = 9.1791(3)\text{ \AA}$

$c = 14.5193(5)\text{ \AA}$

$\beta = 90.556(2)^\circ$

$V = 1604.85(10)\text{ \AA}^3$

$Z = 4$

Mo $K\alpha$ radiation

$\mu = 0.23\text{ mm}^{-1}$
 $T = 296\text{ K}$

$0.39 \times 0.33 \times 0.29\text{ mm}$

Data collection

Bruker KAPPA APEXII CCD diffractometer
Absorption correction: multi-scan (*SADABS*; Bruker 2007)
 $T_{\min} = 0.921$, $T_{\max} = 0.940$

16000 measured reflections
3690 independent reflections
2896 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.025$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.036$
 $wR(F^2) = 0.103$
 $S = 1.03$
3690 reflections
216 parameters

H atoms treated by a mixture of independent and constrained refinement
 $\Delta\rho_{\max} = 0.30\text{ e \AA}^{-3}$
 $\Delta\rho_{\min} = -0.34\text{ e \AA}^{-3}$

Table 1
Hydrogen-bond geometry (\AA , $^\circ$).

| $D-\text{H}\cdots A$ | $D-\text{H}$ | $\text{H}\cdots A$ | $D\cdots A$ | $D-\text{H}\cdots A$ |
|----------------------------------|--------------|--------------------|-------------|----------------------|
| O3—H3 \cdots O4 | 0.82 | 1.86 | 2.577 (2) | 145 |
| N1—H1N \cdots N2 ⁱ | 0.932 (19) | 1.951 (19) | 2.881 (2) | 175.4 (18) |
| N1—H2N \cdots O2 ⁱⁱ | 0.87 (2) | 1.91 (2) | 2.7739 (18) | 172.4 (18) |

Symmetry codes: (i) $x, y - 1, z$; (ii) $-x + \frac{1}{2}, y - \frac{1}{2}, -z + \frac{3}{2}$.

Data collection: *APEX2* (Bruker, 2007); cell refinement: *SAINT* (Bruker, 2007); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *PLATON* (Spek, 2009) and *Mercury* (Macrae *et al.*, 2006); software used to prepare material for publication: *WinGX* (Farrugia, 1999) and *PLATON*.

The authors are grateful to PCSIR Laboratories Complex, Lahore, for the provision of necessary facilities to complete this work.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: BT5055).

References

- Bihovsky, R., Tao, M., Mallamo, J. P. & Wells, G. J. (2004). *Bioorg. Med. Chem. Lett.* **14**, 1035–1038.
- Braun, J. (1923). *Chem. Ber.* **56**, 2332–2343.
- Bruker (2007). *APEX2, SAINT* and *SADABS*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Farrugia, L. J. (1999). *J. Appl. Cryst.* **32**, 837–838.
- Golič, L. & Leban, I. (1987). *Acta Cryst.* **C43**, 280–282.
- Macrae, C. F., Edgington, P. R., McCabe, P., Pidcock, E., Shields, G. P., Taylor, R., Towler, M. & van de Streek, J. (2006). *J. Appl. Cryst.* **39**, 453–457.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Spek, A. L. (2009). *Acta Cryst.* **D65**, 148–155.
- Turck, D., Busch, U., Heinzel, G., Narjes, H. & Nehmiz, G. (1996). *J. Clin. Pharmacol.* **36**, 79–84.
- Zia-ur-Rehman, M., Choudary, J. A. & Ahmad, S. (2005). *Bull. Korean Chem. Soc.* **26**, 1771–1775.
- Zia-ur-Rehman, M. Z., Choudary, J. A., Ahmad, S. & Siddiqui, H. L. (2006). *Chem. Pharm. Bull.* **54**, 1175–1178.
- Zia-ur-Rehman, M., Choudary, J. A., Elsegood, M. R. J., Siddiqui, H. L. & Khan, K. M. (2009). *Eur. J. Med. Chem.* **44**, 1311–1316.

supplementary materials

Acta Cryst. (2009). E65, o2451 [doi:10.1107/S1600536809036204]

Piperidinium 4-hydroxy-3-methoxycarbonyl-1,2-benzothiazin-2-ide 1,1-dioxide

M. N. Arshad, M. Zia-ur-Rehman, N. Ahmed and I. U. Khan

Comment

Owing to their application as non-steroidal anti-inflammatory agents (Turck *et al.*, 1996), considerable attention has been given to synthetic and structural investigations of 1,2-benzothiazine 1,1-dioxides and their precursor intermediates (Golič & Leban, 1987). These are known to possess a versatile range of biological activities and have been synthesized continuously since the very first synthesis (Braun, 1923). Among these, Piroxicam (Zia-ur-Rehman *et al.*, 2005), and Meloxicam (Turck *et al.*, 1996) are familiar for their analgesic action and are being used world wide as non-steroidal anti-inflammatory drugs (NSAIDs). Besides, these have also been found to be used for the treatment of rheumatoid arthritis, ankylosing spondylitis, osteoarthritis and other inflammatory rheumatic and non-rheumatic processes, including onsets and traumatologic lesions. Some of the 3,4-dihydro-1,2-benzothiazine-3-carboxylate 1,1-dioxide α -ketomide and P(2)—P(3) peptide mimetic aldehyde compounds act as potent calpain I inhibitors (Bihovsky *et al.*, 2004) while 1,2-benzothiazin-3-yl-quinazolin-4(3H)-ones possess anti-bacterial properties (Zia-ur-Rehman *et al.*, 2006). As part of a research program synthesizing various bioactive benzothiazines (Zia-ur-Rehman *et al.*, 2005, 2006, 2009), we, herein report the crystal structure of the title compound (Scheme and figure 1). The asymmetric unit contains one piperidinium cation and one 4-hydroxy-3-(methoxycarbonyl)-1,2-benzothiazin-2-ide 1,1-dioxide anion. The piperidinium cation displays a typical chair conformation. The thiazine ring of the anion, involving two double bonds, exhibits a distorted half-chair conformation and the enolic hydrogen on O1 is involved in intramolecular hydrogen bonding giving rise to a six membered hydrogen bond ring (Table 1). Both the ions are linked together through N—H \cdots N and N—H \cdots O interactions. Adjacent asymmetric units are linked through intermolecular N—H \cdots O hydrogen bonds, resulting in zigzag chains lying along the *b* axis (Figure 2).

Experimental

A mixture of methyl 4-hydroxy-2*H*-1,2-benzothiazine-3-carboxylate-1,1-dioxide (2.693 g; 10.0 mmoles), piperidine (1.02 g, 12.0 mmoles) and toluene (25.0 ml) was heated to reflux for an hour. Solvent and excess piperidine were removed under vacuum and the resulting solids were dried and crystallized from ethanol. Yield: 78%.

Refinement

All hydrogen atoms were identified in the difference map. Those bonded to O and C were fixed in ideal positions and treated as riding on their parent atoms. The following distances were used: Methyl C—H 0.98 Å, aromatic C—H 0.95 Å and O—H 0.84 Å. U(H) was set to 1.2Ueq of the parent atoms or 1.5Ueq for methyl groups. The coordinates of the H atom bonded to N were refined.

supplementary materials

Figures




Fig. 1. The molecular structure of the title compound, with displacement ellipsoids at the 50% probability level. Hydrogen atoms bonded to C omitted for clarity.




Fig. 2. Perspective view of the three-dimensional crystal packing showing hydrogen-bonded interactions (dashed lines). H atoms not involved in hydrogen bonding have been omitted for clarity.

Piperidinium 4-hydroxy-3-methoxycarbonyl-1,2-benzothiazin-2-ide 1,1-dioxide

Crystal data

| | |
|---------------------------------------|---|
| $C_5H_{12}N^+ \cdot C_{10}H_8NO_5S^-$ | $F_{000} = 720$ |
| $M_r = 340.39$ | $D_x = 1.409 \text{ Mg m}^{-3}$ |
| Monoclinic, $P2_1/n$ | Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$ |
| Hall symbol: -P 2yn | Cell parameters from 6881 reflections |
| $a = 12.0423 (5) \text{ \AA}$ | $\theta = 2.6\text{--}27.4^\circ$ |
| $b = 9.1791 (3) \text{ \AA}$ | $\mu = 0.23 \text{ mm}^{-1}$ |
| $c = 14.5193 (5) \text{ \AA}$ | $T = 296 \text{ K}$ |
| $\beta = 90.556 (2)^\circ$ | Needle, white yellow |
| $V = 1604.85 (10) \text{ \AA}^3$ | $0.39 \times 0.33 \times 0.29 \text{ mm}$ |
| $Z = 4$ | |

Data collection

| | |
|---|--|
| Bruker KAPPA APEXII CCD diffractometer | 3690 independent reflections |
| Radiation source: fine-focus sealed tube | 2896 reflections with $I > 2\sigma(I)$ |
| Monochromator: graphite | $R_{\text{int}} = 0.025$ |
| $T = 296 \text{ K}$ | $\theta_{\text{max}} = 27.5^\circ$ |
| ϕ and ω scans | $\theta_{\text{min}} = 2.2^\circ$ |
| Absorption correction: multi-scan (SADABS; Bruker 2007) | $h = -15 \rightarrow 15$ |
| $T_{\text{min}} = 0.921, T_{\text{max}} = 0.940$ | $k = -11 \rightarrow 11$ |
| 16000 measured reflections | $l = -18 \rightarrow 18$ |

Refinement

| | |
|--|---|
| Refinement on F^2 | Secondary atom site location: difference Fourier map |
| Least-squares matrix: full | Hydrogen site location: inferred from neighbouring sites |
| $R[F^2 > 2\sigma(F^2)] = 0.036$ | H atoms treated by a mixture of independent and constrained refinement |
| $wR(F^2) = 0.103$ | $w = 1/[\sigma^2(F_o^2) + (0.0492P)^2 + 0.5427P]$ where $P = (F_o^2 + 2F_c^2)/3$ |
| $S = 1.03$ | $(\Delta/\sigma)_{\max} = 0.001$ |
| 3690 reflections | $\Delta\rho_{\max} = 0.30 \text{ e \AA}^{-3}$ |
| 216 parameters | $\Delta\rho_{\min} = -0.34 \text{ e \AA}^{-3}$ |
| Primary atom site location: structure-invariant direct methods | Extinction correction: none |

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

| | x | y | z | $U_{\text{iso}}^*/U_{\text{eq}}$ |
|-----|--------------|--------------|--------------|----------------------------------|
| S1 | 0.46805 (3) | 0.74091 (4) | 0.76725 (3) | 0.02947 (12) |
| O1 | 0.48950 (11) | 0.80132 (14) | 0.85705 (8) | 0.0461 (3) |
| O2 | 0.38877 (9) | 0.62124 (13) | 0.76755 (8) | 0.0388 (3) |
| O3 | 0.51396 (13) | 0.69087 (18) | 0.47854 (8) | 0.0570 (4) |
| H3 | 0.4706 | 0.7429 | 0.4497 | 0.085* |
| O4 | 0.36167 (13) | 0.88585 (17) | 0.45879 (8) | 0.0598 (4) |
| O5 | 0.30030 (10) | 1.00194 (13) | 0.58304 (8) | 0.0428 (3) |
| N1 | 0.33595 (12) | 0.12173 (16) | 0.77625 (10) | 0.0354 (3) |
| H2N | 0.2658 (17) | 0.113 (2) | 0.7631 (13) | 0.042* |
| H1N | 0.3719 (16) | 0.041 (2) | 0.7515 (13) | 0.042* |
| N2 | 0.43544 (11) | 0.86485 (14) | 0.69844 (9) | 0.0334 (3) |
| C1 | 0.59021 (13) | 0.64809 (18) | 0.62624 (12) | 0.0358 (4) |
| C2 | 0.67446 (15) | 0.5623 (2) | 0.58853 (15) | 0.0502 (5) |
| H2A | 0.6768 | 0.5474 | 0.5252 | 0.060* |
| C3 | 0.75373 (15) | 0.4998 (2) | 0.64477 (17) | 0.0576 (6) |
| H3A | 0.8079 | 0.4405 | 0.6191 | 0.069* |
| C4 | 0.75421 (15) | 0.5235 (2) | 0.73845 (17) | 0.0536 (5) |

supplementary materials

| | | | | |
|------|--------------|--------------|--------------|------------|
| H4 | 0.8104 | 0.4843 | 0.7752 | 0.064* |
| C5 | 0.67134 (14) | 0.60531 (19) | 0.77759 (14) | 0.0425 (4) |
| H5 | 0.6711 | 0.6216 | 0.8408 | 0.051* |
| C6 | 0.58827 (12) | 0.66317 (17) | 0.72195 (11) | 0.0322 (3) |
| C7 | 0.50910 (14) | 0.72383 (19) | 0.56940 (11) | 0.0359 (4) |
| C8 | 0.43901 (13) | 0.82600 (18) | 0.60482 (10) | 0.0319 (3) |
| C9 | 0.36534 (14) | 0.90591 (19) | 0.54163 (11) | 0.0366 (4) |
| C10 | 0.22478 (18) | 1.0821 (2) | 0.52354 (13) | 0.0553 (5) |
| H10A | 0.1749 | 1.0154 | 0.4934 | 0.083* |
| H10B | 0.2664 | 1.1342 | 0.4781 | 0.083* |
| H10C | 0.1829 | 1.1499 | 0.5597 | 0.083* |
| C11 | 0.37737 (15) | 0.25674 (18) | 0.73166 (12) | 0.0396 (4) |
| H11A | 0.3354 | 0.3399 | 0.7534 | 0.047* |
| H11B | 0.3670 | 0.2498 | 0.6655 | 0.047* |
| C12 | 0.49815 (17) | 0.2779 (2) | 0.75380 (14) | 0.0483 (5) |
| H12A | 0.5242 | 0.3667 | 0.7249 | 0.058* |
| H12B | 0.5404 | 0.1971 | 0.7292 | 0.058* |
| C13 | 0.51701 (19) | 0.2874 (2) | 0.85636 (15) | 0.0592 (6) |
| H13A | 0.4815 | 0.3743 | 0.8800 | 0.071* |
| H13B | 0.5960 | 0.2945 | 0.8694 | 0.071* |
| C14 | 0.47016 (19) | 0.1542 (2) | 0.90404 (13) | 0.0560 (5) |
| H14A | 0.5143 | 0.0697 | 0.8880 | 0.067* |
| H14B | 0.4758 | 0.1676 | 0.9702 | 0.067* |
| C15 | 0.35025 (17) | 0.1258 (2) | 0.87800 (13) | 0.0517 (5) |
| H15A | 0.3268 | 0.0336 | 0.9040 | 0.062* |
| H15B | 0.3038 | 0.2020 | 0.9033 | 0.062* |

Atomic displacement parameters (\AA^2)

| | U^{11} | U^{22} | U^{33} | U^{12} | U^{13} | U^{23} |
|-----|-------------|-------------|-------------|--------------|---------------|--------------|
| S1 | 0.0313 (2) | 0.0288 (2) | 0.0283 (2) | 0.00206 (15) | -0.00296 (14) | 0.00160 (15) |
| O1 | 0.0628 (8) | 0.0457 (7) | 0.0298 (6) | 0.0067 (6) | -0.0103 (5) | -0.0026 (5) |
| O2 | 0.0301 (6) | 0.0365 (6) | 0.0498 (7) | -0.0018 (5) | 0.0027 (5) | 0.0071 (5) |
| O3 | 0.0690 (10) | 0.0707 (10) | 0.0313 (7) | 0.0207 (8) | 0.0058 (6) | -0.0064 (6) |
| O4 | 0.0770 (10) | 0.0738 (10) | 0.0285 (6) | 0.0239 (8) | -0.0077 (6) | 0.0021 (6) |
| O5 | 0.0503 (7) | 0.0440 (7) | 0.0339 (6) | 0.0158 (6) | -0.0076 (5) | 0.0031 (5) |
| N1 | 0.0295 (7) | 0.0335 (8) | 0.0431 (8) | 0.0014 (6) | -0.0020 (6) | -0.0021 (6) |
| N2 | 0.0425 (7) | 0.0295 (7) | 0.0280 (6) | 0.0070 (6) | -0.0034 (5) | -0.0003 (5) |
| C1 | 0.0305 (8) | 0.0330 (8) | 0.0439 (9) | -0.0015 (7) | 0.0060 (7) | 0.0023 (7) |
| C2 | 0.0409 (10) | 0.0493 (11) | 0.0606 (12) | 0.0078 (9) | 0.0150 (9) | -0.0001 (10) |
| C3 | 0.0320 (9) | 0.0491 (12) | 0.0918 (17) | 0.0096 (9) | 0.0121 (10) | 0.0026 (11) |
| C4 | 0.0289 (9) | 0.0453 (11) | 0.0863 (16) | 0.0027 (8) | -0.0118 (9) | 0.0105 (11) |
| C5 | 0.0342 (8) | 0.0358 (9) | 0.0573 (11) | -0.0029 (7) | -0.0120 (8) | 0.0066 (8) |
| C6 | 0.0258 (7) | 0.0268 (8) | 0.0438 (9) | -0.0035 (6) | -0.0018 (6) | 0.0021 (7) |
| C7 | 0.0375 (9) | 0.0401 (9) | 0.0301 (8) | -0.0004 (7) | 0.0038 (6) | 0.0003 (7) |
| C8 | 0.0350 (8) | 0.0322 (8) | 0.0284 (7) | -0.0001 (7) | -0.0011 (6) | 0.0022 (6) |
| C9 | 0.0417 (9) | 0.0363 (9) | 0.0317 (8) | -0.0004 (8) | -0.0021 (7) | 0.0030 (7) |
| C10 | 0.0630 (13) | 0.0602 (13) | 0.0426 (10) | 0.0239 (10) | -0.0116 (9) | 0.0095 (9) |

| | | | | | | |
|-----|-------------|-------------|-------------|--------------|--------------|--------------|
| C11 | 0.0444 (9) | 0.0312 (9) | 0.0430 (9) | -0.0001 (7) | -0.0060 (7) | 0.0015 (7) |
| C12 | 0.0467 (10) | 0.0394 (10) | 0.0589 (12) | -0.0109 (8) | -0.0033 (9) | 0.0003 (9) |
| C13 | 0.0645 (14) | 0.0474 (12) | 0.0653 (13) | -0.0078 (10) | -0.0238 (11) | -0.0101 (10) |
| C14 | 0.0728 (14) | 0.0560 (13) | 0.0389 (10) | 0.0058 (11) | -0.0160 (9) | -0.0044 (9) |
| C15 | 0.0611 (12) | 0.0534 (12) | 0.0409 (10) | 0.0075 (10) | 0.0129 (9) | 0.0001 (9) |

Geometric parameters (Å, °)

| | | | |
|------------|-------------|---------------|-------------|
| S1—O1 | 1.4379 (12) | C4—H4 | 0.9300 |
| S1—O2 | 1.4554 (12) | C5—C6 | 1.385 (2) |
| S1—N2 | 1.5618 (13) | C5—H5 | 0.9300 |
| S1—C6 | 1.7483 (16) | C7—C8 | 1.366 (2) |
| O3—C7 | 1.3553 (19) | C8—C9 | 1.467 (2) |
| O3—H3 | 0.8200 | C10—H10A | 0.9600 |
| O4—C9 | 1.217 (2) | C10—H10B | 0.9600 |
| O5—C9 | 1.327 (2) | C10—H10C | 0.9600 |
| O5—C10 | 1.449 (2) | C11—C12 | 1.499 (3) |
| N1—C15 | 1.486 (2) | C11—H11A | 0.9700 |
| N1—C11 | 1.487 (2) | C11—H11B | 0.9700 |
| N1—H2N | 0.87 (2) | C12—C13 | 1.507 (3) |
| N1—H1N | 0.93 (2) | C12—H12A | 0.9700 |
| N2—C8 | 1.4063 (19) | C12—H12B | 0.9700 |
| C1—C6 | 1.397 (2) | C13—C14 | 1.516 (3) |
| C1—C2 | 1.400 (2) | C13—H13A | 0.9700 |
| C1—C7 | 1.450 (2) | C13—H13B | 0.9700 |
| C2—C3 | 1.375 (3) | C14—C15 | 1.512 (3) |
| C2—H2A | 0.9300 | C14—H14A | 0.9700 |
| C3—C4 | 1.377 (3) | C14—H14B | 0.9700 |
| C3—H3A | 0.9300 | C15—H15A | 0.9700 |
| C4—C5 | 1.376 (3) | C15—H15B | 0.9700 |
| O1—S1—O2 | 113.61 (8) | O4—C9—O5 | 122.16 (16) |
| O1—S1—N2 | 109.94 (7) | O4—C9—C8 | 123.95 (16) |
| O2—S1—N2 | 113.00 (7) | O5—C9—C8 | 113.88 (14) |
| O1—S1—C6 | 110.88 (8) | O5—C10—H10A | 109.5 |
| O2—S1—C6 | 103.81 (7) | O5—C10—H10B | 109.5 |
| N2—S1—C6 | 105.11 (7) | H10A—C10—H10B | 109.5 |
| C7—O3—H3 | 109.5 | O5—C10—H10C | 109.5 |
| C9—O5—C10 | 115.92 (14) | H10A—C10—H10C | 109.5 |
| C15—N1—C11 | 112.06 (15) | H10B—C10—H10C | 109.5 |
| C15—N1—H2N | 108.9 (12) | N1—C11—C12 | 110.10 (15) |
| C11—N1—H2N | 108.1 (13) | N1—C11—H11A | 109.6 |
| C15—N1—H1N | 110.7 (11) | C12—C11—H11A | 109.6 |
| C11—N1—H1N | 109.6 (11) | N1—C11—H11B | 109.6 |
| H2N—N1—H1N | 107.3 (17) | C12—C11—H11B | 109.6 |
| C8—N2—S1 | 115.08 (11) | H11A—C11—H11B | 108.2 |
| C6—C1—C2 | 117.64 (16) | C11—C12—C13 | 110.86 (17) |
| C6—C1—C7 | 120.06 (14) | C11—C12—H12A | 109.5 |
| C2—C1—C7 | 122.27 (17) | C13—C12—H12A | 109.5 |
| C3—C2—C1 | 120.25 (19) | C11—C12—H12B | 109.5 |

supplementary materials


| | | | |
|-------------|--------------|-----------------|--------------|
| C3—C2—H2A | 119.9 | C13—C12—H12B | 109.5 |
| C1—C2—H2A | 119.9 | H12A—C12—H12B | 108.1 |
| C2—C3—C4 | 121.11 (18) | C12—C13—C14 | 110.59 (16) |
| C2—C3—H3A | 119.4 | C12—C13—H13A | 109.5 |
| C4—C3—H3A | 119.4 | C14—C13—H13A | 109.5 |
| C5—C4—C3 | 119.85 (18) | C12—C13—H13B | 109.5 |
| C5—C4—H4 | 120.1 | C14—C13—H13B | 109.5 |
| C3—C4—H4 | 120.1 | H13A—C13—H13B | 108.1 |
| C4—C5—C6 | 119.40 (19) | C15—C14—C13 | 112.54 (17) |
| C4—C5—H5 | 120.3 | C15—C14—H14A | 109.1 |
| C6—C5—H5 | 120.3 | C13—C14—H14A | 109.1 |
| C5—C6—C1 | 121.54 (16) | C15—C14—H14B | 109.1 |
| C5—C6—S1 | 122.21 (14) | C13—C14—H14B | 109.1 |
| C1—C6—S1 | 115.89 (12) | H14A—C14—H14B | 107.8 |
| O3—C7—C8 | 123.54 (15) | N1—C15—C14 | 110.74 (15) |
| O3—C7—C1 | 114.31 (15) | N1—C15—H15A | 109.5 |
| C8—C7—C1 | 122.03 (15) | C14—C15—H15A | 109.5 |
| C7—C8—N2 | 124.26 (14) | N1—C15—H15B | 109.5 |
| C7—C8—C9 | 118.70 (14) | C14—C15—H15B | 109.5 |
| N2—C8—C9 | 116.99 (14) | H15A—C15—H15B | 108.1 |
| O1—S1—N2—C8 | 165.08 (12) | C2—C1—C7—O3 | 7.3 (2) |
| O2—S1—N2—C8 | −66.84 (13) | C6—C1—C7—C8 | 9.0 (3) |
| C6—S1—N2—C8 | 45.69 (13) | C2—C1—C7—C8 | −168.87 (17) |
| C6—C1—C2—C3 | −2.0 (3) | O3—C7—C8—N2 | −177.84 (16) |
| C7—C1—C2—C3 | 175.93 (18) | C1—C7—C8—N2 | −2.0 (3) |
| C1—C2—C3—C4 | −2.0 (3) | O3—C7—C8—C9 | −0.5 (3) |
| C2—C3—C4—C5 | 3.1 (3) | C1—C7—C8—C9 | 175.28 (15) |
| C3—C4—C5—C6 | −0.1 (3) | S1—N2—C8—C7 | −29.7 (2) |
| C4—C5—C6—C1 | −4.0 (3) | S1—N2—C8—C9 | 152.98 (12) |
| C4—C5—C6—S1 | 168.73 (14) | C10—O5—C9—O4 | −0.2 (3) |
| C2—C1—C6—C5 | 5.0 (2) | C10—O5—C9—C8 | −179.11 (16) |
| C7—C1—C6—C5 | −172.97 (16) | C7—C8—C9—O4 | 0.8 (3) |
| C2—C1—C6—S1 | −168.17 (13) | N2—C8—C9—O4 | 178.31 (17) |
| C7—C1—C6—S1 | 13.8 (2) | C7—C8—C9—O5 | 179.66 (15) |
| O1—S1—C6—C5 | 28.75 (16) | N2—C8—C9—O5 | −2.8 (2) |
| O2—S1—C6—C5 | −93.61 (15) | C15—N1—C11—C12 | 59.0 (2) |
| N2—S1—C6—C5 | 147.50 (14) | N1—C11—C12—C13 | −58.6 (2) |
| O1—S1—C6—C1 | −158.11 (12) | C11—C12—C13—C14 | 55.4 (2) |
| O2—S1—C6—C1 | 79.53 (13) | C12—C13—C14—C15 | −52.5 (2) |
| N2—S1—C6—C1 | −39.36 (14) | C11—N1—C15—C14 | −55.5 (2) |
| C6—C1—C7—O3 | −174.80 (15) | C13—C14—C15—N1 | 52.2 (2) |

Hydrogen-bond geometry (\AA , $^\circ$)

| $D\cdots H$ | $D—H$ | $H\cdots A$ | $D\cdots A$ | $D—H\cdots A$ |
|-------------------------|------------|-------------|-------------|---------------|
| O3—H3—O4 | 0.82 | 1.86 | 2.577 (2) | 145 |
| N1—H1N—N2 ⁱ | 0.932 (19) | 1.951 (19) | 2.881 (2) | 175.4 (18) |
| N1—H2N—O2 ⁱⁱ | 0.87 (2) | 1.91 (2) | 2.7739 (18) | 172.4 (18) |

Symmetry codes: (i) $x, y-1, z$; (ii) $-x+1/2, y-1/2, -z+3/2$.

Fig. 1



supplementary materials

Fig. 2

