

Di- μ -nitrito- $\kappa^3O:O,O';\kappa^3O,O':O$ -bis{[2,6-bis(pyrazol-1-yl- κN^2)pyridine- κN](nitrito- κ^2O,O')cadmium(II)}

Ting Ting Sun, Lin Meng and Jing Min Shi*

Department of Chemistry, Shandong Normal University, Jinan 250014, People's Republic of China
Correspondence e-mail: shijingmin1955@yahoo.com.cn


Received 27 September 2009; accepted 30 September 2009

Key indicators: single-crystal X-ray study; $T = 298$ K; mean $\sigma(C-C) = 0.005$ Å; R factor = 0.029; wR factor = 0.076; data-to-parameter ratio = 12.8.

In the title centrosymmetric binuclear complex, $[Cd_2(NO_2)_4(C_{11}H_9N_5)_2]$, the unique Cd^{II} ion is in a distorted dodecahedral CdN_3O_5 coordination environment. The two inversion-related Cd^{II} ions are separated by 3.9920 (6) Å and are bridged by two O atoms from two nitrite ligands. There are two types of $\pi-\pi$ stacking interactions involving symmetry-related pyrazole rings, with centroid–centroid distances of 3.445 (2) and 3.431 (2) Å.


Related literature

For related structures, see: Yang & Sun (2008); Bessel *et al.* (1993).



Experimental

Crystal data



$M_r = 831.30$

Triclinic, $P\bar{1}$

$a = 7.7618$ (13) Å

$b = 9.5522$ (16) Å

$c = 10.9665$ (19) Å

$\alpha = 110.285$ (2)°

$\beta = 90.616$ (2)°

$\gamma = 112.155$ (2)°

$V = 696.9$ (2) Å³

$Z = 1$

Mo $K\alpha$ radiation

$\mu = 1.60$ mm⁻¹

$T = 298$ K

$0.32 \times 0.21 \times 0.10$ mm

Data collection

Bruker SMART APEX CCD diffractometer

Absorption correction: multi-scan (*SADABS*; Sheldrick, 1996)

$T_{\min} = 0.628$, $T_{\max} = 0.856$

3815 measured reflections
2666 independent reflections
2468 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.017$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.029$

$wR(F^2) = 0.076$

$S = 1.09$

2666 reflections

208 parameters
H-atom parameters constrained
 $\Delta\rho_{\max} = 0.56$ e Å⁻³
 $\Delta\rho_{\min} = -0.53$ e Å⁻³

Data collection: *SMART* (Bruker, 1997); cell refinement: *SAINT* (Bruker, 1997); data reduction: *SAINT*; program(s) used to solve structure: *SHELXTL* (Sheldrick, 2008); program(s) used to refine structure: *SHELXTL*; molecular graphics: *SHELXTL*; software used to prepare material for publication: *SHELXTL*.

This project was supported by the National Natural Science Foundation of China (No. 20971080).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: LH2917).

References

- Bessel, C. A., See, R. F., Jameson, D. L., Churchill, M. R. & Takeuchi, K. J. (1993). *J. Chem. Soc. Dalton Trans.* pp. 1563–1576.
Bruker (1997). *SMART* and *SAINT*. Bruker AXS Inc., Madison, Wisconsin, USA.
Sheldrick, G. M. (1996). *SADABS*. University of Göttingen, Germany.
Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.
Yang, Z. N. & Sun, T. T. (2008). *Acta Cryst. E* **64**, m1374.

supplementary materials

Acta Cryst. (2009). E65, m1318 [doi:10.1107/S1600536809039841]

Di- μ -nitrito- $\kappa^3O:O,O';\kappa^3O,O':O$ -bis{[2,6-bis(pyrazol-1-yl- κN^2)pyridine- κN](nitrito- κ^2O,O')cadmium(II)}

T. T. Sun, L. Meng and J. M. Shi

Comment

2,6-Dipyrazol-1-ylpyridine is expected be a useful tridentate ligand, but complexes with it as ligand to our knowledge are somewhat rare (e.g. Yang & Sun, 2008; Bessel et al., 1993). Our interest in complexes with 2,6-dipyrazol-1-ylpyridine as a ligand has motivated us to prepare the title complex, (I), and herein we report its crystal structure.

Fig. 1 shows the molecular structure of the title complex. Each Cd^{II} ion is coordinated by five O atoms and three N atoms in a distorted dodecahedral coordination environment (see Fig. 2). It is rare for Cd^{II} to assume this coordination mode. Fig. 1 also shows that two nitrite anions function as bridging ligands, linking two inversion related Cd^{II} ions with a separation of 3.9920 (6) Å leading to a binuclear Cd^{II} complex. In the crystal there are the strong $\pi-\pi$ stacking interactions involving the symmetry related triazole rings, with the relevant distances being Cg1···Cg2ⁱ = 3.445 (2) Å, Cg2···Cg2ⁱⁱ = 3.431 (2) Å, Cg1···Cg2ⁱ_{perp} = 3.299 Å and Cg2···Cg2ⁱⁱ_{perp} = 3.274 Å (symmetric codes: (i) -1+x, y, z; (ii) 1-x, 1-y, 2-z; Cg1 and Cg2 are the centroids of C1-C3/N1/N2; C9-C11/N4/N5 triazole rings, respectively; Cgj···Cgj_{perp} is the perpendicular distance from Cgj ring to Cgj_{perp} ring).

Experimental

10 ml dichloromethane solution of 2,6-Dipyrazol-1-ylpyridine (0.0692 g, 0.328 mmol) was added into 10 ml methanol solution containing Cd(ClO₄).6H₂O (0.0740 g, 0.176 mmol) and sodium nitrite (0.0138 g, 0.200 mmol) and the mixed soluton was stirred for a few minutes. The colorless single crystals were obtained after the filtrate had been allowed to stand at room temperature for about one month.

Refinement

All H atoms were placed in calculated positions and refined as riding with C—H = 0.93 Å, $U_{\text{iso}} = 1.2U_{\text{eq}}(\text{C})$.

Figures




Fig. 1. The molecular structure of title compound with the atom-numbering scheme. Displacement ellipsoids are drawn at the 30% probability level. Symmetry code: (i) 1 - x, 2 - y, 2 - z

supplementary materials




Fig. 2. The coordination environment of Cd^{II}

Di- μ -nitrito- κ^3 O:O,O': κ^3 O,O':O- bis{[2,6-bis(pyrazol-1-yl- κ N²)pyridine- κ N](nitrito- κ^2 O,O')cadmium(II)}

Crystal data

[Cd ₂ (NO ₂) ₄ (C ₁₁ H ₉ N ₅) ₂]	Z = 1
M _r = 831.30	F ₀₀₀ = 408
Triclinic, P <bar{1}< td=""><td>D_x = 1.981 Mg m⁻³</td></bar{1}<>	D _x = 1.981 Mg m ⁻³
Hall symbol: -P 1	Mo K α radiation, λ = 0.71073 Å
a = 7.7618 (13) Å	Cell parameters from 2504 reflections
b = 9.5522 (16) Å	θ = 2.5–27.8°
c = 10.9665 (19) Å	μ = 1.60 mm ⁻¹
α = 110.285 (2)°	T = 298 K
β = 90.616 (2)°	Block, colorless
γ = 112.155 (2)°	0.32 × 0.21 × 0.10 mm
V = 696.9 (2) Å ³	

Data collection

Bruker SMART APEX CCD diffractometer	2666 independent reflections
Radiation source: fine-focus sealed tube	2468 reflections with $I > 2\sigma(I)$
Monochromator: graphite	$R_{\text{int}} = 0.017$
T = 298 K	$\theta_{\text{max}} = 26.0^\circ$
φ and ω scans	$\theta_{\text{min}} = 2.0^\circ$
Absorption correction: multi-scan (SADABS; Sheldrick, 1996)	$h = -9 \rightarrow 9$
$T_{\text{min}} = 0.628$, $T_{\text{max}} = 0.856$	$k = -11 \rightarrow 11$
3815 measured reflections	$l = -7 \rightarrow 13$

Refinement

Refinement on F^2	Secondary atom site location: difference Fourier map
Least-squares matrix: full	Hydrogen site location: inferred from neighbouring sites
$R[F^2 > 2\sigma(F^2)] = 0.029$	H-atom parameters constrained
$wR(F^2) = 0.076$	$w = 1/[\sigma^2(F_o^2) + (0.044P)^2]$
$S = 1.09$	where $P = (F_o^2 + 2F_c^2)/3$
	$(\Delta/\sigma)_{\text{max}} = 0.002$

2666 reflections $\Delta\rho_{\max} = 0.56 \text{ e } \text{\AA}^{-3}$
 208 parameters $\Delta\rho_{\min} = -0.53 \text{ e } \text{\AA}^{-3}$
 Primary atom site location: structure-invariant direct Extinction correction: none
 methods

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
C1	-0.0700 (5)	0.7853 (5)	0.7004 (4)	0.0445 (8)
H1	-0.0364	0.8974	0.7345	0.053*
C2	-0.2364 (5)	0.6713 (5)	0.6144 (4)	0.0454 (8)
H2	-0.3315	0.6920	0.5817	0.055*
C3	-0.2301 (4)	0.5239 (5)	0.5885 (3)	0.0431 (8)
H3	-0.3207	0.4227	0.5338	0.052*
C4	0.0015 (4)	0.4386 (4)	0.6698 (3)	0.0296 (6)
C5	0.2520 (4)	0.4068 (3)	0.7464 (3)	0.0298 (6)
C6	0.1560 (4)	0.2398 (4)	0.7011 (4)	0.0405 (7)
H6	0.2125	0.1736	0.7117	0.049*
C7	-0.0287 (5)	0.1747 (4)	0.6390 (3)	0.0449 (8)
H7	-0.0984	0.0623	0.6074	0.054*
C8	-0.1103 (5)	0.2735 (4)	0.6234 (3)	0.0410 (8)
H8	-0.2350	0.2311	0.5835	0.049*
C9	0.5554 (4)	0.4211 (4)	0.8411 (3)	0.0357 (7)
H9	0.5291	0.3105	0.8142	0.043*
C10	0.7180 (4)	0.5479 (4)	0.9151 (3)	0.0373 (7)
H10	0.8247	0.5419	0.9481	0.045*
C11	0.6898 (4)	0.6888 (4)	0.9306 (3)	0.0364 (7)
H11	0.7781	0.7945	0.9778	0.044*
Cd1	0.35091 (3)	0.79984 (2)	0.84217 (2)	0.03281 (10)
N1	0.0340 (4)	0.7146 (3)	0.7277 (3)	0.0374 (6)
N2	-0.0654 (3)	0.5526 (3)	0.6580 (3)	0.0340 (6)
N3	0.1788 (3)	0.5057 (3)	0.7307 (2)	0.0290 (5)
N4	0.4388 (3)	0.4869 (3)	0.8142 (2)	0.0291 (5)
N5	0.5215 (3)	0.6530 (3)	0.8697 (2)	0.0323 (5)
N6	0.2056 (4)	0.8778 (4)	1.0874 (3)	0.0506 (7)
N7	0.4464 (4)	0.9665 (4)	0.6637 (3)	0.0485 (7)

supplementary materials

O1	0.1706 (4)	0.7339 (3)	1.0265 (3)	0.0568 (7)
O2	0.3107 (4)	0.9700 (3)	1.0329 (3)	0.0542 (7)
O3	0.3877 (4)	1.0225 (3)	0.7663 (3)	0.0506 (6)
O4	0.4610 (4)	0.8348 (3)	0.6500 (3)	0.0491 (6)

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
C1	0.0479 (19)	0.048 (2)	0.054 (2)	0.0301 (17)	0.0146 (16)	0.0260 (18)
C2	0.0422 (18)	0.062 (2)	0.048 (2)	0.0337 (17)	0.0107 (15)	0.0256 (18)
C3	0.0323 (16)	0.056 (2)	0.0377 (18)	0.0187 (16)	0.0004 (14)	0.0135 (16)
C4	0.0314 (14)	0.0328 (15)	0.0262 (14)	0.0157 (13)	0.0086 (12)	0.0100 (12)
C5	0.0325 (14)	0.0285 (14)	0.0298 (14)	0.0139 (12)	0.0074 (12)	0.0110 (12)
C6	0.0434 (18)	0.0305 (15)	0.0486 (19)	0.0162 (14)	0.0023 (15)	0.0147 (14)
C7	0.0458 (19)	0.0280 (16)	0.051 (2)	0.0087 (14)	-0.0021 (16)	0.0111 (15)
C8	0.0353 (16)	0.0388 (18)	0.0395 (18)	0.0087 (14)	-0.0009 (14)	0.0112 (15)
C9	0.0379 (16)	0.0376 (16)	0.0449 (18)	0.0231 (14)	0.0152 (14)	0.0219 (15)
C10	0.0312 (15)	0.0472 (19)	0.0455 (18)	0.0210 (14)	0.0100 (14)	0.0256 (16)
C11	0.0314 (15)	0.0367 (16)	0.0412 (17)	0.0109 (13)	0.0041 (13)	0.0182 (14)
Cd1	0.03791 (15)	0.02645 (14)	0.03535 (15)	0.01474 (11)	0.00396 (10)	0.01137 (10)
N1	0.0360 (14)	0.0340 (14)	0.0457 (16)	0.0174 (12)	0.0059 (12)	0.0158 (12)
N2	0.0312 (13)	0.0396 (14)	0.0345 (14)	0.0175 (12)	0.0061 (11)	0.0144 (12)
N3	0.0303 (12)	0.0283 (12)	0.0305 (13)	0.0138 (10)	0.0043 (10)	0.0115 (10)
N4	0.0302 (12)	0.0271 (12)	0.0338 (13)	0.0136 (10)	0.0055 (10)	0.0137 (11)
N5	0.0324 (13)	0.0262 (12)	0.0396 (14)	0.0120 (11)	0.0054 (11)	0.0138 (11)
N6	0.0513 (18)	0.0524 (19)	0.0435 (17)	0.0200 (15)	0.0137 (14)	0.0140 (15)
N7	0.0554 (18)	0.0436 (17)	0.0508 (18)	0.0175 (15)	0.0031 (15)	0.0257 (15)
O1	0.0566 (16)	0.0422 (15)	0.0591 (17)	0.0080 (13)	0.0077 (13)	0.0181 (14)
O2	0.0708 (17)	0.0338 (13)	0.0464 (14)	0.0131 (12)	0.0090 (13)	0.0108 (11)
O3	0.0584 (15)	0.0340 (12)	0.0602 (17)	0.0202 (12)	0.0044 (13)	0.0171 (12)
O4	0.0610 (16)	0.0464 (14)	0.0462 (14)	0.0291 (13)	0.0099 (12)	0.0166 (12)

Geometric parameters (\AA , $^\circ$)


C1—N1	1.320 (4)	C9—C10	1.364 (4)
C1—C2	1.395 (5)	C9—H9	0.9300
C1—H1	0.9300	C10—C11	1.397 (5)
C2—C3	1.357 (5)	C10—H10	0.9300
C2—H2	0.9300	C11—N5	1.325 (4)
C3—N2	1.364 (4)	C11—H11	0.9300
C3—H3	0.9300	Cd1—O2	2.270 (3)
C4—N3	1.330 (4)	Cd1—N5	2.345 (2)
C4—C8	1.379 (4)	Cd1—O4	2.365 (3)
C4—N2	1.413 (4)	Cd1—N3	2.434 (2)
C5—N3	1.328 (4)	Cd1—N1	2.450 (3)
C5—C6	1.376 (4)	Cd1—O3	2.464 (2)
C5—N4	1.409 (4)	Cd1—O1	2.592 (3)
C6—C7	1.385 (4)	N1—N2	1.357 (4)
C6—H6	0.9300	N4—N5	1.361 (3)

C7—C8	1.371 (5)	N6—O1	1.220 (4)
C7—H7	0.9300	N6—O2	1.277 (4)
C8—H8	0.9300	N7—O3	1.240 (4)
C9—N4	1.361 (4)	N7—O4	1.264 (4)
N1—C1—C2	111.8 (3)	O4—Cd1—N3	93.58 (9)
N1—C1—H1	124.1	O2—Cd1—N1	94.34 (10)
C2—C1—H1	124.1	N5—Cd1—N1	132.58 (9)
C3—C2—C1	105.3 (3)	O4—Cd1—N1	86.53 (9)
C3—C2—H2	127.3	N3—Cd1—N1	65.49 (8)
C1—C2—H2	127.3	O2—Cd1—O3	83.63 (9)
C2—C3—N2	106.8 (3)	N5—Cd1—O3	139.36 (9)
C2—C3—H3	126.6	O4—Cd1—O3	51.23 (9)
N2—C3—H3	126.6	N3—Cd1—O3	130.34 (8)
N3—C4—C8	124.0 (3)	N1—Cd1—O3	77.14 (8)
N3—C4—N2	113.9 (3)	O2—Cd1—O1	50.02 (9)
C8—C4—N2	122.2 (3)	N5—Cd1—O1	87.76 (9)
N3—C5—C6	123.6 (3)	O4—Cd1—O1	169.63 (9)
N3—C5—N4	114.4 (2)	N3—Cd1—O1	80.15 (8)
C6—C5—N4	122.0 (3)	N1—Cd1—O1	83.36 (9)
C5—C6—C7	117.0 (3)	O3—Cd1—O1	127.86 (9)
C5—C6—H6	121.5	C1—N1—N2	104.8 (3)
C7—C6—H6	121.5	C1—N1—Cd1	137.4 (2)
C8—C7—C6	121.0 (3)	N2—N1—Cd1	117.31 (18)
C8—C7—H7	119.5	N1—N2—C3	111.2 (3)
C6—C7—H7	119.5	N1—N2—C4	120.0 (2)
C7—C8—C4	116.8 (3)	C3—N2—C4	128.7 (3)
C7—C8—H8	121.6	C5—N3—C4	117.6 (3)
C4—C8—H8	121.6	C5—N3—Cd1	119.45 (19)
N4—C9—C10	107.1 (3)	C4—N3—Cd1	122.21 (19)
N4—C9—H9	126.4	C9—N4—N5	111.0 (2)
C10—C9—H9	126.4	C9—N4—C5	128.9 (3)
C9—C10—C11	105.3 (3)	N5—N4—C5	120.0 (2)
C9—C10—H10	127.4	C11—N5—N4	105.1 (2)
C11—C10—H10	127.4	C11—N5—Cd1	136.3 (2)
N5—C11—C10	111.5 (3)	N4—N5—Cd1	118.55 (17)
N5—C11—H11	124.2	O1—N6—O2	112.5 (3)
C10—C11—H11	124.2	O3—N7—O4	113.2 (3)
O2—Cd1—N5	114.66 (9)	N6—O1—Cd1	91.5 (2)
O2—Cd1—O4	133.53 (9)	N6—O2—Cd1	105.9 (2)
N5—Cd1—O4	97.45 (9)	N7—O3—Cd1	95.73 (19)
O2—Cd1—N3	128.85 (8)	N7—O4—Cd1	99.9 (2)
N5—Cd1—N3	67.11 (8)		
N1—C1—C2—C3	-0.3 (4)	O1—Cd1—N3—C4	83.5 (2)
C1—C2—C3—N2	0.2 (4)	C10—C9—N4—N5	-0.4 (3)
N3—C5—C6—C7	-1.7 (5)	C10—C9—N4—C5	-176.8 (3)
N4—C5—C6—C7	178.2 (3)	N3—C5—N4—C9	-176.9 (3)
C5—C6—C7—C8	0.3 (5)	C6—C5—N4—C9	3.2 (5)
C6—C7—C8—C4	1.3 (5)	N3—C5—N4—N5	7.0 (4)

supplementary materials

N3—C4—C8—C7	-1.8 (5)	C6—C5—N4—N5	-172.9 (3)
N2—C4—C8—C7	179.1 (3)	C10—C11—N5—N4	0.2 (4)
N4—C9—C10—C11	0.5 (4)	C10—C11—N5—Cd1	179.2 (2)
C9—C10—C11—N5	-0.5 (4)	C9—N4—N5—C11	0.1 (3)
C2—C1—N1—N2	0.3 (4)	C5—N4—N5—C11	176.8 (3)
C2—C1—N1—Cd1	171.8 (2)	C9—N4—N5—Cd1	-179.10 (18)
O2—Cd1—N1—C1	55.0 (4)	C5—N4—N5—Cd1	-2.4 (3)
N5—Cd1—N1—C1	-175.4 (3)	O2—Cd1—N5—C11	-56.5 (3)
O4—Cd1—N1—C1	-78.5 (3)	O4—Cd1—N5—C11	89.0 (3)
N3—Cd1—N1—C1	-174.0 (4)	N3—Cd1—N5—C11	179.8 (3)
O3—Cd1—N1—C1	-27.5 (3)	N1—Cd1—N5—C11	-178.9 (3)
O1—Cd1—N1—C1	103.8 (3)	O3—Cd1—N5—C11	53.8 (4)
O2—Cd1—N1—N2	-134.3 (2)	O1—Cd1—N5—C11	-100.0 (3)
N5—Cd1—N1—N2	-4.7 (3)	O2—Cd1—N5—N4	122.4 (2)
O4—Cd1—N1—N2	92.3 (2)	O4—Cd1—N5—N4	-92.1 (2)
N3—Cd1—N1—N2	-3.3 (2)	N3—Cd1—N5—N4	-1.34 (19)
O3—Cd1—N1—N2	143.2 (2)	N1—Cd1—N5—N4	0.1 (3)
O1—Cd1—N1—N2	-85.4 (2)	O3—Cd1—N5—N4	-127.3 (2)
C1—N1—N2—C3	-0.1 (4)	O1—Cd1—N5—N4	78.9 (2)
Cd1—N1—N2—C3	-173.6 (2)	O2—N6—O1—Cd1	-3.4 (3)
C1—N1—N2—C4	-176.7 (3)	O2—Cd1—O1—N6	2.3 (2)
Cd1—N1—N2—C4	9.8 (3)	N5—Cd1—O1—N6	127.6 (2)
C2—C3—N2—N1	-0.1 (4)	O4—Cd1—O1—N6	-112.0 (5)
C2—C3—N2—C4	176.1 (3)	N3—Cd1—O1—N6	-165.3 (2)
N3—C4—N2—N1	-12.6 (4)	N1—Cd1—O1—N6	-99.1 (2)
C8—C4—N2—N1	166.5 (3)	O3—Cd1—O1—N6	-31.1 (3)
N3—C4—N2—C3	171.5 (3)	O1—N6—O2—Cd1	4.0 (3)
C8—C4—N2—C3	-9.4 (5)	N5—Cd1—O2—N6	-66.1 (2)
C6—C5—N3—C4	1.3 (5)	O4—Cd1—O2—N6	164.6 (2)
N4—C5—N3—C4	-178.6 (2)	N3—Cd1—O2—N6	13.5 (3)
C6—C5—N3—Cd1	171.7 (3)	N1—Cd1—O2—N6	75.3 (2)
N4—C5—N3—Cd1	-8.2 (3)	O3—Cd1—O2—N6	151.8 (2)
C8—C4—N3—C5	0.6 (4)	O1—Cd1—O2—N6	-2.3 (2)
N2—C4—N3—C5	179.7 (3)	O4—N7—O3—Cd1	-1.1 (3)
C8—C4—N3—Cd1	-169.6 (2)	O2—Cd1—O3—N7	168.8 (2)
N2—C4—N3—Cd1	9.5 (3)	N5—Cd1—O3—N7	47.8 (3)
O2—Cd1—N3—C5	-98.7 (2)	O4—Cd1—O3—N7	0.71 (19)
N5—Cd1—N3—C5	5.3 (2)	N3—Cd1—O3—N7	-54.0 (2)
O4—Cd1—N3—C5	101.9 (2)	N1—Cd1—O3—N7	-95.2 (2)
N1—Cd1—N3—C5	-173.6 (2)	O1—Cd1—O3—N7	-166.11 (18)
O3—Cd1—N3—C5	141.5 (2)	O3—N7—O4—Cd1	1.2 (3)
O1—Cd1—N3—C5	-86.4 (2)	O2—Cd1—O4—N7	-17.1 (3)
O2—Cd1—N3—C4	71.3 (2)	N5—Cd1—O4—N7	-151.9 (2)
N5—Cd1—N3—C4	175.2 (2)	N3—Cd1—O4—N7	140.7 (2)
O4—Cd1—N3—C4	-88.2 (2)	N1—Cd1—O4—N7	75.6 (2)
N1—Cd1—N3—C4	-3.6 (2)	O3—Cd1—O4—N7	-0.70 (19)
O3—Cd1—N3—C4	-48.5 (3)	O1—Cd1—O4—N7	88.4 (5)

Fig. 1



supplementary materials

Fig. 2

