

Diethyl [(4-bromophenyl)(5-chloro-2-hydroxyanilino)methyl]phosphonate

V. H. H. Surendra Babu,^a M. Krishnaiah,^{a*} G. Syam Prasad,^b C. Suresh Reddy^b and Rajni Kant^c

^aDepartment of Physics, S.V. University, Tirupati 517 502, India, ^bDepartment of Chemistry, S.V. University, Tirupati 517 502, India, and ^cDepartment of Physics, University of Jammu, Jammu Tawi 180 006, India
Correspondence e-mail: profkrishnaiah.m@gmail.com


Received 11 October 2009; accepted 19 October 2009

Key indicators: single-crystal X-ray study; $T = 293\text{ K}$; mean $\sigma(\text{C}-\text{C}) = 0.006\text{ \AA}$; R factor = 0.056; wR factor = 0.140; data-to-parameter ratio = 25.9.

In the title compound, $\text{C}_{17}\text{H}_{20}\text{BrClNO}_4\text{P}$, intermolecular $\text{C}-\text{H}\cdots\text{O}$ and $\text{N}-\text{H}\cdots\text{O}$ hydrogen bonds form centrosymmetric $R_2^2(10)$ dimers linked through $\text{O}-\text{H}\cdots\text{O}$ intermolecular hydrogen bonds, which form centrosymmetric $R_2^2(16)$ dimers. All these hydrogen bonds form chains along [010]. In addition, the crystal structure is stabilized by weak $\text{C}-\text{H}\cdots\text{Br}$ hydrogen bonds. The very weak intramolecular $\text{N}-\text{H}\cdots\text{O}$ interaction forms a five-membered ring.

Related literature

For related structures, see: Krishnaiah *et al.* (2009); Yang *et al.* (2005).



Experimental

Crystal data

$\text{C}_{17}\text{H}_{20}\text{BrClNO}_4\text{P}$

$M_r = 448.66$

Triclinic, $P\bar{1}$
 $a = 7.8596 (15)\text{ \AA}$
 $b = 9.1887 (13)\text{ \AA}$
 $c = 14.425 (2)\text{ \AA}$
 $\alpha = 82.921 (13)^\circ$
 $\beta = 80.372 (15)^\circ$
 $\gamma = 70.701 (16)^\circ$

$V = 966.8 (3)\text{ \AA}^3$
 $Z = 2$
 $\text{Mo } K\alpha \text{ radiation}$
 $\mu = 2.37\text{ mm}^{-1}$
 $T = 293\text{ K}$
 $0.30 \times 0.24 \times 0.18\text{ mm}$

Data collection

Oxford Diffraction Xcalibur diffractometer
Absorption correction: multi-scan (*SADABS*; Sheldrick, 2004)
 $R_{\text{int}} = 0.031$
 $T_{\text{min}} = 0.511$, $T_{\text{max}} = 0.653$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.056$
 $wR(F^2) = 0.140$
 $S = 1.05$
5846 reflections

226 parameters
H-atom parameters constrained
 $\Delta\rho_{\text{max}} = 0.60\text{ e \AA}^{-3}$
 $\Delta\rho_{\text{min}} = -0.54\text{ e \AA}^{-3}$

Table 1
Hydrogen-bond geometry (\AA , $^\circ$).

| $D-\text{H}\cdots A$ | $D-\text{H}$ | $\text{H}\cdots A$ | $D\cdots A$ | $D-\text{H}\cdots A$ |
|-------------------------------------|--------------|--------------------|-------------|----------------------|
| N4—H4 \cdots O8 ⁱ | 0.86 | 2.47 | 3.287 (4) | 159 |
| C24—H24A \cdots O5 ⁱⁱ | 0.97 | 2.53 | 3.472 (7) | 163 |
| O8—H8 \cdots O5 ⁱ | 0.82 | 1.90 | 2.615 (4) | 145 |
| C15—H15 \cdots Br2 ⁱⁱⁱ | 0.98 | 2.99 | 3.945 (4) | 164 |
| N4—H4 \cdots O8 | 0.86 | 2.27 | 2.626 (4) | 104 |

Symmetry codes: (i) $-x, -y + 1, -z + 1$; (ii) $-x, -y, -z + 1$; (iii) $x - 1, y, z$.

Data collection: *CryAlis Pro* (Oxford Diffraction, 2007); cell refinement: *CryAlis Pro*; data reduction: *CryAlis RED* (Oxford Diffraction, 2007); program(s) used to solve structure: *SHELXS86* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ZORTEPII* (Zsolnai, 1997); software used to prepare material for publication: *PARST* (Nardelli, 1995).

MK thanks the University Grants Commission, New Delhi, for sanctioning the major research project for this work.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: HG2579).

References

- Krishnaiah, M., Surendra Babu, V. H. H., Syam Prasad, G., Suresh Reddy, C. & Puranik, V. G. (2009). *Acta Cryst. E65*, o2506–o2507.
- Nardelli, M. (1995). *J. Appl. Cryst. 28*, 659.
- Oxford Diffraction (2007). *CrysAlis Pro* and *CrysAlis RED*. Oxford Diffraction Ltd, Abingdon, Oxfordshire, England.
- Sheldrick, G. M. (2004). *SADABS*. University of Gottingen, Germany.
- Sheldrick, G. M. (2008). *Acta Cryst. A64*, 112–122.
- Yang, S., Song, B., Zhang, G. P., Jin, L.-H., Hu, D.-Y. & Xue, W. (2005). *Acta Cryst. E61*, o1662–o1664.
- Zsolnai, L. (1997). *ZORTEPII*. University of Heidelberg, Germany.

supplementary materials

Acta Cryst. (2009). E65, o2859 [doi:10.1107/S1600536809043062]

Diethyl [(4-bromophenyl)(5-chloro-2-hydroxyanilino)methyl]phosphonate

V. H. H. S. Babu, M. Krishnaiah, G. S. Prasad, C. Suresh Reddy and R. Kant

Comment

A similar co-ordination in hydrogen bonding, diethyl[(5-chloro- 2-hydroxyanilino)(4-chlorophenyl)methyl]phosphonate has been reported by us (Krishnaiah *et al.*, 2009). In continuation of our study on series of phosphonate compounds, we are now reporting the conformation of the structure of the title compound. The P=O(2) bond length is in good agreement with related structures (Krishnaiah *et al.*, 2009; Yang *et al.*, 2005). The bond angles O(2)—P(1)—O(1), O(2)—P(1)—O(3), O(2)—P(1)—C(7) are much larger than O(1)—P(1)—O(3), O(1)—P(1)—C(7), O(3)—P(1)—C(7) bond angles, indicate a distorted tetrahedral around the phosphorus atom. The planar benzene rings are nearly perpendicular to each with dihedral angle of 78.1 (1) $^{\circ}$. The P—O—C—C groups are in *trans* configuration avoiding steric interactions. The P(1)/O(1)/C(14)/C(15) group is nearly planar unlike the P(1)/O(3)/C(16)/C(17) group, the end atoms C(16)and C(17) are completely out of plane due to more thermal vibrations.

The O—H···O intermolecular hydrogen bonds act as a bridge between C—H···O intermolecular bonds, intra and intermolecular N—H···O hydrogen bonds. Here the phosphonate double bonded oxygen atom, which behaves as an acceptor participates in C—H···O intermolecular hydrogen bonding, whereas, the hydroxyl oxygen, which acts as both donor and acceptor, participates in the N—H···O intra and intermolecular hydrogen bonding. These hydrogen bond form chains along [010]. Additionally, the crystal structure is stabilized by C—H···Br hydrogen bonds.

Experimental

To a stirred solution of 2-amino-4-chlorophenol (0.72 g, 0.005 mol), 4-bromo benzaldehyde (0.005 mol) in anhydrous toluene (15 ml) was added dropwise. Stirring was continued at room temperature of 1 h. Then diethylphosphite (0.7 g, 0.005 mol) in anhydrous toluene (15 ml) was added dropwise. Stirring was continued at room temperature for another 0.5 h, later the mixture was heated under reflux for 4–6 h. After completion of reaction (monitored by TLC) and the solvent was removed under reduced pressure. The resulting residue was purified by column chromatography on silica gel using petroleum ether-ethyl acetate (8:2) as eluent. Colorless, rectangular shaped single crystals were obtained for diffraction studies using methanol by slow evaporation.

Refinement

H atoms bonded to N and O atoms were located in a difference map and refined with distance restraints of O—H = 0.82 and N—H = 0.86 Å, and with $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{N}, \text{O})$. Other H-atoms bound to carbon were positioned geometrically and refined using a riding model with d(C—H) = 0.93 Å $U_{\text{iso}}=1.2_{\text{eq}}$ (C) for aromatic, C—H = 0.980 Å $U_{\text{iso}}=1.2_{\text{eq}}$ (C) for methine, 0.97 Å $U_{\text{iso}} = 1.2_{\text{eq}}$ (C) for CH₂ group and 0.96 Å $U_{\text{iso}} = 1.5_{\text{eq}}$ (C) for CH₃ group.

supplementary materials

Figures




Fig. 1. View of the molecule showing the atom-labelling scheme. Displacement ellipsoids are drawn at the 40% probability level.




Fig. 2. Packing of the molecule in the unit cell

Diethyl [(4-bromophenyl)(5-chloro-2-hydroxyanilino)methyl]phosphonate

Crystal data

| | |
|---|--|
| C ₁₇ H ₂₀ BrClNO ₄ P | Z = 2 |
| M _r = 448.66 | F ₀₀₀ = 456 |
| Triclinic, P $\bar{1}$ | D _x = 1.541 Mg m ⁻³ |
| Hall symbol: -P 1 | Mo K α radiation, λ = 0.71073 Å |
| a = 7.8596 (15) Å | Cell parameters from 5846 reflections |
| b = 9.1887 (13) Å | θ = 3.0–30.4° |
| c = 14.425 (2) Å | μ = 2.37 mm ⁻¹ |
| α = 82.921 (13)° | T = 293 K |
| β = 80.372 (15)° | Rectangular, colorless |
| γ = 70.701 (16)° | 0.30 × 0.24 × 0.18 mm |
| V = 966.8 (3) Å ³ | |

Data collection

| | |
|--|--|
| Oxford Diffraction Xcalibur diffractometer | 5846 independent reflections |
| Radiation source: fine-focus sealed tube | 2891 reflections with $I > 2\sigma(I)$ |
| Monochromator: graphite | R_{int} = 0.031 |
| T = 293 K | θ_{max} = 30.4° |
| ω -2θ scans | θ_{min} = 3.0° |

Absorption correction: multi-scan
(SADABS; Sheldrick, 2004)
 $T_{\min} = 0.511, T_{\max} = 0.653$
12477 measured reflections

$h = -11 \rightarrow 11$
 $k = -13 \rightarrow 12$
 $l = -20 \rightarrow 20$

Refinement

| | |
|--|---|
| Refinement on F^2 | Secondary atom site location: difference Fourier map |
| Least-squares matrix: full | Hydrogen site location: inferred from neighbouring sites |
| $R[F^2 > 2\sigma(F^2)] = 0.056$ | H-atom parameters constrained |
| $wR(F^2) = 0.140$ | $w = 1/[\sigma^2(F_o^2) + (0.0511P)^2 + 0.6969P]$ where $P = (F_o^2 + 2F_c^2)/3$ |
| $S = 1.05$ | $(\Delta/\sigma)_{\max} < 0.001$ |
| 5846 reflections | $\Delta\rho_{\max} = 0.60 \text{ e \AA}^{-3}$ |
| 226 parameters | $\Delta\rho_{\min} = -0.54 \text{ e \AA}^{-3}$ |
| Primary atom site location: structure-invariant direct methods | Extinction correction: none |

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Weighted least-squares planes through the starred atoms (Nardelli, Musatti, Domiano & Andreetti Ric.Sci.(1965),15(II—A),807).
Equation of the plane: $m1*X+m2*Y+m3*Z=d$

Plane 1 $m1 = 0.92698(0.00062)$ $m2 = 0.36804(0.00155)$ $m3 = -0.07254(0.00162)$ $D = 3.47552(0.01244)$ Atom d s d/s (d/s)**2 C1 * 0.0028 0.0034 0.823 0.678 C2 * 0.0007 0.0036 0.200 0.040 C3 * -0.0059 0.0040 - 1.479 2.188 C4 * 0.0072 0.0044 1.650 2.723 C5 * -0.0013 0.0041 - 0.319 0.102 C6 * -0.0029 0.0036 - 0.820 0.672 ===== Sum((d/s)**2) for starred atoms 6.403 Chi-squared at 95% for 3 degrees of freedom: 7.81 The group of atoms does not deviate significantly from planarity

Plane 2 $m1 = -0.16802(0.00159)$ $m2 = 0.90248(0.00070)$ $m3 = -0.39660(0.00142)$ $D = 1.25137(0.01035)$ Atom d s d/s (d/s)**2 C8 * -0.0067 0.0030 - 2.243 5.033 C9 * 0.0049 0.0037 1.315 1.729 C10 * 0.0025 0.0039 0.638 0.407 C11 * -0.0045 0.0040 - 1.120 1.255 C12 * -0.0028 0.0048 - 0.589 0.347 C13 * 0.0112 0.0042 2.665 7.102 ===== Sum((d/s)**2) for starred atoms 15.874 Chi-squared at 95% for 3 degrees of freedom: 7.81 The group of atoms deviates significantly from planarity

Plane 3 $m1 = -0.36915(0.00155)$ $m2 = 0.61070(0.00101)$ $m3 = -0.70056(0.00061)$ $D = -2.91653(0.00529)$ Atom d s d/s (d/s)**2 C15 * 0.0308 0.0053 5.844 34.149 C14 * -0.5236 0.0050 - 104.869 10997.448 O1 * 0.2184 0.0026 83.495 6971.443 P1 * -0.0205 0.0009 - 21.861 477.911 O3 * 0.2076 0.0031 66.126 4372.694 C16 * -0.5226 0.0056 - 93.878 8813.083 C17 * 0.3577 0.0071 50.270 2527.044 ===== Sum((d/s)**2) for starred atoms 34193.770 Chi-squared at 95% for 4 degrees of freedom: 9.49 The group of atoms deviates significantly from planarity

supplementary materials

Plane 4 m1 = -0.94870(0.00212) m2 = 0.26578(0.00425) m3 = -0.17128(0.00538) D = -2.37887(0.01364) Atom d s d/s (d/s)**2 P1 * 0.0007 0.0011 0.612 0.374 O1 * -0.0074 0.0032 - 2.332 5.440 C14 * -0.0127 0.0062 - 2.026 4.105 C15 * 0.0198 0.0063 3.175 10.079 ===== Sum((d/s)**2) for starred atoms 19.998 Chi-squared at 95% for 1 degrees of freedom: 3.84 The group of atoms deviates significantly from planarity

Plane 5 m1 = 0.04035(0.00645) m2 = -0.93317(0.00349) m3 = 0.35715(0.00840) D = -0.00355(0.05973) Atom d s d/s (d/s)**2 P1 * -0.0057 0.0010 - 5.996 35.958 O3 * 0.0497 0.0032 15.570 242.410 C16 * 0.3855 0.0058 66.981 4486.437 C17 * -0.5407 0.0073 - 74.471 5545.978 ===== Sum((d/s)**2) for starred atoms 10310.782 Chi-squared at 95% for 1 degrees of freedom: 3.84 The group of atoms deviates significantly from planarity

Dihedral angles formed by LSQ-planes Plane - plane angle (s.u.) angle (s.u.) 1 2 78.16 (0.12) 101.84 (0.12) 1 3 86.18 (0.11) 93.82 (0.11) 1 4 39.72 (1/4) 140.28 (1/4) 1 5 70.61 (0.38) 109.39 (0.38) 2 3 27.00 (0.10) 153.00 (0.10) 2 4 62.15 (0.26) 117.85 (0.26) 2 5 7.86 (0.39) 172.14 (0.39) 3 4 50.76 (0.29) 129.24 (0.29) 3 5 33.39 (0.43) 146.61 (0.43) 4 5 69.67 (0.45) 110.33 (0.45)

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

| | x | y | z | $U_{\text{iso}}^*/U_{\text{eq}}$ |
|-----|---------------|--------------|--------------|----------------------------------|
| Br2 | 0.84116 (6) | 0.35425 (7) | 0.05533 (3) | 0.0831 (2) |
| P1 | 0.10786 (13) | 0.17964 (11) | 0.33103 (6) | 0.0449 (2) |
| Cl3 | -0.27410 (17) | 0.89126 (14) | 0.07732 (7) | 0.0780 (4) |
| C14 | -0.2049 (4) | 0.7262 (4) | 0.3792 (2) | 0.0411 (7) |
| C16 | 0.2724 (4) | 0.3699 (3) | 0.2163 (2) | 0.0376 (7) |
| N4 | 0.0040 (4) | 0.4840 (3) | 0.3349 (2) | 0.0485 (7) |
| H4 | 0.0234 | 0.4629 | 0.3927 | 0.058* |
| O8 | -0.1765 (4) | 0.6665 (3) | 0.46936 (17) | 0.0567 (7) |
| H8 | -0.2379 | 0.7304 | 0.5067 | 0.085* |
| C9 | -0.1081 (4) | 0.6286 (4) | 0.3084 (2) | 0.0382 (7) |
| C15 | 0.0895 (5) | 0.3672 (4) | 0.2688 (2) | 0.0423 (8) |
| H15 | 0.0074 | 0.3829 | 0.2217 | 0.051* |
| O5 | 0.2300 (4) | 0.1371 (3) | 0.40377 (17) | 0.0572 (7) |
| C11 | -0.2492 (5) | 0.8281 (4) | 0.1956 (3) | 0.0502 (9) |
| O6 | 0.1667 (4) | 0.0744 (3) | 0.24775 (18) | 0.0593 (7) |
| C19 | 0.6080 (5) | 0.3641 (5) | 0.1206 (3) | 0.0524 (9) |
| C10 | -0.1319 (4) | 0.6816 (4) | 0.2156 (2) | 0.0419 (8) |
| H10 | -0.0691 | 0.6189 | 0.1669 | 0.050* |
| O7 | -0.0912 (4) | 0.1837 (4) | 0.3670 (2) | 0.0753 (8) |
| C17 | 0.3277 (5) | 0.3198 (4) | 0.1277 (2) | 0.0487 (8) |
| H17 | 0.2498 | 0.2873 | 0.0994 | 0.058* |
| C13 | -0.3194 (5) | 0.8713 (4) | 0.3567 (3) | 0.0537 (9) |
| H13 | -0.3830 | 0.9349 | 0.4049 | 0.064* |
| C18 | 0.4954 (5) | 0.3157 (5) | 0.0789 (2) | 0.0538 (9) |
| H18 | 0.5308 | 0.2806 | 0.0187 | 0.065* |
| C20 | 0.5580 (6) | 0.4167 (6) | 0.2087 (3) | 0.0685 (12) |
| H20 | 0.6367 | 0.4491 | 0.2365 | 0.082* |
| C12 | -0.3424 (5) | 0.9249 (4) | 0.2649 (3) | 0.0588 (10) |
| H12 | -0.4188 | 1.0238 | 0.2503 | 0.071* |
| C21 | 0.3876 (5) | 0.4210 (5) | 0.2563 (3) | 0.0581 (10) |
| H21 | 0.3510 | 0.4587 | 0.3158 | 0.070* |

| | | | | |
|------|-------------|-------------|------------|-------------|
| C22 | 0.1764 (8) | -0.0834 (5) | 0.2531 (3) | 0.0801 (14) |
| H22A | 0.0584 | -0.0939 | 0.2786 | 0.096* |
| H22B | 0.2633 | -0.1438 | 0.2948 | 0.096* |
| C23 | 0.2321 (8) | -0.1402 (6) | 0.1596 (4) | 0.0888 (16) |
| H23A | 0.2394 | -0.2471 | 0.1633 | 0.133* |
| H23B | 0.3491 | -0.1299 | 0.1348 | 0.133* |
| H23C | 0.1447 | -0.0812 | 0.1189 | 0.133* |
| C24 | -0.1716 (7) | 0.1893 (7) | 0.4638 (4) | 0.0946 (17) |
| H24A | -0.1842 | 0.0893 | 0.4873 | 0.114* |
| H24B | -0.0929 | 0.2121 | 0.5011 | 0.114* |
| C25 | -0.3443 (8) | 0.3037 (8) | 0.4734 (5) | 0.139 (3) |
| H25A | -0.3946 | 0.3076 | 0.5388 | 0.208* |
| H25B | -0.4236 | 0.2788 | 0.4386 | 0.208* |
| H25C | -0.3319 | 0.4024 | 0.4495 | 0.208* |

Atomic displacement parameters (\AA^2)

| | U^{11} | U^{22} | U^{33} | U^{12} | U^{13} | U^{23} |
|-----|-------------|-------------|-------------|--------------|---------------|--------------|
| Br2 | 0.0512 (3) | 0.1413 (5) | 0.0571 (3) | -0.0336 (3) | -0.00024 (19) | -0.0086 (3) |
| P1 | 0.0521 (5) | 0.0414 (5) | 0.0367 (5) | -0.0119 (4) | 0.0040 (4) | -0.0078 (4) |
| Cl3 | 0.0924 (8) | 0.0726 (7) | 0.0466 (6) | 0.0013 (6) | -0.0128 (5) | 0.0068 (5) |
| C14 | 0.0396 (17) | 0.0430 (19) | 0.0380 (17) | -0.0091 (14) | -0.0025 (14) | -0.0076 (14) |
| C16 | 0.0396 (17) | 0.0295 (16) | 0.0382 (17) | -0.0026 (13) | -0.0092 (13) | -0.0004 (13) |
| N4 | 0.0571 (18) | 0.0409 (16) | 0.0337 (14) | 0.0050 (13) | -0.0057 (13) | -0.0092 (12) |
| O8 | 0.0659 (16) | 0.0500 (15) | 0.0417 (14) | 0.0012 (12) | -0.0063 (12) | -0.0128 (11) |
| C9 | 0.0331 (16) | 0.0372 (18) | 0.0404 (17) | -0.0076 (13) | 0.0013 (13) | -0.0060 (14) |
| C15 | 0.0479 (19) | 0.0409 (18) | 0.0328 (16) | -0.0046 (15) | -0.0060 (14) | -0.0085 (14) |
| O5 | 0.0761 (18) | 0.0456 (15) | 0.0406 (14) | -0.0071 (13) | -0.0073 (12) | -0.0033 (11) |
| C11 | 0.046 (2) | 0.053 (2) | 0.047 (2) | -0.0094 (17) | -0.0110 (16) | 0.0035 (17) |
| O6 | 0.0845 (19) | 0.0450 (15) | 0.0504 (15) | -0.0265 (13) | 0.0051 (13) | -0.0142 (12) |
| C19 | 0.0420 (19) | 0.065 (2) | 0.048 (2) | -0.0172 (17) | -0.0069 (16) | 0.0058 (18) |
| C10 | 0.0411 (18) | 0.0381 (18) | 0.0394 (18) | -0.0041 (14) | 0.0005 (14) | -0.0077 (14) |
| O7 | 0.0709 (19) | 0.092 (2) | 0.0655 (19) | -0.0371 (17) | 0.0143 (15) | -0.0151 (16) |
| C17 | 0.052 (2) | 0.062 (2) | 0.0355 (18) | -0.0195 (18) | -0.0062 (15) | -0.0102 (16) |
| C13 | 0.056 (2) | 0.041 (2) | 0.050 (2) | 0.0055 (17) | -0.0049 (17) | -0.0109 (16) |
| C18 | 0.054 (2) | 0.070 (3) | 0.0354 (18) | -0.0170 (19) | 0.0011 (16) | -0.0130 (17) |
| C20 | 0.061 (3) | 0.100 (3) | 0.054 (2) | -0.033 (2) | -0.007 (2) | -0.019 (2) |
| C12 | 0.056 (2) | 0.042 (2) | 0.065 (3) | 0.0038 (17) | -0.0085 (19) | -0.0071 (18) |
| C21 | 0.056 (2) | 0.079 (3) | 0.043 (2) | -0.022 (2) | -0.0002 (17) | -0.0222 (19) |
| C22 | 0.115 (4) | 0.065 (3) | 0.068 (3) | -0.048 (3) | 0.019 (3) | -0.023 (2) |
| C23 | 0.113 (4) | 0.074 (3) | 0.086 (4) | -0.040 (3) | 0.018 (3) | -0.042 (3) |
| C24 | 0.077 (3) | 0.105 (4) | 0.080 (3) | -0.023 (3) | 0.021 (3) | 0.015 (3) |
| C25 | 0.086 (4) | 0.154 (6) | 0.115 (5) | 0.015 (4) | 0.039 (4) | 0.002 (4) |

Geometric parameters (\AA , $^\circ$)

| | | | |
|---------|-----------|---------|-----------|
| Br2—C19 | 1.894 (4) | C10—H10 | 0.9300 |
| P1—O5 | 1.471 (3) | O7—C24 | 1.433 (6) |
| P1—O6 | 1.548 (3) | C17—C18 | 1.378 (5) |

supplementary materials

| | | | |
|-------------|-------------|---------------|-----------|
| P1—O7 | 1.553 (3) | C17—H17 | 0.9300 |
| P1—C15 | 1.815 (3) | C13—C12 | 1.375 (5) |
| C13—C11 | 1.755 (4) | C13—H13 | 0.9300 |
| C14—O8 | 1.372 (4) | C18—H18 | 0.9300 |
| C14—C13 | 1.375 (5) | C20—C21 | 1.389 (6) |
| C14—C9 | 1.394 (4) | C20—H20 | 0.9300 |
| C16—C17 | 1.364 (5) | C12—H12 | 0.9300 |
| C16—C21 | 1.377 (5) | C21—H21 | 0.9300 |
| C16—C15 | 1.515 (5) | C22—C23 | 1.452 (6) |
| N4—C9 | 1.379 (4) | C22—H22A | 0.9700 |
| N4—C15 | 1.440 (4) | C22—H22B | 0.9700 |
| N4—H4 | 0.8600 | C23—H23A | 0.9600 |
| O8—H8 | 0.8200 | C23—H23B | 0.9600 |
| C9—C10 | 1.388 (4) | C23—H23C | 0.9600 |
| C15—H15 | 0.9800 | C24—C25 | 1.413 (7) |
| C11—C12 | 1.367 (5) | C24—H24A | 0.9700 |
| C11—C10 | 1.385 (5) | C24—H24B | 0.9700 |
| O6—C22 | 1.420 (5) | C25—H25A | 0.9600 |
| C19—C18 | 1.358 (5) | C25—H25B | 0.9600 |
| C19—C20 | 1.365 (6) | C25—H25C | 0.9600 |
| O5—P1—O6 | 115.61 (15) | C12—C13—C14 | 121.8 (3) |
| O5—P1—O7 | 115.13 (17) | C12—C13—H13 | 119.1 |
| O6—P1—O7 | 104.18 (16) | C14—C13—H13 | 119.1 |
| O5—P1—C15 | 114.15 (16) | C19—C18—C17 | 118.7 (3) |
| O6—P1—C15 | 100.95 (15) | C19—C18—H18 | 120.7 |
| O7—P1—C15 | 105.21 (17) | C17—C18—H18 | 120.7 |
| O8—C14—C13 | 124.4 (3) | C19—C20—C21 | 118.9 (4) |
| O8—C14—C9 | 115.3 (3) | C19—C20—H20 | 120.6 |
| C13—C14—C9 | 120.3 (3) | C21—C20—H20 | 120.6 |
| C17—C16—C21 | 118.2 (3) | C11—C12—C13 | 117.8 (3) |
| C17—C16—C15 | 120.3 (3) | C11—C12—H12 | 121.1 |
| C21—C16—C15 | 121.4 (3) | C13—C12—H12 | 121.1 |
| C9—N4—C15 | 122.0 (3) | C16—C21—C20 | 120.7 (3) |
| C9—N4—H4 | 119.0 | C16—C21—H21 | 119.6 |
| C15—N4—H4 | 119.0 | C20—C21—H21 | 119.6 |
| C14—O8—H8 | 109.5 | O6—C22—C23 | 109.5 (4) |
| N4—C9—C10 | 123.9 (3) | O6—C22—H22A | 109.8 |
| N4—C9—C14 | 117.9 (3) | C23—C22—H22A | 109.8 |
| C10—C9—C14 | 118.2 (3) | O6—C22—H22B | 109.8 |
| N4—C15—C16 | 115.6 (3) | C23—C22—H22B | 109.8 |
| N4—C15—P1 | 108.2 (2) | H22A—C22—H22B | 108.2 |
| C16—C15—P1 | 110.7 (2) | C22—C23—H23A | 109.5 |
| N4—C15—H15 | 107.4 | C22—C23—H23B | 109.5 |
| C16—C15—H15 | 107.4 | H23A—C23—H23B | 109.5 |
| P1—C15—H15 | 107.4 | C22—C23—H23C | 109.5 |
| C12—C11—C10 | 122.0 (3) | H23A—C23—H23C | 109.5 |
| C12—C11—Cl3 | 119.5 (3) | H23B—C23—H23C | 109.5 |
| C10—C11—Cl3 | 118.5 (3) | C25—C24—O7 | 110.6 (5) |
| C22—O6—P1 | 126.1 (3) | C25—C24—H24A | 109.5 |

| | | | |
|----------------|------------|-----------------|------------|
| C18—C19—C20 | 121.5 (4) | O7—C24—H24A | 109.5 |
| C18—C19—Br2 | 119.0 (3) | C25—C24—H24B | 109.5 |
| C20—C19—Br2 | 119.6 (3) | O7—C24—H24B | 109.5 |
| C11—C10—C9 | 119.9 (3) | H24A—C24—H24B | 108.1 |
| C11—C10—H10 | 120.0 | C24—C25—H25A | 109.5 |
| C9—C10—H10 | 120.0 | C24—C25—H25B | 109.5 |
| C24—O7—P1 | 124.8 (3) | H25A—C25—H25B | 109.5 |
| C16—C17—C18 | 122.0 (3) | C24—C25—H25C | 109.5 |
| C16—C17—H17 | 119.0 | H25A—C25—H25C | 109.5 |
| C18—C17—H17 | 119.0 | H25B—C25—H25C | 109.5 |
| C15—N4—C9—C10 | −8.0 (5) | N4—C9—C10—C11 | 179.2 (3) |
| C15—N4—C9—C14 | 171.1 (3) | C14—C9—C10—C11 | 0.1 (5) |
| O8—C14—C9—N4 | 0.3 (4) | O5—P1—O7—C24 | 16.9 (4) |
| C13—C14—C9—N4 | −179.6 (3) | O6—P1—O7—C24 | 144.5 (4) |
| O8—C14—C9—C10 | 179.5 (3) | C15—P1—O7—C24 | −109.7 (4) |
| C13—C14—C9—C10 | −0.4 (5) | C21—C16—C17—C18 | 1.5 (5) |
| C9—N4—C15—C16 | 88.1 (4) | C15—C16—C17—C18 | −177.9 (3) |
| C9—N4—C15—P1 | −147.2 (3) | O8—C14—C13—C12 | −180.0 (4) |
| C17—C16—C15—N4 | −150.5 (3) | C9—C14—C13—C12 | −0.1 (6) |
| C21—C16—C15—N4 | 30.1 (4) | C20—C19—C18—C17 | −0.3 (6) |
| C17—C16—C15—P1 | 86.1 (3) | Br2—C19—C18—C17 | 178.5 (3) |
| C21—C16—C15—P1 | −93.3 (3) | C16—C17—C18—C19 | −0.4 (6) |
| O5—P1—C15—N4 | −65.4 (3) | C18—C19—C20—C21 | −0.2 (7) |
| O6—P1—C15—N4 | 169.9 (2) | Br2—C19—C20—C21 | −179.0 (3) |
| O7—P1—C15—N4 | 61.7 (3) | C10—C11—C12—C13 | −1.4 (6) |
| O5—P1—C15—C16 | 62.1 (3) | C13—C11—C12—C13 | 180.0 (3) |
| O6—P1—C15—C16 | −62.6 (3) | C14—C13—C12—C11 | 0.9 (6) |
| O7—P1—C15—C16 | −170.7 (2) | C17—C16—C21—C20 | −2.1 (6) |
| O5—P1—O6—C22 | 66.1 (4) | C15—C16—C21—C20 | 177.3 (4) |
| O7—P1—O6—C22 | −61.3 (4) | C19—C20—C21—C16 | 1.4 (7) |
| C15—P1—O6—C22 | −170.2 (4) | P1—O6—C22—C23 | 178.3 (3) |
| C12—C11—C10—C9 | 0.9 (6) | P1—O7—C24—C25 | 132.8 (5) |
| C13—C11—C10—C9 | 179.5 (3) | | |

Hydrogen-bond geometry (Å, °)

| <i>D</i> —H··· <i>A</i> | <i>D</i> —H | H··· <i>A</i> | <i>D</i> ··· <i>A</i> | <i>D</i> —H··· <i>A</i> |
|------------------------------|-------------|---------------|-----------------------|-------------------------|
| N4—H4···O8 ⁱ | 0.86 | 2.47 | 3.287 (4) | 159 |
| C24—H24A···O5 ⁱⁱ | 0.97 | 2.53 | 3.472 (7) | 163 |
| O8—H8···O5 ⁱ | 0.82 | 1.90 | 2.615 (4) | 145 |
| C15—H15···Br2 ⁱⁱⁱ | 0.98 | 2.99 | 3.945 (4) | 164 |
| N4—H4···O8 | 0.86 | 2.27 | 2.626 (4) | 104 |

Symmetry codes: (i) $-x, -y+1, -z+1$; (ii) $-x, -y, -z+1$; (iii) $x-1, y, z$.

supplementary materials

Fig. 1




Fig. 2

