

## Cinnamyl 2-oxo-2*H*-chromene-3-carboxylate

Cui-Lian Xu,<sup>a\*</sup> Nan Yang,<sup>b</sup> Guo-Yu Yang,<sup>a</sup> Su-Fang Fan<sup>a</sup> and Cao-Yuan Niu<sup>a</sup>

<sup>a</sup>College of Sciences, Henan Agricultural University, Zhengzhou 450002, People's Republic of China, and <sup>b</sup>College of Tobacco, Henan Agricultural University, Zhengzhou 450002, People's Republic of China  
Correspondence e-mail: xucuilian666@126.com


Received 8 October 2009; accepted 30 October 2009

Key indicators: single-crystal X-ray study;  $T = 291\text{ K}$ ; mean  $\sigma(\text{C}-\text{C}) = 0.003\text{ \AA}$ ;  $R$  factor = 0.058;  $wR$  factor = 0.147; data-to-parameter ratio = 11.9.

The title compound,  $\text{C}_{19}\text{H}_{14}\text{O}_4$ , was prepared by the reaction of 2-oxo-2*H*-chromene-3-acyl chloride with cinnamic alcohol. The whole molecule is not planar, the dihedral angle between the planes of coumarin and benzene rings being  $13.94(4)^\circ$ , but the plane of the coumarin ring and that of the ester group are almost coplanar, making a dihedral angle of  $2.9(1)^\circ$ . In the crystal structure, weak intermolecular  $\text{C}-\text{H}\cdots\text{O}$  hydrogen bonds link two molecules into dimers, and  $\pi-\pi$  stacking interactions between inversion-related rings of the coumarin groups [centroid–centroid distance  $3.8380(15)\text{ \AA}$  with a slippage of  $1.535\text{ \AA}$ ], which connect the dimers into columns extending along [010].

### Related literature

For the medicinal and biological activity of coumarins and their derivatives, see: Borges *et al.* (2005); Kontogiorgis & Hadjipavlou-Litina (2005); Gursoy & Karali (2003). For the development of coumarin derivatives as anti-HIV agents, see: Yu *et al.* (2003, 2007). For the structure of methyl 2-oxo-2*H*-chromene-3-carboxylate, see: Xu *et al.* (2009).



### Experimental

#### Crystal data

$\text{C}_{19}\text{H}_{14}\text{O}_4$

$M_r = 306.30$

Monoclinic,  $P2_1/n$   
 $a = 5.7026(11)\text{ \AA}$   
 $b = 8.2969(17)\text{ \AA}$   
 $c = 31.693(6)\text{ \AA}$   
 $\beta = 92.96(3)^\circ$   
 $V = 1497.5(5)\text{ \AA}^3$

$Z = 4$   
Mo  $K\alpha$  radiation  
 $\mu = 0.10\text{ mm}^{-1}$   
 $T = 291\text{ K}$   
 $0.20 \times 0.18 \times 0.18\text{ mm}$

#### Data collection

Rigaku R-AXIS-IV diffractometer  
Absorption correction: multi-scan (*ABSCOR*; Higashi, 1995)  
 $T_{\min} = 0.981$ ,  $T_{\max} = 0.983$   
4266 measured reflections  
2485 independent reflections  
2002 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.060$

#### Refinement

$R[F^2 > 2\sigma(F^2)] = 0.058$   
 $wR(F^2) = 0.147$   
 $S = 1.08$   
2485 reflections  
209 parameters  
H-atom parameters constrained  
 $\Delta\rho_{\max} = 0.24\text{ e \AA}^{-3}$   
 $\Delta\rho_{\min} = -0.23\text{ e \AA}^{-3}$

**Table 1**  
Hydrogen-bond geometry ( $\text{\AA}$ ,  $^\circ$ ).

| $D-\text{H}\cdots A$                           | $D-\text{H}$ | $\text{H}\cdots A$ | $D\cdots A$ | $D-\text{H}\cdots A$ |
|--|--------------|--------------------|-------------|----------------------|
| $\text{C}5-\text{H}5\text{A}\cdots\text{O}3^i$ | 0.93         | 2.54               | 3.344 (3)   | 145                  |
| $\text{C}7-\text{H}7\text{A}\cdots\text{O}3^i$ | 0.93         | 2.46               | 3.292 (3)   | 149                  |

Symmetry code: (i)  $-x + 1, -y, -z$ .

Data collection: *R-AXIS* (Rigaku, 1997); cell refinement: *R-AXIS* data reduction: *R-AXIS*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *PLATON* (Spek, 2009) and *DIAMOND* (Brandenburg, 2005); software used to prepare material for publication: *TEXSAN* (Molecular Structure Corporation & Rigaku, 2000).

This work was supported by the Natural Science Foundation of Henan Province (No. 2009A150012).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: SI2212).

### References

- Borges, F., Roleira, F., Milhazes, N., Santana, L. & Uriarte, E. (2005). *Curr. Med. Chem.* **12**, 887–916.
- Brandenburg, K. (2005). *DIAMOND*. Crystal Impact GbR, Bonn, Germany.
- Gursoy, A. & Karali, N. (2003). *Turk. J. Chem.* **27**, 545–551.
- Higashi, T. (1995). *ABSCOR*. Rigaku Corporation, Tokyo, Japan.
- Kontogiorgis, C. A. & Hadjipavlou-Litina, D. J. (2005). *J. Med. Chem.* **48**, 6400–6408.
- Molecular Structure Corporation & Rigaku (2000). *TEXSAN*. MSC, The Woodlands, Texas, USA, and Rigaku Corporation, Tokyo, Japan.
- Rigaku (1997). *R-AXIS*. Rigaku Corporation, Tokyo, Japan.
- Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.
- Spek, A. L. (2009). *Acta Cryst. D* **65**, 148–155.
- Xu, C.-L., Liu, S.-Y., Chen, G., Yang, G.-Y. & Zhao, M.-Q. (2009). *Acta Cryst. E* **65**, o2431.
- Yu, D., Morris-Natschke, S. L. & Lee, K.-H. (2007). *Med. Res. Rev.* **27**, 108–132.
- Yu, D., Suzuki, M., Xie, L., Morris-Natschke, S. L. & Lee, K. H. (2003). *Med. Res. Rev.* **23**, 322–345.

## **supplementary materials**

*Acta Cryst.* (2009). E65, o2991 [doi:10.1107/S1600536809045644]

### Cinnamyl 2-oxo-2H-chromene-3-carboxylate

**C.-L. Xu, N. Yang, G.-Y. Yang, S.-F. Fan and C.-Y. Niu**

#### Comment

The coumarins and derivatives display a wide range of biological activities, such as antiviral effect (Borges *et al.*, 2005), anti-inflammatories (Kontogiorgis & Hadjipavlou-Litina, 2005), anti-bacterials (Gursoy & Karali, 2003), and anti-proliferative properties. (Yu *et al.*, 2003; Yu *et al.*, 2007), as well as being a kind of basic flavor compounds. As part of work, we have synthesized the title compound (I) and report its crystal structure here.

The molecular structure of (I) is shown in Fig. 1. It crystallizes in the E conformation, with an C11—C12—C13—C14 torsion angle of -19.6 (3)°. The plane of the coumarin ring and that of the ester group are almost co-planar, with a small dihedral angle of 2.9 (1) °, but the coumarin ring is not coplanar with the C14-benzene ring, forming a dihedral angle of 13.94 (4)°.

There are weak intermolecular C—H···O hydrogen bonds (Table 1) that link two molecules into a dimer (Fig. 2), and  $\pi$ – $\pi$  stackings between two parallel rings [Cg1:O1, C1, C6, C7, C8, C9 and Cg2:C1<sup>i</sup> - C6<sup>i</sup>. Symmetry code:(i) -x, 1 - y, -z] with a slippage of 1.535 Å and Cg1···Cg2 distance of 3.8380 (15) Å that helps to connect dimers into columns along the b axis (Fig. 3). The perpendicular distance between the stacked coumarin rings is 3.518 Å.

#### Experimental

Compound (I) was synthesized as reported by Xu *et al.* (2009), starting from 2-oxo-2H-chromene-3-acyl chloride and cinnamic alcohol in equimolar amounts. Single crystals of the title compound suitable for X-ray diffractions were obtained by slow evaporation of a mixed solvent (ethyl acetate: petroleum ether = 1: 3, 7 ml) solution of the title compound (0.030 g).

#### Refinement

All H atoms were placed in calculated positions, with C—H= 0.93 Å, and  $U_{\text{iso}}(\text{H})=1.2U_{\text{eq}}(\text{C})$  for aromatic and vinyl H atoms; C—H=0.97 Å, and  $U_{\text{iso}}(\text{H})=1.2 U_{\text{eq}}(\text{C})$  for methylene H atoms. The final difference map had a highest peak at 0.64 Å from atom C8 and a deepest hole at 0.95 Å from atom C9, but were otherwise featureless.

#### Figures




Fig. 1. PLATON plot of (I) showing the atom numbering scheme. Displacement ellipsoids are drawn at the 30% probability level.

# supplementary materials

---




Fig. 2. Part of the crystal structure of the title compound showing weak C—H···O hydrogen bonds as dashed lines.




Fig. 3. Packing diagram of the title compound.

## Cinnamyl 2-oxo-2*H*-chromene-3-carboxylate

### Crystal data

|                                |   |
|--------------------------------|---|
| $C_{19}H_{14}O_4$              | $F_{000} = 640$   |
| $M_r = 306.30$                 | $D_x = 1.359 \text{ Mg m}^{-3}$                         |
| Monoclinic, $P2_1/n$           | Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$ |
| Hall symbol: -P 2yn            | Cell parameters from 378 reflections                    |
| $a = 5.7026 (11) \text{ \AA}$  | $\theta = 1.3\text{--}25.0^\circ$                       |
| $b = 8.2969 (17) \text{ \AA}$  | $\mu = 0.10 \text{ mm}^{-1}$                            |
| $c = 31.693 (6) \text{ \AA}$   | $T = 291 \text{ K}$                                     |
| $\beta = 92.96 (3)^\circ$      | Block, colourless                                       |
| $V = 1497.5 (5) \text{ \AA}^3$ | $0.20 \times 0.18 \times 0.18 \text{ mm}$               |
| $Z = 4$                        |   |

### Data collection

|   |  |
|---|--|
| Rigaku R-AXIS-IV diffractometer                           | 2485 independent reflections           |
| Radiation source: fine-focus sealed tube                  | 2002 reflections with $I > 2\sigma(I)$ |
| Monochromator: graphite                                   | $R_{\text{int}} = 0.060$               |
| Detector resolution: 0 pixels $\text{mm}^{-1}$            | $\theta_{\text{max}} = 25.0^\circ$     |
| $T = 291 \text{ K}$                                       | $\theta_{\text{min}} = 1.3^\circ$      |
| Oscillation frames scans                                  | $h = 0\rightarrow 6$                   |
| Absorption correction: multi-scan (ABSCOR; Higashi, 1995) | $k = -9\rightarrow 9$                  |
| $T_{\text{min}} = 0.981, T_{\text{max}} = 0.983$          | $l = -37\rightarrow 37$                |
| 4266 measured reflections                                 |  |

### Refinement

|                                 |  |
|---------------------------------|--|
| Refinement on $F^2$             | Hydrogen site location: inferred from neighbouring sites |
| Least-squares matrix: full      | H-atom parameters constrained                            |
| $R[F^2 > 2\sigma(F^2)] = 0.058$ | $w = 1/[\sigma^2(F_o^2) + (0.0708P)^2 + 0.2535P]$        |
| $wR(F^2) = 0.147$               | where $P = (F_o^2 + 2F_c^2)/3$                           |
|                                 | $(\Delta/\sigma)_{\text{max}} < 0.001$                   |

|  |   |
|--|---|
| $S = 1.08$   | $\Delta\rho_{\max} = 0.24 \text{ e } \text{\AA}^{-3}$   |
| 2485 reflections   | $\Delta\rho_{\min} = -0.22 \text{ e } \text{\AA}^{-3}$  |
| 209 parameters   | Extinction correction: SHELXL97 (Sheldrick, 2008),<br>$F_c^* = kF_c[1 + 0.001x F_c^2 \lambda^3 / \sin(2\theta)]^{-1/4}$ |
| Primary atom site location: structure-invariant direct methods | Extinction coefficient: 0.044 (4)   |
| Secondary atom site location: difference Fourier map           |   |

### Special details

**Geometry.** All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted  $R$ -factor  $wR$  and goodness of fit  $S$  are based on  $F^2$ , conventional  $R$ -factors  $R$  are based on  $F$ , with  $F$  set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating  $R$ -factors(gt) etc. and is not relevant to the choice of reflections for refinement.  $R$ -factors based on  $F^2$  are statistically about twice as large as those based on  $F$ , and  $R$ -factors based on ALL data will be even larger.

### Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )

|      | $x$         | $y$          | $z$          | $U_{\text{iso}}^*/U_{\text{eq}}$ |
|------|-------------|--------------|--------------|----------------------------------|
| O1   | -0.2090 (3) | 0.32886 (19) | 0.02988 (4)  | 0.0567 (4)                       |
| O2   | -0.1217 (3) | 0.2749 (2)   | 0.09679 (5)  | 0.0696 (5)                       |
| O3   | 0.4778 (3)  | 0.0109 (2)   | 0.06191 (4)  | 0.0638 (5)                       |
| O4   | 0.2725 (3)  | 0.09462 (19) | 0.11589 (4)  | 0.0534 (4)                       |
| C1   | -0.1652 (4) | 0.3240 (3)   | -0.01256 (6) | 0.0470 (5)                       |
| C2   | -0.3243 (4) | 0.4004 (3)   | -0.04038 (7) | 0.0621 (6)                       |
| H2A  | -0.4552     | 0.4528       | -0.0306      | 0.075*                           |
| C3   | -0.2838 (5) | 0.3967 (3)   | -0.08278 (7) | 0.0638 (7)                       |
| H3A  | -0.3886     | 0.4483       | -0.1018      | 0.077*                           |
| C4   | -0.0916 (4) | 0.3184 (3)   | -0.09790 (7) | 0.0623 (7)                       |
| H4A  | -0.0674     | 0.3179       | -0.1267      | 0.075*                           |
| C5   | 0.0644 (4)  | 0.2410 (3)   | -0.07000 (6) | 0.0557 (6)                       |
| H5A  | 0.1928      | 0.1867       | -0.0801      | 0.067*                           |
| C6   | 0.0297 (3)  | 0.2440 (2)   | -0.02644 (6) | 0.0438 (5)                       |
| C7   | 0.1821 (4)  | 0.1682 (3)   | 0.00463 (6)  | 0.0445 (5)                       |
| H7A  | 0.3137      | 0.1139       | -0.0041      | 0.053*                           |
| C8   | 0.1425 (3)  | 0.1722 (2)   | 0.04622 (6)  | 0.0421 (5)                       |
| C9   | -0.0628 (4) | 0.2578 (3)   | 0.06115 (6)  | 0.0493 (5)                       |
| C10  | 0.3154 (4)  | 0.0854 (3)   | 0.07502 (6)  | 0.0451 (5)                       |
| C11  | 0.4328 (4)  | 0.0061 (3)   | 0.14417 (6)  | 0.0581 (6)                       |
| H11A | 0.5829      | 0.0613       | 0.1468       | 0.070*                           |
| H11B | 0.4586      | -0.1009      | 0.1329       | 0.070*                           |
| C12  | 0.3306 (4)  | -0.0062 (3)  | 0.18634 (6)  | 0.0532 (6)                       |
| H12A | 0.4147      | -0.0667      | 0.2067       | 0.064*                           |
| C13  | 0.1334 (4)  | 0.0596 (3)   | 0.19788 (6)  | 0.0483 (5)                       |

## supplementary materials

---

|      |             |             |             |            |
|------|-------------|-------------|-------------|------------|
| H13A | 0.0479      | 0.1190      | 0.1775      | 0.058*     |
| C14  | 0.0349 (4)  | 0.0481 (2)  | 0.24006 (6) | 0.0448 (5) |
| C15  | -0.1666 (4) | 0.1337 (3)  | 0.24838 (7) | 0.0557 (6) |
| H15A | -0.2359     | 0.1990      | 0.2274      | 0.067*     |
| C16  | -0.2664 (4) | 0.1240 (3)  | 0.28701 (7) | 0.0643 (7) |
| H16A | -0.4015     | 0.1826      | 0.2918      | 0.077*     |
| C17  | -0.1661 (4) | 0.0276 (3)  | 0.31857 (7) | 0.0610 (7) |
| H17A | -0.2350     | 0.0190      | 0.3444      | 0.073*     |
| C18  | 0.0363 (5)  | -0.0556 (3) | 0.31136 (7) | 0.0592 (6) |
| H18A | 0.1065      | -0.1187     | 0.3327      | 0.071*     |
| C19  | 0.1365 (4)  | -0.0463 (3) | 0.27266 (6) | 0.0530 (6) |
| H19A | 0.2733      | -0.1036     | 0.2682      | 0.064*     |

*Atomic displacement parameters ( $\text{\AA}^2$ )*

|     | $U^{11}$    | $U^{22}$    | $U^{33}$    | $U^{12}$     | $U^{13}$     | $U^{23}$     |
|-----|-------------|-------------|-------------|--------------|--------------|--------------|
| O1  | 0.0587 (9)  | 0.0672 (10) | 0.0450 (8)  | 0.0205 (8)   | 0.0100 (7)   | -0.0005 (7)  |
| O2  | 0.0735 (11) | 0.0936 (13) | 0.0434 (8)  | 0.0265 (10)  | 0.0188 (8)   | -0.0040 (8)  |
| O3  | 0.0654 (10) | 0.0836 (12) | 0.0431 (8)  | 0.0282 (9)   | 0.0102 (7)   | -0.0002 (8)  |
| O4  | 0.0606 (9)  | 0.0657 (10) | 0.0341 (7)  | 0.0156 (8)   | 0.0053 (6)   | -0.0006 (7)  |
| C1  | 0.0493 (12) | 0.0461 (12) | 0.0459 (11) | 0.0017 (10)  | 0.0064 (9)   | 0.0010 (9)   |
| C2  | 0.0594 (14) | 0.0684 (16) | 0.0585 (14) | 0.0179 (12)  | 0.0030 (11)  | 0.0045 (12)  |
| C3  | 0.0639 (15) | 0.0732 (16) | 0.0535 (13) | 0.0069 (13)  | -0.0047 (11) | 0.0118 (12)  |
| C4  | 0.0654 (15) | 0.0820 (18) | 0.0397 (12) | -0.0056 (13) | 0.0043 (10)  | 0.0094 (11)  |
| C5  | 0.0543 (13) | 0.0722 (16) | 0.0412 (11) | 0.0038 (11)  | 0.0089 (10)  | 0.0023 (11)  |
| C6  | 0.0452 (12) | 0.0473 (11) | 0.0394 (10) | -0.0008 (9)  | 0.0069 (9)   | 0.0009 (9)   |
| C7  | 0.0449 (11) | 0.0473 (12) | 0.0421 (11) | 0.0058 (9)   | 0.0098 (8)   | -0.0009 (9)  |
| C8  | 0.0484 (11) | 0.0415 (11) | 0.0370 (10) | 0.0023 (9)   | 0.0078 (8)   | -0.0018 (8)  |
| C9  | 0.0527 (13) | 0.0529 (13) | 0.0428 (11) | 0.0059 (10)  | 0.0085 (9)   | -0.0026 (10) |
| C10 | 0.0494 (12) | 0.0493 (12) | 0.0374 (10) | 0.0022 (10)  | 0.0092 (9)   | -0.0028 (9)  |
| C11 | 0.0596 (14) | 0.0747 (15) | 0.0396 (11) | 0.0136 (12)  | -0.0006 (10) | -0.0011 (11) |
| C12 | 0.0599 (14) | 0.0633 (14) | 0.0360 (10) | 0.0072 (11)  | -0.0022 (9)  | 0.0020 (10)  |
| C13 | 0.0534 (13) | 0.0513 (12) | 0.0398 (10) | 0.0007 (10)  | -0.0027 (9)  | 0.0028 (9)   |
| C14 | 0.0460 (12) | 0.0469 (11) | 0.0412 (10) | -0.0055 (9)  | -0.0008 (9)  | -0.0016 (9)  |
| C15 | 0.0502 (12) | 0.0658 (14) | 0.0505 (12) | 0.0030 (11)  | -0.0015 (10) | 0.0049 (11)  |
| C16 | 0.0529 (14) | 0.0815 (18) | 0.0593 (14) | 0.0091 (13)  | 0.0096 (11)  | -0.0045 (13) |
| C17 | 0.0665 (15) | 0.0762 (17) | 0.0413 (12) | -0.0027 (13) | 0.0130 (10)  | -0.0016 (11) |
| C18 | 0.0770 (16) | 0.0593 (14) | 0.0410 (11) | 0.0070 (13)  | 0.0004 (10)  | 0.0015 (10)  |
| C19 | 0.0620 (14) | 0.0541 (13) | 0.0429 (11) | 0.0086 (11)  | 0.0017 (10)  | 0.0006 (10)  |

*Geometric parameters ( $\text{\AA}$ ,  $^\circ$ )*

|        |           |          |           |
|--------|-----------|----------|-----------|
| O1—C1  | 1.381 (2) | C8—C10   | 1.494 (3) |
| O1—C9  | 1.393 (3) | C11—C12  | 1.489 (3) |
| O2—C9  | 1.203 (2) | C11—H11A | 0.9700    |
| O3—C10 | 1.205 (2) | C11—H11B | 0.9700    |
| O4—C10 | 1.333 (2) | C12—C13  | 1.319 (3) |
| O4—C11 | 1.447 (3) | C12—H12A | 0.9300    |
| C1—C6  | 1.385 (3) | C13—C14  | 1.480 (3) |

|             |             |               |              |
|-------------|-------------|---------------|--------------|
| C1—C2       | 1.386 (3)   | C13—H13A      | 0.9300       |
| C2—C3       | 1.375 (3)   | C14—C15       | 1.388 (3)    |
| C2—H2A      | 0.9300      | C14—C19       | 1.398 (3)    |
| C3—C4       | 1.381 (4)   | C15—C16       | 1.379 (3)    |
| C3—H3A      | 0.9300      | C15—H15A      | 0.9300       |
| C4—C5       | 1.380 (3)   | C16—C17       | 1.382 (3)    |
| C4—H4A      | 0.9300      | C16—H16A      | 0.9300       |
| C5—C6       | 1.405 (3)   | C17—C18       | 1.374 (4)    |
| C5—H5A      | 0.9300      | C17—H17A      | 0.9300       |
| C6—C7       | 1.426 (3)   | C18—C19       | 1.382 (3)    |
| C7—C8       | 1.349 (3)   | C18—H18A      | 0.9300       |
| C7—H7A      | 0.9300      | C19—H19A      | 0.9300       |
| C8—C9       | 1.469 (3)   |               |              |
| C1—O1—C9    | 123.31 (16) | O4—C10—C8     | 114.69 (17)  |
| C10—O4—C11  | 115.52 (16) | O4—C11—C12    | 109.07 (18)  |
| O1—C1—C6    | 120.76 (18) | O4—C11—H11A   | 109.9        |
| O1—C1—C2    | 117.44 (19) | C12—C11—H11A  | 109.9        |
| C6—C1—C2    | 121.8 (2)   | O4—C11—H11B   | 109.9        |
| C3—C2—C1    | 118.3 (2)   | C12—C11—H11B  | 109.9        |
| C3—C2—H2A   | 120.9       | H11A—C11—H11B | 108.3        |
| C1—C2—H2A   | 120.9       | C13—C12—C11   | 126.8 (2)    |
| C2—C3—C4    | 121.7 (2)   | C13—C12—H12A  | 116.6        |
| C2—C3—H3A   | 119.1       | C11—C12—H12A  | 116.6        |
| C4—C3—H3A   | 119.1       | C12—C13—C14   | 126.4 (2)    |
| C5—C4—C3    | 119.6 (2)   | C12—C13—H13A  | 116.8        |
| C5—C4—H4A   | 120.2       | C14—C13—H13A  | 116.8        |
| C3—C4—H4A   | 120.2       | C15—C14—C19   | 117.52 (19)  |
| C4—C5—C6    | 120.2 (2)   | C15—C14—C13   | 119.69 (19)  |
| C4—C5—H5A   | 119.9       | C19—C14—C13   | 122.79 (19)  |
| C6—C5—H5A   | 119.9       | C16—C15—C14   | 121.5 (2)    |
| C1—C6—C5    | 118.45 (19) | C16—C15—H15A  | 119.2        |
| C1—C6—C7    | 117.54 (18) | C14—C15—H15A  | 119.2        |
| C5—C6—C7    | 124.00 (19) | C15—C16—C17   | 120.1 (2)    |
| C8—C7—C6    | 122.51 (18) | C15—C16—H16A  | 119.9        |
| C8—C7—H7A   | 118.7       | C17—C16—H16A  | 119.9        |
| C6—C7—H7A   | 118.7       | C18—C17—C16   | 119.4 (2)    |
| C7—C8—C9    | 120.19 (18) | C18—C17—H17A  | 120.3        |
| C7—C8—C10   | 116.55 (18) | C16—C17—H17A  | 120.3        |
| C9—C8—C10   | 123.26 (17) | C17—C18—C19   | 120.6 (2)    |
| O2—C9—O1    | 115.64 (19) | C17—C18—H18A  | 119.7        |
| O2—C9—C8    | 128.7 (2)   | C19—C18—H18A  | 119.7        |
| O1—C9—C8    | 115.68 (17) | C18—C19—C14   | 120.8 (2)    |
| O3—C10—O4   | 123.20 (19) | C18—C19—H19A  | 119.6        |
| O3—C10—C8   | 122.10 (18) | C14—C19—H19A  | 119.6        |
| C9—O1—C1—C6 | 0.9 (3)     | C7—C8—C9—O1   | 1.1 (3)      |
| C9—O1—C1—C2 | -179.7 (2)  | C10—C8—C9—O1  | -178.51 (18) |
| O1—C1—C2—C3 | -180.0 (2)  | C11—O4—C10—O3 | -1.0 (3)     |
| C6—C1—C2—C3 | -0.5 (4)    | C11—O4—C10—C8 | 177.69 (18)  |

## supplementary materials

---


|              |             |                 |              |
|--------------|-------------|-----------------|--------------|
| C1—C2—C3—C4  | 0.5 (4)     | C7—C8—C10—O3    | -2.4 (3)     |
| C2—C3—C4—C5  | 0.2 (4)     | C9—C8—C10—O3    | 177.2 (2)    |
| C3—C4—C5—C6  | -1.0 (4)    | C7—C8—C10—O4    | 178.87 (18)  |
| O1—C1—C6—C5  | 179.21 (19) | C9—C8—C10—O4    | -1.5 (3)     |
| C2—C1—C6—C5  | -0.2 (3)    | C10—O4—C11—C12  | -166.07 (19) |
| O1—C1—C6—C7  | -0.2 (3)    | O4—C11—C12—C13  | -3.8 (3)     |
| C2—C1—C6—C7  | -179.6 (2)  | C11—C12—C13—C14 | -179.2 (2)   |
| C4—C5—C6—C1  | 1.0 (3)     | C12—C13—C14—C15 | 175.4 (2)    |
| C4—C5—C6—C7  | -179.7 (2)  | C12—C13—C14—C19 | -4.5 (3)     |
| C1—C6—C7—C8  | -0.1 (3)    | C19—C14—C15—C16 | -1.2 (3)     |
| C5—C6—C7—C8  | -179.4 (2)  | C13—C14—C15—C16 | 178.8 (2)    |
| C6—C7—C8—C9  | -0.4 (3)    | C14—C15—C16—C17 | 0.0 (4)      |
| C6—C7—C8—C10 | 179.19 (19) | C15—C16—C17—C18 | 1.4 (4)      |
| C1—O1—C9—O2  | 178.6 (2)   | C16—C17—C18—C19 | -1.5 (4)     |
| C1—O1—C9—C8  | -1.4 (3)    | C17—C18—C19—C14 | 0.2 (4)      |
| C7—C8—C9—O2  | -178.9 (2)  | C15—C14—C19—C18 | 1.1 (3)      |
| C10—C8—C9—O2 | 1.5 (4)     | C13—C14—C19—C18 | -178.9 (2)   |

*Hydrogen-bond geometry (Å, °)*

| <i>D</i> —H··· <i>A</i>  | <i>D</i> —H | H··· <i>A</i> | <i>D</i> ··· <i>A</i> | <i>D</i> —H··· <i>A</i> |
|--------------------------|-------------|---------------|-----------------------|-------------------------|
| C5—H5A···O3 <sup>i</sup> | 0.93        | 2.54          | 3.344 (3)             | 145                     |
| C7—H7A···O3 <sup>i</sup> | 0.93        | 2.46          | 3.292 (3)             | 149                     |

Symmetry codes: (i) -*x*+1, -*y*, -*z*.

Fig. 1



## **supplementary materials**

---

**Fig. 2**




Fig. 3

