

$\beta = 100.23(1)^\circ$   
 $V = 2332.7(5)\text{ \AA}^3$   
 $Z = 8$   
Cu  $K\alpha$  radiation

$\mu = 12.58\text{ mm}^{-1}$   
 $T = 299\text{ K}$   
 $0.28 \times 0.13 \times 0.08\text{ mm}$

## 2,2,2-Tribromo-N-(3-methylphenyl)-acetamide

B. Thimme Gowda,<sup>a\*</sup> Sabine Foro,<sup>b</sup> P. A. Suchetan<sup>a</sup> and Hartmut Fuess<sup>b</sup>

<sup>a</sup>Department of Chemistry, Mangalore University, Mangalagangotri 574 199, Mangalore, India, and <sup>b</sup>Institute of Materials Science, Darmstadt University of Technology, Petersenstrasse 23, D-64287 Darmstadt, Germany  
Correspondence e-mail: gowdab@yahoo.com


Received 19 November 2009; accepted 24 November 2009

Key indicators: single-crystal X-ray study;  $T = 299\text{ K}$ ; mean  $\sigma(\text{C}-\text{C}) = 0.017\text{ \AA}$ ;  $R$  factor = 0.080;  $wR$  factor = 0.249; data-to-parameter ratio = 16.3.

The asymmetric unit of the title compound,  $C_9H_8Br_3NO$ , contains two independent molecules. The conformation of the N–H bond is *anti* to the 3-methyl substituent in the benzene ring in each molecule. The structure shows both intramolecular N–H···Br and intermolecular N–H···O hydrogen bonding, the latter leading to the formation of helical supramolecular chains along the  $b$  axis.

### Related literature

For preparation of the compound, see: Gowda *et al.* (2003). For our study of the effect of ring and side-chain substituents on the solid-state structures of *N*-aromatic amides, see: Gowda *et al.* (2007a,b, 2009). For the structures of other amides, see: Brown (1966).



### Experimental

#### Crystal data

$C_9H_8Br_3NO$

$M_r = 385.89$

Monoclinic,  $P2_1/n$

$a = 11.360(1)\text{ \AA}$   
 $b = 10.280(1)\text{ \AA}$   
 $c = 20.298(3)\text{ \AA}$

#### Data collection

Enraf–Nonius CAD-4 diffractometer  
Absorption correction:  $\psi$  scan (North *et al.*, 1968)  
 $T_{\min} = 0.127$ ,  $T_{\max} = 0.433$

4358 measured reflections  
4147 independent reflections  
2939 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.059$

#### Refinement

$R[F^2 > 2\sigma(F^2)] = 0.080$   
 $wR(F^2) = 0.249$   
 $S = 1.04$   
4147 reflections

255 parameters  
H-atom parameters constrained  
 $\Delta\rho_{\text{max}} = 1.60\text{ e \AA}^{-3}$   
 $\Delta\rho_{\text{min}} = -1.66\text{ e \AA}^{-3}$

**Table 1**  
Hydrogen-bond geometry ( $\text{\AA}$ ,  $^\circ$ ).

| $D-\text{H}\cdots A$      | $D-\text{H}$ | $\text{H}\cdots A$ | $D\cdots A$ | $D-\text{H}\cdots A$ |
|---------------------------|--------------|--------------------|-------------|----------------------|
| N1–H1N···O2 <sup>i</sup>  | 0.86         | 2.21               | 3.005 (11)  | 153                  |
| N1–H1N···Br1              | 0.86         | 2.60               | 3.068 (8)   | 115                  |
| N2–H2N···O1 <sup>ii</sup> | 0.86         | 2.11               | 2.886 (11)  | 150                  |
| N2–H2N···Br6              | 0.86         | 2.61               | 3.100 (8)   | 117                  |

Symmetry codes: (i)  $-x + 1, -y + 1, -z$ ; (ii)  $-x + 1, -y, -z$ .

Data collection: CAD-4-PC (Enraf–Nonius, 1996); cell refinement: CAD-4-PC; data reduction: REDU4 (Stoe & Cie, 1987); program(s) used to solve structure: SHELXS97 (Sheldrick, 2008); program(s) used to refine structure: SHELXL97 (Sheldrick, 2008); molecular graphics: PLATON (Spek, 2009); software used to prepare material for publication: SHELXL97.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: TK2583).

### References

- Brown, C. J. (1966). *Acta Cryst.* **21**, 442–445.
- Enraf–Nonius (1996). CAD-4-PC. Enraf–Nonius, Delft, The Netherlands.
- Gowda, B. T., Foro, S., Suchetan, P. A. & Fuess, H. (2009). *Acta Cryst. E65*, o2226.
- Gowda, B. T., Kozisek, J., Svoboda, I. & Fuess, H. (2007a). *Z. Naturforsch. Teil A*, **62**, 91–100.
- Gowda, B. T., Kozisek, J., Tokarčík, M. & Fuess, H. (2007b). *Acta Cryst. E63*, o2073–o2074.
- Gowda, B. T., Usha, K. M. & Jayalakshmi, K. L. (2003). *Z. Naturforsch. Teil A*, **58**, 801–806.
- North, A. C. T., Phillips, D. C. & Mathews, F. S. (1968). *Acta Cryst. A24*, 351–359.
- Sheldrick, G. M. (2008). *Acta Cryst. A64*, 112–122.
- Spek, A. L. (2009). *Acta Cryst. D65*, 148–155.
- Stoe & Cie (1987). REDU4. Stoe & Cie GmbH, Darmstadt, Germany.

## **supplementary materials**

*Acta Cryst.* (2009). E65, o3242 [doi:10.1107/S160053680905048X]

## 2,2,2-Tribromo-N-(3-methylphenyl)acetamide

B. T. Gowda, S. Foro, P. A. Suchetan and H. Fuess

### Comment

As part of a study of the effect of the ring and the side-chain substituents on the solid-state structures of *N*-aromatic amides (Gowda *et al.*, 2007*a, b*, 2009), in the present work, the structure of *N*-(3-methylphenyl)2,2,2-tribromoacetamide (**I**) has been determined (Fig. 1). The asymmetric unit of the structure contains two independent molecules. The conformation of the N—H bond is *anti* to the 3-methyl substituent in the benzene ring in each molecule, similar to that observed in *N*-(3-methylphenyl)2,2,2-trichloroacetamide (Gowda *et al.*, 2007*a*) and *N*-(3-methylphenyl)2,2,2-trimethylacetamide (Gowda *et al.*, 2007*b*). Further, the conformation of the N—H bond in the structure is *anti* to the C=O bond in the side-chain, similar to that observed in *N*-(phenyl)2,2,2-tribromoacetamide (Gowda *et al.*, 2009) and other amides (Brown, 1966; Gowda *et al.*, 2007*a,b*). The structure of (**I**) shows both the intramolecular N—H···Br and intermolecular N—H···O hydrogen bonding, Table 1. The packing diagram showing the hydrogen bonds (Table 1) and the supramolecular chains parallel to the *b* axis is shown in Fig. 2.

### Experimental

The title compound was prepared from *m*-toluidine, tribromoacetic acid and phosphorylchloride according to the literature method (Gowda *et al.*, 2003). Single crystals of (**I**) were obtained by the slow evaporation of its petroleum ether solution at room temperature.

### Refinement

The H atoms were positioned with idealized geometry using a riding model with N—H = 0.86 Å and C—H = 0.93–0.96 Å, and with  $U_{\text{iso}} = 1.2U_{\text{eq}}$ (carrier atom).

The residual electron-density features are located in the regions of Br2 and Br1. The highest peak was 0.84 Å from Br2 and the deepest hole was 0.99 Å from Br1.

### Figures




Fig. 1. Molecular structures of the two independent molecules of (**I**), showing the atom labelling scheme. Displacement ellipsoids are drawn at the 50% probability level and H atoms are represented as small spheres of arbitrary radii.

## supplementary materials

---




Fig. 2. Molecular packing in (I) with hydrogen bonds shown as dashed lines.

### 2,2,2-Tribromo-N-(3-methylphenyl)acetamide

#### Crystal data

|  |  |
|--|--|
| C <sub>9</sub> H <sub>8</sub> Br <sub>3</sub> NO | F(000) = 1456                                  |
| M <sub>r</sub> = 385.89                          | D <sub>x</sub> = 2.198 Mg m <sup>-3</sup>      |
| Monoclinic, P2 <sub>1</sub> /n                   | Cu K $\alpha$ radiation, $\lambda$ = 1.54180 Å |
| Hall symbol: -P 2yn                              | Cell parameters from 25 reflections            |
| $a$ = 11.360 (1) Å                               | $\theta$ = 4.9–20.6°                           |
| $b$ = 10.280 (1) Å                               | $\mu$ = 12.58 mm <sup>-1</sup>                 |
| $c$ = 20.298 (3) Å                               | T = 299 K                                      |
| $\beta$ = 100.23 (1)°                            | Rod, colourless                                |
| $V$ = 2332.7 (5) Å <sup>3</sup>                  | 0.28 × 0.13 × 0.08 mm                          |
| Z = 8  |  |

#### Data collection

|   |  |
|---|--|
| Enraf–Nonius CAD-4 diffractometer                               | 2939 reflections with $I > 2\sigma(I)$                     |
| Radiation source: fine-focus sealed tube                        | $R_{\text{int}} = 0.059$                                   |
| graphite  | $\theta_{\max} = 67.0^\circ$ , $\theta_{\min} = 4.2^\circ$ |
| $\omega/2\theta$ scans  | $h = -13 \rightarrow 1$                                    |
| Absorption correction: $\psi$ scan (North <i>et al.</i> , 1968) | $k = -12 \rightarrow 0$                                    |
| $T_{\min} = 0.127$ , $T_{\max} = 0.433$                         | $l = -23 \rightarrow 24$                                   |
| 4358 measured reflections                                       | 3 standard reflections every 3 min                         |
| 4147 independent reflections                                    | intensity decay: 1.0%                                      |

#### Refinement

|                                 |  |
|---------------------------------|--|
| Refinement on $F^2$             | Primary atom site location: structure-invariant direct methods |
| Least-squares matrix: full      | Secondary atom site location: difference Fourier map           |
| $R[F^2 > 2\sigma(F^2)] = 0.080$ | Hydrogen site location: inferred from neighbouring sites       |
| $wR(F^2) = 0.249$               | H-atom parameters constrained                                  |
| $S = 1.04$                      | $w = 1/[\sigma^2(F_o^2) + (0.1741P)^2 + 2.28P]$                |
|                                 | where $P = (F_o^2 + 2F_c^2)/3$                                 |

|                  |  |
|------------------|--|
| 4147 reflections | $(\Delta/\sigma)_{\max} < 0.001$               |
| 255 parameters   | $\Delta\rho_{\max} = 1.60 \text{ e \AA}^{-3}$  |
| 0 restraints     | $\Delta\rho_{\min} = -1.66 \text{ e \AA}^{-3}$ |

*Special details*

**Geometry.** All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted  $R$ -factor  $wR$  and goodness of fit  $S$  are based on  $F^2$ , conventional  $R$ -factors  $R$  are based on  $F$ , with  $F$  set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating  $R$ -factors(gt) etc. and is not relevant to the choice of reflections for refinement.  $R$ -factors based on  $F^2$  are statistically about twice as large as those based on  $F$ , and  $R$ -factors based on ALL data will be even larger.

*Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )*

|     | $x$          | $y$          | $z$         | $U_{\text{iso}}^*/U_{\text{eq}}$ |
|-----|--------------|--------------|-------------|----------------------------------|
| C1  | 0.6706 (9)   | 0.5084 (11)  | -0.0373 (5) | 0.042 (2)                        |
| C2  | 0.6595 (10)  | 0.4132 (11)  | -0.0870 (5) | 0.049 (3)                        |
| H2  | 0.7156       | 0.3465       | -0.0832     | 0.059*                           |
| C3  | 0.5676 (11)  | 0.4153 (13)  | -0.1414 (6) | 0.059 (3)                        |
| C4  | 0.4854 (11)  | 0.5134 (15)  | -0.1451 (7) | 0.068 (3)                        |
| H4  | 0.4246       | 0.5196       | -0.1822     | 0.082*                           |
| C5  | 0.4922 (13)  | 0.6036 (15)  | -0.0939 (8) | 0.078 (4)                        |
| H5  | 0.4324       | 0.6660       | -0.0959     | 0.094*                           |
| C6  | 0.5834 (11)  | 0.6036 (12)  | -0.0409 (7) | 0.060 (3)                        |
| H6  | 0.5874       | 0.6663       | -0.0076     | 0.072*                           |
| C7  | 0.8238 (9)   | 0.4032 (9)   | 0.0454 (5)  | 0.038 (2)                        |
| C8  | 0.9316 (9)   | 0.4273 (9)   | 0.1025 (5)  | 0.041 (2)                        |
| C9  | 0.5614 (13)  | 0.3160 (14)  | -0.1948 (6) | 0.068 (4)                        |
| H9A | 0.5043       | 0.2503       | -0.1886     | 0.082*                           |
| H9B | 0.6387       | 0.2768       | -0.1928     | 0.082*                           |
| H9C | 0.5373       | 0.3565       | -0.2377     | 0.082*                           |
| Br1 | 1.01398 (11) | 0.58885 (12) | 0.09396 (6) | 0.0534 (4)                       |
| Br2 | 0.86902 (12) | 0.42753 (12) | 0.18531 (5) | 0.0544 (4)                       |
| Br3 | 1.04582 (12) | 0.28886 (14) | 0.10312 (7) | 0.0645 (4)                       |
| N1  | 0.7674 (7)   | 0.5085 (8)   | 0.0170 (4)  | 0.0396 (18)                      |
| H1N | 0.7923       | 0.5829       | 0.0332      | 0.047*                           |
| O1  | 0.7944 (8)   | 0.2926 (7)   | 0.0314 (4)  | 0.055 (2)                        |
| C10 | 0.1952 (9)   | -0.0100 (10) | 0.0500 (5)  | 0.041 (2)                        |
| C11 | 0.2737 (10)  | 0.0681 (10)  | 0.0959 (5)  | 0.047 (2)                        |
| H11 | 0.3299       | 0.1209       | 0.0808      | 0.056*                           |
| C12 | 0.2665 (13)  | 0.0654 (12)  | 0.1619 (5)  | 0.060 (3)                        |
| C13 | 0.1874 (14)  | -0.0199 (13) | 0.1849 (6)  | 0.070 (4)                        |
| H13 | 0.1880       | -0.0289      | 0.2305      | 0.084*                           |
| C14 | 0.1082 (14)  | -0.0910 (12) | 0.1392 (7)  | 0.068 (4)                        |

## supplementary materials

---

|      |              |               |              |             |
|------|--------------|---------------|--------------|-------------|
| H14  | 0.0501       | -0.1408       | 0.1543       | 0.082*      |
| C15  | 0.1128 (12)  | -0.0905 (11)  | 0.0720 (6)   | 0.056 (3)   |
| H15  | 0.0619       | -0.1428       | 0.0422       | 0.067*      |
| C16  | 0.2210 (9)   | 0.0901 (9)    | -0.0539 (5)  | 0.041 (2)   |
| C17  | 0.2661 (11)  | 0.0687 (11)   | -0.1209 (6)  | 0.051 (3)   |
| C18  | 0.3472 (14)  | 0.1501 (18)   | 0.2107 (7)   | 0.084 (5)   |
| H18A | 0.3064       | 0.2295        | 0.2174       | 0.101*      |
| H18B | 0.4184       | 0.1696        | 0.1933       | 0.101*      |
| H18C | 0.3682       | 0.1052        | 0.2526       | 0.101*      |
| Br4  | 0.22259 (14) | 0.21315 (14)  | -0.17949 (7) | 0.0697 (5)  |
| Br5  | 0.44004 (14) | 0.05889 (19)  | -0.09624 (9) | 0.0877 (6)  |
| Br6  | 0.21012 (18) | -0.08796 (14) | -0.16568 (7) | 0.0792 (5)  |
| N2   | 0.2067 (9)   | -0.0130 (8)   | -0.0181 (4)  | 0.047 (2)   |
| H2N  | 0.2041       | -0.0876       | -0.0375      | 0.056*      |
| O2   | 0.2111 (8)   | 0.2020 (7)    | -0.0359 (4)  | 0.0539 (19) |

### Atomic displacement parameters ( $\text{\AA}^2$ )

|     | $U^{11}$    | $U^{22}$    | $U^{33}$    | $U^{12}$    | $U^{13}$   | $U^{23}$    |
|-----|-------------|-------------|-------------|-------------|------------|-------------|
| C1  | 0.043 (5)   | 0.053 (6)   | 0.031 (5)   | 0.005 (5)   | 0.007 (4)  | 0.005 (4)   |
| C2  | 0.041 (5)   | 0.068 (7)   | 0.035 (5)   | 0.000 (5)   | 0.002 (4)  | 0.003 (5)   |
| C3  | 0.052 (6)   | 0.083 (9)   | 0.041 (6)   | -0.015 (6)  | 0.009 (5)  | 0.008 (6)   |
| C4  | 0.051 (7)   | 0.089 (10)  | 0.059 (8)   | -0.008 (7)  | -0.006 (6) | 0.007 (7)   |
| C5  | 0.064 (8)   | 0.084 (10)  | 0.083 (11)  | 0.020 (8)   | 0.000 (7)  | 0.020 (8)   |
| C6  | 0.056 (7)   | 0.052 (7)   | 0.070 (8)   | -0.010 (5)  | 0.007 (6)  | 0.005 (6)   |
| C7  | 0.046 (5)   | 0.037 (5)   | 0.031 (5)   | 0.005 (4)   | 0.007 (4)  | 0.004 (4)   |
| C8  | 0.048 (6)   | 0.043 (5)   | 0.030 (5)   | 0.001 (4)   | 0.003 (4)  | 0.002 (4)   |
| C9  | 0.083 (9)   | 0.087 (9)   | 0.033 (6)   | -0.020 (7)  | 0.007 (6)  | -0.004 (6)  |
| Br1 | 0.0538 (7)  | 0.0568 (7)  | 0.0478 (7)  | -0.0096 (5) | 0.0043 (5) | -0.0019 (5) |
| Br2 | 0.0668 (8)  | 0.0680 (8)  | 0.0295 (6)  | 0.0008 (6)  | 0.0110 (5) | 0.0026 (5)  |
| Br3 | 0.0608 (8)  | 0.0645 (8)  | 0.0660 (8)  | 0.0231 (6)  | 0.0057 (6) | 0.0021 (6)  |
| N1  | 0.036 (4)   | 0.035 (4)   | 0.045 (5)   | -0.001 (3)  | 0.000 (3)  | 0.002 (3)   |
| O1  | 0.078 (5)   | 0.037 (4)   | 0.043 (4)   | -0.003 (4)  | -0.009 (4) | -0.003 (3)  |
| C10 | 0.057 (6)   | 0.036 (5)   | 0.031 (5)   | 0.013 (4)   | 0.010 (4)  | 0.003 (4)   |
| C11 | 0.055 (6)   | 0.052 (6)   | 0.033 (5)   | 0.014 (5)   | 0.005 (4)  | 0.002 (4)   |
| C12 | 0.080 (8)   | 0.070 (8)   | 0.026 (5)   | 0.020 (6)   | -0.004 (5) | -0.004 (5)  |
| C13 | 0.110 (11)  | 0.067 (8)   | 0.037 (6)   | 0.019 (8)   | 0.029 (7)  | -0.001 (6)  |
| C14 | 0.108 (11)  | 0.050 (7)   | 0.059 (8)   | -0.007 (7)  | 0.051 (8)  | 0.004 (5)   |
| C15 | 0.077 (8)   | 0.048 (6)   | 0.046 (6)   | -0.003 (6)  | 0.024 (6)  | -0.010 (5)  |
| C16 | 0.052 (6)   | 0.042 (5)   | 0.028 (5)   | 0.000 (4)   | 0.006 (4)  | -0.007 (4)  |
| C17 | 0.058 (7)   | 0.055 (6)   | 0.043 (6)   | 0.001 (5)   | 0.016 (5)  | 0.005 (5)   |
| C18 | 0.086 (10)  | 0.118 (13)  | 0.042 (7)   | 0.010 (9)   | -0.007 (7) | -0.016 (8)  |
| Br4 | 0.0915 (10) | 0.0705 (9)  | 0.0531 (8)  | 0.0183 (7)  | 0.0289 (7) | 0.0263 (6)  |
| Br5 | 0.0563 (8)  | 0.1225 (15) | 0.0868 (12) | 0.0133 (8)  | 0.0192 (8) | 0.0250 (10) |
| Br6 | 0.1327 (15) | 0.0674 (9)  | 0.0405 (7)  | -0.0189 (8) | 0.0231 (8) | -0.0114 (6) |
| N2  | 0.072 (6)   | 0.035 (4)   | 0.035 (4)   | -0.001 (4)  | 0.015 (4)  | -0.003 (3)  |
| O2  | 0.079 (5)   | 0.033 (4)   | 0.050 (4)   | 0.003 (4)   | 0.013 (4)  | 0.002 (3)   |

*Geometric parameters (Å, °)*

|            |            |             |            |
|------------|------------|-------------|------------|
| C1—C6      | 1.385 (16) | C10—C15     | 1.382 (16) |
| C1—C2      | 1.394 (15) | C10—N2      | 1.411 (12) |
| C1—N1      | 1.412 (12) | C10—C11     | 1.419 (15) |
| C2—C3      | 1.379 (16) | C11—C12     | 1.357 (15) |
| C2—H2      | 0.9300     | C11—H11     | 0.9300     |
| C3—C4      | 1.367 (19) | C12—C13     | 1.39 (2)   |
| C3—C9      | 1.482 (17) | C12—C18     | 1.503 (18) |
| C4—C5      | 1.38 (2)   | C13—C14     | 1.38 (2)   |
| C4—H4      | 0.9300     | C13—H13     | 0.9300     |
| C5—C6      | 1.354 (18) | C14—C15     | 1.373 (16) |
| C5—H5      | 0.9300     | C14—H14     | 0.9300     |
| C6—H6      | 0.9300     | C15—H15     | 0.9300     |
| C7—O1      | 1.205 (12) | C16—O2      | 1.218 (12) |
| C7—N1      | 1.336 (12) | C16—N2      | 1.311 (13) |
| C7—C8      | 1.548 (14) | C16—C17     | 1.553 (14) |
| C8—Br3     | 1.925 (10) | C17—Br6     | 1.902 (12) |
| C8—Br1     | 1.929 (10) | C17—Br4     | 1.912 (11) |
| C8—Br2     | 1.938 (10) | C17—Br5     | 1.953 (12) |
| C9—H9A     | 0.9600     | C18—H18A    | 0.9600     |
| C9—H9B     | 0.9600     | C18—H18B    | 0.9600     |
| C9—H9C     | 0.9600     | C18—H18C    | 0.9600     |
| N1—H1N     | 0.8600     | N2—H2N      | 0.8600     |
| C6—C1—C2   | 119.0 (10) | C15—C10—N2  | 119.4 (9)  |
| C6—C1—N1   | 119.4 (10) | C15—C10—C11 | 120.6 (10) |
| C2—C1—N1   | 121.5 (9)  | N2—C10—C11  | 119.9 (10) |
| C3—C2—C1   | 121.8 (11) | C12—C11—C10 | 119.7 (12) |
| C3—C2—H2   | 119.1      | C12—C11—H11 | 120.1      |
| C1—C2—H2   | 119.1      | C10—C11—H11 | 120.1      |
| C4—C3—C2   | 117.9 (12) | C11—C12—C13 | 119.9 (12) |
| C4—C3—C9   | 121.7 (12) | C11—C12—C18 | 120.2 (14) |
| C2—C3—C9   | 120.4 (12) | C13—C12—C18 | 119.8 (12) |
| C3—C4—C5   | 120.5 (12) | C14—C13—C12 | 119.3 (11) |
| C3—C4—H4   | 119.8      | C14—C13—H13 | 120.3      |
| C5—C4—H4   | 119.8      | C12—C13—H13 | 120.3      |
| C6—C5—C4   | 121.9 (13) | C15—C14—C13 | 122.0 (12) |
| C6—C5—H5   | 119.1      | C15—C14—H14 | 119.0      |
| C4—C5—H5   | 119.1      | C13—C14—H14 | 119.0      |
| C5—C6—C1   | 118.8 (13) | C14—C15—C10 | 118.1 (11) |
| C5—C6—H6   | 120.6      | C14—C15—H15 | 120.9      |
| C1—C6—H6   | 120.6      | C10—C15—H15 | 120.9      |
| O1—C7—N1   | 124.8 (9)  | O2—C16—N2   | 124.8 (9)  |
| O1—C7—C8   | 118.5 (8)  | O2—C16—C17  | 117.3 (9)  |
| N1—C7—C8   | 116.6 (8)  | N2—C16—C17  | 117.6 (9)  |
| C7—C8—Br3  | 109.2 (6)  | C16—C17—Br6 | 113.8 (7)  |
| C7—C8—Br1  | 113.8 (6)  | C16—C17—Br4 | 110.2 (7)  |
| Br3—C8—Br1 | 107.4 (5)  | Br6—C17—Br4 | 109.5 (6)  |

## supplementary materials

---


|              |             |                 |             |
|--------------|-------------|-----------------|-------------|
| C7—C8—Br2    | 106.6 (7)   | C16—C17—Br5     | 105.0 (7)   |
| Br3—C8—Br2   | 110.2 (5)   | Br6—C17—Br5     | 108.4 (6)   |
| Br1—C8—Br2   | 109.6 (5)   | Br4—C17—Br5     | 109.7 (6)   |
| C3—C9—H9A    | 109.5       | C12—C18—H18A    | 109.5       |
| C3—C9—H9B    | 109.5       | C12—C18—H18B    | 109.5       |
| H9A—C9—H9B   | 109.5       | H18A—C18—H18B   | 109.5       |
| C3—C9—H9C    | 109.5       | C12—C18—H18C    | 109.5       |
| H9A—C9—H9C   | 109.5       | H18A—C18—H18C   | 109.5       |
| H9B—C9—H9C   | 109.5       | H18B—C18—H18C   | 109.5       |
| C7—N1—C1     | 125.7 (9)   | C16—N2—C10      | 124.5 (8)   |
| C7—N1—H1N    | 117.1       | C16—N2—H2N      | 117.7       |
| C1—N1—H1N    | 117.1       | C10—N2—H2N      | 117.7       |
| C6—C1—C2—C3  | 3.6 (17)    | C15—C10—C11—C12 | -1.1 (16)   |
| N1—C1—C2—C3  | -177.6 (10) | N2—C10—C11—C12  | -176.5 (10) |
| C1—C2—C3—C4  | -1.0 (17)   | C10—C11—C12—C13 | 4.1 (17)    |
| C1—C2—C3—C9  | 177.3 (10)  | C10—C11—C12—C18 | -178.5 (11) |
| C2—C3—C4—C5  | -3(2)       | C11—C12—C13—C14 | -7(2)       |
| C9—C3—C4—C5  | 178.9 (12)  | C18—C12—C13—C14 | 175.8 (13)  |
| C3—C4—C5—C6  | 4(2)        | C12—C13—C14—C15 | 7(2)        |
| C4—C5—C6—C1  | -2(2)       | C13—C14—C15—C10 | -4(2)       |
| C2—C1—C6—C5  | -2.3 (18)   | N2—C10—C15—C14  | 176.3 (11)  |
| N1—C1—C6—C5  | 178.9 (11)  | C11—C10—C15—C14 | 0.9 (17)    |
| O1—C7—C8—Br3 | 33.1 (12)   | O2—C16—C17—Br6  | -151.8 (9)  |
| N1—C7—C8—Br3 | -149.3 (7)  | N2—C16—C17—Br6  | 34.1 (13)   |
| O1—C7—C8—Br1 | 153.1 (8)   | O2—C16—C17—Br4  | -28.4 (13)  |
| N1—C7—C8—Br1 | -29.2 (11)  | N2—C16—C17—Br4  | 157.5 (8)   |
| O1—C7—C8—Br2 | -86.0 (10)  | O2—C16—C17—Br5  | 89.7 (10)   |
| N1—C7—C8—Br2 | 91.6 (9)    | N2—C16—C17—Br5  | -84.4 (10)  |
| O1—C7—N1—C1  | -5.2 (17)   | O2—C16—N2—C10   | -9.8 (18)   |
| C8—C7—N1—C1  | 177.3 (9)   | C17—C16—N2—C10  | 163.8 (10)  |
| C6—C1—N1—C7  | 146.8 (11)  | C15—C10—N2—C16  | 139.2 (11)  |
| C2—C1—N1—C7  | -32.0 (15)  | C11—C10—N2—C16  | -45.4 (15)  |

### Hydrogen-bond geometry ( $\text{\AA}$ , $^\circ$ )

| $D\text{—H}\cdots A$      | $D\text{—H}$ | $H\cdots A$ | $D\cdots A$ | $D\text{—H}\cdots A$ |
|---------------------------|--------------|-------------|-------------|----------------------|
| N1—H1N···O2 <sup>i</sup>  | 0.86         | 2.21        | 3.005 (11)  | 153                  |
| N1—H1N···Br1              | 0.86         | 2.60        | 3.068 (8)   | 115                  |
| N2—H2N···O1 <sup>ii</sup> | 0.86         | 2.11        | 2.886 (11)  | 150                  |
| N2—H2N···Br6              | 0.86         | 2.61        | 3.100 (8)   | 117                  |

Symmetry codes: (i)  $-x+1, -y+1, -z$ ; (ii)  $-x+1, -y, -z$ .

Fig. 1



## supplementary materials

---

Fig. 2

