

(2*E*)-*N'*-Benzoyl-3-(4-nitrophenyl)prop-2-enohydrazide

Samir A. Carvalho,^{a,b} Edson F. da Silva,^b Marcus V. N. de Souza,^b Edward R. T. Tiekkink,^{c*} James L. Wardell^{d,f} and Solange M. S. V. Wardell^e

^aInstituto de Química, Universidade Federal do Rio de Janeiro, 21949-900 Rio de Janeiro, RJ, Brazil, ^bDepartamento de Síntese Orgânica, Instituto de Tecnologia em Fármacos FIOCRUZ, Manguinhos, Rua Sizenando Nabuco 100, Manguinhos, 21041-250 Rio de Janeiro, RJ, Brazil, ^cDepartment of Chemistry, University of Malaya, 50603 Kuala Lumpur, Malaysia, ^dCentro de Desenvolvimento Tecnológico em Saúde (CDTS), Fundação Oswaldo Cruz (FIOCRUZ), Casa Amarela, Campus de Manguinhos, Av. Brasil 4365, 21040-900 Rio de Janeiro, RJ, Brazil, and ^eCHEMSOL, 1 Harcourt Road, Aberdeen AB15 5NY, Scotland
Correspondence e-mail: edward.tiekkink@gmail.com


Received 9 December 2009; accepted 11 December 2009

Key indicators: single-crystal X-ray study; $T = 120\text{ K}$; mean $\sigma(\text{C}-\text{C}) = 0.002\text{ \AA}$; R factor = 0.043; wR factor = 0.127; data-to-parameter ratio = 14.8.

In the title compound, $\text{C}_{16}\text{H}_{13}\text{N}_3\text{O}_4$, the dihedral angle between the terminal benzene rings is $14.02(7)^\circ$. The carbonyl groups are *anti* with respect to each other, which facilitates their participation in the formation of supramolecular chains. Each side of the $-\text{C}(=\text{O})\text{N}(\text{H})\text{N}(\text{H})\text{C}(=\text{O})-$ residue associates with a centrosymmetrically related molecule, resulting in the formation of essentially flat ten-membered $\{\cdots\text{O}=\text{CNN}(\text{H})\}_2$ synthons. The resultant chains are further consolidated in the crystal structure *via* $\text{C}-\text{H}\cdots\text{O}$ contacts.

Related literature

For background to the biological activity of *trans*-cinnamic acid derivatives, see: Bezerra *et al.* (2006); Chung & Shin (2007); Naz *et al.* (2006). For background to the development of hydrazide derivatives for biological evaluation, see: Carvalho *et al.* (2008, 2009).



* Additional correspondence author, e-mail: j.wardell@abdn.ac.uk.

Experimental

Crystal data

$\text{C}_{16}\text{H}_{13}\text{N}_3\text{O}_4$	$\gamma = 91.728(2)^\circ$
$M_r = 311.29$	$V = 693.35(4)\text{ \AA}^3$
Triclinic, $P\bar{1}$	$Z = 2$
$a = 6.8263(2)\text{ \AA}$	Mo $K\alpha$ radiation
$b = 9.6483(3)\text{ \AA}$	$\mu = 0.11\text{ mm}^{-1}$
$c = 10.8571(3)\text{ \AA}$	$T = 120\text{ K}$
$\alpha = 95.535(2)^\circ$	$0.50 \times 0.40 \times 0.20\text{ mm}$
$\beta = 102.701(2)^\circ$	

Data collection

Nonius KappaCCD diffractometer	15199 measured reflections
Absorption correction: multi-scan (<i>SADABS</i> ; Sheldrick, 2007)	3157 independent reflections
$T_{\min} = 0.664$, $T_{\max} = 0.746$	2495 reflections with $I > 2\sigma(I)$
	$R_{\text{int}} = 0.047$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.043$	H atoms treated by a mixture of independent and constrained refinement
$wR(F^2) = 0.127$	$\Delta\rho_{\text{max}} = 0.31\text{ e \AA}^{-3}$
$S = 1.06$	$\Delta\rho_{\text{min}} = -0.31\text{ e \AA}^{-3}$
3157 reflections	
214 parameters	
2 restraints	

Table 1
Hydrogen-bond geometry (\AA , $^\circ$).

$D-\text{H}\cdots\text{A}$	$D-\text{H}$	$\text{H}\cdots\text{A}$	$D\cdots\text{A}$	$D-\text{H}\cdots\text{A}$
$\text{N}2-\text{H}2\text{n}\cdots\text{O}4$	0.88 (1)	2.27 (1)	2.6470 (16)	106 (1)
$\text{N}2-\text{H}2\text{n}\cdots\text{O}4^{\text{i}}$	0.88 (1)	2.05 (1)	2.8721 (15)	155 (1)
$\text{N}3-\text{H}3\text{n}\cdots\text{O}3$	0.88 (1)	2.35 (1)	2.6687 (15)	101 (1)
$\text{N}3-\text{H}3\text{n}\cdots\text{O}3^{\text{ii}}$	0.88 (1)	2.07 (1)	2.9269 (15)	165 (1)
$\text{C}12-\text{H}12\cdots\text{O}4^{\text{iii}}$	0.95	2.56	3.4257 (18)	151
$\text{C}14-\text{H}14\cdots\text{O}1^{\text{iv}}$	0.95	2.58	3.2851 (19)	132

Symmetry codes: (i) $-x + 1, -y + 1, -z + 1$; (ii) $-x + 1, -y, -z + 1$; (iii) $-x + 2, -y + 1, -z + 1$; (iv) $x + 2, y, z - 1$.

Data collection: *COLLECT* (Hooft, 1998); cell refinement: *DENZO* (Otwinowski & Minor, 1997) and *COLLECT*; data reduction: *DENZO* and *COLLECT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3* (Farrugia, 1997) and *DIAMOND* (Brandenburg, 2006); software used to prepare material for publication: *pubCIF* (Westrip, 2009).

The use of the EPSRC X-ray crystallographic service at the University of Southampton, England and the valuable assistance of the staff there is gratefully acknowledged. JLW acknowledges support from CAPES (Brazil).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: HB5278).

References

- Bezerra, D. P., Castro, F. O., Alves, A. P. N. N., Pessoa, C., Moraes, M. O., Silveira, E. R., Lima, M. A. S., Elmiro, F. J. M. & Costa-Lotufo, L. V. (2006). *Braz. J. Med. Biol. Res.* **39**, 801-807.
- Brandenburg, K. (2006). *DIAMOND*. Crystal Impact GbR, Bonn, Germany.
- Carvalho, S. R., da Silva, E. F., de Souza, M. V. N., Lourenço, M. C. S. & Vicente, F. R. (2008). *Bioorg. Med. Chem. Lett.* **18**, 538-541.
- Carvalho, S. A., da Silva, E. F., Tiekkink, E. R. T., Wardell, J. L. & Wardell, S. M. S. V. (2009). *Acta Cryst. E65*, o3118.
- Chung, H. S. & Shin, J. C. (2007). *Food Chem.* **104**, 1670-1677.

- Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.
- Hooft, R. W. W. (1998). COLLECT. Nonius BV, Delft, The Netherlands.
- Naz, S., Ahmad, S., Rasool, S. A., Sayeed, S. A. & Siddiqi, R. (2006). *Microb. Res.* **161**, 43-48.
- Otwinowski, Z. & Minor, W. (1997). *Methods in Enzymology*, Vol. 276, *Macromolecular Crystallography*, Part A, edited by C. W. Carter Jr & R. M. Sweet, pp. 307–326. New York: Academic Press.
- Sheldrick, G. M. (2007). SADABS. Bruker AXS Inc., Madison, Wisconsin, USA.
- Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.
- Westrip, S. P. (2009). publCIF. In preparation.

supplementary materials

Acta Cryst. (2010). E66, o150-o151 [doi:10.1107/S1600536809053379]

(2E)-N'-Benzoyl-3-(4-nitrophenyl)prop-2-enohydrazide

S. A. Carvalho, E. F. da Silva, M. V. N. de Souza, E. R. T. Tiekink, J. L. Wardell and S. M. S. V. Wardell

Comment

Tuberculosis (TB) remains among the world's great public health challenges. Worldwide resurgence of TB is due to two major problems: the AIDS epidemic, which started in the mid-1980 s, and the outbreak of multi-drug resistant (MDR) TB (Bezerra *et al.*, 2006; Chung & Shin 2007; Naz *et al.*, 2006). In connection with on-going studies designed to generate novel therapeutic anti-malarial agents, we recently described a new class of isonicotinic and benzoic acid *N'*-(3-phenyl-acryloyl)-hydrazide derivatives as attractive anti-tubercular agents (Carvalho *et al.*, 2008). Allied with these investigations are structural studies: the structure of *N'*-[(2E)-3-phenylprop-2-enoyl]benzohydrazide was recently reported by us (Carvalho *et al.*, 2009) and now we report the structure of title compound, (I).

The molecular structure of (I), Fig. 1, shows small but significant deviations from co-planarity. Thus, the central moiety is essentially planar as seen in the sequence of C1–C7–C8–C9, C7–C8–C9–N2 and C9–N2–N3–C10 torsion angles of 175.50 (12), 173.72 (12) and 172.40 (12) °, respectively. However, the terminal amide-bound benzene ring is significantly twisted out of the plane of the remaining molecule: the N3–C10–C11–C12 torsion angle = -153.50 (13) °. This contrasts the co-planarity of the nitro-substituted benzene ring: the C2–C1–C7–C8 torsion angle = -179.69 (13) °. However the nitro group is twisted out of the plane of the benzene ring to which it is attached: the O1–N1–C4–C3 torsion angle is -17.9 (2) °. The overall twist in the molecule is reflected in the dihedral angle formed between the benzene rings of 14.02 (7) °. The conformation about the C7=C8 bond [1.3360 (19) Å] is *E*. The carbonyl groups are *anti* with respect to each other, a conformation that allows their participation in the stabilization of supramolecular chains. Each side of the –C(=O)N(H)N(H)C(=O)–residue associates with a centrosymmetrically related molecule resulting in the formation of essentially flat ten-membered {…O=CNN(H)}₂ synthons, Fig. 2 and Table 1. The overall topology of the chain orientation along the *b* axis is flat. The N–H…O hydrogen bonds are not linear as might be expected owing to the presence of weaker intramolecular N–H…O contacts, Table 1. Supramolecular chains are connected into a layer motif *via* C_{phenyl}–H…O_{nitro} contacts, Fig. 3 and Table 1. It is assumed that the twist of the nitro group from the plane of the benzene ring (see above) arises to optimize this contact. These supramolecular arrays are linked into the three-dimensional structure *via* C_{phenyl}–H…O_{carbonyl} interactions, Fig. 4 and Table 1.

Experimental

4-Nitrophenyl (2*E*)-3-(4-nitrophenyl)-2-propenoate (2 g), prepared by successive treatments of *trans*-4-nitrocinnamic acid with thionyl chloride and 4-nitrophenol, was added to a solution of PhCONHNH₂ (1.1 equiv.) in pyridine (40 ml). After refluxing the reaction mixture for 6 h, the pyridine was removed under vacuum and H₂O (20 ml) was added. The precipitate was collected, washed with H₂O (yield 80%) and recrystallized from EtOH to yield orange blocks of (I), m.pt. 551–552 K.

¹H NMR (500.00 MHz, DMSO-d₆) δ: 7.00 (1*H*, d, J = 16.0 Hz), 7.61 (3*H*, m), 7.74 (1*H*, d, J = 16.0 Hz), 7.96 (2*H*, d, J = 7.5

supplementary materials

Hz), 7.99 (2H, d, J = 8.5 Hz), 8.36 (2H, d, J = 8.5 Hz), 10.55 (1H, s, NH), 10.71 (1H, s, NH) p.p.m.. ^{13}C NMR (125 MHz, DMSO-d₆) δ : 166.02, 164.06, 147.67, 140.73, 138.35, 132.09, 131.88, 128.81, 128.54, 127.30, 123.99, 123.14 p.p.m.

Refinement

The C-bound H atoms were geometrically placed ($\text{C}-\text{H} = 0.95 \text{ \AA}$) and refined as riding with $U_{iso}(\text{H}) = 1.2U_{eq}(\text{C})$. The N-H atoms were located in a difference map and refined with the distance restraint $\text{N}-\text{H} = 0.88 \pm 0.01$ and with $U_{iso}(\text{H}) = 1.2U_{eq}(\text{N})$.

Figures




Fig. 1. The molecular structure of (I) showing displacement ellipsoids at the 50% probability level.




Fig. 2. A view of the supramolecular chain in (I) mediated by $\text{N}-\text{H}\cdots\text{O}$ hydrogen bonding (orange dashed lines). Colour code: O, red; N, blue; C, grey; and H, green.




Fig. 3. A view of the supramolecular array in (I) with $\text{N}-\text{H}\cdots\text{O}$ hydrogen bonding and $\text{C}-\text{H}\cdots\text{N}$ contacts shown as orange and blue dashed lines, respectively. Colour code: O, red; N, blue; C, grey; and H, green.



Fig. 4. A view of the stacking of layers (illustrated in Fig. 3) in (I) with the $\text{C}-\text{H}\cdots\text{O}$ contacts shown as green dashed lines. Colour code: O, red; N, blue; C, grey; and H, green.

(2E)-N¹-Benzoyl-3-(4-nitrophenyl)prop-2-enohydrazide

Crystal data

$\text{C}_{16}\text{H}_{13}\text{N}_3\text{O}_4$
 $M_r = 311.29$
Triclinic, $P\bar{1}$
Hall symbol: -P 1
 $a = 6.8263 (2) \text{ \AA}$
 $b = 9.6483 (3) \text{ \AA}$
 $c = 10.8571 (3) \text{ \AA}$
 $\alpha = 95.535 (2)^\circ$
 $\beta = 102.701 (2)^\circ$
 $\gamma = 91.728 (2)^\circ$

$Z = 2$
 $F(000) = 324$
 $D_x = 1.491 \text{ Mg m}^{-3}$
 $\text{Mo } K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$
Cell parameters from 7821 reflections
 $\theta = 2.9\text{--}27.5^\circ$
 $\mu = 0.11 \text{ mm}^{-1}$
 $T = 120 \text{ K}$
Block, orange
 $0.50 \times 0.40 \times 0.20 \text{ mm}$

$V = 693.35 (4) \text{ \AA}^3$

Data collection

Nonius KappaCCD diffractometer	3157 independent reflections
Radiation source: Enraf Nonius FR591 rotating anode	2495 reflections with $I > 2\sigma(I)$
10 cm confocal mirrors	$R_{\text{int}} = 0.047$
Detector resolution: 9.091 pixels mm ⁻¹	$\theta_{\text{max}} = 27.5^\circ, \theta_{\text{min}} = 3.0^\circ$
φ and ω scans	$h = -8 \rightarrow 8$
Absorption correction: multi-scan (<i>SADABS</i> ; Sheldrick, 2007)	$k = -12 \rightarrow 12$
$T_{\text{min}} = 0.664, T_{\text{max}} = 0.746$	$l = -14 \rightarrow 13$
15199 measured reflections	

Refinement

Refinement on F^2	Primary atom site location: structure-invariant direct methods
Least-squares matrix: full	Secondary atom site location: difference Fourier map
$R[F^2 > 2\sigma(F^2)] = 0.043$	Hydrogen site location: inferred from neighbouring sites
$wR(F^2) = 0.127$	H atoms treated by a mixture of independent and constrained refinement
$S = 1.06$	$w = 1/[\sigma^2(F_o^2) + (0.0687P)^2 + 0.1871P]$ where $P = (F_o^2 + 2F_c^2)/3$
3157 reflections	$(\Delta/\sigma)_{\text{max}} < 0.001$
214 parameters	$\Delta\rho_{\text{max}} = 0.31 \text{ e \AA}^{-3}$
2 restraints	$\Delta\rho_{\text{min}} = -0.31 \text{ e \AA}^{-3}$

Special details

Geometry. All s.u.'s (except the s.u. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell s.u.'s are taken into account individually in the estimation of s.u.'s in distances, angles and torsion angles; correlations between s.u.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell s.u.'s is used for estimating s.u.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > 2\sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
O1	-0.61174 (17)	0.25925 (13)	1.01283 (12)	0.0338 (3)
O2	-0.39300 (16)	0.42685 (11)	1.10137 (10)	0.0231 (3)
O3	0.30141 (14)	0.06073 (10)	0.52732 (10)	0.0185 (2)

supplementary materials

O4	0.68693 (15)	0.44415 (10)	0.44917 (10)	0.0214 (3)
N1	-0.45702 (18)	0.33067 (13)	1.01817 (12)	0.0203 (3)
N2	0.44535 (17)	0.27625 (12)	0.53463 (11)	0.0154 (3)
H2N	0.444 (2)	0.3677 (10)	0.5437 (15)	0.018*
N3	0.56991 (17)	0.22492 (12)	0.45712 (11)	0.0155 (3)
H3N	0.585 (2)	0.1348 (10)	0.4560 (15)	0.019*
C1	-0.1035 (2)	0.22612 (15)	0.75127 (13)	0.0150 (3)
C2	-0.2558 (2)	0.13309 (15)	0.76568 (13)	0.0180 (3)
H2	-0.2777	0.0448	0.7166	0.022*
C3	-0.3753 (2)	0.16829 (16)	0.85096 (14)	0.0204 (3)
H3	-0.4784	0.1048	0.8610	0.024*
C4	-0.3414 (2)	0.29731 (15)	0.92086 (13)	0.0169 (3)
C5	-0.1974 (2)	0.39458 (15)	0.90566 (14)	0.0191 (3)
H5	-0.1808	0.4843	0.9523	0.023*
C6	-0.0783 (2)	0.35802 (15)	0.82096 (14)	0.0194 (3)
H6	0.0219	0.4232	0.8099	0.023*
C7	0.0287 (2)	0.17919 (14)	0.66696 (13)	0.0153 (3)
H7	0.0028	0.0869	0.6258	0.018*
C8	0.1816 (2)	0.25341 (14)	0.64252 (13)	0.0160 (3)
H8	0.2078	0.3484	0.6764	0.019*
C9	0.3096 (2)	0.18722 (14)	0.56259 (13)	0.0142 (3)
C10	0.6883 (2)	0.31779 (14)	0.41785 (13)	0.0149 (3)
C11	0.8125 (2)	0.25900 (14)	0.33038 (13)	0.0151 (3)
C12	0.9921 (2)	0.33116 (15)	0.32771 (14)	0.0180 (3)
H12	1.0378	0.4122	0.3850	0.022*
C13	1.1038 (2)	0.28350 (16)	0.24048 (15)	0.0220 (3)
H13	1.2270	0.3312	0.2393	0.026*
C14	1.0350 (2)	0.16644 (16)	0.15541 (15)	0.0241 (3)
H14	1.1097	0.1358	0.0946	0.029*
C15	0.8579 (2)	0.09389 (16)	0.15851 (15)	0.0248 (3)
H15	0.8125	0.0130	0.1010	0.030*
C16	0.7471 (2)	0.14018 (15)	0.24624 (14)	0.0197 (3)
H16	0.6261	0.0904	0.2487	0.024*

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
O1	0.0268 (6)	0.0377 (7)	0.0412 (7)	-0.0068 (5)	0.0216 (5)	-0.0036 (6)
O2	0.0277 (6)	0.0234 (6)	0.0190 (5)	0.0054 (4)	0.0076 (4)	-0.0003 (4)
O3	0.0205 (5)	0.0113 (5)	0.0255 (5)	0.0010 (4)	0.0099 (4)	0.0008 (4)
O4	0.0240 (5)	0.0109 (5)	0.0323 (6)	0.0005 (4)	0.0144 (5)	-0.0002 (4)
N1	0.0190 (6)	0.0233 (7)	0.0209 (6)	0.0034 (5)	0.0092 (5)	0.0024 (5)
N2	0.0185 (6)	0.0106 (6)	0.0209 (6)	0.0027 (5)	0.0125 (5)	0.0007 (5)
N3	0.0173 (6)	0.0114 (6)	0.0208 (6)	0.0021 (5)	0.0111 (5)	0.0007 (5)
C1	0.0144 (6)	0.0171 (7)	0.0145 (6)	0.0026 (5)	0.0040 (5)	0.0032 (5)
C2	0.0181 (7)	0.0159 (7)	0.0198 (7)	-0.0014 (5)	0.0059 (6)	-0.0013 (5)
C3	0.0169 (7)	0.0218 (7)	0.0239 (7)	-0.0040 (6)	0.0090 (6)	0.0005 (6)
C4	0.0147 (7)	0.0207 (7)	0.0169 (7)	0.0028 (5)	0.0069 (5)	0.0013 (6)

C5	0.0212 (7)	0.0151 (7)	0.0219 (7)	0.0009 (6)	0.0079 (6)	-0.0012 (6)
C6	0.0192 (7)	0.0166 (7)	0.0250 (7)	-0.0014 (5)	0.0107 (6)	0.0020 (6)
C7	0.0156 (7)	0.0149 (7)	0.0156 (7)	0.0021 (5)	0.0042 (5)	0.0013 (5)
C8	0.0182 (7)	0.0127 (7)	0.0185 (7)	0.0031 (5)	0.0069 (5)	0.0010 (5)
C9	0.0133 (6)	0.0142 (7)	0.0154 (6)	0.0008 (5)	0.0037 (5)	0.0023 (5)
C10	0.0148 (6)	0.0131 (7)	0.0173 (7)	0.0008 (5)	0.0046 (5)	0.0019 (5)
C11	0.0174 (7)	0.0139 (7)	0.0168 (6)	0.0039 (5)	0.0077 (5)	0.0048 (5)
C12	0.0176 (7)	0.0166 (7)	0.0210 (7)	0.0011 (5)	0.0059 (6)	0.0034 (6)
C13	0.0185 (7)	0.0237 (8)	0.0282 (8)	0.0039 (6)	0.0119 (6)	0.0088 (6)
C14	0.0312 (8)	0.0234 (8)	0.0244 (8)	0.0090 (6)	0.0182 (7)	0.0063 (6)
C15	0.0373 (9)	0.0172 (7)	0.0228 (7)	0.0019 (6)	0.0133 (7)	0.0003 (6)
C16	0.0232 (7)	0.0159 (7)	0.0223 (7)	-0.0008 (6)	0.0104 (6)	0.0022 (6)

Geometric parameters (\AA , $^\circ$)

O1—N1	1.2309 (16)	C5—H5	0.9500
O2—N1	1.2282 (16)	C6—H6	0.9500
O3—C9	1.2392 (16)	C7—C8	1.3360 (19)
O4—C10	1.2346 (16)	C7—H7	0.9500
N1—C4	1.4695 (17)	C8—C9	1.4784 (18)
N2—C9	1.3469 (17)	C8—H8	0.9500
N2—N3	1.3914 (16)	C10—C11	1.4905 (18)
N2—H2N	0.879 (9)	C11—C16	1.3913 (19)
N3—C10	1.3490 (18)	C11—C12	1.399 (2)
N3—H3N	0.878 (9)	C12—C13	1.394 (2)
C1—C2	1.3974 (19)	C12—H12	0.9500
C1—C6	1.402 (2)	C13—C14	1.388 (2)
C1—C7	1.4717 (18)	C13—H13	0.9500
C2—C3	1.3884 (19)	C14—C15	1.387 (2)
C2—H2	0.9500	C14—H14	0.9500
C3—C4	1.379 (2)	C15—C16	1.391 (2)
C3—H3	0.9500	C15—H15	0.9500
C4—C5	1.386 (2)	C16—H16	0.9500
C5—C6	1.3834 (19)		
O2—N1—O1	123.49 (12)	C1—C7—H7	116.8
O2—N1—C4	118.41 (11)	C7—C8—C9	119.74 (13)
O1—N1—C4	118.09 (12)	C7—C8—H8	120.1
C9—N2—N3	118.46 (11)	C9—C8—H8	120.1
C9—N2—H2N	125.6 (11)	O3—C9—N2	121.75 (12)
N3—N2—H2N	114.0 (11)	O3—C9—C8	124.24 (12)
C10—N3—N2	117.73 (11)	N2—C9—C8	113.95 (12)
C10—N3—H3N	126.1 (11)	O4—C10—N3	121.47 (12)
N2—N3—H3N	114.1 (11)	O4—C10—C11	122.51 (12)
C2—C1—C6	118.84 (12)	N3—C10—C11	115.96 (12)
C2—C1—C7	118.38 (13)	C16—C11—C12	119.75 (13)
C6—C1—C7	122.74 (12)	C16—C11—C10	121.48 (12)
C3—C2—C1	120.74 (13)	C12—C11—C10	118.62 (13)
C3—C2—H2	119.6	C13—C12—C11	119.66 (14)
C1—C2—H2	119.6	C13—C12—H12	120.2

supplementary materials


C4—C3—C2	118.63 (13)	C11—C12—H12	120.2
C4—C3—H3	120.7	C14—C13—C12	120.04 (14)
C2—C3—H3	120.7	C14—C13—H13	120.0
C3—C4—C5	122.36 (13)	C12—C13—H13	120.0
C3—C4—N1	118.74 (12)	C13—C14—C15	120.45 (13)
C5—C4—N1	118.87 (13)	C13—C14—H14	119.8
C6—C5—C4	118.45 (13)	C15—C14—H14	119.8
C6—C5—H5	120.8	C14—C15—C16	119.70 (14)
C4—C5—H5	120.8	C14—C15—H15	120.2
C5—C6—C1	120.90 (13)	C16—C15—H15	120.2
C5—C6—H6	119.5	C15—C16—C11	120.37 (13)
C1—C6—H6	119.5	C15—C16—H16	119.8
C8—C7—C1	126.49 (13)	C11—C16—H16	119.8
C8—C7—H7	116.8		
C9—N2—N3—C10	172.40 (12)	N3—N2—C9—O3	4.2 (2)
C6—C1—C2—C3	-2.4 (2)	N3—N2—C9—C8	-178.39 (11)
C7—C1—C2—C3	175.31 (13)	C7—C8—C9—O3	-9.0 (2)
C1—C2—C3—C4	0.3 (2)	C7—C8—C9—N2	173.72 (12)
C2—C3—C4—C5	2.4 (2)	N2—N3—C10—O4	0.0 (2)
C2—C3—C4—N1	-175.32 (13)	N2—N3—C10—C11	-177.37 (11)
O2—N1—C4—C3	161.15 (13)	O4—C10—C11—C16	-146.43 (14)
O1—N1—C4—C3	-17.9 (2)	N3—C10—C11—C16	30.87 (19)
O2—N1—C4—C5	-16.63 (19)	O4—C10—C11—C12	29.2 (2)
O1—N1—C4—C5	164.35 (13)	N3—C10—C11—C12	-153.50 (13)
C3—C4—C5—C6	-2.8 (2)	C16—C11—C12—C13	0.1 (2)
N1—C4—C5—C6	174.94 (12)	C10—C11—C12—C13	-175.56 (12)
C4—C5—C6—C1	0.5 (2)	C11—C12—C13—C14	1.1 (2)
C2—C1—C6—C5	2.0 (2)	C12—C13—C14—C15	-1.7 (2)
C7—C1—C6—C5	-175.60 (13)	C13—C14—C15—C16	1.0 (2)
C2—C1—C7—C8	-179.69 (13)	C14—C15—C16—C11	0.3 (2)
C6—C1—C7—C8	-2.1 (2)	C12—C11—C16—C15	-0.8 (2)
C1—C7—C8—C9	175.50 (12)	C10—C11—C16—C15	174.75 (13)

Hydrogen-bond geometry (\AA , $^\circ$)

$D\cdots H$	$D\cdots A$	$H\cdots A$	$D\cdots A$	$D\cdots H\cdots A$
N2—H2n···O4	0.879 (10)	2.273 (14)	2.6470 (16)	105.5 (11)
N2—H2n···O4 ⁱ	0.879 (10)	2.050 (11)	2.8721 (15)	155.4 (13)
N3—H3n···O3	0.878 (10)	2.354 (14)	2.6687 (15)	101.3 (10)
N3—H3n···O3 ⁱⁱ	0.878 (10)	2.070 (11)	2.9269 (15)	165.0 (13)
C12—H12···O4 ⁱⁱⁱ	0.95	2.56	3.4257 (18)	151
C14—H14···O1 ^{iv}	0.95	2.58	3.2851 (19)	132

Symmetry codes: (i) $-x+1, -y+1, -z+1$; (ii) $-x+1, -y, -z+1$; (iii) $-x+2, -y+1, -z+1$; (iv) $x+2, y, z-1$.

Fig. 1



supplementary materials

Fig. 2





Fig. 3



supplementary materials

Fig. 4

