

2,2'-[Octane-1,8-diyldioxybis(nitrilo-methylidyne)]diphenol

Xiao-Jun Li,^a Jun-Feng Tong,^b Shang-Sheng Gong,^b Jian-Chao Wu^b and Li Xu^{b*}

^aZhaosheng Office of Gansu Province, Lanzhou 730030, People's Republic of China, and ^bSchool of Chemical and Biological Engineering, Lanzhou Jiaotong University, Lanzhou 730070, People's Republic of China

Correspondence e-mail: xuli@mail.lzjtu.cn


Received 17 December 2009; accepted 19 December 2009

Key indicators: single-crystal X-ray study; $T = 293\text{ K}$; mean $\sigma(\text{C}-\text{C}) = 0.003\text{ \AA}$; R factor = 0.044; wR factor = 0.110; data-to-parameter ratio = 14.6.

The complete molecule of the title compound, $\text{C}_{22}\text{H}_{28}\text{N}_2\text{O}_4$, is generated by a crystallographic inversion centre at the mid-point of the central $\text{C}-\text{C}$ bond. The two benzene rings are parallel to each other with a perpendicular interplanar spacing of $1.488(2)\text{ \AA}$. Intramolecular $\text{O}-\text{H}\cdots\text{N}$ hydrogen bonds generate two six-membered rings with $S(6)$ motifs. In the crystal, weak intermolecular $\text{C}-\text{H}\cdots\text{O}$ hydrogen bonds link neighbouring molecules into an infinite three-dimensional network, which is further stabilized by weak $\text{C}-\text{H}\cdots\pi$ interactions.

Related literature

For background to oxime-based salen-type tetradentate ligands, see: Dong *et al.* (2007, 2008); Dong, He *et al.* (2009); Kanderal *et al.* (2005); Fritsky *et al.* (2006). For the synthesis, see: Dong, Zhao *et al.* (2009).



Experimental

Crystal data



$M_r = 384.46$

Monoclinic, $P2_1/n$

$a = 10.5003(12)\text{ \AA}$

$b = 5.3607(8)\text{ \AA}$

$c = 18.612(2)\text{ \AA}$

$\beta = 92.909(1)^\circ$

$V = 1046.3(2)\text{ \AA}^3$

$Z = 2$

Mo $K\alpha$ radiation

$\mu = 0.08\text{ mm}^{-1}$
 $T = 293\text{ K}$

$0.32 \times 0.16 \times 0.07\text{ mm}$

Data collection

Bruker SMART 1000 CCD area-detector diffractometer
Absorption correction: multi-scan (*SADABS*; Sheldrick, 1996)
 $T_{\min} = 0.974$, $T_{\max} = 0.994$

5181 measured reflections
1849 independent reflections
1109 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.047$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.044$
 $wR(F^2) = 0.110$
 $S = 1.02$
1849 reflections

127 parameters
H-atom parameters constrained
 $\Delta\rho_{\max} = 0.12\text{ e \AA}^{-3}$
 $\Delta\rho_{\min} = -0.13\text{ e \AA}^{-3}$

Table 1
Hydrogen-bond geometry (\AA , $^\circ$).

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
C11—H11···O1 ⁱ	0.93	2.63	3.511 (2)	158
O2—H2···N1	0.82	1.92	2.634 (3)	145
C9—H9···Cg1	0.93	3.13	3.844 (2)	135

Symmetry code: (i) $-x + \frac{3}{2}, y + \frac{1}{2}, -z + \frac{3}{2}$. Cg1 is the centroid of the C6—C11 ring.

Data collection: *SMART* (Siemens, 1996); cell refinement: *SAINT* (Siemens, 1996); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL* (Sheldrick, 2008); software used to prepare material for publication: *SHELXTL*.

This work was supported by the Foundation of the Education Department of Gansu Province (0904–11) and the 'Jing Lan' Talent Engineering Funds of Lanzhou Jiaotong University, which are gratefully acknowledged.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: HG2620).

References

- Dong, W.-K. & Duan, J.-G. (2008). *J. Coord. Chem.* **61**, 781–788.
Dong, W.-K., Duan, J.-G. & Liu, G.-L. (2007). *Transition Met. Chem.* **32**, 702–705.
Dong, W.-K., He, X.-N., Yan, H.-B., Lv, Z.-W., Chen, X., Zhao, C.-Y. & Tang, X.-L. (2009). *Polyhedron*, **28**, 1419–1428.
Dong, W.-K., Zhao, C.-Y., Sun, Y.-X., Tang, X.-L. & He, X.-N. (2009). *Inorg. Chem. Commun.* **12**, 234–236.
Fritsky, I. O., Kozlowski, H., Kanderal, O. M., Haukka, M., Swiatek-Kozlowska, J., Gumienna-Kontecka, E. & Meyer, F. (2006). *Chem. Commun.*, pp. 4125–4127.
Kanderal, O. M., Kozlowski, H., Dobosz, A., Swiatek-Kozlowska, J., Meyer, F. & Fritsky, I. O. (2005). *Dalton Trans.*, pp. 1428–1437.
Sheldrick, G. M. (1996). *SADABS*. University of Göttingen, Germany.
Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.
Siemens (1996). *SMART* and *SAINT*. Siemens Analytical X-ray Instruments Inc., Madison, Wisconsin, USA.

supplementary materials

Acta Cryst. (2010). E66, o238 [doi:10.1107/S160053680905466X]

2,2'-[Octane-1,8-diyldioxybis(nitrilomethylidyne)]diphenol

X.-J. Li, J.-F. Tong, S.-S. Gong, J.-C. Wu and L. Xu

Comment

Much attention has been focused on oxime-based salen-type tetradentate ligands in recent years due to their high stability against imine metathesis reactions (Dong *et al.*, 2007; Dong *et al.* 2008; Dong, He *et al.* 2009). Also, the oxime ligands are strong donors and therefore the oxime-containing ligands were found to efficiently stabilize high oxidation states of metal ions like Cu(III) and Ni(III) (Kanderal *et al.*, 2005; Fritsky *et al.*, 2006). Herein, we report synthesis and structure of salen-type bis-oxime ligands, 2,2'-[1,1'-(octane-1,8-diyldioxydinitrilo)dimethylidyne]diphenol.

The centrosymmetric unit of the title compound (Fig. 1) is generated by a crystallographic inversion centre (symmetry code: $-x, -y, -z$) at the mid-point of the central C—C bond and there is a crystallographic twofold screw axis (symmetry code: $1/2 - x, 1/2 + y, 1/2 - z$). The two benzene rings of the title compound are parallel to each other with a perpendicular interplanar spacing of *ca* 1.488 (2) Å. In each title compound molecule, there exist two strong intramolecular O—H···N hydrogen bonds which generate two six-membered rings, producing two S(6) ring motifs (Fig. 1).

In the crystal structure, weak intermolecular C—H···O hydrogen bonds link neighbouring molecules into an infinite three-dimensional supramolecular structure (Table 1, Fig. 2) in which they may be effective in the stabilization of the structure. In addition, the crystal structure is further stabilized by C—H···π(Ph) interactions ($C\cdots\pi$ (centroid)= 3.844 (2) Å) (Fig. 2). With the help of intermolecular C—H···O hydrogen bonds and C—H···π(Ph) interactions, molecules form an infinite zigzag chain supramolecular frame viewed along *b* axis (Fig. 3).

Experimental

2,2'-[1,1'-(Octane-1,8-diyldioxydinitrilo)dimethylidyne]diphenol was synthesized according to our previous work (Dong, Zhao *et al.*, 2009). To an ethanol solution (3 ml) of salicylaldehyde (326.1 mg, 2.67 mmol) was added an ethanol absolute (3 ml) of 1, 8-bis(aminooxy)octane (199.8 mg, 1.23 mmol). The mixture solution was stirred at 328–333 K for 24 h. After reaction solution was cooled to room temperature and Put aside for ten minutes, the white precipitate was formed. Then filtered under reduced pressure and washed successively with ethanol (2 ml) and n-hexane (6 ml), respectively. The product was dried under vacuum and purified with recrystallization from ethanol to yield 191.4 mg of the title compound. Yield, 49.93%. m. p. 348–349 K. Anal. Calcd. for $C_{22}H_{28}N_2O_4$: C, 68.73; H, 7.34; N, 7.29. Found: C, 68.65; H, 7.31; N, 7.41.

Colorless needle-like single crystals suitable for X-ray diffraction studies were obtained after one week by slow evaporation from a n-hexane solution of the title compound.

Refinement

H atoms were placed in calculated positions and non-H atoms were refined anisotropically. The remaining H atoms were treated as riding atoms with distances C—H = 0.97 Å (CH₂), 0.93 Å (CH), 0.82 Å (OH), and $U_{iso}(H) = 1.20 U_{eq}(C)$, 1.50 $U_{eq}(O)$.

supplementary materials

Figures




Fig. 1. The molecule structure of the title compound with the atom numbering scheme [Symmetry codes: $-x + 2, -y - 1, -z + 1$]. Displacement ellipsoids for non-hydrogen atoms are drawn at the 30% probability level.




Fig. 2. Part of supramolecular structure of the title compound along the b axis, formed by intra- and inter-molecule hydrogen bonds as well as $\text{C}—\text{H}···\pi(\text{Ph})$ interaction (dashed lines). H atoms not involved in hydrogen bonding have been omitted for clarity. Colour code: dark gray: C; red: O; pale blue: N.




Fig. 3. Part of zigzag supramolecular chains viewed along the b axis. Colour code: dark gray: C; red: O; pale blue: N; white: H.

2,2'-[Octane-1,8-diyl]bis(nitrilomethylidyne)]diphenol

Crystal data

$\text{C}_{22}\text{H}_{28}\text{N}_2\text{O}_4$	$F(000) = 412$
$M_r = 384.46$	$D_x = 1.220 \text{ Mg m}^{-3}$
Monoclinic, $P2_1/n$	Melting point = 348–349 K
Hall symbol: -P 2yn	Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$
$a = 10.5003 (12) \text{ \AA}$	Cell parameters from 1194 reflections
$b = 5.3607 (8) \text{ \AA}$	$\theta = 3.7\text{--}25.1^\circ$
$c = 18.612 (2) \text{ \AA}$	$\mu = 0.08 \text{ mm}^{-1}$
$\beta = 92.909 (1)^\circ$	$T = 293 \text{ K}$
$V = 1046.3 (2) \text{ \AA}^3$	Needle-like, colorless
$Z = 2$	$0.32 \times 0.16 \times 0.07 \text{ mm}$

Data collection

Bruker SMART 1000 CCD area-detector diffractometer	1849 independent reflections
Radiation source: fine-focus sealed tube graphite	1109 reflections with $I > 2\sigma(I)$
phi and ω scans	$R_{\text{int}} = 0.047$
Absorption correction: multi-scan (<i>SADABS</i> ; Sheldrick, 1996)	$\theta_{\text{max}} = 25.0^\circ, \theta_{\text{min}} = 2.2^\circ$
$T_{\text{min}} = 0.974, T_{\text{max}} = 0.994$	$h = -12 \rightarrow 12$
5181 measured reflections	$k = -6 \rightarrow 5$
	$l = -22 \rightarrow 20$

Refinement

Refinement on F^2	Primary atom site location: structure-invariant direct methods
Least-squares matrix: full	Secondary atom site location: difference Fourier map
$R[F^2 > 2\sigma(F^2)] = 0.044$	Hydrogen site location: inferred from neighbouring sites

$wR(F^2) = 0.110$	H-atom parameters constrained
$S = 1.02$	$w = 1/[\sigma^2(F_o^2) + (0.0455P)^2]$
1849 reflections	where $P = (F_o^2 + 2F_c^2)/3$
127 parameters	$(\Delta/\sigma)_{\max} < 0.001$
0 restraints	$\Delta\rho_{\max} = 0.12 \text{ e } \text{\AA}^{-3}$
	$\Delta\rho_{\min} = -0.13 \text{ e } \text{\AA}^{-3}$

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
N1	0.62173 (12)	0.3737 (3)	0.63398 (8)	0.0525 (4)
O1	0.72297 (10)	0.2054 (2)	0.64425 (6)	0.0594 (4)
O2	0.42211 (13)	0.5954 (3)	0.57083 (7)	0.0901 (5)
H2	0.4800	0.4929	0.5744	0.135*
C1	0.73413 (16)	0.0613 (4)	0.58033 (9)	0.0550 (5)
H1A	0.7458	0.1706	0.5396	0.066*
H1B	0.6573	-0.0359	0.5706	0.066*
C2	0.84680 (16)	-0.1083 (3)	0.59128 (9)	0.0531 (5)
H2A	0.8319	-0.2220	0.6305	0.064*
H2B	0.9216	-0.0095	0.6048	0.064*
C3	0.87221 (16)	-0.2569 (3)	0.52490 (9)	0.0544 (5)
H3A	0.8860	-0.1424	0.4857	0.065*
H3B	0.7972	-0.3554	0.5116	0.065*
C4	0.98565 (16)	-0.4291 (3)	0.53369 (8)	0.0533 (5)
H4A	0.9704	-0.5478	0.5716	0.064*
H4B	1.0600	-0.3315	0.5488	0.064*
C5	0.60867 (15)	0.5122 (3)	0.68811 (9)	0.0500 (5)
H5	0.6636	0.4919	0.7285	0.060*
C6	0.51094 (14)	0.7007 (3)	0.68884 (9)	0.0467 (5)
C7	0.42313 (17)	0.7368 (4)	0.63135 (10)	0.0604 (5)
C8	0.33222 (18)	0.9214 (4)	0.63483 (12)	0.0762 (6)
H8	0.2727	0.9431	0.5966	0.091*
C9	0.32837 (18)	1.0723 (4)	0.69355 (12)	0.0719 (6)
H9	0.2671	1.1972	0.6948	0.086*
C10	0.41430 (17)	1.0414 (4)	0.75083 (11)	0.0636 (6)

supplementary materials

H10	0.4116	1.1438	0.7911	0.076*
C11	0.50416 (16)	0.8572 (3)	0.74777 (10)	0.0561 (5)
H11	0.5626	0.8365	0.7865	0.067*

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
N1	0.0484 (8)	0.0534 (10)	0.0557 (10)	0.0098 (8)	0.0005 (7)	-0.0013 (8)
O1	0.0566 (7)	0.0647 (9)	0.0562 (8)	0.0184 (7)	-0.0025 (6)	-0.0073 (7)
O2	0.0960 (10)	0.1020 (12)	0.0687 (10)	0.0358 (10)	-0.0303 (8)	-0.0248 (9)
C1	0.0586 (11)	0.0525 (12)	0.0542 (12)	0.0051 (10)	0.0037 (9)	-0.0047 (9)
C2	0.0550 (10)	0.0472 (11)	0.0574 (12)	0.0033 (10)	0.0049 (8)	-0.0006 (9)
C3	0.0582 (11)	0.0475 (12)	0.0574 (11)	0.0047 (10)	0.0018 (9)	-0.0020 (10)
C4	0.0598 (10)	0.0450 (11)	0.0549 (11)	0.0050 (9)	0.0018 (9)	0.0017 (9)
C5	0.0478 (10)	0.0566 (12)	0.0454 (11)	0.0038 (9)	0.0012 (8)	0.0004 (10)
C6	0.0447 (10)	0.0476 (11)	0.0477 (11)	0.0005 (9)	0.0027 (8)	0.0030 (9)
C7	0.0610 (11)	0.0635 (14)	0.0560 (12)	0.0096 (11)	-0.0055 (9)	-0.0046 (11)
C8	0.0681 (13)	0.0830 (17)	0.0756 (15)	0.0231 (13)	-0.0155 (11)	-0.0012 (13)
C9	0.0627 (12)	0.0621 (14)	0.0912 (17)	0.0176 (11)	0.0062 (12)	0.0015 (13)
C10	0.0648 (12)	0.0577 (14)	0.0693 (14)	0.0042 (11)	0.0129 (10)	-0.0093 (11)
C11	0.0538 (10)	0.0603 (13)	0.0542 (12)	0.0001 (10)	0.0026 (9)	-0.0028 (10)

Geometric parameters (\AA , $^\circ$)

N1—C5	1.265 (2)	C4—H4A	0.9700
N1—O1	1.3997 (16)	C4—H4B	0.9700
O1—C1	1.4281 (19)	C5—C6	1.441 (2)
O2—C7	1.357 (2)	C5—H5	0.9300
O2—H2	0.8200	C6—C11	1.386 (2)
C1—C2	1.498 (2)	C6—C7	1.390 (2)
C1—H1A	0.9700	C7—C8	1.379 (3)
C1—H1B	0.9700	C8—C9	1.362 (3)
C2—C3	1.505 (2)	C8—H8	0.9300
C2—H2A	0.9700	C9—C10	1.371 (2)
C2—H2B	0.9700	C9—H9	0.9300
C3—C4	1.509 (2)	C10—C11	1.369 (2)
C3—H3A	0.9700	C10—H10	0.9300
C3—H3B	0.9700	C11—H11	0.9300
C4—C4 ⁱ	1.510 (3)		
C5—N1—O1	112.46 (14)	C3—C4—H4B	108.7
N1—O1—C1	109.18 (12)	C4 ⁱ —C4—H4B	108.7
C7—O2—H2	109.5	H4A—C4—H4B	107.6
O1—C1—C2	108.22 (14)	N1—C5—C6	121.70 (15)
O1—C1—H1A	110.1	N1—C5—H5	119.1
C2—C1—H1A	110.1	C6—C5—H5	119.1
O1—C1—H1B	110.1	C11—C6—C7	117.79 (16)
C2—C1—H1B	110.1	C11—C6—C5	119.83 (15)
H1A—C1—H1B	108.4	C7—C6—C5	122.37 (16)

C1—C2—C3	112.42 (15)	O2—C7—C8	117.61 (17)
C1—C2—H2A	109.1	O2—C7—C6	122.55 (17)
C3—C2—H2A	109.1	C8—C7—C6	119.84 (18)
C1—C2—H2B	109.1	C9—C8—C7	120.86 (18)
C3—C2—H2B	109.1	C9—C8—H8	119.6
H2A—C2—H2B	107.9	C7—C8—H8	119.6
C2—C3—C4	113.99 (14)	C8—C9—C10	120.44 (19)
C2—C3—H3A	108.8	C8—C9—H9	119.8
C4—C3—H3A	108.8	C10—C9—H9	119.8
C2—C3—H3B	108.8	C11—C10—C9	118.86 (19)
C4—C3—H3B	108.8	C11—C10—H10	120.6
H3A—C3—H3B	107.7	C9—C10—H10	120.6
C3—C4—C4 ⁱ	114.06 (17)	C10—C11—C6	122.20 (17)
C3—C4—H4A	108.7	C10—C11—H11	118.9
C4 ⁱ —C4—H4A	108.7	C6—C11—H11	118.9
C5—N1—O1—C1	−178.24 (15)	C11—C6—C7—C8	−0.9 (3)
N1—O1—C1—C2	177.28 (13)	C5—C6—C7—C8	−179.52 (17)
O1—C1—C2—C3	−176.21 (14)	O2—C7—C8—C9	−179.25 (19)
C1—C2—C3—C4	179.63 (15)	C6—C7—C8—C9	1.1 (3)
C2—C3—C4—C4 ⁱ	−177.76 (19)	C7—C8—C9—C10	−0.8 (3)
O1—N1—C5—C6	179.40 (14)	C8—C9—C10—C11	0.3 (3)
N1—C5—C6—C11	−176.61 (17)	C9—C10—C11—C6	−0.2 (3)
N1—C5—C6—C7	1.9 (3)	C7—C6—C11—C10	0.5 (3)
C11—C6—C7—O2	179.42 (17)	C5—C6—C11—C10	179.12 (16)
C5—C6—C7—O2	0.8 (3)		

Symmetry codes: (i) $-x+2, -y-1, -z+1$.

Hydrogen-bond geometry (\AA , °)

Cg1 is the centroid of the C6—C11 ring.

$D\text{—H}\cdots A$	$D\text{—H}$	$H\cdots A$	$D\cdots A$	$D\text{—H}\cdots A$
C11—H11···O1 ⁱⁱ	0.93	2.63	3.511 (2)	158
O2—H2···N1	0.82	1.92	2.634 (3)	145
C9—H9···Cg1	0.93	3.13	3.844 (2)	135

Symmetry codes: (ii) $-x+3/2, y+1/2, -z+3/2$.

supplementary materials

Fig. 1





Fig. 2



supplementary materials

Fig. 3

