

## 1-(4-Chlorophenyl)-4,4,6-trimethyl-3,4-dihdropyrimidine-2(1H)-thione

Aamer Saeed<sup>a\*</sup> and Michael Bolte<sup>b</sup>

<sup>a</sup>Department of Chemistry, Quaid-i-Azam University, Islamabad 45320, Pakistan, and <sup>b</sup>Institut für Anorganische Chemie, J. W. Goethe-Universität Frankfurt, Max-von-Laue-Strasse 7, 60438 Frankfurt/Main, Germany

Correspondence e-mail: aamersaeed@yahoo.com


Received 6 January 2010; accepted 14 January 2010

Key indicators: single-crystal X-ray study;  $T = 173\text{ K}$ ; mean  $\sigma(\text{C}-\text{C}) = 0.002\text{ \AA}$ ;  $R$  factor = 0.035;  $wR$  factor = 0.093; data-to-parameter ratio = 15.6.

The dihydropyrimidine ring of the title compound,  $\text{C}_{13}\text{H}_{15}\text{ClN}_2\text{S}$ , adopts an envelope conformation with five almost coplanar atoms (r.m.s. deviation =  $0.054\text{ \AA}$ ) and the C atom bearing the two methyl substituents deviating from this plane by  $0.441(2)\text{ \AA}$ . The best plane through the five almost coplanar atoms forms a dihedral angle of  $89.56(5)^\circ$  with the benzene ring. The crystal packing is characterized by centrosymmetric dimers connected by pairs of  $\text{N}-\text{H}\cdots\text{S}$  hydrogen bonds.

### Related literature

For details of the biological activity of pyrimidine-2-thiones, see: Alam *et al.* (2005); Sriram *et al.* (2006); Leite *et al.* (2006); Kappe (2000); Rovnyak *et al.* (1995); Swamy *et al.* (2005). For a related structure, see: Yamin *et al.* (2005).



### Experimental

#### Crystal data

$\text{C}_{13}\text{H}_{15}\text{ClN}_2\text{S}$

$M_r = 266.78$

Monoclinic,  $C2/c$

$a = 20.6710(18)\text{ \AA}$

$b = 10.8343(10)\text{ \AA}$

$c = 14.8619(13)\text{ \AA}$

$\beta = 126.026(5)^\circ$

$V = 2691.9(4)\text{ \AA}^3$

$Z = 8$   
Mo  $K\alpha$  radiation  
 $\mu = 0.42\text{ mm}^{-1}$

$T = 173\text{ K}$   
 $0.37 \times 0.29 \times 0.26\text{ mm}$

#### Data collection

Stoe IPDS II two-circle diffractometer  
Absorption correction: multi-scan (*MULABS*; Spek, 2009; Blessing, 1995)  
 $T_{\min} = 0.861$ ,  $T_{\max} = 0.899$

7624 measured reflections  
2512 independent reflections  
2134 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.049$

#### Refinement

$R[F^2 > 2\sigma(F^2)] = 0.035$   
 $wR(F^2) = 0.093$   
 $S = 1.02$   
2512 reflections  
161 parameters

H atoms treated by a mixture of independent and constrained refinement  
 $\Delta\rho_{\text{max}} = 0.22\text{ e \AA}^{-3}$   
 $\Delta\rho_{\text{min}} = -0.39\text{ e \AA}^{-3}$

**Table 1**  
Hydrogen-bond geometry ( $\text{\AA}$ ,  $^\circ$ ).

| $D-\text{H}\cdots A$                               | $D-\text{H}$ | $\text{H}\cdots A$ | $D\cdots A$ | $D-\text{H}\cdots A$ |
|--|--------------|--------------------|-------------|----------------------|
| N3—H1 $\cdots$ S1 <sup>i</sup>                     | 0.83 (2)     | 2.59 (2)           | 3.4054 (16) | 169.1 (17)           |
| Symmetry code: (i) $-x + 1, y, -z + \frac{1}{2}$ . |              |                    |             |                      |

Data collection: *X-AREA* (Stoe & Cie, 2001); cell refinement: *X-AREA*; data reduction: *X-AREA*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *XP* (Sheldrick, 2008); software used to prepare material for publication: *SHELXL97*.

The authors gratefully acknowledge a research grant from the Higher Education Commission of Pakistan under project No. 20-Miscel/R&D/00/3834.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: ZQ2028).

### References

- Alam, O., Imran, M. & Khan, S. A. (2005). *Indian J. Heterocycl. Chem.* **14**, 293–296.
- Blessing, R. H. (1995). *Acta Cryst. A* **51**, 33–38.
- Kappe, C. O. (2000). *Acc. Chem. Res.* **33**, 879–888.
- Leite, A. C. L., Lima, R. S., Moreira, D. R. M., Cardoso, M. V. O., Brito, A. C. G., Santos, L. M. F., Hernandes, M. Z., Kiperstok, A. C., Lima, R. S. & Soares, M. B. P. (2006). *Bioorg. Med. Chem.* **14**, 3749–3757.
- Rovnyak, G. C., Kimball, S. D., Beyer, B., Cucinotta, G., DiMarco, J. D., Gougoutas, J., Hedberg, A., Malley, M., McCarthy, J. P., Zhang, R. & Moreland, S. (1995). *J. Med. Chem.* **38**, 119–129.
- Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.
- Spek, A. L. (2009). *Acta Cryst. D* **65**, 148–155.
- Sriram, D., Yogeeshwari, P. & Devakaram, R. V. (2006). *Bioorg. Med. Chem.* **14**, 3113–3118.
- Stoe & Cie (2001). *X-AREA*. Stoe & Cie, Darmstadt, Germany.
- Swamy, S. N., Basappa, Priya, B. S., Prabhuswamy, B., Doreswamy, B. H., Prasad, J. S. & Rangappa K. S. (2005). *Eur. J. Med. Chem.* **41**, 531–538.
- Yamin, B. M., Kasim, N. A. M. & Hamzah, N. (2005). *Acta Cryst. E* **61**, o55–o57.

## **supplementary materials**

*Acta Cryst.* (2010). E66, o440 [doi:10.1107/S1600536810001777]

### 1-(4-Chlorophenyl)-4,4,6-trimethyl-3,4-dihydropyrimidine-2(1*H*)-thione

A. Saeed and M. Bolte

#### Comment

The title compound belongs to a novel and rare class of dihydropyrimidine-2-thiones. Their synthesis has been attracting widespread attention due to diverse pharmacological activities such as antibacterial (Alam *et al.*, 2005), antitumour (Swamy *et al.*, 2005), antioxidative (Sriram *et al.*, 2006), analgesic and anti-inflammatory properties (Leite *et al.*, 2006; Kappe, 2000). In addition, these compounds act as antihypertensive agents as well as calcium channel blockers and neuropeptide Y antagonists (Rovnyak *et al.*, 1995). The formation of the closely related 4,4,6-trimethyl-1-phenyl-3,4-dihydropyrimidine-2(1*H*)-thione as a side product during the reaction of cinnamoyl isothiocyanate and aniline to afford the corresponding thiourea derivative has been reported (Yamin *et al.*, 2005) The title compound was prepared by the reaction of 4-chloroaniline with 4-methylpent-3-en-2-one in presence of potassium thiocyanate in acetone.

The dihydropyrimidine ring of the title compound adopts an envelope conformation with five almost coplanar atoms (r.m.s. deviation 0.054 Å) and the carbon atom bearing the two methyl substituents deviating from this plane by 0.441 (2) Å. The best plane through the six ring atoms forms a dihedral angle of 89.42 (5)° with the phenyl ring. The crystal packing is characterized by centrosymmetric dimers connected by N—H···S hydrogen bonds.

#### Experimental

Potassium thiocyanate (5.4 mmol) was added to a stirred mixture of 4-methylpent-3-en-2-one (5.4 mmol), 4-chloroaniline (5.4 mmol) in dry acetone. The reaction mixture was refluxed for 3 hours. On completion of the reaction, the reaction mixture was cooled to room temperature and poured into ice-water. The precipitated compound was recrystallized from methanol to afford the title dihydropyrimidine-2-thione (62%). Recrystallization from methanol afforded the title compound as colourless crystals: Anal. calcd. for C<sub>13</sub>H<sub>15</sub>N<sub>2</sub>S: C, 58.53; H, 5.67; N, 10.50; S, 12.02%; found: C, 58.49; H, 5.72; N, 10.61; S, 12.14%;%.

#### Refinement

Hydrogen atoms were located in a difference Fourier map but they were all included in calculated positions [C<sub>aromatic</sub>—H = 0.95 Å; C<sub>methyl</sub>—H = 0.98°] and refined as riding [ $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$  or  $U_{\text{iso}}(\text{H}) = 1.5U_{\text{eq}}(\text{C}_{\text{methyl}})$ ]. The methyl groups were allowed to rotate but not to tip.

#### Figures




Fig. 1. Molecular structure of the title compound. Displacement ellipsoids are drawn at the 50% probability level.

# supplementary materials

---

## 1-(4-Chlorophenyl)-4,4,6-trimethyl-3,4-dihydropyrimidine-2(1*H*)-thione

### Crystal data

|  |   |
|--|---|
| C <sub>13</sub> H <sub>15</sub> ClN <sub>2</sub> S | $F(000) = 1120$   |
| $M_r = 266.78$                                     | $D_x = 1.317 \text{ Mg m}^{-3}$                         |
| Monoclinic, C2/c                                   | Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$ |
| Hall symbol: -C 2yc                                | Cell parameters from 6686 reflections                   |
| $a = 20.6710 (18) \text{ \AA}$                     | $\theta = 3.4\text{--}26.1^\circ$                       |
| $b = 10.8343 (10) \text{ \AA}$                     | $\mu = 0.42 \text{ mm}^{-1}$                            |
| $c = 14.8619 (13) \text{ \AA}$                     | $T = 173 \text{ K}$                                     |
| $\beta = 126.026 (5)^\circ$                        | Block, colourless                                       |
| $V = 2691.9 (4) \text{ \AA}^3$                     | $0.37 \times 0.29 \times 0.26 \text{ mm}$               |
| $Z = 8$  |   |

### Data collection

|  |   |
|--|---|
| Stoe IPDS II two-circle diffractometer                                 | 2512 independent reflections  |
| Radiation source: fine-focus sealed tube                               | 2134 reflections with $I > 2\sigma(I)$                              |
| graphite   | $R_{\text{int}} = 0.049$  |
| $\omega$ scans   | $\theta_{\text{max}} = 25.7^\circ, \theta_{\text{min}} = 3.4^\circ$ |
| Absorption correction: multi-scan (MULABS; Spek, 2009; Blessing, 1995) | $h = -25 \rightarrow 24$  |
| $T_{\text{min}} = 0.861, T_{\text{max}} = 0.899$                       | $k = -13 \rightarrow 13$  |
| 7624 measured reflections  | $l = -16 \rightarrow 18$  |

### Refinement

|                                 |   |
|---------------------------------|---|
| Refinement on $F^2$             | Primary atom site location: structure-invariant direct methods            |
| Least-squares matrix: full      | Secondary atom site location: difference Fourier map                      |
| $R[F^2 > 2\sigma(F^2)] = 0.035$ | Hydrogen site location: inferred from neighbouring sites                  |
| $wR(F^2) = 0.093$               | H atoms treated by a mixture of independent and constrained refinement    |
| $S = 1.02$                      | $w = 1/[\sigma^2(F_o^2) + (0.0634P)^2]$<br>where $P = (F_o^2 + 2F_c^2)/3$ |
| 2512 reflections                | $(\Delta/\sigma)_{\text{max}} = 0.001$                                    |
| 161 parameters                  | $\Delta\rho_{\text{max}} = 0.22 \text{ e \AA}^{-3}$                       |
| 0 restraints                    | $\Delta\rho_{\text{min}} = -0.39 \text{ e \AA}^{-3}$                      |

### Special details

**Geometry.** All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations

between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted  $R$ -factor  $wR$  and goodness of fit  $S$  are based on  $F^2$ , conventional  $R$ -factors  $R$  are based on  $F$ , with  $F$  set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating  $R$ -factors(gt) etc. and is not relevant to the choice of reflections for refinement.  $R$ -factors based on  $F^2$  are statistically about twice as large as those based on  $F$ , and  $R$ -factors based on ALL data will be even larger.

*Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )*

|     | $x$          | $y$          | $z$          | $U_{\text{iso}}^*/U_{\text{eq}}$ |
|-----|--------------|--------------|--------------|----------------------------------|
| S1  | 0.57142 (2)  | 0.69991 (4)  | 0.42770 (3)  | 0.02504 (14)                     |
| Cl1 | 0.68751 (3)  | 0.59306 (4)  | 0.93548 (3)  | 0.03636 (15)                     |
| N1  | 0.47205 (7)  | 0.78438 (12) | 0.47357 (11) | 0.0219 (3)                       |
| H1  | 0.4318 (11)  | 0.7666 (19)  | 0.2421 (18)  | 0.027 (5)*                       |
| C2  | 0.48383 (9)  | 0.75825 (14) | 0.39373 (13) | 0.0202 (3)                       |
| N3  | 0.42364 (8)  | 0.78513 (13) | 0.28874 (12) | 0.0239 (3)                       |
| C4  | 0.33943 (9)  | 0.80299 (15) | 0.24811 (13) | 0.0240 (4)                       |
| C5  | 0.34219 (9)  | 0.86623 (15) | 0.34036 (14) | 0.0251 (3)                       |
| H5  | 0.2983       | 0.9165       | 0.3221       | 0.030*                           |
| C6  | 0.40392 (9)  | 0.85420 (15) | 0.44661 (14) | 0.0238 (3)                       |
| C7  | 0.29744 (11) | 0.67811 (18) | 0.21978 (17) | 0.0364 (4)                       |
| H7A | 0.3015       | 0.6356       | 0.1651       | 0.055*                           |
| H7B | 0.2410       | 0.6907       | 0.1886       | 0.055*                           |
| H7C | 0.3229       | 0.6280       | 0.2874       | 0.055*                           |
| C8  | 0.29878 (10) | 0.88397 (18) | 0.14363 (15) | 0.0348 (4)                       |
| H9A | 0.3273       | 0.9627       | 0.1621       | 0.052*                           |
| H9B | 0.2432       | 0.8993       | 0.1157       | 0.052*                           |
| H9C | 0.2999       | 0.8416       | 0.0863       | 0.052*                           |
| C9  | 0.40992 (11) | 0.91451 (18) | 0.54228 (15) | 0.0342 (4)                       |
| H8A | 0.3607       | 0.9608       | 0.5143       | 0.051*                           |
| H8B | 0.4557       | 0.9710       | 0.5804       | 0.051*                           |
| H8C | 0.4173       | 0.8511       | 0.5946       | 0.051*                           |
| C11 | 0.52708 (9)  | 0.73685 (15) | 0.58519 (12) | 0.0209 (3)                       |
| C12 | 0.51342 (9)  | 0.62101 (15) | 0.60981 (13) | 0.0236 (3)                       |
| H12 | 0.4698       | 0.5727       | 0.5531       | 0.028*                           |
| C13 | 0.56377 (9)  | 0.57500 (15) | 0.71809 (14) | 0.0251 (3)                       |
| H13 | 0.5550       | 0.4955       | 0.7359       | 0.030*                           |
| C14 | 0.62664 (9)  | 0.64743 (15) | 0.79878 (13) | 0.0237 (3)                       |
| C15 | 0.64175 (9)  | 0.76243 (16) | 0.77479 (14) | 0.0271 (4)                       |
| H15 | 0.6859       | 0.8099       | 0.8313       | 0.033*                           |
| C16 | 0.59136 (10) | 0.80791 (15) | 0.66666 (14) | 0.0260 (4)                       |
| H16 | 0.6009       | 0.8869       | 0.6488       | 0.031*                           |

*Atomic displacement parameters ( $\text{\AA}^2$ )*

|    | $U^{11}$   | $U^{22}$   | $U^{33}$   | $U^{12}$     | $U^{13}$     | $U^{23}$     |
|----|------------|------------|------------|--------------|--------------|--------------|
| S1 | 0.0186 (2) | 0.0362 (3) | 0.0192 (2) | 0.00399 (14) | 0.01047 (17) | 0.00264 (15) |

## supplementary materials

---

|     |            |             |             |              |              |              |
|-----|------------|-------------|-------------|--------------|--------------|--------------|
| Cl1 | 0.0372 (2) | 0.0389 (3)  | 0.0182 (2)  | 0.00307 (17) | 0.00804 (19) | 0.00696 (16) |
| N1  | 0.0217 (6) | 0.0262 (7)  | 0.0175 (7)  | 0.0037 (5)   | 0.0114 (6)   | 0.0023 (5)   |
| C2  | 0.0220 (7) | 0.0197 (7)  | 0.0190 (7)  | -0.0011 (6)  | 0.0120 (6)   | 0.0013 (6)   |
| N3  | 0.0193 (6) | 0.0360 (8)  | 0.0162 (7)  | 0.0046 (5)   | 0.0104 (6)   | 0.0030 (5)   |
| C4  | 0.0182 (7) | 0.0276 (8)  | 0.0213 (8)  | 0.0039 (6)   | 0.0089 (7)   | 0.0023 (6)   |
| C5  | 0.0230 (7) | 0.0254 (8)  | 0.0273 (8)  | 0.0045 (6)   | 0.0151 (7)   | 0.0027 (6)   |
| C6  | 0.0252 (7) | 0.0233 (8)  | 0.0264 (8)  | 0.0024 (6)   | 0.0172 (7)   | 0.0022 (6)   |
| C7  | 0.0299 (9) | 0.0330 (9)  | 0.0442 (11) | -0.0031 (7)  | 0.0206 (9)   | -0.0078 (8)  |
| C8  | 0.0298 (9) | 0.0410 (10) | 0.0232 (9)  | 0.0098 (7)   | 0.0097 (8)   | 0.0067 (8)   |
| C9  | 0.0365 (9) | 0.0395 (10) | 0.0301 (9)  | 0.0075 (7)   | 0.0216 (8)   | -0.0014 (8)  |
| C11 | 0.0222 (7) | 0.0256 (8)  | 0.0157 (7)  | 0.0024 (6)   | 0.0116 (6)   | 0.0015 (6)   |
| C12 | 0.0222 (7) | 0.0234 (8)  | 0.0223 (8)  | -0.0024 (6)  | 0.0114 (7)   | -0.0016 (6)  |
| C13 | 0.0270 (8) | 0.0230 (8)  | 0.0246 (8)  | 0.0004 (6)   | 0.0148 (7)   | 0.0034 (6)   |
| C14 | 0.0244 (7) | 0.0286 (8)  | 0.0153 (7)  | 0.0039 (6)   | 0.0101 (6)   | 0.0024 (6)   |
| C15 | 0.0259 (8) | 0.0291 (8)  | 0.0198 (8)  | -0.0044 (6)  | 0.0097 (7)   | -0.0026 (7)  |
| C16 | 0.0294 (8) | 0.0248 (8)  | 0.0226 (8)  | -0.0040 (6)  | 0.0146 (7)   | 0.0006 (6)   |

### Geometric parameters ( $\text{\AA}$ , $^\circ$ )

|           |             |             |             |
|-----------|-------------|-------------|-------------|
| S1—C2     | 1.6904 (15) | C8—H9A      | 0.9800      |
| Cl1—C14   | 1.7465 (16) | C8—H9B      | 0.9800      |
| N1—C2     | 1.374 (2)   | C8—H9C      | 0.9800      |
| N1—C6     | 1.4327 (19) | C9—H8A      | 0.9800      |
| N1—C11    | 1.4462 (19) | C9—H8B      | 0.9800      |
| C2—N3     | 1.336 (2)   | C9—H8C      | 0.9800      |
| N3—C4     | 1.482 (2)   | C11—C12     | 1.382 (2)   |
| N3—H1     | 0.83 (2)    | C11—C16     | 1.390 (2)   |
| C4—C5     | 1.504 (2)   | C12—C13     | 1.397 (2)   |
| C4—C7     | 1.527 (2)   | C12—H12     | 0.9500      |
| C4—C8     | 1.534 (2)   | C13—C14     | 1.382 (2)   |
| C5—C6     | 1.330 (2)   | C13—H13     | 0.9500      |
| C5—H5     | 0.9500      | C14—C15     | 1.381 (2)   |
| C6—C9     | 1.502 (2)   | C15—C16     | 1.393 (2)   |
| C7—H7A    | 0.9800      | C15—H15     | 0.9500      |
| C7—H7B    | 0.9800      | C16—H16     | 0.9500      |
| C7—H7C    | 0.9800      |             |             |
| C2—N1—C6  | 120.78 (13) | H9A—C8—H9B  | 109.5       |
| C2—N1—C11 | 119.87 (12) | C4—C8—H9C   | 109.5       |
| C6—N1—C11 | 119.30 (13) | H9A—C8—H9C  | 109.5       |
| N3—C2—N1  | 116.59 (13) | H9B—C8—H9C  | 109.5       |
| N3—C2—S1  | 121.92 (13) | C6—C9—H8A   | 109.5       |
| N1—C2—S1  | 121.46 (11) | C6—C9—H8B   | 109.5       |
| C2—N3—C4  | 124.65 (15) | H8A—C9—H8B  | 109.5       |
| C2—N3—H1  | 114.6 (14)  | C6—C9—H8C   | 109.5       |
| C4—N3—H1  | 117.4 (13)  | H8A—C9—H8C  | 109.5       |
| N3—C4—C5  | 106.41 (13) | H8B—C9—H8C  | 109.5       |
| N3—C4—C7  | 109.73 (13) | C12—C11—C16 | 120.79 (14) |
| C5—C4—C7  | 111.46 (15) | C12—C11—N1  | 118.79 (13) |
| N3—C4—C8  | 107.47 (14) | C16—C11—N1  | 120.40 (14) |

|              |              |                 |              |
|--------------|--------------|-----------------|--------------|
| C5—C4—C8     | 111.52 (14)  | C11—C12—C13     | 119.95 (14)  |
| C7—C4—C8     | 110.09 (14)  | C11—C12—H12     | 120.0        |
| C6—C5—C4     | 122.23 (14)  | C13—C12—H12     | 120.0        |
| C6—C5—H5     | 118.9        | C14—C13—C12     | 118.71 (15)  |
| C4—C5—H5     | 118.9        | C14—C13—H13     | 120.6        |
| C5—C6—N1     | 118.87 (15)  | C12—C13—H13     | 120.6        |
| C5—C6—C9     | 124.65 (15)  | C15—C14—C13     | 121.88 (14)  |
| N1—C6—C9     | 116.40 (13)  | C15—C14—Cl1     | 119.14 (12)  |
| C4—C7—H7A    | 109.5        | C13—C14—Cl1     | 118.97 (13)  |
| C4—C7—H7B    | 109.5        | C14—C15—C16     | 119.19 (14)  |
| H7A—C7—H7B   | 109.5        | C14—C15—H15     | 120.4        |
| C4—C7—H7C    | 109.5        | C16—C15—H15     | 120.4        |
| H7A—C7—H7C   | 109.5        | C11—C16—C15     | 119.47 (15)  |
| H7B—C7—H7C   | 109.5        | C11—C16—H16     | 120.3        |
| C4—C8—H9A    | 109.5        | C15—C16—H16     | 120.3        |
| C4—C8—H9B    | 109.5        |                 |              |
| C6—N1—C2—N3  | -9.4 (2)     | C2—N1—C6—C9     | -159.70 (15) |
| C11—N1—C2—N3 | 168.04 (14)  | C11—N1—C6—C9    | 22.8 (2)     |
| C6—N1—C2—S1  | 168.43 (11)  | C2—N1—C11—C12   | -87.68 (19)  |
| C11—N1—C2—S1 | -14.1 (2)    | C6—N1—C11—C12   | 89.81 (18)   |
| N1—C2—N3—C4  | -19.9 (2)    | C2—N1—C11—C16   | 93.85 (19)   |
| S1—C2—N3—C4  | 162.28 (12)  | C6—N1—C11—C16   | -88.66 (19)  |
| C2—N3—C4—C5  | 36.3 (2)     | C16—C11—C12—C13 | 1.1 (2)      |
| C2—N3—C4—C7  | -84.4 (2)    | N1—C11—C12—C13  | -177.39 (14) |
| C2—N3—C4—C8  | 155.86 (16)  | C11—C12—C13—C14 | 0.1 (2)      |
| N3—C4—C5—C6  | -26.8 (2)    | C12—C13—C14—C15 | -1.2 (3)     |
| C7—C4—C5—C6  | 92.80 (19)   | C12—C13—C14—Cl1 | 177.54 (13)  |
| C8—C4—C5—C6  | -143.71 (17) | C13—C14—C15—C16 | 1.2 (3)      |
| C4—C5—C6—N1  | 3.6 (2)      | Cl1—C14—C15—C16 | -177.54 (13) |
| C4—C5—C6—C9  | -179.71 (16) | C12—C11—C16—C15 | -1.1 (3)     |
| C2—N1—C6—C5  | 17.2 (2)     | N1—C11—C16—C15  | 177.36 (15)  |
| C11—N1—C6—C5 | -160.24 (15) | C14—C15—C16—C11 | -0.1 (3)     |

*Hydrogen-bond geometry (Å, °)*

| D—H···A                 | D—H      | H···A    | D···A       | D—H···A    |
|-------------------------|----------|----------|-------------|------------|
| N3—H1···S1 <sup>i</sup> | 0.83 (2) | 2.59 (2) | 3.4054 (16) | 169.1 (17) |

Symmetry codes: (i)  $-x+1, y, -z+1/2$ .

## **supplementary materials**

---

**Fig. 1**

