

Acta Crystallographica Section E

## Structure Reports

Online

ISSN 1600-5368

## 2,4-Bis(4-chlorophenyl)-1-methyl-3-azabicyclo[3.3.1]nonan-9-one

P. Parthiban,<sup>a</sup> V. Ramkumar<sup>b</sup> and Yeon Tae Jeong<sup>a\*</sup><sup>a</sup>Division of Image Science and Information Engineering, Pukyong National University, Busan 608 739, Republic of Korea, and <sup>b</sup>Department of Chemistry, IIT Madras, Chennai, TamilNadu, India

Correspondence e-mail: ytjeong@pknu.ac.kr


Received 27 January 2010; accepted 2 February 2010

Key indicators: single-crystal X-ray study;  $T = 298$  K; mean  $\sigma(\text{C}-\text{C}) = 0.003$  Å;  $R$  factor = 0.045;  $wR$  factor = 0.125; data-to-parameter ratio = 20.2.

The title compound,  $\text{C}_{21}\text{H}_{21}\text{Cl}_2\text{NO}$ , exists in a twin-chair conformation with an equatorial orientation of the 4-chlorophenyl groups on both sides of the secondary amino group; the dihedral angle between the 4-chlorophenyl rings is  $36.58(2)^\circ$ . The crystal packing is stabilized by an intermolecular  $\text{N}-\text{H}\cdots\text{O}$  hydrogen bond and a weak  $\text{Cl}\cdots\text{Cl}$  [3.4331(9) Å] interaction.

## Related literature

For the synthesis and biological activity of 3-azabicyclo[3.3.1]nonan-9-ones, see: Parthiban *et al.* (2009); Hardick *et al.* (1996); Jeyaraman & Avila (1981). For the structure of the non-methylated analog of the title compound, see: Parthiban *et al.* (2009a). For related structures with similar conformations, see: Parthiban *et al.* (2009b, 2010). For a related structure with chair-boat conformation, see: Smith-Verdier *et al.* (1983). For a related structure with boat-boat conformation, see: Padegimas & Kovacic (1972). For ring puckering and asymmetry parameters, see: Cremer & Pople (1975); Nardelli (1983).



## Experimental

## Crystal data

$\text{C}_{21}\text{H}_{21}\text{Cl}_2\text{NO}$   
 $M_r = 374.29$   
 Monoclinic,  $C2/c$   
 $a = 28.4515(14)$  Å  
 $b = 7.0380(3)$  Å

$c = 21.2771(12)$  Å  
 $\beta = 117.148(4)^\circ$   
 $V = 3791.2(3)$  Å<sup>3</sup>  
 $Z = 8$   
 Mo  $K\alpha$  radiation

$\mu = 0.35$  mm<sup>-1</sup>  
 $T = 298$  K

0.58 × 0.42 × 0.18 mm

## Data collection

Bruker APEXII CCD diffractometer  
 Absorption correction: multi-scan (SADABS; Bruker, 1999)  
 $T_{\min} = 0.822$ ,  $T_{\max} = 0.940$

24985 measured reflections  
 4661 independent reflections  
 3149 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.033$

## Refinement

$R[F^2 > 2\sigma(F^2)] = 0.045$   
 $wR(F^2) = 0.125$   
 $S = 1.02$   
 4661 reflections  
 231 parameters

H atoms treated by a mixture of independent and constrained refinement  
 $\Delta\rho_{\text{max}} = 0.36$  e Å<sup>-3</sup>  
 $\Delta\rho_{\text{min}} = -0.43$  e Å<sup>-3</sup>

Table 1

Hydrogen-bond geometry (Å, °).

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
$\text{N1}-\text{H1A}\cdots\text{O1}^i$	0.87 (2)	2.45 (2)	3.309 (2)	170.2 (18)

Symmetry code: (i)  $x, y - 1, z$ .

Data collection: APEX2 (Bruker, 2004); cell refinement: APEX2 and SAINT-Plus (Bruker, 2004); data reduction: SAINT-Plus and XPREP (Bruker, 2004); program(s) used to solve structure: SHELXS97 (Sheldrick, 2008); program(s) used to refine structure: SHELXL97 (Sheldrick, 2008); molecular graphics: ORTEP-3 (Farrugia, 1997) and Mercury (Macrae *et al.*, 2006); software used to prepare material for publication: SHELXL97.

This work was supported by the Corporate-affiliated Research Institute of Academic-Industrial-Institutional Cooperation Improvement Business No. S7080008110. The authors acknowledge the Department of Chemistry, IIT Madras, for the X-ray data collection.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: HB5322).

## References

- Bruker (1999). SADABS. Bruker AXS Inc., Madison, Wisconsin, USA.  
 Bruker (2004). APEX2, XPREP and SAINT-Plus. Bruker AXS Inc., Madison, Wisconsin, USA.  
 Cremer, D. & Pople, J. A. (1975). *J. Am. Chem. Soc.* **97**, 1354–1358.  
 Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.  
 Hardick, D. J., Blagbrough, I. S., Cooper, G., Potter, B. V. L., Critchley, T. & Wonnacott, S. (1996). *J. Med. Chem.* **39**, 4860–4866.  
 Jeyaraman, R. & Avila, S. (1981). *Chem. Rev.* **81**, 149–174.  
 Macrae, C. F., Edgington, P. R., McCabe, P., Pidcock, E., Shields, G. P., Taylor, R., Towler, M. & van de Streek, J. (2006). *J. Appl. Cryst.* **39**, 453–457.  
 Nardelli, M. (1983). *Acta Cryst.* **C39**, 1141–1142.  
 Padegimas, S. J. & Kovacic, P. (1972). *J. Org. Chem.* **37**, 2672–2676.  
 Parthiban, P., Aridoss, G., Rathika, P., Ramkumar, V. & Kabilan, S. (2009). *Bioorg. Med. Chem. Lett.* **19**, 6981–6985.  
 Parthiban, P., Ramkumar, V. & Jeong, Y. T. (2009b). *Acta Cryst.* **E65**, o3103.  
 Parthiban, P., Ramkumar, V. & Jeong, Y. T. (2010). *Acta Cryst.* **E66**, o194–o195.  
 Parthiban, P., Ramkumar, V., Kim, M. S., Kabilan, S. & Jeong, Y. T. (2009a). *Acta Cryst.* **E65**, o609.  
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.  
 Smith-Verdier, P., Florencio, F. & García-Blanco, S. (1983). *Acta Cryst.* **C39**, 101–103.

**supplementary materials**

*Acta Cryst.* (2010). E66, o545 [ doi:10.1107/S1600536810004095 ]

## 2,4-Bis(4-chlorophenyl)-1-methyl-3-azabicyclo[3.3.1]nonan-9-one

P. Parthiban, V. Ramkumar and Y. T. Jeong

### Comment

3-Azabicyclo[3.3.1]nonanes are an important class of heterocyclic compounds due to their broad spectrum of biological activities such as antibacterial, antifungal, analgesic, antagonistic, anti-inflammatory, local anesthetic and hypotensive activity, and their presence in a wide variety of naturally occurring diterpenoid/norditerpenoid alkaloids (Parthiban *et al.*, 2009; Hardick *et al.*, 1996; Jeyaraman & Avila, 1981). As stereochemistry plays a vital role in biological activities, it is essential to establish the stereochemistry of the synthesized bio-active molecules. Owing to the diverse possibilities in the conformation of the 3-azabicyclo such as chair-chair (Parthiban *et al.*, 2009b & 2010), chair-boat (Smith-Verdier *et al.*, 1983) and boat-boat (Padegimas & Kovacic, 1972), the present crystal study was undertaken to examine the stereochemistry of the synthesized 2,4-bis(4-chlorophenyl)-1-methyl-3-azabicyclo[3.3.1]nonan-9-one.

The crystallographic analysis of the title compound shows that the piperidine ring adopts a near ideal chair conformation. The total puckering amplitude  $Q_T$  is 0.587 (2) Å and the phase angle  $\theta$  is 1.8 (2)° (Cremer & Pople, 1975). The smallest displacement asymmetry parameters being  $q_2$  and  $q_3$  are 0.022 (2) Å and 0.587 (2) Å, respectively (Nardelli, 1983). The deviation of ring atoms C8 and N1 from the C1/C2/C6/C7 plane by 0.677 (3) Å and -0.642 (3) Å, respectively.

The crystallographic analysis of the title compound suggests that the cyclohexane ring deviates from the ideal chair conformation. The total puckering amplitude  $Q_T$  is 0.573 (2) Å and the phase angle  $\theta$  is 13.8 (2)° (Cremer & Pople, 1975). The smallest displacement asymmetry parameters being  $q_2$  and  $q_3$  are 0.134 (2) Å and 0.556 (2) Å, respectively (Nardelli, 1983). The deviation of ring atoms C4 and C8 from the C2/C3/C5/C6 plane by -0.554 (4) Å and 0.723 (2) Å, respectively.

According to the crystallographic analysis, the title compound, C<sub>21</sub>H<sub>21</sub>Cl<sub>2</sub>N O, exists in a twin-chair conformation with an equatorial orientation of the *para*-chlorophenyl groups on both sides of the secondary amino group.

In the title compound, the *para*-chlorophenyl rings are orientated at an angle of 36.58 (2)° with respect to one another, whereas in its non-methyl analog, 2,4-bis(4-chlorophenyl)-3-azabicyclo[3.3.1]nonan-9-one, the angle is 31.33 (3)°. The crystal structure of the title compound is stabilized by an intermolecular N—H...O interaction and a weak Cl—Cl interaction [Cl...Cl = 3.43 Å]. Though similar interactions observed in the non-methyl analog, the hydrogen bond geometries such as distance and angle of N1—H1...O1 [respectively, 3.1202 Å and 160.2 (18)°] are comparatively lower than the title compound (Table 1).

In the title compound, the torsion angles of C1—C2—C8—C9 and C6—C7—C8—C16 are -178.85 (4)° and -179.35 (4)°, respectively (in the non-methyl analog of the title compound, they are -177.88 (4)° and -179.01 (4)°).

### Experimental

The 1-methyl-2,4-bis(4-chlorophenyl)-3-azabicyclo[3.3.1]nonan-9-one was synthesized by a modified Mannich reaction in one-pot, using *para*-chlorobenzaldehyde (0.1 mol, 14.06 g), 2-methylcyclohexanone (0.05 mol, 5.61 g/6.07 ml) and

## supplementary materials

ammonium acetate (0.075 mol, 5.78 g) in 50 ml of absolute ethanol. The mixture was gently warmed on a hot plate with stirring and continued at 303-308 K (30-35° C) till completion of the reaction. The progress was monitored by TLC. After all starting material was used up, the crude 3-azabicyclononan-9-one was separated by filtration and washed with a 1:5 ethanol-ether mixture, till the solid becomes colorless. Colourless blocks of (I) were obtained by slow evaporation from ethanol.

### Refinement

The nitrogen H atom was located in a difference Fourier map and refined isotropically. Other hydrogen atoms were fixed geometrically and allowed to ride on the parent carbon atoms with aromatic C—H = 0.93 Å, methylene C—H = 0.97 Å, methine C—H = 0.98 Å and methyl C—H = 0.96 Å. The displacement parameters were set for phenyl, methylene and aliphatic H atoms at  $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$  and for methyl H atoms at  $U_{\text{iso}}(\text{H}) = 1.5U_{\text{eq}}(\text{C})$

### Figures




Fig. 1. The molecular structure of (I) with atoms represented with 30% probability ellipsoids.




Fig. 2. Packing diagram for (I) showing the N—H...O and Cl...Cl interactions.

### 2,4-Bis(4-chlorophenyl)-1-methyl-3-azabicyclo[3.3.1]nonan-9-one

#### Crystal data

$\text{C}_{21}\text{H}_{21}\text{Cl}_2\text{NO}$

$M_r = 374.29$

Monoclinic,  $C2/c$

Hall symbol:  $-C\ 2yc$

$a = 28.4515\ (14)\ \text{\AA}$

$b = 7.0380\ (3)\ \text{\AA}$

$c = 21.2771\ (12)\ \text{\AA}$

$\beta = 117.148\ (4)^\circ$

$V = 3791.2\ (3)\ \text{\AA}^3$

$Z = 8$

$F(000) = 1568$

$D_x = 1.312\ \text{Mg m}^{-3}$

Mo  $K\alpha$  radiation,  $\lambda = 0.71073\ \text{\AA}$

Cell parameters from 7359 reflections

$\theta = 2.5\text{--}27.3^\circ$

$\mu = 0.35\ \text{mm}^{-1}$

$T = 298\ \text{K}$

Rectangular block, colourless

$0.58 \times 0.42 \times 0.18\ \text{mm}$

*Data collection*

Bruker APEXII CCD diffractometer	4661 independent reflections
Radiation source: fine-focus sealed tube graphite	3149 reflections with $I > 2\sigma(I)$
phi and $\omega$ scans	$R_{\text{int}} = 0.033$
Absorption correction: multi-scan (SADABS; Bruker, 1999)	$\theta_{\text{max}} = 28.2^\circ$ , $\theta_{\text{min}} = 2.2^\circ$
$T_{\text{min}} = 0.822$ , $T_{\text{max}} = 0.940$	$h = -36 \rightarrow 37$
24985 measured reflections	$k = -8 \rightarrow 9$
	$l = -28 \rightarrow 27$

*Refinement*

Refinement on $F^2$	Primary atom site location: structure-invariant direct methods
Least-squares matrix: full	Secondary atom site location: difference Fourier map
$R[F^2 > 2\sigma(F^2)] = 0.045$	Hydrogen site location: inferred from neighbouring sites
$wR(F^2) = 0.125$	H atoms treated by a mixture of independent and constrained refinement
$S = 1.02$	$w = 1/[\sigma^2(F_o^2) + (0.0487P)^2 + 3.2087P]$
4661 reflections	where $P = (F_o^2 + 2F_c^2)/3$
231 parameters	$(\Delta/\sigma)_{\text{max}} = 0.001$
0 restraints	$\Delta\rho_{\text{max}} = 0.36 \text{ e } \text{\AA}^{-3}$
	$\Delta\rho_{\text{min}} = -0.43 \text{ e } \text{\AA}^{-3}$

*Special details*

**Geometry.** All esds (except the esd in the dihedral angle between two l.s. planes)

are estimated using the full covariance matrix. The cell esds are taken into account individually in the estimation of esds in distances, angles and torsion angles; correlations between esds in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell esds is used for estimating esds involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted  $R$ -factor  $wR$  and

goodness of fit  $S$  are based on  $F^2$ , conventional  $R$ -factors  $R$  are based on  $F$ , with  $F$  set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating  $R$ -factors(gt) etc. and is

not relevant to the choice of reflections for refinement.  $R$ -factors based

## supplementary materials

---

on  $F^2$  are statistically about twice as large as those based on  $F$ , and  $R$ -

factors based on ALL data will be even larger.

### *Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )*

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
C1	0.17656 (7)	0.4818 (2)	0.98420 (9)	0.0357 (4)
H1	0.2131	0.4889	0.9916	0.043*
C2	0.15724 (7)	0.6894 (2)	0.98539 (10)	0.0393 (4)
C3	0.09894 (8)	0.7068 (3)	0.97191 (11)	0.0501 (5)
H3A	0.0949	0.6354	1.0082	0.060*
H3B	0.0919	0.8391	0.9772	0.060*
C4	0.05740 (8)	0.6377 (3)	0.90001 (12)	0.0556 (5)
H4A	0.0228	0.6790	0.8929	0.067*
H4B	0.0575	0.4999	0.8993	0.067*
C5	0.06735 (8)	0.7126 (3)	0.83970 (11)	0.0559 (5)
H5A	0.0564	0.8446	0.8311	0.067*
H5B	0.0456	0.6416	0.7972	0.067*
C6	0.12516 (8)	0.6988 (3)	0.85398 (10)	0.0450 (4)
H6	0.1292	0.7694	0.8171	0.054*
C7	0.14595 (7)	0.4935 (2)	0.85650 (9)	0.0395 (4)
H7	0.1826	0.5010	0.8644	0.047*
C8	0.15846 (7)	0.7924 (2)	0.92360 (10)	0.0413 (4)
C9	0.17610 (7)	0.3620 (2)	1.04297 (9)	0.0376 (4)
C10	0.22206 (8)	0.3354 (3)	1.10561 (10)	0.0478 (5)
H10	0.2537	0.3846	1.1099	0.057*
C11	0.22168 (9)	0.2369 (3)	1.16196 (10)	0.0537 (5)
H11	0.2528	0.2196	1.2035	0.064*
C12	0.17493 (9)	0.1654 (3)	1.15562 (10)	0.0487 (5)
C13	0.12899 (8)	0.1845 (3)	1.09386 (11)	0.0504 (5)
H13	0.0976	0.1325	1.0897	0.061*
C14	0.12984 (7)	0.2817 (3)	1.03794 (10)	0.0443 (4)
H14	0.0988	0.2938	0.9960	0.053*
C15	0.19367 (9)	0.7841 (3)	1.05543 (11)	0.0562 (5)
H15A	0.2298	0.7607	1.0662	0.084*
H15B	0.1869	0.7328	1.0923	0.084*
H15C	0.1872	0.9186	1.0519	0.084*
C16	0.11369 (7)	0.3942 (3)	0.78664 (10)	0.0426 (4)
C17	0.11848 (10)	0.4523 (3)	0.72767 (12)	0.0616 (6)
H17	0.1433	0.5445	0.7324	0.074*
C18	0.08692 (11)	0.3752 (4)	0.66173 (12)	0.0692 (7)
H18	0.0898	0.4179	0.6222	0.083*
C19	0.05165 (8)	0.2361 (3)	0.65530 (10)	0.0542 (5)
C20	0.04760 (9)	0.1701 (4)	0.71289 (12)	0.0633 (6)
H20	0.0243	0.0719	0.7082	0.076*
C21	0.07852 (9)	0.2507 (3)	0.77862 (11)	0.0571 (5)
H21	0.0754	0.2070	0.8178	0.068*

C11	0.17372 (3)	0.04670 (9)	1.22681 (3)	0.0770 (2)
C12	0.01186 (2)	0.13710 (11)	0.57245 (3)	0.0829 (2)
N1	0.14499 (6)	0.3905 (2)	0.91547 (8)	0.0379 (3)
O1	0.18212 (6)	0.94051 (19)	0.92903 (8)	0.0570 (4)
H1A	0.1580 (8)	0.278 (3)	0.9181 (11)	0.050 (6)*

Atomic displacement parameters ( $\text{\AA}^2$ )

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
C1	0.0365 (9)	0.0322 (8)	0.0378 (9)	-0.0037 (7)	0.0163 (7)	-0.0053 (7)
C2	0.0433 (10)	0.0310 (8)	0.0429 (10)	-0.0022 (7)	0.0190 (8)	-0.0065 (7)
C3	0.0534 (11)	0.0426 (10)	0.0625 (13)	0.0049 (9)	0.0335 (10)	-0.0002 (9)
C4	0.0380 (10)	0.0519 (12)	0.0729 (15)	0.0024 (9)	0.0218 (10)	0.0035 (10)
C5	0.0498 (11)	0.0484 (11)	0.0540 (12)	0.0071 (9)	0.0103 (10)	0.0044 (10)
C6	0.0557 (11)	0.0341 (9)	0.0436 (10)	-0.0041 (8)	0.0212 (9)	0.0039 (8)
C7	0.0442 (10)	0.0363 (9)	0.0395 (9)	-0.0073 (7)	0.0204 (8)	-0.0038 (7)
C8	0.0413 (9)	0.0289 (8)	0.0556 (11)	0.0005 (7)	0.0239 (9)	-0.0021 (8)
C9	0.0425 (9)	0.0316 (8)	0.0358 (9)	-0.0020 (7)	0.0153 (8)	-0.0045 (7)
C10	0.0442 (10)	0.0454 (10)	0.0447 (11)	-0.0050 (8)	0.0123 (9)	-0.0015 (8)
C11	0.0578 (12)	0.0486 (11)	0.0391 (10)	-0.0002 (9)	0.0086 (9)	0.0007 (9)
C12	0.0700 (13)	0.0355 (9)	0.0435 (11)	0.0047 (9)	0.0286 (10)	0.0030 (8)
C13	0.0528 (11)	0.0438 (10)	0.0589 (12)	-0.0018 (9)	0.0292 (10)	0.0052 (9)
C14	0.0428 (10)	0.0417 (10)	0.0425 (10)	-0.0033 (8)	0.0143 (8)	0.0022 (8)
C15	0.0680 (13)	0.0418 (10)	0.0543 (12)	-0.0053 (10)	0.0240 (11)	-0.0157 (9)
C16	0.0498 (10)	0.0395 (9)	0.0400 (10)	-0.0036 (8)	0.0219 (8)	-0.0034 (8)
C17	0.0870 (16)	0.0565 (13)	0.0506 (12)	-0.0205 (12)	0.0395 (12)	-0.0065 (10)
C18	0.1041 (19)	0.0679 (15)	0.0417 (12)	-0.0056 (14)	0.0385 (13)	-0.0044 (11)
C19	0.0510 (11)	0.0640 (13)	0.0403 (11)	0.0042 (10)	0.0146 (9)	-0.0157 (10)
C20	0.0584 (13)	0.0781 (16)	0.0545 (13)	-0.0249 (12)	0.0268 (11)	-0.0228 (12)
C21	0.0655 (13)	0.0656 (13)	0.0428 (11)	-0.0235 (11)	0.0270 (10)	-0.0106 (10)
Cl1	0.1104 (5)	0.0655 (4)	0.0658 (4)	0.0146 (3)	0.0494 (4)	0.0240 (3)
Cl2	0.0677 (4)	0.1129 (6)	0.0483 (3)	0.0084 (4)	0.0094 (3)	-0.0332 (3)
N1	0.0474 (9)	0.0284 (7)	0.0358 (8)	-0.0031 (6)	0.0170 (7)	-0.0040 (6)
O1	0.0632 (9)	0.0357 (7)	0.0738 (10)	-0.0121 (6)	0.0328 (8)	-0.0032 (7)

Geometric parameters ( $\text{\AA}$ ,  $^\circ$ )

C1—N1	1.469 (2)	C10—C11	1.389 (3)
C1—C9	1.513 (2)	C10—H10	0.9300
C1—C2	1.565 (2)	C11—C12	1.370 (3)
C1—H1	0.9800	C11—H11	0.9300
C2—C8	1.516 (3)	C12—C13	1.373 (3)
C2—C15	1.527 (3)	C12—Cl1	1.744 (2)
C2—C3	1.554 (3)	C13—C14	1.382 (3)
C3—C4	1.524 (3)	C13—H13	0.9300
C3—H3A	0.9700	C14—H14	0.9300
C3—H3B	0.9700	C15—H15A	0.9600
C4—C5	1.529 (3)	C15—H15B	0.9600
C4—H4A	0.9700	C15—H15C	0.9600

## supplementary materials

---

C4—H4B	0.9700	C16—C21	1.377 (3)
C5—C6	1.533 (3)	C16—C17	1.384 (3)
C5—H5A	0.9700	C17—C18	1.386 (3)
C5—H5B	0.9700	C17—H17	0.9300
C6—C8	1.498 (3)	C18—C19	1.363 (3)
C6—C7	1.553 (3)	C18—H18	0.9300
C6—H6	0.9800	C19—C20	1.364 (3)
C7—N1	1.460 (2)	C19—C12	1.747 (2)
C7—C16	1.515 (2)	C20—C21	1.389 (3)
C7—H7	0.9800	C20—H20	0.9300
C8—O1	1.217 (2)	C21—H21	0.9300
C9—C10	1.389 (3)	N1—H1A	0.87 (2)
C9—C14	1.391 (3)		
N1—C1—C9	110.30 (13)	C10—C9—C14	117.55 (17)
N1—C1—C2	111.38 (14)	C10—C9—C1	120.56 (16)
C9—C1—C2	111.78 (14)	C14—C9—C1	121.83 (16)
N1—C1—H1	107.7	C11—C10—C9	121.37 (18)
C9—C1—H1	107.7	C11—C10—H10	119.3
C2—C1—H1	107.7	C9—C10—H10	119.3
C8—C2—C15	111.32 (15)	C12—C11—C10	119.18 (18)
C8—C2—C3	104.31 (15)	C12—C11—H11	120.4
C15—C2—C3	109.74 (16)	C10—C11—H11	120.4
C8—C2—C1	106.57 (14)	C11—C12—C13	121.07 (18)
C15—C2—C1	109.68 (15)	C11—C12—C11	119.56 (16)
C3—C2—C1	115.08 (14)	C13—C12—C11	119.36 (16)
C4—C3—C2	115.70 (16)	C12—C13—C14	119.27 (19)
C4—C3—H3A	108.4	C12—C13—H13	120.4
C2—C3—H3A	108.4	C14—C13—H13	120.4
C4—C3—H3B	108.4	C13—C14—C9	121.50 (18)
C2—C3—H3B	108.4	C13—C14—H14	119.3
H3A—C3—H3B	107.4	C9—C14—H14	119.3
C3—C4—C5	112.12 (17)	C2—C15—H15A	109.5
C3—C4—H4A	109.2	C2—C15—H15B	109.5
C5—C4—H4A	109.2	H15A—C15—H15B	109.5
C3—C4—H4B	109.2	C2—C15—H15C	109.5
C5—C4—H4B	109.2	H15A—C15—H15C	109.5
H4A—C4—H4B	107.9	H15B—C15—H15C	109.5
C4—C5—C6	113.87 (16)	C21—C16—C17	118.09 (18)
C4—C5—H5A	108.8	C21—C16—C7	122.73 (17)
C6—C5—H5A	108.8	C17—C16—C7	119.16 (17)
C4—C5—H5B	108.8	C16—C17—C18	121.1 (2)
C6—C5—H5B	108.8	C16—C17—H17	119.5
H5A—C5—H5B	107.7	C18—C17—H17	119.5
C8—C6—C5	107.78 (16)	C19—C18—C17	119.4 (2)
C8—C6—C7	108.41 (15)	C19—C18—H18	120.3
C5—C6—C7	115.04 (15)	C17—C18—H18	120.3
C8—C6—H6	108.5	C18—C19—C20	120.96 (19)
C5—C6—H6	108.5	C18—C19—C12	119.73 (18)
C7—C6—H6	108.5	C20—C19—C12	119.29 (18)



N1—C7—C16	111.94 (14)	C19—C20—C21	119.4 (2)
N1—C7—C6	109.61 (15)	C19—C20—H20	120.3
C16—C7—C6	110.16 (15)	C21—C20—H20	120.3
N1—C7—H7	108.3	C16—C21—C20	121.0 (2)
C16—C7—H7	108.3	C16—C21—H21	119.5
C6—C7—H7	108.3	C20—C21—H21	119.5
O1—C8—C6	122.90 (18)	C7—N1—C1	113.28 (13)
O1—C8—C2	123.91 (18)	C7—N1—H1A	109.6 (13)
C6—C8—C2	113.12 (14)	C1—N1—H1A	106.6 (14)
N1—C1—C2—C8	-54.97 (18)	C2—C1—C9—C14	79.6 (2)
C9—C1—C2—C8	-178.85 (14)	C14—C9—C10—C11	-1.7 (3)
N1—C1—C2—C15	-175.58 (15)	C1—C9—C10—C11	175.53 (17)
C9—C1—C2—C15	60.54 (19)	C9—C10—C11—C12	-0.3 (3)
N1—C1—C2—C3	60.1 (2)	C10—C11—C12—C13	2.1 (3)
C9—C1—C2—C3	-63.8 (2)	C10—C11—C12—C11	-178.40 (15)
C8—C2—C3—C4	54.2 (2)	C11—C12—C13—C14	-1.7 (3)
C15—C2—C3—C4	173.54 (17)	C11—C12—C13—C14	178.79 (15)
C1—C2—C3—C4	-62.2 (2)	C12—C13—C14—C9	-0.5 (3)
C2—C3—C4—C5	-46.7 (2)	C10—C9—C14—C13	2.1 (3)
C3—C4—C5—C6	44.8 (2)	C1—C9—C14—C13	-175.09 (17)
C4—C5—C6—C8	-52.9 (2)	N1—C7—C16—C21	13.9 (3)
C4—C5—C6—C7	68.2 (2)	C6—C7—C16—C21	-108.3 (2)
C8—C6—C7—N1	57.08 (19)	N1—C7—C16—C17	-167.77 (18)
C5—C6—C7—N1	-63.6 (2)	C6—C7—C16—C17	70.0 (2)
C8—C6—C7—C16	-179.33 (15)	C21—C16—C17—C18	3.2 (4)
C5—C6—C7—C16	60.0 (2)	C7—C16—C17—C18	-175.2 (2)
C5—C6—C8—O1	-111.7 (2)	C16—C17—C18—C19	-1.9 (4)
C7—C6—C8—O1	123.23 (19)	C17—C18—C19—C20	-1.0 (4)
C5—C6—C8—C2	65.39 (19)	C17—C18—C19—C12	-179.72 (19)
C7—C6—C8—C2	-59.72 (19)	C18—C19—C20—C21	2.4 (4)
C15—C2—C8—O1	-5.7 (3)	C12—C19—C20—C21	-178.89 (18)
C3—C2—C8—O1	112.63 (19)	C17—C16—C21—C20	-1.8 (3)
C1—C2—C8—O1	-125.20 (18)	C7—C16—C21—C20	176.5 (2)
C15—C2—C8—C6	177.33 (16)	C19—C20—C21—C16	-0.9 (4)
C3—C2—C8—C6	-64.39 (18)	C16—C7—N1—C1	179.17 (14)
C1—C2—C8—C6	57.77 (19)	C6—C7—N1—C1	-58.29 (19)
N1—C1—C9—C10	137.96 (17)	C9—C1—N1—C7	-176.97 (14)
C2—C1—C9—C10	-97.55 (19)	C2—C1—N1—C7	58.32 (19)
N1—C1—C9—C14	-44.9 (2)		

Hydrogen-bond geometry (Å, °)

<i>D</i> —H... <i>A</i>	<i>D</i> —H	H... <i>A</i>	<i>D</i> ... <i>A</i>	<i>D</i> —H... <i>A</i>
N1—H1A...O1 <sup>i</sup>	0.87 (2)	2.45 (2)	3.309 (2)	170.2 (18)

Symmetry codes: (i) *x*, *y*-1, *z*.

Fig. 1




Fig. 2

