

**Bis[(4-methylphenyl)ethynyl] telluride**

Ignez Caracelli,<sup>a\*</sup> Julio Zukerman-Schpector,<sup>b</sup> Jesus M. Pena,<sup>c</sup> Hélio A. Stefani<sup>c</sup> and Edward R. T. Tieckink<sup>d</sup>

<sup>a</sup>BioMat-Physics Department, Univ Estadual Paulista, UNESP, 17033-360 Bauru, SP, Brazil, <sup>b</sup>Department of Chemistry, Universidade Federal de São Carlos, 13565-905 São Carlos, SP, Brazil, <sup>c</sup>Departamento de Farmácia, Faculdade de Ciências Farmacêuticas, Universidade de São Paulo, São Paulo-SP, Brazil, and <sup>d</sup>Department of Chemistry, University of Malaya, Kuala Lumpur 50603, Malaysia  
Correspondence e-mail: ignez@fc.unesp.br


Received 14 February 2010; accepted 16 February 2010

Key indicators: single-crystal X-ray study;  $T = 100$  K; mean  $\sigma(\text{C}-\text{C}) = 0.004 \text{ \AA}$ ;  $R$  factor = 0.019;  $wR$  factor = 0.055; data-to-parameter ratio = 16.4.

The tellurium atom in the title bis-ethynyl telluride,  $\text{Te}(\text{C}_9\text{H}_7)_2$  or  $\text{C}_{18}\text{H}_{14}\text{Te}$ , is located on a crystallographic twofold axis, the  $\text{C}-\text{Te}-\text{C}$  angle being  $92.23(15)^\circ$ . The dihedral angle between the rings is  $87.27(7)^\circ$ . In the crystal structure, molecules are connected in chains parallel to the  $b$  axis and mediated by  $\text{C}-\text{H}\cdots\pi$  interactions.

**Related literature**

For the synthesis of bis-ethynyl tellurides, see: Gedridge *et al.* (1992); Engman & Stern (1993). For background to the motivation of studies into tellurium chemistry, see: Petragnani & Stefani (2007); Zukerman-Schpector *et al.* (2008). For related structures, see: Jones & Ruthe (2006). For searching the Cambridge Structural Database, see: Bruno *et al.* (2002). For background to  $\text{Te}\cdots\pi$  interactions, see: Tieckink & Zukerman-Schpector (2009); Zukerman-Schpector & Haiduc (2002).

**Experimental***Crystal data*

$\text{C}_{18}\text{H}_{14}\text{Te}$   
 $M_r = 357.89$   
Monoclinic,  $C2/c$   
 $a = 25.8462(8) \text{ \AA}$   
 $b = 4.8902(2) \text{ \AA}$   
 $c = 11.3764(3) \text{ \AA}$   
 $\beta = 100.316(2)^\circ$   
 $V = 1414.65(8) \text{ \AA}^3$   
 $Z = 4$   
Mo  $K\alpha$  radiation

$\mu = 2.09 \text{ mm}^{-1}$   
 $T = 100 \text{ K}$

$0.27 \times 0.13 \times 0.09 \text{ mm}$

*Data collection*

Bruker SMART APEXII  
diffractometer  
Absorption correction: multi-scan  
(SADABS; Sheldrick, 1996)  
 $T_{\min} = 0.617$ ,  $T_{\max} = 0.746$   
5433 measured reflections  
1443 independent reflections  
1350 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.020$

*Refinement*

$R[F^2 > 2\sigma(F^2)] = 0.019$   
 $wR(F^2) = 0.055$   
 $S = 1.20$   
1443 reflections  
88 parameters  
H-atom parameters constrained  
 $\Delta\rho_{\max} = 0.74 \text{ e \AA}^{-3}$   
 $\Delta\rho_{\min} = -0.72 \text{ e \AA}^{-3}$

**Table 1**  
Hydrogen-bond geometry ( $\text{\AA}$ ,  $^\circ$ ).

$Cg$  is the centroid of the C3–C8 ring.

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
$\text{C9}-\text{H9a}\cdots Cg^i$	0.98	2.62	3.573 (3)	163

Symmetry code: (i)  $x, y + 1, z$ .

Data collection: *APEX2* (Bruker, 2007); cell refinement: *SAINT* (Bruker, 2007); data reduction: *SAINT*; program(s) used to solve structure: *SIR97* (Altomare *et al.*, 1999); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3* (Farrugia, 1997) and *DIAMOND* (Brandenburg, 2006); software used to prepare material for publication: *WinGX* (Farrugia, 1999).

We thank FAPESP (07/59404-2 to HAS), CNPq (472237/2008-0 to IC, 300613/2007 to HAS, and 306532/2009-3 to JZ-S) and CAPES (808/2009 to JZ-S and IC) for financial support.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: HG2646).

**References**

- Altomare, A., Burla, M. C., Camalli, M., Cascarano, G. L., Giacovazzo, C., Guagliardi, A., Moliterni, A. G. G., Polidori, G. & Spagna, R. (1999). *J. Appl. Cryst.* **32**, 115–119.
- Brandenburg, K. (2006). *DIAMOND*. Crystal Impact GbR, Bonn, Germany.
- Bruker (2007). *APEX2* and *SAINT*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Bruno, I. J., Cole, J. C., Edgington, P. R., Kessler, M., Macrae, C. F., McCabe, P., Pearson, J. & Taylor, R. (2002). *Acta Cryst.* **B58**, 389–397.
- Engman, L. & Stern, D. (1993). *Organometallics*, **12**, 1445–1448.
- Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.
- Farrugia, L. J. (1999). *J. Appl. Cryst.* **32**, 837–838.
- Gedridge, R. W. Jr, Brandsma, L., Nissan, R. A., Verkrijssse, H. D., Harder, S., de Jong, R. L. P. & O'Connor, C. J. (1992). *Organometallics*, **11**, 418–422.
- Jones, P. G. & Ruthe, F. (2006). Private communication (refcode: CEPSUM). CCDC, Cambridge, England.
- Petragnani, N. & Stefani, H. A. (2007). *Tellurium in Organic Synthesis – Second, Updated and Enlarged Edition*. 2nd ed. Netherlands: Academic Press/Elsevier.
- Sheldrick, G. M. (1996). *SADABS*. University of Göttingen, Germany.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Tieckink, E. R. T. & Zukerman-Schpector, J. (2009). *CrystEngComm*, **11**, 2701–2711.
- Zukerman-Schpector, J. & Haiduc, I. (2002). *CrystEngComm*, **4**, 178–192.
- Zukerman-Schpector, J., Stefani, H. A., Guadagnin, R. C., Suganuma, C. A. & Tieckink, E. R. T. (2008). *Z. Kristallogr.* **223**, 536–541.

## **supplementary materials**

*Acta Cryst.* (2010). E66, o685 [doi:10.1107/S1600536810006264]

### Bis[(4-methylphenyl)ethynyl] telluride

**I. Caracelli, J. Zukerman-Schpector, J. M. Pena, H. A. Stefani and E. R. T. Tiekink**

#### Comment

Carbon–carbon bond formation for the preparation of symmetrical and unsymmetrical 1,3-diyne compounds is one of the most useful and important tools in modern organic chemistry. The construction of 1,3-diyne can be achieved either by intermolecular or intramolecular coupling of two similar or dissimilar alkynyl functionalities in the presence of organometallic complexes. However, the synthesis and use of bis-ethynyl tellurides are scarcely described in the literature (Gedridge *et al.*, 1992; Engman & Stern, 1993) and their use in the detelluration reaction to afford 1,3-diyne is unknown until now. As part of our ongoing research into tellurium chemistry (Petragnani & Stefani, 2007; Zukerman-Schpector *et al.*, 2008), the title compound, (I), was synthesized and its crystal structure determined.

The C—Te—C in (I), Fig. 1, angle of 92.23 (15) ° is close to the smallest value found for related diorganotellurium compounds, i.e. 92.30 (14) ° for Te[C(H)=C(H)Ph]<sub>2</sub> (Jones & Ruthe, 2006). A search in the CSD (Bruno *et al.* 2002) showed 225 hits for related compounds and a mean value of 96.0 ° for the C—Te(II)—C angle.

The molecules are linked in chains parallel to the *b* axis mediated in a large part through C—H···π interactions, Table 1 and Fig. 1. Short intermolecular Te—C interactions [*e.g.* Te···C2<sup>ii</sup> = 3.541 (3) Å for *ii*: *x*, -1+*y*, *z*], indicative of Te···π interactions (Zukerman-Schpector & Haiduc, 2002; Tiekkink & Zukerman-Schpector, 2009), are also noted as contributing to the stability of the chain.

#### Experimental

To a stirred solution of 1-ethynyl-4-methylbenzene (0.35 g, 3.0 mmol) in THF (10 ml), *n*-BuLi (1.2 ml, 2.5 M, 3.0 mmol) was added dropwise at 195 K. After 20 min., freshly crushed tellurium powder (0.38 g, 3.0 mmol) was added in one lot while a stream of argon was passed through the open flask. The cooling bath was then removed to bring the reaction medium to room temperature. When almost all the tellurium was consumed, the reaction mixture was again cooled to 195 K. Then a solution of bromine (0.48 g, 3.0 mmol) in dry benzene (5 ml) was added dropwise, and stirring was continued for 15 min. The reaction mixture was hydrolyzed at 195 K by addition of water (5 ml). Dilution with water (20 ml) at room temperature, extraction with dichloromethane (2 x 15 ml), drying ( $\text{MgSO}_4$ ), and flash chromatography (1/4 dichloromethane/hexane) afforded 0.90 g (62% yield) of the title compound as yellow crystals, m.pt. 400–401 K.

#### Refinement

The H atoms were geometrically placed (C—H = 0.95–0.98 Å) and refined as riding with  $U_{iso}(\text{H}) = 1.2\text{--}1.5U_{eq}(\text{C})$ .

# supplementary materials

---

## Figures




Fig. 1. The molecular structure of (I) showing atom labelling scheme and displacement ellipsoids at the 50% probability level (arbitrary spheres for the H atoms). Symmetry operation  $i$ :  $-x, y, 3/2-z$ .




Fig. 2. Supramolecular chain aligned along the  $b$  axis in (I) sustained by C–H··· $\pi$  interactions shown as orange dashed lines. Colour code: Te, purple; C, grey; and H, green.

## bis[(4-methylphenyl)ethynyl] telluride

### Crystal data

C <sub>18</sub> H <sub>14</sub> Te	$F(000) = 696$
$M_r = 357.89$	$D_x = 1.680 \text{ Mg m}^{-3}$
Monoclinic, $C2/c$	Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$
Hall symbol: -C 2yc	Cell parameters from 4746 reflections
$a = 25.8462 (8) \text{ \AA}$	$\theta = 2.2\text{--}27.7^\circ$
$b = 4.8902 (2) \text{ \AA}$	$\mu = 2.09 \text{ mm}^{-1}$
$c = 11.3764 (3) \text{ \AA}$	$T = 100 \text{ K}$
$\beta = 100.316 (2)^\circ$	Block, pale-yellow
$V = 1414.65 (8) \text{ \AA}^3$	$0.27 \times 0.13 \times 0.09 \text{ mm}$
$Z = 4$	

### Data collection

Bruker SMART APEXII diffractometer	1443 independent reflections
Radiation source: sealed tube graphite	1350 reflections with $I > 2\sigma(I)$
$\varphi$ and $\omega$ scans	$R_{\text{int}} = 0.020$
Absorption correction: multi-scan (SADABS; Sheldrick, 1996)	$\theta_{\text{max}} = 26.5^\circ, \theta_{\text{min}} = 1.6^\circ$
$T_{\text{min}} = 0.617, T_{\text{max}} = 0.746$	$h = -32 \rightarrow 32$
5433 measured reflections	$k = -6 \rightarrow 5$
	$l = -14 \rightarrow 14$

### Refinement

Refinement on $F^2$	Primary atom site location: structure-invariant direct methods
Least-squares matrix: full	Secondary atom site location: difference Fourier map
$R[F^2 > 2\sigma(F^2)] = 0.019$	Hydrogen site location: inferred from neighbouring sites
$wR(F^2) = 0.055$	H-atom parameters constrained

$S = 1.20$	$w = 1/[\sigma^2(F_o^2) + (0.019P)^2 + 5.1394P]$
	where $P = (F_o^2 + 2F_c^2)/3$
1443 reflections	$(\Delta/\sigma)_{\max} < 0.001$
88 parameters	$\Delta\rho_{\max} = 0.74 \text{ e \AA}^{-3}$
0 restraints	$\Delta\rho_{\min} = -0.72 \text{ e \AA}^{-3}$

### Special details

**Geometry.** All s.u.'s (except the s.u. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell s.u.'s are taken into account individually in the estimation of s.u.'s in distances, angles and torsion angles; correlations between s.u.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell s.u.'s is used for estimating s.u.'s involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted  $R$ -factor  $wR$  and goodness of fit  $S$  are based on  $F^2$ , conventional  $R$ -factors  $R$  are based on  $F$ , with  $F$  set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating  $R$ -factors(gt) etc. and is not relevant to the choice of reflections for refinement.  $R$ -factors based on  $F^2$  are statistically about twice as large as those based on  $F$ , and  $R$ -factors based on ALL data will be even larger.

### Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )

	$x$	$y$	$z$	$U_{\text{iso}}^*/U_{\text{eq}}$
Te	0.0000	0.37974 (5)	0.7500	0.01504 (9)
C1	0.04373 (10)	0.6695 (6)	0.8528 (2)	0.0161 (5)
C2	0.07098 (10)	0.8358 (6)	0.9095 (2)	0.0172 (6)
C3	0.10551 (10)	1.0424 (6)	0.9693 (2)	0.0155 (5)
C4	0.14665 (10)	1.1424 (6)	0.9162 (2)	0.0173 (6)
H4	0.1510	1.0759	0.8401	0.021*
C5	0.18087 (10)	1.3374 (6)	0.9737 (2)	0.0172 (6)
H5	0.2086	1.4024	0.9365	0.021*
C6	0.17559 (10)	1.4406 (6)	1.0852 (2)	0.0154 (6)
C7	0.13423 (10)	1.3430 (6)	1.1371 (2)	0.0179 (6)
H7	0.1298	1.4119	1.2127	0.022*
C8	0.09947 (10)	1.1478 (6)	1.0810 (2)	0.0170 (5)
H8	0.0715	1.0851	1.1181	0.020*
C9	0.21318 (10)	1.6531 (6)	1.1461 (2)	0.0189 (6)
H9A	0.1990	1.8358	1.1248	0.028*
H9B	0.2472	1.6332	1.1202	0.028*
H9C	0.2179	1.6286	1.2329	0.028*

### Atomic displacement parameters ( $\text{\AA}^2$ )

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
Te	0.01487 (13)	0.01124 (14)	0.01834 (14)	0.000	0.00119 (9)	0.000
C1	0.0156 (12)	0.0148 (14)	0.0177 (12)	0.0001 (11)	0.0023 (10)	0.0042 (11)
C2	0.0154 (12)	0.0175 (15)	0.0183 (12)	0.0040 (11)	0.0021 (10)	0.0045 (12)
C3	0.0151 (12)	0.0123 (14)	0.0175 (12)	0.0018 (10)	-0.0013 (10)	0.0008 (11)
C4	0.0199 (12)	0.0172 (15)	0.0152 (12)	0.0024 (11)	0.0038 (10)	-0.0026 (12)

## supplementary materials

---

C5	0.0179 (12)	0.0163 (15)	0.0179 (13)	-0.0021 (11)	0.0049 (10)	0.0027 (12)
C6	0.0165 (12)	0.0116 (14)	0.0172 (12)	0.0021 (10)	0.0002 (10)	0.0009 (11)
C7	0.0204 (13)	0.0168 (15)	0.0168 (12)	0.0004 (11)	0.0037 (10)	-0.0020 (12)
C8	0.0180 (12)	0.0150 (14)	0.0192 (13)	-0.0016 (11)	0.0069 (10)	0.0037 (12)
C9	0.0182 (12)	0.0177 (15)	0.0199 (13)	-0.0015 (11)	0.0006 (10)	0.0035 (12)

### Geometric parameters ( $\text{\AA}$ , $^\circ$ )

Te—C1	2.044 (3)	C6—C7	1.395 (4)
C1—C2	1.188 (4)	C6—C9	1.504 (4)
C2—C3	1.437 (4)	C7—C8	1.386 (4)
C3—C4	1.402 (4)	C7—H7	0.9500
C3—C8	1.406 (4)	C8—H8	0.9500
C4—C5	1.383 (4)	C9—H9A	0.9800
C4—H4	0.9500	C9—H9B	0.9800
C5—C6	1.394 (4)	C9—H9C	0.9800
C5—H5	0.9500		
C1—Te—C1 <sup>i</sup>	92.23 (15)	C7—C6—C9	121.5 (2)
C2—C1—Te	176.9 (2)	C8—C7—C6	121.6 (3)
C1—C2—C3	175.3 (3)	C8—C7—H7	119.2
C4—C3—C8	118.5 (3)	C6—C7—H7	119.2
C4—C3—C2	119.7 (3)	C7—C8—C3	120.1 (3)
C8—C3—C2	121.8 (3)	C7—C8—H8	120.0
C5—C4—C3	120.4 (3)	C3—C8—H8	120.0
C5—C4—H4	119.8	C6—C9—H9A	109.5
C3—C4—H4	119.8	C6—C9—H9B	109.5
C4—C5—C6	121.5 (3)	H9A—C9—H9B	109.5
C4—C5—H5	119.3	C6—C9—H9C	109.5
C6—C5—H5	119.3	H9A—C9—H9C	109.5
C5—C6—C7	117.9 (3)	H9B—C9—H9C	109.5
C5—C6—C9	120.6 (2)		
C8—C3—C4—C5	1.0 (4)	C5—C6—C7—C8	0.5 (4)
C2—C3—C4—C5	-178.7 (3)	C9—C6—C7—C8	179.8 (3)
C3—C4—C5—C6	-0.2 (4)	C6—C7—C8—C3	0.2 (4)
C4—C5—C6—C7	-0.6 (4)	C4—C3—C8—C7	-1.0 (4)
C4—C5—C6—C9	-179.9 (3)	C2—C3—C8—C7	178.7 (3)

Symmetry codes: (i)  $-x, y, -z+3/2$ .


### Hydrogen-bond geometry ( $\text{\AA}$ , $^\circ$ )

Cg is the centroid of the C3—C8 ring.

$D\cdots H$	$H\cdots A$	$D\cdots A$	$D—H\cdots A$
0.98	2.62	3.573 (3)	163

Symmetry codes: (ii)  $x, y+1, z$ .

Fig. 1



## **supplementary materials**

---

**Fig. 2**

