

4-Methyl-N-(4-methylphenyl)benzene-sulfonamide

Islam Ullah Khan,^a‡ Shahzad Sharif,^a Mehmet Akkurt,^b*
Arif Sajjad^a and Jamil Ahmad^a

^aMaterials Chemistry Laboratory, Department of Chemistry, Government College University, Lahore 54000, Pakistan, and ^bDepartment of Physics, Faculty of Arts and Sciences, Erciyes University, 38039 Kayseri, Turkey
Correspondence e-mail: akkurt@erciyes.edu.tr


Received 3 March 2010; accepted 4 March 2010

Key indicators: single-crystal X-ray study; $T = 296\text{ K}$; mean $\sigma(\text{C}-\text{C}) = 0.003\text{ \AA}$; R factor = 0.044; wR factor = 0.122; data-to-parameter ratio = 19.3.

In the title compound, $C_{14}H_{15}NO_2S$, the two aromatic rings enclose a dihedral angle of $70.53(10)^\circ$. A weak intramolecular $\text{C}-\text{H}\cdots\text{O}$ hydrogen bond generates an $S(6)$ ring motif. The crystal structure features inversion-related dimers linked by pairs of $\text{N}-\text{H}\cdots\text{O}$ hydrogen bonds.

Related literature

For the synthesis, see: Deng & Mani (2006). For the biological activity of sulfonamides, see: Pandya *et al.* (2003); Supuran & Scozzafava (2000). For the effects of substituents on the crystal structures of and bond lengths in aryl sulfonamides, see: Sharif *et al.* (2010); Gowda *et al.* (2008, 2009, 2010); Nirmala *et al.* (2009a,b). For graph-set notation, see: Bernstein *et al.* (1995); Etter (1990).



Experimental

Crystal data

$C_{14}H_{15}NO_2S$	$\gamma = 74.812(4)^\circ$
$M_r = 261.34$	$V = 661.41(10)\text{ \AA}^3$
Triclinic, $P\bar{1}$	$Z = 2$
$a = 8.6419(8)\text{ \AA}$	Mo $K\alpha$ radiation
$b = 8.8016(8)\text{ \AA}$	$\mu = 0.24\text{ mm}^{-1}$
$c = 9.2509(7)\text{ \AA}$	$T = 296\text{ K}$
$\alpha = 88.187(4)^\circ$	$0.28 \times 0.17 \times 0.08\text{ mm}$
$\beta = 77.010(4)^\circ$	

‡ Additional corresponding author, e-mail: iuklodhi@yahoo.com.

Data collection

Bruker APEXII CCD diffractometer
11831 measured reflections

3259 independent reflections
2323 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.038$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.044$
 $wR(F^2) = 0.122$
 $S = 1.01$
3259 reflections
169 parameters

H atoms treated by a mixture of independent and constrained refinement
 $\Delta\rho_{\text{max}} = 0.24\text{ e \AA}^{-3}$
 $\Delta\rho_{\text{min}} = -0.21\text{ e \AA}^{-3}$

Table 1

Hydrogen-bond geometry (\AA , $^\circ$).

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
N1—H1 \cdots O2 ⁱ	0.81 (3)	2.11 (3)	2.904 (2)	170 (2)
C4—H4 \cdots O1	0.93	2.45	3.049 (2)	122

Symmetry code: (i) $-x, -y + 2, -z + 2$.

Data collection: *APEX2* (Bruker, 2007); cell refinement: *SAINT* (Bruker, 2007); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3 for Windows* (Farrugia, 1997); software used to prepare material for publication: *WinGX* (Farrugia, 1999) and *PLATON* (Spek, 2009).

The authors are grateful to Mr Muhammad Hussain of Bana International for providing technical support to the Materials Chemistry Laboratory, Government College University.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: BT5205).

References

- Bernstein, J., Davis, R. E., Shimoni, L. & Chang, N.-L. (1995). *Angew. Chem. Int. Ed. Engl.* **34**, 1555–1573.
- Bruker (2007). *APEX2 and SAINT*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Deng, X. & Mani, N. S. (2006). *Green Chem.* **8**, 835–838.
- Etter, M. C. (1990). *Acc. Chem. Res.* **23**, 120–126.
- Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.
- Farrugia, L. J. (1999). *J. Appl. Cryst.* **32**, 837–838.
- Gowda, B. T., Foro, S., Babitha, K. S. & Fuess, H. (2008). *Acta Cryst. E64*, o1692.
- Gowda, B. T., Foro, S., Nirmala, P. G. & Fuess, H. (2010). *Acta Cryst. E66*, o14.
- Gowda, B. T., Foro, S., Nirmala, P. G., Terao, H. & Fuess, H. (2009). *Acta Cryst. E65*, o800.
- Nirmala, P. G., Gowda, B. T., Foro, S. & Fuess, H. (2009a). *Acta Cryst. E65*, o3184.
- Nirmala, P. G., Gowda, B. T., Foro, S. & Fuess, H. (2009b). *Acta Cryst. E65*, o3208.
- Pandya, R., Murashima, T., Tedeschi, L. & Barrett, A. G. M. (2003). *J. Org. Chem.* **68**, 8274–8276.
- Sharif, S., Akkurt, M., Khan, I. U., Salariya, M. A. & Ahmad, S. (2010). *Acta Cryst. E66*, o73–o74.
- Sheldrick, G. M. (2008). *Acta Cryst. A64*, 112–122.
- Spek, A. L. (2009). *Acta Cryst. D65*, 148–155.
- Supuran, C. T. & Scozzafava, A. (2000). *J. Enzyme Inhib. Med. Chem.* **15**, 597–610.

supplementary materials

Acta Cryst. (2010). E66, o786 [doi:10.1107/S1600536810008329]

4-Methyl-N-(4-methylphenyl)benzenesulfonamide

I. U. Khan, S. Sharif, M. Akkurt, A. Sajjad and J. Ahmad

Comment

Sulfonamides are well known for their antibacterial and enzyme inhibitor properties (Pandya *et al.*, 2003). Aromatic sulfonamides were also reported to inhibit the growth of tumor cells (Supuran & Scozzafava, 2000). In continuation of our studies (Sharif *et al.*, 2010), herein, we report the crystal structure of the title compound.

The title molecule (I), (Fig. 1), is bent at the *N* atom with the C8—SO₂—NH—C5 torsion angle of -60.71 (18)^o. The dihedral angle between the two aromatic rings is 70.53 (10)^o.

The molecular conformation of the title compound is stabilized by a weak intramolecular C—H···O hydrogen bond, generating an *S*(6) ring motif (Etter, 1990; Bernstein *et al.*, 1995) (Table 1). In the crystal structure of the title compound, inversion-related molecules are linked into dimers by pairs of N—H···O hydrogen bonds, forming an *R*₂²(8) graph-set motif (Table 1 and Fig. 2).

Experimental

The synthesis of the title compound was performed by the procedure reported by Deng & Mani (2006). 4-methyl aniline 0.535 g (5 mmol) was dissolved in 10 ml distilled water and pH of the solution was adjusted to 8 by using (3 M) Na₂CO₃. *p*-toluene sulfonyl chloride 0.95 g (5 mmol) was added under continuous stirring at room temperature. pH of the reaction mixture during stirring was maintained between 8–9 with 3 M Na₂CO₃. When the solution was clear, pH was adjusted to 2–3 using 3 M HCl. The precipitate formed was filtered and recrystallized from methanol.

Refinement

The H atom bonded to N was refined freely. The other H atoms were positioned geometrically and were treated as riding on their parent C atoms, with C—H = 0.93–0.96 Å and *U*_{iso}(H) = 1.2*U*_{eq}(C) or 1.5*U*_{eq}(methyl C).

Figures




Fig. 1. Perspective view of the title compound with the atoms labelled and displacement ellipsoids depicted at the 30% probability level for all non-H atoms.

supplementary materials




Fig. 2. Partial packing view showing the formation of dimers through N—H···O hydrogen bonds [symmetry code: -x, 2-y, 2-z]. For the sake of clarity, H atoms not involved in hydrogen bonding are omitted. Hydrogen bonding is indicated by dashed lines.

4-Methyl-N-(4-methylphenyl)benzenesulfonamide

Crystal data

C ₁₄ H ₁₅ NO ₂ S	Z = 2
M _r = 261.34	F(000) = 276
Triclinic, PT	D _x = 1.312 Mg m ⁻³
Hall symbol: -P 1	Mo K α radiation, λ = 0.71073 Å
a = 8.6419 (8) Å	Cell parameters from 3233 reflections
b = 8.8016 (8) Å	θ = 2.4–25.6°
c = 9.2509 (7) Å	μ = 0.24 mm ⁻¹
α = 88.187 (4)°	T = 296 K
β = 77.010 (4)°	Rod like, light brown
γ = 74.812 (4)°	0.28 × 0.17 × 0.08 mm
V = 661.41 (10) Å ³	

Data collection

Bruker APEXII CCD diffractometer	2323 reflections with $I > 2\sigma(I)$
Radiation source: sealed tube graphite	$R_{\text{int}} = 0.038$
φ and ω scans	$\theta_{\text{max}} = 28.4^\circ$, $\theta_{\text{min}} = 3.4^\circ$
11831 measured reflections	$h = -11 \rightarrow 11$
3259 independent reflections	$k = -11 \rightarrow 11$
	$l = -11 \rightarrow 12$

Refinement

Refinement on F^2	Primary atom site location: structure-invariant direct methods
Least-squares matrix: full	Secondary atom site location: difference Fourier map
$R[F^2 > 2\sigma(F^2)] = 0.044$	Hydrogen site location: inferred from neighbouring sites
$wR(F^2) = 0.122$	H atoms treated by a mixture of independent and constrained refinement
$S = 1.01$	$w = 1/[\sigma^2(F_{\text{o}}^2) + (0.0642P)^2 + 0.0376P]$ where $P = (F_{\text{o}}^2 + 2F_{\text{c}}^2)/3$

3259 reflections	$(\Delta/\sigma)_{\max} < 0.001$
169 parameters	$\Delta\rho_{\max} = 0.24 \text{ e \AA}^{-3}$
0 restraints	$\Delta\rho_{\min} = -0.21 \text{ e \AA}^{-3}$

Special details

Geometry. Bond distances, angles etc. have been calculated using the rounded fractional coordinates. All su's are estimated from the variances of the (full) variance-covariance matrix. The cell esds are taken into account in the estimation of distances, angles and torsion angles

Refinement. Refinement on F^2 for ALL reflections except those flagged by the user for potential systematic errors. Weighted R -factors wR and all goodnesses of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The observed criterion of $F^2 > \sigma(F^2)$ is used only for calculating -R-factor-obs etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
S1	0.18536 (5)	0.76639 (5)	0.92202 (4)	0.0448 (2)
O1	0.34628 (15)	0.66385 (16)	0.90275 (15)	0.0579 (4)
O2	0.10049 (15)	0.83328 (15)	1.06641 (12)	0.0537 (4)
N1	0.1950 (2)	0.91823 (19)	0.81866 (16)	0.0471 (5)
C1	0.4564 (3)	0.9071 (3)	0.1918 (2)	0.0860 (9)
C2	0.3869 (3)	0.9072 (3)	0.3562 (2)	0.0589 (7)
C3	0.4706 (3)	0.8100 (3)	0.4474 (2)	0.0635 (7)
C4	0.4115 (2)	0.8091 (2)	0.5988 (2)	0.0570 (7)
C5	0.2605 (2)	0.9077 (2)	0.66194 (18)	0.0423 (5)
C6	0.1743 (2)	1.0070 (2)	0.5727 (2)	0.0559 (6)
C7	0.2379 (3)	1.0074 (3)	0.4220 (2)	0.0661 (8)
C8	0.0609 (2)	0.66738 (19)	0.85725 (18)	0.0428 (5)
C9	0.1315 (2)	0.5487 (2)	0.7513 (2)	0.0608 (7)
C10	0.0316 (3)	0.4755 (2)	0.6978 (2)	0.0668 (8)
C11	-0.1361 (2)	0.5162 (2)	0.7502 (2)	0.0526 (6)
C12	-0.2036 (2)	0.6345 (2)	0.8566 (2)	0.0597 (7)
C13	-0.1067 (2)	0.7097 (2)	0.9103 (2)	0.0566 (7)
C14	-0.2439 (3)	0.4335 (3)	0.6927 (2)	0.0702 (8)
H1	0.118 (3)	0.994 (3)	0.843 (2)	0.068 (7)*
H1A	0.52890	0.97510	0.17190	0.1290*
H1B	0.36830	0.94410	0.14160	0.1290*
H1C	0.51650	0.80190	0.15690	0.1290*
H3	0.57180	0.74160	0.40540	0.0760*
H4	0.47290	0.74260	0.65750	0.0680*
H6	0.07230	1.07450	0.61420	0.0670*
H7	0.17880	1.07680	0.36360	0.0790*
H9	0.24500	0.51800	0.71600	0.0730*
H10	0.07920	0.39670	0.62450	0.0800*
H12	-0.31690	0.66430	0.89310	0.0720*

supplementary materials

H13	-0.15450	0.78950	0.98270	0.0680*
H14A	-0.27990	0.48930	0.61030	0.1050*
H14B	-0.33800	0.43100	0.77020	0.1050*
H14C	-0.18250	0.32780	0.66110	0.1050*

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
S1	0.0441 (3)	0.0466 (3)	0.0429 (2)	-0.0104 (2)	-0.0093 (2)	-0.0033 (2)
O1	0.0451 (7)	0.0608 (8)	0.0641 (8)	-0.0050 (6)	-0.0149 (6)	-0.0001 (6)
O2	0.0579 (8)	0.0586 (8)	0.0416 (6)	-0.0118 (6)	-0.0084 (5)	-0.0055 (6)
N1	0.0467 (9)	0.0452 (9)	0.0461 (8)	-0.0127 (8)	-0.0018 (6)	-0.0058 (7)
C1	0.0891 (17)	0.131 (2)	0.0475 (11)	-0.0617 (17)	0.0057 (10)	-0.0124 (12)
C2	0.0595 (13)	0.0780 (14)	0.0495 (10)	-0.0430 (11)	-0.0023 (9)	-0.0089 (10)
C3	0.0528 (12)	0.0689 (13)	0.0619 (12)	-0.0190 (10)	0.0074 (9)	-0.0175 (10)
C4	0.0472 (11)	0.0590 (12)	0.0575 (11)	-0.0080 (9)	-0.0032 (8)	-0.0046 (9)
C5	0.0404 (9)	0.0443 (9)	0.0449 (9)	-0.0197 (8)	-0.0036 (7)	-0.0069 (7)
C6	0.0432 (10)	0.0656 (12)	0.0558 (11)	-0.0151 (9)	-0.0042 (8)	0.0038 (9)
C7	0.0588 (13)	0.0898 (16)	0.0566 (11)	-0.0317 (12)	-0.0141 (9)	0.0142 (11)
C8	0.0452 (10)	0.0391 (9)	0.0426 (8)	-0.0108 (7)	-0.0070 (7)	0.0009 (7)
C9	0.0454 (11)	0.0571 (12)	0.0748 (13)	-0.0116 (9)	-0.0022 (9)	-0.0200 (10)
C10	0.0683 (14)	0.0542 (12)	0.0765 (14)	-0.0164 (11)	-0.0098 (11)	-0.0226 (10)
C11	0.0611 (12)	0.0487 (10)	0.0549 (10)	-0.0222 (9)	-0.0189 (9)	0.0085 (8)
C12	0.0452 (11)	0.0654 (13)	0.0676 (12)	-0.0160 (10)	-0.0080 (9)	-0.0067 (10)
C13	0.0465 (11)	0.0610 (12)	0.0581 (11)	-0.0120 (9)	-0.0032 (8)	-0.0160 (9)
C14	0.0783 (15)	0.0678 (14)	0.0790 (14)	-0.0320 (12)	-0.0324 (12)	0.0043 (11)

Geometric parameters (\AA , $^\circ$)

S1—O1	1.4217 (14)	C11—C14	1.511 (3)
S1—O2	1.4324 (12)	C11—C12	1.372 (2)
S1—N1	1.6276 (16)	C12—C13	1.373 (3)
S1—C8	1.7576 (18)	C1—H1A	0.9600
N1—C5	1.429 (2)	C1—H1B	0.9600
N1—H1	0.81 (3)	C1—H1C	0.9600
C1—C2	1.504 (3)	C3—H3	0.9300
C2—C7	1.376 (4)	C4—H4	0.9300
C2—C3	1.368 (3)	C6—H6	0.9300
C3—C4	1.379 (3)	C7—H7	0.9300
C4—C5	1.376 (3)	C9—H9	0.9300
C5—C6	1.375 (2)	C10—H10	0.9300
C6—C7	1.379 (3)	C12—H12	0.9300
C8—C13	1.374 (3)	C13—H13	0.9300
C8—C9	1.373 (2)	C14—H14A	0.9600
C9—C10	1.382 (3)	C14—H14B	0.9600
C10—C11	1.374 (3)	C14—H14C	0.9600
S1···H4	3.0400	H1···O2 ⁱ	2.11 (3)
O1···C4	3.049 (2)	H1A···N1 ^{iv}	2.8000

O2···N1 ⁱ	2.904 (2)	H1A···C5 ^{iv}	3.0100
O2···C14 ⁱⁱ	3.377 (3)	H1B···H7	2.4300
O1···H4	2.4500	H1C···H3	2.4700
O1···H9	2.6100	H3···H1C	2.4700
O1···H12 ⁱⁱⁱ	2.8900	H3···H9 ^{vii}	2.5400
O2···H13	2.6100	H4···S1	3.0400
O2···H1 ⁱ	2.11 (3)	H4···O1	2.4500
N1···O2 ⁱ	2.904 (2)	H6···H1	2.3000
N1···H1A ^{iv}	2.8000	H6···C7 ^v	3.0400
C2···C4 ^{iv}	3.481 (3)	H7···H1B	2.4300
C4···O1	3.049 (2)	H9···O1	2.6100
C4···C2 ^{iv}	3.481 (3)	H9···H3 ^{vii}	2.5400
C6···C6 ^v	3.595 (3)	H10···H14C	2.4400
C6···C7 ^v	3.587 (3)	H12···O1 ^{viii}	2.8900
C7···C6 ^v	3.587 (3)	H12···H14B	2.4500
C14···O2 ⁱⁱ	3.377 (3)	H13···O2	2.6100
C2···H14C ^{vi}	3.0800	H14B···H12	2.4500
C5···H1A ^{iv}	3.0100	H14C···H10	2.4400
C7···H6 ^v	3.0400	H14C···C2 ^{vi}	3.0800
H1···H6	2.3000		
O1—S1—O2	119.28 (8)	C2—C1—H1A	109.00
O1—S1—N1	108.52 (9)	C2—C1—H1B	110.00
O1—S1—C8	108.38 (8)	C2—C1—H1C	109.00
O2—S1—N1	104.26 (8)	H1A—C1—H1B	109.00
O2—S1—C8	108.41 (8)	H1A—C1—H1C	109.00
N1—S1—C8	107.41 (8)	H1B—C1—H1C	109.00
S1—N1—C5	123.93 (13)	C2—C3—H3	118.00
C5—N1—H1	112.3 (13)	C4—C3—H3	119.00
S1—N1—H1	114.3 (16)	C3—C4—H4	120.00
C1—C2—C7	121.5 (2)	C5—C4—H4	120.00
C1—C2—C3	121.5 (2)	C5—C6—H6	120.00
C3—C2—C7	117.01 (18)	C7—C6—H6	120.00
C2—C3—C4	122.9 (2)	C2—C7—H7	119.00
C3—C4—C5	119.16 (18)	C6—C7—H7	119.00
C4—C5—C6	119.03 (16)	C8—C9—H9	120.00
N1—C5—C6	118.64 (16)	C10—C9—H9	120.00
N1—C5—C4	122.18 (16)	C9—C10—H10	119.00
C5—C6—C7	120.51 (18)	C11—C10—H10	119.00
C2—C7—C6	121.4 (2)	C11—C12—H12	119.00
C9—C8—C13	119.86 (17)	C13—C12—H12	119.00
S1—C8—C9	119.76 (14)	C8—C13—H13	120.00
S1—C8—C13	120.37 (13)	C12—C13—H13	120.00
C8—C9—C10	119.12 (17)	C11—C14—H14A	109.00
C9—C10—C11	121.65 (16)	C11—C14—H14B	109.00
C10—C11—C14	121.20 (17)	C11—C14—H14C	110.00
C10—C11—C12	118.13 (17)	H14A—C14—H14B	109.00

supplementary materials

C12—C11—C14	120.68 (17)	H14A—C14—H14C	109.00
C11—C12—C13	121.15 (17)	H14B—C14—H14C	109.00
C8—C13—C12	120.09 (16)		
O1—S1—N1—C5	56.26 (18)	C3—C4—C5—C6	-1.4 (3)
O2—S1—N1—C5	-175.62 (16)	C3—C4—C5—N1	-177.08 (19)
C8—S1—N1—C5	-60.71 (18)	C4—C5—C6—C7	0.3 (3)
O1—S1—C8—C13	155.34 (14)	N1—C5—C6—C7	176.04 (19)
O2—S1—C8—C13	24.51 (16)	C5—C6—C7—C2	1.3 (3)
N1—S1—C8—C13	-87.60 (15)	S1—C8—C9—C10	-177.84 (13)
O2—S1—C8—C9	-156.51 (14)	C13—C8—C9—C10	1.2 (3)
N1—S1—C8—C9	91.38 (15)	S1—C8—C13—C12	178.40 (14)
O1—S1—C8—C9	-25.69 (16)	C9—C8—C13—C12	-0.6 (3)
S1—N1—C5—C6	134.31 (16)	C8—C9—C10—C11	-1.4 (3)
S1—N1—C5—C4	-50.0 (2)	C9—C10—C11—C12	1.0 (3)
C3—C2—C7—C6	-1.5 (4)	C9—C10—C11—C14	-178.98 (17)
C1—C2—C7—C6	179.9 (2)	C10—C11—C12—C13	-0.5 (3)
C7—C2—C3—C4	0.2 (4)	C14—C11—C12—C13	179.57 (17)
C1—C2—C3—C4	178.9 (2)	C11—C12—C13—C8	0.2 (3)
C2—C3—C4—C5	1.2 (4)		


Symmetry codes: (i) $-x, -y+2, -z+2$; (ii) $-x, -y+1, -z+2$; (iii) $x+1, y, z$; (iv) $-x+1, -y+2, -z+1$; (v) $-x, -y+2, -z+1$; (vi) $-x, -y+1, -z+1$; (vii) $-x+1, -y+1, -z+1$; (viii) $x-1, y, z$.

Hydrogen-bond geometry (\AA , $^\circ$)

$D\text{—H}\cdots A$	$D\text{—H}$	$H\cdots A$	$D\cdots A$	$D\text{—H}\cdots A$
N1—H1 \cdots O2 ⁱ	0.81 (3)	2.11 (3)	2.904 (2)	170 (2)
C4—H4 \cdots O1	0.93	2.45	3.049 (2)	122

Symmetry codes: (i) $-x, -y+2, -z+2$.

Fig. 1



supplementary materials

Fig. 2

