

(4-Chlorophenyl)[1-(4-methoxyphenyl)-3-(5-nitro-2-furyl)-1*H*-pyrazol-4-yl]-methanone

Jia Hao Goh,^a‡ Hoong-Kun Fun,^{a,*§} Nithinchandra,^b
B. Kalluraya^b and N. Satheesh Rai^b

^aX-ray Crystallography Unit, School of Physics, Universiti Sains Malaysia, 11800 USM, Penang, Malaysia, and ^bDepartment of Studies in Chemistry, Mangalore University, Mangalagangotri, Mangalore 574 199, India
Correspondence e-mail: hkfun@usm.my


Received 30 March 2010; accepted 30 March 2010

Key indicators: single-crystal X-ray study; $T = 100\text{ K}$; mean $\sigma(\text{C}-\text{C}) = 0.001\text{ \AA}$; R factor = 0.036; wR factor = 0.146; data-to-parameter ratio = 29.7.

In the title compound, $\text{C}_{21}\text{H}_{14}\text{ClN}_3\text{O}_5$, an intramolecular $\text{C}-\text{H}\cdots\text{O}$ hydrogen bond generates an *S*(7) ring motif and the furan and pyrazole rings are almost coplanar, making a dihedral angle of $1.98(5)^\circ$. The pyrazole ring is inclined at dihedral angles of $47.59(4)$ and $7.27(4)^\circ$ to the chlorophenyl and methoxyphenyl groups, respectively. The nitro group is almost coplanar to its attached furan ring [dihedral angle = $2.03(12)^\circ$]. In the crystal, intermolecular $\text{C}-\text{H}\cdots\text{O}$ hydrogen bonds link the molecules into a three-dimensional network. The crystal structure also features short intermolecular $\text{O}\cdots\text{N}$ [$2.8546(12)\text{ \AA}$] and $\text{Cl}\cdots\text{O}$ [$3.0844(9)\text{ \AA}$] contacts as well as aromatic $\pi-\pi$ stacking interactions [centroid–centroid distance = $3.4367(6)\text{ \AA}$].

Related literature

For general background to and applications of the title compound, see: Hedge *et al.* (2006); Kalluraya *et al.* (1994); Rai & Kalluraya (2006); Rai *et al.* (2008). For graph-set theory, see: Bernstein *et al.* (1995). For closely related structures, see: Goh *et al.* (2009a,b, 2010). For the stability of the temperature controller used for the data collection, see: Cosier & Glazer (1986).



Experimental

Crystal data

| | |
|--|--|
| $\text{C}_{21}\text{H}_{14}\text{ClN}_3\text{O}_5$ | $\gamma = 107.706(2)^\circ$ |
| $M_r = 423.80$ | $V = 930.44(13)\text{ \AA}^3$ |
| Triclinic, $P\bar{1}$ | $Z = 2$ |
| $a = 9.5589(8)\text{ \AA}$ | Mo $K\alpha$ radiation |
| $b = 9.6603(8)\text{ \AA}$ | $\mu = 0.25\text{ mm}^{-1}$ |
| $c = 10.6401(9)\text{ \AA}$ | $T = 100\text{ K}$ |
| $\alpha = 95.523(2)^\circ$ | $0.35 \times 0.30 \times 0.15\text{ mm}$ |
| $\beta = 91.074(2)^\circ$ | |

Data collection

| | |
|---|--|
| Bruker SMART APEX DUO CCD diffractometer | 31674 measured reflections |
| Absorption correction: multi-scan (<i>SADABS</i> ; Bruker, 2009) | 8076 independent reflections |
| $T_{\min} = 0.919$, $T_{\max} = 0.963$ | 7107 reflections with $I > 2\sigma(I)$ |
| | $R_{\text{int}} = 0.026$ |

Refinement

| | |
|---------------------------------|---|
| $R[F^2 > 2\sigma(F^2)] = 0.036$ | 272 parameters |
| $wR(F^2) = 0.146$ | H-atom parameters constrained |
| $S = 1.13$ | $\Delta\rho_{\max} = 0.87\text{ e \AA}^{-3}$ |
| 8076 reflections | $\Delta\rho_{\min} = -0.70\text{ e \AA}^{-3}$ |

Table 1
Hydrogen-bond geometry (\AA , $^\circ$).

| $D-\text{H}\cdots A$ | $D-\text{H}$ | $\text{H}\cdots A$ | $D\cdots A$ | $D-\text{H}\cdots A$ |
|----------------------------|--------------|--------------------|-------------|----------------------|
| C11—H11A…O2 | 0.93 | 2.27 | 2.9153 (12) | 126 |
| C2—H2A…O5 ⁱ | 0.93 | 2.48 | 3.2820 (13) | 145 |
| C14—H14A…O4 ⁱⁱ | 0.93 | 2.46 | 3.3846 (12) | 175 |
| C21—H21A…O2 ⁱⁱⁱ | 0.96 | 2.55 | 3.5064 (14) | 173 |

Symmetry codes: (i) $-x + 2, -y + 1, -z + 1$; (ii) $x + 1, y + 1, z$; (iii) $x + 1, y, z + 1$.

Data collection: *APEX2* (Bruker, 2009); cell refinement: *SAINT* (Bruker, 2009); data reduction: *SAINT*; program(s) used to solve structure: *SHELXTL* (Sheldrick, 2008); program(s) used to refine structure: *SHELXTL*; molecular graphics: *SHELXTL*; software used to prepare material for publication: *SHELXTL* and *PLATON* (Spek, 2009).

The authors thank Universiti Sains Malaysia (USM) for the Research University Golden Goose grant (No. 1001/PFIZIK/811012). JHG also thanks USM for the award of a USM fellowship.

‡ Thomson Reuters ResearcherID: C-7576-2009.
§ Thomson Reuters ResearcherID: A-3561-2009.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: HB5382).

References

- Bernstein, J., Davis, R. E., Shimoni, L. & Chang, N.-L. (1995). *Angew. Chem. Int. Ed. Engl.* **34**, 1555–1573.
- Bruker (2009). *APEX2, SAINT and SADABS*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Cosier, J. & Glazer, A. M. (1986). *J. Appl. Cryst.* **19**, 105–107.
- Goh, J. H., Fun, H.-K., Nithinchandra, & Kalluraya, B. (2009a). *Acta Cryst. E65*, o3088–o3089.
- Goh, J. H., Fun, H.-K., Nithinchandra, Kalluraya, B & Rai, N. S. (2010). *Acta Cryst. E66*, o1229–o1230.
- Goh, J. H., Fun, H.-K., Nithinchandra, Rai, N. S. & Kalluraya, B. (2009b). *Acta Cryst. E65*, o3099–o3100.
- Hedge, J. C., Rai, G., Puranic, V. G. & Kalluraya, B. (2006). *Synth. Commun.* **36**, 1285–1290.
- Kalluraya, B., D’Souza, A. & Holla, B. S. (1994). *Indian J. Chem. Sect. B*, **33**, 1017–1022.
- Rai, N. S. & Kalluraya, B. (2006). *Indian J. Chem. Sect. B*, **46**, 375–378.
- Rai, N. S., Kalluraya, B., Lingappa, B., Shenoy, S. & Puranic, V. G. (2008). *Eur. J. Med. Chem.* **43**, 1715–1720.
- Sheldrick, G. M. (2008). *Acta Cryst. A64*, 112–122.
- Spek, A. L. (2009). *Acta Cryst. D65*, 148–155.

supplementary materials

Acta Cryst. (2010). E66, o1063-o1064 [doi:10.1107/S1600536810011931]

(4-Chlorophenyl)[1-(4-methoxyphenyl)-3-(5-nitro-2-furyl)-1*H*-pyrazol-4-yl]methanone

J. H. Goh, H.-K. Fun, Nithinchandra, B. Kalluraya and N. S. Rai

Comment

The pyrazole nucleus constitutes an interesting class of organic compound with diverse chemical applications. They possess anti-pyretic, anti-tumor, tranquilizing and herbicidal activities. Sydrones are easily accessible aromatic compounds and versatile synthetic intermediates with a masked azomethine imine unit. The 1,3-dipolar cycloaddition reaction with various dipolarophiles offers a convenient synthetic route for the preparation of pyrazole derivatives and has been studied extensively (Rai & Kalluraya, 2006; Rai *et al.*, 2008). The incorporation of 5-nitrofuran moiety into various heterocyclic systems has found to increase their biological activities. We have reported a few heterocyclic systems carrying 5-nitrofuran moiety as potent anti-microbial agents (Hedge *et al.*, 2006). In continuation of our studies on 1,3-dipolar cycloaddition reactions of sydrones with dipolarophiles carrying nitrofuran moiety (Kalluraya *et al.*, 1994), we herein report the crystal structure of the above pyrazole compound.

In the title pyrazole compound, an intramolecular C11—H11A···O2 hydrogen bond (Table 1) generates a seven-membered ring, producing an *S*(7) ring motif (Fig. 1, Bernstein *et al.*, 1995). The furan (C10-C13/O1) and pyrazole (C8/C9/N2/N1/C14) rings are essentially planar, with maximum deviations of 0.003 (1) and 0.004 (1) Å, respectively, at atoms O1 and N2. These two rings are coplanar to one another, making a dihedral angle of 3.06 (10)° between them. The pyrazole ring is inclined at dihedral angles of 47.59 (4) and 7.27 (4)°, respectively, with the mean planes through 4-chlorophenyl (C1-C6/C11) and 4-methoxyphenyl (C15-C20/O3/C21) groups. The nitro group is coplanar with the attached furan ring, as indicated by the dihedral angle formed of 2.03 (12)°. The bond lengths and angles are comparable to those observed in closely related pyrazole structures (Goh *et al.*, 2009a,b, 2010).

In the crystal structure, intermolecular C2—H2A···O5, C14—H14A···O4 and C21—H21A···O2 hydrogen bonds (Table 1) link neighbouring molecules into a three-dimensional extended network. The interesting feature of the crystal structure is the short intermolecular C11···O3 [3.0844 (9) Å, symmetry code: -x+3, -y+2, -z+1] and O2···N3 [2.8546 (12) Å, symmetry code: -x+1, -y+1, -z+1] interactions which are shorter than the sum of the van der Waals radii of the relevant atoms. The crystal structure is further stabilized by the weak intermolecular π–π interactions involving the pyrazole ring [$Cg1\cdots Cg1 = 3.4367$ (6) Å; symmetry code: -x+2, -y+1, -z+1].

Experimental

3-(*p*-Anisyl)sydnone (0.01 mol) and 1-(*p*-chlorophenyl)-3-(5-nitro-2-furyl)-2-propyn-1-one (0.01 mol) were dissolved in dry xylene (10 ml) and refluxed for 4 h. After completion of the reaction, the solvent was removed by distillation under reduced pressure. The crude product obtained was purified by recrystallization from a mixture of ethanol and DMF. The solid obtained was collected by filtration, washed with ethanol and dried. Orange blocks of (I) were obtained from a 1:2 mixture of ethanol and DMF by slow evaporation.

supplementary materials

Refinement

All the hydrogen atoms were placed in their calculated positions, with C—H = 0.93 or 0.96 Å, and refined using a riding model with $U_{\text{iso}} = 1.2$ or $1.5 U_{\text{eq}}(\text{C})$. A rotating group model was used for the methyl group.

Figures




Fig. 1. The molecular structure of (I), showing 50% probability displacement ellipsoids for non-H atoms. An intramolecular hydrogen bond is shown as dashed line.




Fig. 2. The crystal structure of (I), viewed along the c axis, showing the three-dimensional extended network. Hydrogen atoms not involved in intermolecular interactions (dashed lines) have been omitted for clarity.

(4-Chlorophenyl)[1-(4-methoxyphenyl)-3-(5-nitro-2-furyl)-1*H*-pyrazol-4-yl]methanone

Crystal data

| | |
|--|---|
| $\text{C}_{21}\text{H}_{14}\text{ClN}_3\text{O}_5$ | $Z = 2$ |
| $M_r = 423.80$ | $F(000) = 436$ |
| Triclinic, $P\bar{1}$ | $D_x = 1.513 \text{ Mg m}^{-3}$ |
| Hall symbol: -P 1 | Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$ |
| $a = 9.5589 (8) \text{ \AA}$ | Cell parameters from 9944 reflections |
| $b = 9.6603 (8) \text{ \AA}$ | $\theta = 2.6\text{--}37.6^\circ$ |
| $c = 10.6401 (9) \text{ \AA}$ | $\mu = 0.25 \text{ mm}^{-1}$ |
| $\alpha = 95.523 (2)^\circ$ | $T = 100 \text{ K}$ |
| $\beta = 91.074 (2)^\circ$ | Block, orange |
| $\gamma = 107.706 (2)^\circ$ | $0.35 \times 0.30 \times 0.15 \text{ mm}$ |
| $V = 930.44 (13) \text{ \AA}^3$ | |

Data collection

| | |
|---|--|
| Bruker SMART APEX DUO CCD diffractometer | 8076 independent reflections |
| Radiation source: fine-focus sealed tube graphite | 7107 reflections with $I > 2\sigma(I)$ $R_{\text{int}} = 0.026$ |

| | |
|---|---|
| φ and ω scans | $\theta_{\max} = 35.0^\circ, \theta_{\min} = 2.2^\circ$ |
| Absorption correction: multi-scan (SADABS; Bruker, 2009) | $h = -15 \rightarrow 15$ |
| $T_{\min} = 0.919, T_{\max} = 0.963$ | $k = -13 \rightarrow 15$ |
| 31674 measured reflections | $l = -17 \rightarrow 17$ |

Refinement

| | |
|---------------------------------|--|
| Refinement on F^2 | Primary atom site location: structure-invariant direct methods |
| Least-squares matrix: full | Secondary atom site location: difference Fourier map |
| $R[F^2 > 2\sigma(F^2)] = 0.036$ | Hydrogen site location: inferred from neighbouring sites |
| $wR(F^2) = 0.146$ | H-atom parameters constrained |
| $S = 1.13$ | $w = 1/[\sigma^2(F_o^2) + (0.095P)^2 + 0.1254P]$ where $P = (F_o^2 + 2F_c^2)/3$ |
| 8076 reflections | $(\Delta/\sigma)_{\max} = 0.001$ |
| 272 parameters | $\Delta\rho_{\max} = 0.87 \text{ e \AA}^{-3}$ |
| 0 restraints | $\Delta\rho_{\min} = -0.70 \text{ e \AA}^{-3}$ |

Special details

Experimental. The crystal was placed in the cold stream of an Oxford Cryosystems Cobra open-flow nitrogen cryostat (Cosier & Glazer, 1986) operating at 100.0 (1)K.

Geometry. All esds (except the esd in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell esds are taken into account individually in the estimation of esds in distances, angles and torsion angles; correlations between esds in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell esds is used for estimating esds involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R-factor wR and goodness of fit S are based on F^2 , conventional R-factors R are based on F, with F set to zero for negative F^2 . The threshold expression of $F^2 > 2\sigma(F^2)$ is used only for calculating R-factors(gt) etc. and is not relevant to the choice of reflections for refinement. R-factors based on F^2 are statistically about twice as large as those based on F, and R-factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

| | x | y | z | $U_{\text{iso}}^*/U_{\text{eq}}$ |
|-----|-------------|--------------|-------------|----------------------------------|
| Cl1 | 1.29464 (2) | 1.14454 (3) | 0.06814 (2) | 0.02139 (7) |
| O1 | 0.61940 (7) | 0.32154 (7) | 0.56102 (7) | 0.01521 (12) |
| O2 | 0.71984 (7) | 0.69219 (8) | 0.30892 (7) | 0.01788 (13) |
| O3 | 1.40488 (8) | 0.71448 (9) | 1.04135 (7) | 0.02060 (14) |
| O4 | 0.30019 (9) | 0.02849 (9) | 0.52238 (8) | 0.02777 (17) |
| O5 | 0.47299 (9) | 0.09317 (9) | 0.67232 (9) | 0.02794 (18) |
| N1 | 0.99713 (8) | 0.64428 (8) | 0.64105 (7) | 0.01227 (12) |
| N2 | 0.87287 (8) | 0.52812 (8) | 0.62820 (7) | 0.01314 (12) |
| N3 | 0.41817 (9) | 0.10960 (9) | 0.57182 (8) | 0.01796 (14) |
| C1 | 1.11008 (9) | 0.82550 (10) | 0.28130 (8) | 0.01484 (14) |
| H1A | 1.1386 | 0.7582 | 0.3241 | 0.018* |

supplementary materials

| | | | | |
|------|--------------|--------------|--------------|--------------|
| C2 | 1.21148 (9) | 0.92103 (10) | 0.21216 (9) | 0.01643 (15) |
| H2A | 1.3069 | 0.9161 | 0.2064 | 0.020* |
| C3 | 1.16768 (9) | 1.02368 (10) | 0.15196 (8) | 0.01521 (14) |
| C4 | 1.02482 (10) | 1.03149 (10) | 0.15658 (9) | 0.01617 (15) |
| H4A | 0.9977 | 1.1017 | 0.1167 | 0.019* |
| C5 | 0.92349 (9) | 0.93211 (10) | 0.22196 (8) | 0.01508 (14) |
| H5A | 0.8266 | 0.9332 | 0.2228 | 0.018* |
| C6 | 0.96547 (9) | 0.83057 (9) | 0.28646 (8) | 0.01292 (13) |
| C7 | 0.84764 (9) | 0.72576 (9) | 0.35099 (8) | 0.01295 (13) |
| C8 | 0.88513 (9) | 0.66693 (9) | 0.46450 (8) | 0.01251 (13) |
| C9 | 0.80310 (8) | 0.54115 (9) | 0.52175 (8) | 0.01230 (13) |
| C10 | 0.66580 (9) | 0.42891 (9) | 0.48123 (8) | 0.01289 (13) |
| C11 | 0.56829 (10) | 0.40179 (10) | 0.37915 (8) | 0.01690 (15) |
| H11A | 0.5753 | 0.4580 | 0.3119 | 0.020* |
| C12 | 0.45459 (10) | 0.27164 (11) | 0.39557 (9) | 0.01852 (16) |
| H12A | 0.3722 | 0.2250 | 0.3421 | 0.022* |
| C13 | 0.49222 (9) | 0.23009 (9) | 0.50622 (9) | 0.01568 (15) |
| C14 | 1.00849 (9) | 0.72922 (9) | 0.54574 (8) | 0.01321 (14) |
| H14A | 1.0848 | 0.8137 | 0.5363 | 0.016* |
| C15 | 1.09929 (9) | 0.66115 (9) | 0.74528 (8) | 0.01229 (13) |
| C16 | 1.07607 (9) | 0.55323 (10) | 0.82671 (8) | 0.01586 (15) |
| H16A | 0.9930 | 0.4716 | 0.8143 | 0.019* |
| C17 | 1.17703 (10) | 0.56696 (11) | 0.92700 (9) | 0.01755 (15) |
| H17A | 1.1624 | 0.4936 | 0.9805 | 0.021* |
| C18 | 1.29982 (9) | 0.69077 (10) | 0.94696 (8) | 0.01540 (14) |
| C19 | 1.32113 (9) | 0.80016 (10) | 0.86573 (9) | 0.01607 (15) |
| H19A | 1.4019 | 0.8839 | 0.8800 | 0.019* |
| C20 | 1.22302 (9) | 0.78476 (9) | 0.76433 (8) | 0.01446 (14) |
| H20A | 1.2393 | 0.8564 | 0.7091 | 0.017* |
| C21 | 1.39244 (12) | 0.60104 (13) | 1.12158 (10) | 0.0247 (2) |
| H21A | 1.4770 | 0.6276 | 1.1793 | 0.037* |
| H21B | 1.3867 | 0.5115 | 1.0709 | 0.037* |
| H21C | 1.3053 | 0.5879 | 1.1684 | 0.037* |

Atomic displacement parameters (\AA^2)

| | U^{11} | U^{22} | U^{33} | U^{12} | U^{13} | U^{23} |
|-----|--------------|--------------|--------------|--------------|-------------|-------------|
| Cl1 | 0.01544 (10) | 0.02511 (12) | 0.01991 (12) | -0.00141 (8) | 0.00097 (7) | 0.00950 (8) |
| O1 | 0.0108 (2) | 0.0127 (3) | 0.0197 (3) | -0.0006 (2) | 0.0000 (2) | 0.0044 (2) |
| O2 | 0.0113 (2) | 0.0195 (3) | 0.0219 (3) | 0.0026 (2) | -0.0025 (2) | 0.0051 (2) |
| O3 | 0.0142 (3) | 0.0274 (4) | 0.0167 (3) | 0.0004 (3) | -0.0036 (2) | 0.0065 (3) |
| O4 | 0.0233 (3) | 0.0221 (3) | 0.0248 (4) | -0.0114 (3) | 0.0003 (3) | -0.0004 (3) |
| O5 | 0.0186 (3) | 0.0246 (4) | 0.0393 (5) | 0.0009 (3) | -0.0044 (3) | 0.0172 (3) |
| N1 | 0.0098 (3) | 0.0114 (3) | 0.0141 (3) | 0.0005 (2) | -0.0005 (2) | 0.0027 (2) |
| N2 | 0.0099 (3) | 0.0119 (3) | 0.0157 (3) | 0.0003 (2) | -0.0003 (2) | 0.0025 (2) |
| N3 | 0.0147 (3) | 0.0128 (3) | 0.0234 (4) | -0.0004 (2) | 0.0030 (3) | 0.0023 (3) |
| C1 | 0.0117 (3) | 0.0165 (3) | 0.0162 (3) | 0.0037 (3) | -0.0007 (2) | 0.0037 (3) |
| C2 | 0.0111 (3) | 0.0196 (4) | 0.0177 (4) | 0.0027 (3) | -0.0002 (3) | 0.0045 (3) |

| | | | | | | |
|-----|------------|------------|------------|-------------|-------------|-------------|
| C3 | 0.0131 (3) | 0.0165 (3) | 0.0140 (3) | 0.0010 (3) | 0.0003 (2) | 0.0034 (3) |
| C4 | 0.0156 (3) | 0.0177 (4) | 0.0161 (3) | 0.0053 (3) | 0.0015 (3) | 0.0055 (3) |
| C5 | 0.0134 (3) | 0.0173 (3) | 0.0159 (3) | 0.0057 (3) | 0.0018 (2) | 0.0049 (3) |
| C6 | 0.0114 (3) | 0.0133 (3) | 0.0137 (3) | 0.0027 (2) | 0.0002 (2) | 0.0028 (2) |
| C7 | 0.0109 (3) | 0.0130 (3) | 0.0146 (3) | 0.0028 (2) | -0.0001 (2) | 0.0026 (2) |
| C8 | 0.0102 (3) | 0.0123 (3) | 0.0140 (3) | 0.0017 (2) | -0.0001 (2) | 0.0025 (2) |
| C9 | 0.0098 (3) | 0.0115 (3) | 0.0150 (3) | 0.0021 (2) | 0.0008 (2) | 0.0020 (2) |
| C10 | 0.0100 (3) | 0.0121 (3) | 0.0150 (3) | 0.0010 (2) | 0.0014 (2) | 0.0016 (2) |
| C11 | 0.0153 (3) | 0.0168 (4) | 0.0143 (3) | -0.0012 (3) | -0.0006 (3) | 0.0011 (3) |
| C12 | 0.0159 (3) | 0.0183 (4) | 0.0154 (4) | -0.0027 (3) | -0.0003 (3) | -0.0009 (3) |
| C13 | 0.0123 (3) | 0.0127 (3) | 0.0185 (4) | -0.0012 (3) | 0.0018 (3) | 0.0008 (3) |
| C14 | 0.0112 (3) | 0.0125 (3) | 0.0146 (3) | 0.0011 (2) | -0.0002 (2) | 0.0030 (2) |
| C15 | 0.0101 (3) | 0.0124 (3) | 0.0134 (3) | 0.0019 (2) | 0.0001 (2) | 0.0017 (2) |
| C16 | 0.0140 (3) | 0.0154 (3) | 0.0151 (3) | -0.0008 (3) | -0.0009 (3) | 0.0042 (3) |
| C17 | 0.0152 (3) | 0.0198 (4) | 0.0153 (4) | 0.0008 (3) | -0.0007 (3) | 0.0061 (3) |
| C18 | 0.0117 (3) | 0.0197 (4) | 0.0133 (3) | 0.0027 (3) | -0.0002 (2) | 0.0021 (3) |
| C19 | 0.0116 (3) | 0.0159 (3) | 0.0186 (4) | 0.0011 (3) | -0.0013 (3) | 0.0021 (3) |
| C20 | 0.0112 (3) | 0.0130 (3) | 0.0180 (4) | 0.0016 (2) | -0.0011 (2) | 0.0031 (3) |
| C21 | 0.0208 (4) | 0.0327 (5) | 0.0192 (4) | 0.0042 (4) | -0.0033 (3) | 0.0096 (4) |

Geometric parameters (\AA , $^\circ$)

| | | | |
|------------|-------------|--------------|-------------|
| C11—C3 | 1.7351 (9) | C7—C8 | 1.4662 (12) |
| O1—C13 | 1.3488 (11) | C8—C14 | 1.3892 (11) |
| O1—C10 | 1.3774 (10) | C8—C9 | 1.4294 (11) |
| O2—C7 | 1.2282 (10) | C9—C10 | 1.4516 (11) |
| O3—C18 | 1.3593 (11) | C10—C11 | 1.3696 (12) |
| O3—C21 | 1.4313 (13) | C11—C12 | 1.4180 (13) |
| O4—N3 | 1.2343 (11) | C11—H11A | 0.9300 |
| O5—N3 | 1.2270 (12) | C12—C13 | 1.3563 (13) |
| N1—C14 | 1.3503 (11) | C12—H12A | 0.9300 |
| N1—N2 | 1.3574 (10) | C14—H14A | 0.9300 |
| N1—C15 | 1.4275 (11) | C15—C16 | 1.3883 (12) |
| N2—C9 | 1.3393 (11) | C15—C20 | 1.3969 (12) |
| N3—C13 | 1.4200 (12) | C16—C17 | 1.3942 (12) |
| C1—C2 | 1.3949 (12) | C16—H16A | 0.9300 |
| C1—C6 | 1.3998 (12) | C17—C18 | 1.3933 (13) |
| C1—H1A | 0.9300 | C17—H17A | 0.9300 |
| C2—C3 | 1.3906 (12) | C18—C19 | 1.3987 (13) |
| C2—H2A | 0.9300 | C19—C20 | 1.3828 (12) |
| C3—C4 | 1.3919 (12) | C19—H19A | 0.9300 |
| C4—C5 | 1.3899 (13) | C20—H20A | 0.9300 |
| C4—H4A | 0.9300 | C21—H21A | 0.9600 |
| C5—C6 | 1.3975 (12) | C21—H21B | 0.9600 |
| C5—H5A | 0.9300 | C21—H21C | 0.9600 |
| C6—C7 | 1.4948 (12) | | |
| C13—O1—C10 | 105.18 (7) | O1—C10—C9 | 114.95 (7) |
| C18—O3—C21 | 117.66 (8) | C10—C11—C12 | 106.87 (8) |
| C14—N1—N2 | 112.41 (7) | C10—C11—H11A | 126.6 |

supplementary materials

| | | | |
|--------------|-------------|-----------------|--------------|
| C14—N1—C15 | 128.09 (7) | C12—C11—H11A | 126.6 |
| N2—N1—C15 | 119.46 (7) | C13—C12—C11 | 104.95 (8) |
| C9—N2—N1 | 105.18 (7) | C13—C12—H12A | 127.5 |
| O5—N3—O4 | 124.52 (9) | C11—C12—H12A | 127.5 |
| O5—N3—C13 | 119.17 (8) | O1—C13—C12 | 112.92 (8) |
| O4—N3—C13 | 116.31 (9) | O1—C13—N3 | 116.80 (8) |
| C2—C1—C6 | 120.23 (8) | C12—C13—N3 | 130.27 (8) |
| C2—C1—H1A | 119.9 | N1—C14—C8 | 107.30 (7) |
| C6—C1—H1A | 119.9 | N1—C14—H14A | 126.3 |
| C3—C2—C1 | 118.94 (8) | C8—C14—H14A | 126.3 |
| C3—C2—H2A | 120.5 | C16—C15—C20 | 120.14 (8) |
| C1—C2—H2A | 120.5 | C16—C15—N1 | 119.68 (7) |
| C2—C3—C4 | 121.82 (8) | C20—C15—N1 | 120.17 (7) |
| C2—C3—Cl1 | 118.96 (7) | C15—C16—C17 | 120.14 (8) |
| C4—C3—Cl1 | 119.22 (7) | C15—C16—H16A | 119.9 |
| C5—C4—C3 | 118.60 (8) | C17—C16—H16A | 119.9 |
| C5—C4—H4A | 120.7 | C18—C17—C16 | 119.84 (8) |
| C3—C4—H4A | 120.7 | C18—C17—H17A | 120.1 |
| C4—C5—C6 | 120.81 (8) | C16—C17—H17A | 120.1 |
| C4—C5—H5A | 119.6 | O3—C18—C17 | 124.49 (8) |
| C6—C5—H5A | 119.6 | O3—C18—C19 | 115.85 (8) |
| C5—C6—C1 | 119.53 (8) | C17—C18—C19 | 119.66 (8) |
| C5—C6—C7 | 116.77 (7) | C20—C19—C18 | 120.48 (8) |
| C1—C6—C7 | 123.58 (7) | C20—C19—H19A | 119.8 |
| O2—C7—C8 | 120.95 (8) | C18—C19—H19A | 119.8 |
| O2—C7—C6 | 119.13 (8) | C19—C20—C15 | 119.70 (8) |
| C8—C7—C6 | 119.91 (7) | C19—C20—H20A | 120.1 |
| C14—C8—C9 | 104.13 (7) | C15—C20—H20A | 120.1 |
| C14—C8—C7 | 126.36 (8) | O3—C21—H21A | 109.5 |
| C9—C8—C7 | 129.40 (7) | O3—C21—H21B | 109.5 |
| N2—C9—C8 | 110.98 (7) | H21A—C21—H21B | 109.5 |
| N2—C9—C10 | 117.95 (7) | O3—C21—H21C | 109.5 |
| C8—C9—C10 | 131.03 (8) | H21A—C21—H21C | 109.5 |
| C11—C10—O1 | 110.07 (7) | H21B—C21—H21C | 109.5 |
| C11—C10—C9 | 134.98 (8) | | |
| C14—N1—N2—C9 | -0.53 (9) | O1—C10—C11—C12 | 0.31 (10) |
| C15—N1—N2—C9 | -178.56 (7) | C9—C10—C11—C12 | 179.62 (9) |
| C6—C1—C2—C3 | 1.91 (13) | C10—C11—C12—C13 | -0.05 (10) |
| C1—C2—C3—C4 | -1.44 (14) | C10—O1—C13—C12 | 0.43 (10) |
| C1—C2—C3—Cl1 | 178.93 (7) | C10—O1—C13—N3 | -178.49 (7) |
| C2—C3—C4—C5 | -0.89 (14) | C11—C12—C13—O1 | -0.24 (11) |
| Cl1—C3—C4—C5 | 178.74 (7) | C11—C12—C13—N3 | 178.50 (9) |
| C3—C4—C5—C6 | 2.78 (14) | O5—N3—C13—O1 | -1.02 (13) |
| C4—C5—C6—C1 | -2.31 (13) | O4—N3—C13—O1 | 178.36 (8) |
| C4—C5—C6—C7 | -178.41 (8) | O5—N3—C13—C12 | -179.72 (10) |
| C2—C1—C6—C5 | -0.08 (13) | O4—N3—C13—C12 | -0.34 (15) |
| C2—C1—C6—C7 | 175.74 (8) | N2—N1—C14—C8 | 0.08 (9) |
| C5—C6—C7—O2 | 27.96 (12) | C15—N1—C14—C8 | 177.90 (7) |
| C1—C6—C7—O2 | -147.96 (9) | C9—C8—C14—N1 | 0.37 (9) |

| | | | |
|----------------|-------------|-----------------|-------------|
| C5—C6—C7—C8 | -150.78 (8) | C7—C8—C14—N1 | 177.02 (8) |
| C1—C6—C7—C8 | 33.30 (12) | C14—N1—C15—C16 | -172.85 (8) |
| O2—C7—C8—C14 | -156.41 (9) | N2—N1—C15—C16 | 4.84 (12) |
| C6—C7—C8—C14 | 22.30 (12) | C14—N1—C15—C20 | 6.33 (13) |
| O2—C7—C8—C9 | 19.38 (14) | N2—N1—C15—C20 | -175.98 (7) |
| C6—C7—C8—C9 | -161.90 (8) | C20—C15—C16—C17 | -0.74 (13) |
| N1—N2—C9—C8 | 0.76 (9) | N1—C15—C16—C17 | 178.45 (8) |
| N1—N2—C9—C10 | 178.64 (7) | C15—C16—C17—C18 | 1.34 (14) |
| C14—C8—C9—N2 | -0.72 (9) | C21—O3—C18—C17 | 3.45 (14) |
| C7—C8—C9—N2 | -177.23 (8) | C21—O3—C18—C19 | -176.00 (9) |
| C14—C8—C9—C10 | -178.24 (8) | C16—C17—C18—O3 | -179.70 (8) |
| C7—C8—C9—C10 | 5.26 (15) | C16—C17—C18—C19 | -0.27 (14) |
| C13—O1—C10—C11 | -0.45 (9) | O3—C18—C19—C20 | 178.05 (8) |
| C13—O1—C10—C9 | -179.91 (7) | C17—C18—C19—C20 | -1.43 (13) |
| N2—C9—C10—C11 | -177.28 (9) | C18—C19—C20—C15 | 2.03 (13) |
| C8—C9—C10—C11 | 0.10 (16) | C16—C15—C20—C19 | -0.95 (13) |
| N2—C9—C10—O1 | 2.01 (11) | N1—C15—C20—C19 | 179.87 (8) |
| C8—C9—C10—O1 | 179.38 (8) | | |

Hydrogen-bond geometry (Å, °)

| <i>D</i> —H··· <i>A</i> | <i>D</i> —H | H··· <i>A</i> | <i>D</i> ··· <i>A</i> | <i>D</i> —H··· <i>A</i> |
|------------------------------|-------------|---------------|-----------------------|-------------------------|
| C11—H11A···O2 | 0.93 | 2.27 | 2.9153 (12) | 126 |
| C2—H2A···O5 ⁱ | 0.93 | 2.48 | 3.2820 (13) | 145 |
| C14—H14A···O4 ⁱⁱ | 0.93 | 2.46 | 3.3846 (12) | 175 |
| C21—H21A···O2 ⁱⁱⁱ | 0.96 | 2.55 | 3.5064 (14) | 173 |

Symmetry codes: (i) $-x+2, -y+1, -z+1$; (ii) $x+1, y+1, z$; (iii) $x+1, y, z+1$.

supplementary materials

Fig. 1




Fig. 2

