

1-Cyanomethyl-1,4-diazoniabicyclo-[2.2.2]octane tetrabromidocuprate(II)

Ying Cai

Ordered Matter Science Research Center, Southeast University, Nanjing 211189, People's Republic of China
Correspondence e-mail: cyik@163.com


Received 11 June 2010; accepted 17 June 2010

Key indicators: single-crystal X-ray study; $T = 293\text{ K}$; mean $\sigma(\text{C}-\text{C}) = 0.009\text{ \AA}$; R factor = 0.046; wR factor = 0.099; data-to-parameter ratio = 23.1.

In the crystal structure of the title complex, $(\text{C}_8\text{H}_{15}\text{N}_3)[\text{CuBr}_4]$, the Cu atom is coordinated by four bromido ligands within a strongly distorted tetrahedron. The anions and cations are connected by weak N–H \cdots Br and C–H \cdots Br hydrogen-bonding interactions.

Related literature

For the uses of DABCO (1,4-diazabicyclo[2.2.2]octane) and its derivatives, see: Basaviah *et al.* (2003); Chen *et al.* (2010).



Experimental

Crystal data

$(\text{C}_8\text{H}_{15}\text{N}_3)[\text{CuBr}_4]$

$M_r = 536.41$

Monoclinic, $P2_1/c$
 $a = 8.4793 (17)\text{ \AA}$
 $b = 13.911 (3)\text{ \AA}$
 $c = 12.506 (3)\text{ \AA}$
 $\beta = 97.75 (3)^\circ$
 $V = 1461.7 (5)\text{ \AA}^3$

$Z = 4$
Mo $K\alpha$ radiation
 $\mu = 12.41\text{ mm}^{-1}$
 $T = 293\text{ K}$
 $0.3 \times 0.3 \times 0.2\text{ mm}$

Data collection

Rigaku Mercury CCD diffractometer
Absorption correction: multi-scan (*CrystalClear*; Rigaku, 2005)
 $T_{\min} = 0.041$, $T_{\max} = 0.092$

14798 measured reflections
3347 independent reflections
2642 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.069$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.046$
 $wR(F^2) = 0.099$
 $S = 1.10$
3347 reflections

145 parameters
H-atom parameters constrained
 $\Delta\rho_{\max} = 1.48\text{ e \AA}^{-3}$
 $\Delta\rho_{\min} = -0.93\text{ e \AA}^{-3}$

Table 1
Hydrogen-bond geometry (\AA , $^\circ$).

| $D-\text{H}\cdots A$ | $D-\text{H}$ | $\text{H}\cdots A$ | $D\cdots A$ | $D-\text{H}\cdots A$ |
|------------------------------------|--------------|--------------------|-------------|----------------------|
| N3—H3C \cdots Br3 ⁱ | 0.96 | 2.62 | 3.420 (5) | 142 |
| N3—H3C \cdots Br2 ⁱ | 0.96 | 2.95 | 3.545 (5) | 122 |
| C4—H4A \cdots Br3 ⁱ | 0.97 | 2.92 | 3.555 (6) | 124 |
| N3—H3C \cdots Br4 | 0.96 | 2.86 | 3.406 (5) | 117 |
| C2—H2A \cdots Br1 ⁱⁱ | 0.97 | 2.91 | 3.638 (6) | 132 |
| C2—H2B \cdots Br4 ⁱⁱⁱ | 0.97 | 2.73 | 3.608 (6) | 150 |

Symmetry codes: (i) $x, -y + \frac{1}{2}, z - \frac{1}{2}$; (ii) $-x + 1, -y, -z + 1$; (iii) $x - 1, y, z$.

Data collection: *CrystalClear* (Rigaku, 2005); cell refinement: *CrystalClear*; data reduction: *CrystalClear*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL* (Sheldrick, 2008); software used to prepare material for publication: *SHELXL97*.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: NC2190).

References

- Basaviah, D., Rao, A. J. & Satyanarayana, T. (2003). *Chem. Rev.* **103**, 811–891.
Chen, L. Z., Huang, Y., Xiong, R. G. & Hu, H. W. (2010). *J. Mol. Struct.* **963**, 16–21.
Rigaku (2005). *CrystalClear*. Rigaku Corporation, Tokyo, Japan.
Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.

supplementary materials

Acta Cryst. (2010). E66, m830 [doi:10.1107/S1600536810023469]

1-Cyanomethyl-1,4-diazoniabicyclo[2.2.2]octane tetrabromidocuprate(II)

Y. Cai

Comment

1,4-Diazabicyclo[2.2.2]octane (DABCO) is used as a good organocatalyst for a large number of reactions because of its nucleophilicity (Basaviah *et al.*, 2003) and some of its derivatives are ferroelectrics (Chen *et al.*, 2010). The structure determination of the title compound was performed within a project on the electric properties of 1,4-Diazabicyclo[2.2.2]octane derivatives. Within this project the crystals were obtained by accident.

The asymmetric unit of the title compound, (I), is shown in Fig. 1. The Cu atoms are coordinated by four Br atoms with very similar distances in the range of 2.36 (1) to 2.41 (4) Å. The Br—Cu—Br bond angles are between 97.32 (4) and 126.31 (4)° which shows that the coordination polyhedron can be described as a strongly disrotated tetrahedron. The $(C_8H_{14}N_3)^{2+}$ cations are connected to the $CuBr_4^{2-}$ anions *via* very weak intermolecular interactions (Fig. 2 and Table 1).

Experimental

1,4-Diaza-bicyclo[2.2.2]octane (dabco) (0.05 mol, 5.6 g) and bromoacetonitrile (0.1 mol, 12.00 g) were dissolved in CH_3CN (40 ml) with stirring for 1 h at room temperature. 1-(cyanomethyl)-4-aza-1-azonia-bicyclo[2.2.2]octane bromide quickly formed as a white solid was filtered, washed with acetonitrile and dried (yield: 80%).

$CuBr_2$ (0.001 mol, 0.223 g) and 4 ml 60% HBr were dissolved in MeOH (20 ml) and 1-(cyanomethyl)-4-aza-1-azonia-bicyclo[2.2.2]octane bromide (0.002 mol, 0.464 g) dissolved in 10 ml of methanol was added. The mixture was stirred until a clear solution was obtained. After slow evaporation of the solvent, colourless plate crystals of the title compound suitable for X-ray analysis were obtained in about 68% yield.

Refinement

H atoms bound to carbon and nitrogen were placed in idealized positions [$C—H = 0.97$ Å and $N—H = 0.96$ Å] and allowed to ride on their parent atoms with U_{iso} fixed at 1.2 $U_{eq}(C,N)$.

Figures




Fig. 1. Crystal structure of the title compound with labelling and displacement ellipsoids drawn at the 30% probability level.

supplementary materials




Fig. 2. Crystal structure of the title compound with view along the a axis. Intermolecular interactions are shown as dashed lines.

1-Cyanomethyl-1,4-diazoniabicyclo[2.2.2]octane tetrabromidocuprate(II)

Crystal data

| | |
|--|---|
| (C ₈ H ₁₅ N ₃)[CuBr ₄] | $F(000) = 1012$ |
| $M_r = 536.41$ | $D_x = 2.438 \text{ Mg m}^{-3}$ |
| Monoclinic, $P2_1/c$ | Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$ |
| Hall symbol: -P 2ybc | Cell parameters from 3450 reflections |
| $a = 8.4793 (17) \text{ \AA}$ | $\theta = 6.2\text{--}55.3^\circ$ |
| $b = 13.911 (3) \text{ \AA}$ | $\mu = 12.41 \text{ mm}^{-1}$ |
| $c = 12.506 (3) \text{ \AA}$ | $T = 293 \text{ K}$ |
| $\beta = 97.75 (3)^\circ$ | Block, brown |
| $V = 1461.7 (5) \text{ \AA}^3$ | $0.3 \times 0.3 \times 0.2 \text{ mm}$ |
| $Z = 4$ | |

Data collection

| | |
|---|---|
| Rigaku Mercury CCD diffractometer | 3347 independent reflections |
| Radiation source: fine-focus sealed tube graphite | 2642 reflections with $I > 2\sigma(I)$ |
| ω scans | $R_{\text{int}} = 0.069$ |
| Absorption correction: multi-scan (<i>CrystalClear</i> ; Rigaku, 2005) | $\theta_{\text{max}} = 27.5^\circ, \theta_{\text{min}} = 3.1^\circ$ |
| $T_{\text{min}} = 0.041, T_{\text{max}} = 0.092$ | $h = -11 \rightarrow 10$ |
| 14798 measured reflections | $k = -18 \rightarrow 17$ |
| | $l = -16 \rightarrow 16$ |

Refinement

| | |
|---------------------------------|--|
| Refinement on F^2 | Secondary atom site location: difference Fourier map |
| Least-squares matrix: full | Hydrogen site location: inferred from neighbouring sites |
| $R[F^2 > 2\sigma(F^2)] = 0.046$ | H-atom parameters constrained |
| $wR(F^2) = 0.099$ | $w = 1/[\sigma^2(F_o^2) + (0.0321P)^2 + 5.2474P]$ |
| $S = 1.10$ | where $P = (F_o^2 + 2F_c^2)/3$ |
| 3347 reflections | $(\Delta/\sigma)_{\text{max}} < 0.001$ |
| 145 parameters | $\Delta\rho_{\text{max}} = 1.48 \text{ e \AA}^{-3}$ |
| | $\Delta\rho_{\text{min}} = -0.93 \text{ e \AA}^{-3}$ |

0 restraints
 Primary atom site location: structure-invariant direct methods
 Extinction correction: *SHELXS*
 Extinction coefficient: 0.0476 (15)

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

| | x | y | z | $U_{\text{iso}}^*/U_{\text{eq}}$ |
|-----|-------------|-------------|-------------|----------------------------------|
| Br1 | 0.95523 (8) | 0.14445 (5) | 0.53910 (5) | 0.03184 (18) |
| Br2 | 0.50194 (8) | 0.14394 (5) | 0.54689 (5) | 0.02883 (17) |
| Br3 | 0.66511 (8) | 0.39414 (4) | 0.52626 (5) | 0.02810 (17) |
| Br4 | 0.73530 (8) | 0.25471 (5) | 0.29836 (5) | 0.02880 (17) |
| Cu1 | 0.71711 (9) | 0.23115 (5) | 0.48323 (6) | 0.02398 (19) |
| N3 | 0.3831 (6) | 0.1546 (3) | 0.1900 (4) | 0.0200 (11) |
| H3C | 0.4761 | 0.1712 | 0.1585 | 0.024* |
| N2 | 0.1266 (5) | 0.0841 (3) | 0.2321 (4) | 0.0142 (10) |
| C6 | 0.4153 (8) | 0.0598 (4) | 0.2422 (5) | 0.0280 (14) |
| H6A | 0.4988 | 0.0658 | 0.3030 | 0.034* |
| H6B | 0.4505 | 0.0148 | 0.1912 | 0.034* |
| C4 | 0.2717 (7) | 0.1424 (5) | 0.0866 (5) | 0.0244 (14) |
| H4A | 0.3228 | 0.1055 | 0.0352 | 0.029* |
| H4B | 0.2425 | 0.2047 | 0.0551 | 0.029* |
| C5 | 0.2642 (7) | 0.0233 (5) | 0.2805 (6) | 0.0323 (16) |
| H5A | 0.2461 | -0.0432 | 0.2587 | 0.039* |
| H5B | 0.2743 | 0.0264 | 0.3586 | 0.039* |
| C1 | -0.0752 (7) | -0.0431 (4) | 0.2002 (5) | 0.0236 (14) |
| C2 | -0.0285 (7) | 0.0450 (4) | 0.2597 (5) | 0.0245 (14) |
| H2A | -0.0182 | 0.0319 | 0.3366 | 0.029* |
| H2B | -0.1112 | 0.0930 | 0.2431 | 0.029* |
| N1 | -0.1173 (7) | -0.1086 (4) | 0.1523 (5) | 0.0367 (14) |
| C3 | 0.1243 (7) | 0.0901 (5) | 0.1130 (4) | 0.0253 (14) |
| H3A | 0.0296 | 0.1241 | 0.0811 | 0.030* |
| H3B | 0.1212 | 0.0258 | 0.0826 | 0.030* |
| C7 | 0.3101 (7) | 0.2214 (4) | 0.2631 (5) | 0.0234 (13) |
| H7A | 0.3002 | 0.2852 | 0.2317 | 0.028* |
| H7B | 0.3771 | 0.2255 | 0.3323 | 0.028* |
| C8 | 0.1493 (8) | 0.1836 (4) | 0.2783 (6) | 0.0286 (15) |
| H8A | 0.0675 | 0.2259 | 0.2427 | 0.034* |

supplementary materials

H8B 0.1390 0.1822 0.3546 0.034*

Atomic displacement parameters (\AA^2)

| | U^{11} | U^{22} | U^{33} | U^{12} | U^{13} | U^{23} |
|-----|------------|------------|------------|-------------|-------------|--------------|
| Br1 | 0.0348 (4) | 0.0360 (4) | 0.0249 (3) | 0.0130 (3) | 0.0046 (3) | 0.0072 (3) |
| Br2 | 0.0327 (4) | 0.0263 (3) | 0.0280 (4) | -0.0016 (3) | 0.0064 (3) | 0.0013 (3) |
| Br3 | 0.0331 (4) | 0.0195 (3) | 0.0339 (4) | 0.0001 (3) | 0.0121 (3) | 0.0011 (3) |
| Br4 | 0.0297 (3) | 0.0368 (4) | 0.0197 (3) | 0.0029 (3) | 0.0026 (3) | 0.0015 (3) |
| Cu1 | 0.0270 (4) | 0.0230 (4) | 0.0223 (4) | 0.0029 (3) | 0.0050 (3) | 0.0014 (3) |
| N3 | 0.019 (2) | 0.025 (3) | 0.017 (3) | -0.003 (2) | 0.006 (2) | -0.004 (2) |
| N2 | 0.017 (2) | 0.012 (2) | 0.013 (2) | 0.0007 (19) | 0.0032 (19) | -0.0025 (18) |
| C6 | 0.026 (3) | 0.029 (3) | 0.028 (4) | 0.007 (3) | -0.001 (3) | 0.003 (3) |
| C4 | 0.020 (3) | 0.036 (4) | 0.016 (3) | -0.009 (3) | 0.002 (2) | 0.000 (3) |
| C5 | 0.023 (3) | 0.024 (3) | 0.048 (4) | 0.002 (3) | -0.003 (3) | 0.012 (3) |
| C1 | 0.026 (3) | 0.018 (3) | 0.025 (3) | -0.005 (3) | -0.003 (3) | 0.008 (3) |
| C2 | 0.025 (3) | 0.024 (3) | 0.026 (3) | -0.007 (3) | 0.010 (3) | -0.002 (3) |
| N1 | 0.042 (4) | 0.028 (3) | 0.036 (3) | -0.012 (3) | -0.008 (3) | 0.009 (3) |
| C3 | 0.023 (3) | 0.045 (4) | 0.008 (3) | -0.007 (3) | 0.001 (2) | -0.002 (3) |
| C7 | 0.023 (3) | 0.019 (3) | 0.029 (3) | -0.004 (3) | 0.005 (3) | -0.006 (3) |
| C8 | 0.040 (4) | 0.015 (3) | 0.035 (4) | -0.010 (3) | 0.022 (3) | -0.013 (3) |

Geometric parameters (\AA , $^\circ$)

| | | | |
|-------------|-------------|------------|-----------|
| Br1—Cu1 | 2.3747 (11) | C4—H4A | 0.9700 |
| Br2—Cu1 | 2.4137 (11) | C4—H4B | 0.9700 |
| Br3—Cu1 | 2.3852 (10) | C5—H5A | 0.9700 |
| Br4—Cu1 | 2.3606 (11) | C5—H5B | 0.9700 |
| N3—C6 | 1.480 (8) | C1—N1 | 1.122 (8) |
| N3—C7 | 1.494 (7) | C1—C2 | 1.460 (8) |
| N3—C4 | 1.505 (7) | C2—H2A | 0.9700 |
| N3—H3C | 0.9568 | C2—H2B | 0.9700 |
| N2—C3 | 1.490 (7) | C3—H3A | 0.9700 |
| N2—C5 | 1.501 (8) | C3—H3B | 0.9700 |
| N2—C8 | 1.502 (7) | C7—C8 | 1.497 (8) |
| N2—C2 | 1.506 (7) | C7—H7A | 0.9700 |
| C6—C5 | 1.515 (9) | C7—H7B | 0.9700 |
| C6—H6A | 0.9700 | C8—H8A | 0.9700 |
| C6—H6B | 0.9700 | C8—H8B | 0.9700 |
| C4—C3 | 1.520 (8) | | |
| Br4—Cu1—Br1 | 101.15 (4) | N2—C5—H5A | 109.8 |
| Br4—Cu1—Br3 | 97.32 (4) | C6—C5—H5A | 109.8 |
| Br1—Cu1—Br3 | 126.31 (4) | N2—C5—H5B | 109.8 |
| Br4—Cu1—Br2 | 123.02 (4) | C6—C5—H5B | 109.8 |
| Br1—Cu1—Br2 | 107.35 (4) | H5A—C5—H5B | 108.3 |
| Br3—Cu1—Br2 | 103.44 (4) | N1—C1—C2 | 176.7 (7) |
| C6—N3—C7 | 110.6 (5) | C1—C2—N2 | 111.8 (5) |
| C6—N3—C4 | 109.6 (5) | C1—C2—H2A | 109.3 |

| | | | |
|------------|-----------|------------|-----------|
| C7—N3—C4 | 109.4 (5) | N2—C2—H2A | 109.3 |
| C6—N3—H3C | 106.5 | C1—C2—H2B | 109.3 |
| C7—N3—H3C | 122.3 | N2—C2—H2B | 109.3 |
| C4—N3—H3C | 97.4 | H2A—C2—H2B | 107.9 |
| C3—N2—C5 | 109.8 (5) | N2—C3—C4 | 110.1 (5) |
| C3—N2—C8 | 108.5 (5) | N2—C3—H3A | 109.6 |
| C5—N2—C8 | 108.2 (5) | C4—C3—H3A | 109.6 |
| C3—N2—C2 | 110.8 (4) | N2—C3—H3B | 109.6 |
| C5—N2—C2 | 111.1 (4) | C4—C3—H3B | 109.6 |
| C8—N2—C2 | 108.4 (4) | H3A—C3—H3B | 108.2 |
| N3—C6—C5 | 108.9 (5) | N3—C7—C8 | 108.6 (5) |
| N3—C6—H6A | 109.9 | N3—C7—H7A | 110.0 |
| C5—C6—H6A | 109.9 | C8—C7—H7A | 110.0 |
| N3—C6—H6B | 109.9 | N3—C7—H7B | 110.0 |
| C5—C6—H6B | 109.9 | C8—C7—H7B | 110.0 |
| H6A—C6—H6B | 108.3 | H7A—C7—H7B | 108.4 |
| N3—C4—C3 | 107.8 (5) | C7—C8—N2 | 110.3 (5) |
| N3—C4—H4A | 110.1 | C7—C8—H8A | 109.6 |
| C3—C4—H4A | 110.1 | N2—C8—H8A | 109.6 |
| N3—C4—H4B | 110.1 | C7—C8—H8B | 109.6 |
| C3—C4—H4B | 110.1 | N2—C8—H8B | 109.6 |
| H4A—C4—H4B | 108.5 | H8A—C8—H8B | 108.1 |
| N2—C5—C6 | 109.2 (5) | | |

Hydrogen-bond geometry (Å, °)

| <i>D—H···A</i> | <i>D—H</i> | <i>H···A</i> | <i>D···A</i> | <i>D—H···A</i> |
|-----------------------------|------------|--------------|--------------|----------------|
| N3—H3C···Br3 ⁱ | 0.96 | 2.62 | 3.420 (5) | 142 |
| N3—H3C···Br2 ⁱ | 0.96 | 2.95 | 3.545 (5) | 122 |
| C4—H4A···Br3 ⁱ | 0.97 | 2.92 | 3.555 (6) | 124 |
| N3—H3C···Br4 | 0.96 | 2.86 | 3.406 (5) | 117 |
| C2—H2A···Br1 ⁱⁱ | 0.97 | 2.91 | 3.638 (6) | 132 |
| C2—H2B···Br4 ⁱⁱⁱ | 0.97 | 2.73 | 3.608 (6) | 150 |

Symmetry codes: (i) $x, -y+1/2, z-1/2$; (ii) $-x+1, -y, -z+1$; (iii) $x-1, y, z$.

supplementary materials

Fig. 1




Fig. 2

