

Acta Crystallographica Section E

## Structure Reports

Online

ISSN 1600-5368

## 2,6-Diaminopyridinium 2-carboxybenzoate

Mohammad T. M. Al-Dajani,<sup>a</sup> Hassan H. Abdallah,<sup>b</sup>  
Nornisah Mohamed,<sup>‡</sup> Mohd Mustaqim Rosli<sup>c</sup> and  
Hoong-Kun Fun<sup>c,\*§</sup>

<sup>a</sup>School of Pharmaceutical Sciences, Universiti Sains Malaysia, 11800 USM, Penang, Malaysia, <sup>b</sup>School of Chemical Sciences, Universiti Sains Malaysia, 11800 USM, Penang, Malaysia, and <sup>c</sup>X-ray Crystallography Unit, School of Physics, Universiti Sains Malaysia, 11800 USM, Penang, Malaysia  
Correspondence e-mail: hkfun@usm.my


Received 17 July 2010; accepted 16 August 2010

Key indicators: single-crystal X-ray study;  $T = 100$  K; mean  $\sigma(\text{C}-\text{C}) = 0.004$  Å;  $R$  factor = 0.053;  $wR$  factor = 0.197; data-to-parameter ratio = 15.2.

In the crystal of the title molecular salt,  $\text{C}_5\text{H}_8\text{N}_3^+ \cdot \text{C}_8\text{H}_5\text{O}_4^-$ , the diaminopyridine cation and the phthalate anion are linked by a pair of  $\text{N}-\text{H} \cdots \text{O}$  hydrogen bonds. Within the phthalate anion, an almost symmetrical  $\text{O}-\text{H} \cdots \text{O}$  hydrogen bond is observed. The ion pairs are linked by further  $\text{N}-\text{H} \cdots \text{O}$  hydrogen bonds, generating a two-dimensional network lying parallel to  $(10\bar{1})$ .

## Related literature

For background to 2,6-diaminopyridines, see: Abu Zuhri & Cox (1989); Inuzuka & Fujimoto (1990); El-Mossalamy (2001). For background and the biological activity of phthalic acid, see: Brike *et al.* (2002); Yamamoto *et al.* (1990). For related structures: see: Büyükgüngör & Odabaşoğlu (2006); Al-Dajani *et al.* (2009); Raissi Shabari *et al.* (2010). For the stability of the temperature controller used in the data collection, see: Cosier & Glazer (1986).



<sup>‡</sup> Additional correspondence author, e-mail: nornisah@usm.my.  
<sup>§</sup> Thomson Reuters ResearcherID: A-3561-2009.

## Experimental

## Crystal data

$\text{C}_5\text{H}_8\text{N}_3^+ \cdot \text{C}_8\text{H}_5\text{O}_4^-$   
 $M_r = 275.26$   
Monoclinic,  $C2/c$   
 $a = 32.332$  (11) Å  
 $b = 3.7246$  (14) Å  
 $c = 24.184$  (8) Å  
 $\beta = 123.036$  (6)°

$V = 2441.5$  (15) Å<sup>3</sup>  
 $Z = 8$   
Mo  $K\alpha$  radiation  
 $\mu = 0.11$  mm<sup>-1</sup>  
 $T = 100$  K  
 $0.47 \times 0.10 \times 0.03$  mm

## Data collection

Bruker APEXII DUO CCD area-detector diffractometer  
Absorption correction: multi-scan (SADABS; Bruker, 2009)  
 $T_{\min} = 0.948$ ,  $T_{\max} = 0.996$

5492 measured reflections  
2757 independent reflections  
1869 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.041$

## Refinement

$R[F^2 > 2\sigma(F^2)] = 0.053$   
 $wR(F^2) = 0.197$   
 $S = 1.06$   
2757 reflections

181 parameters  
H-atom parameters constrained  
 $\Delta\rho_{\text{max}} = 0.41$  e Å<sup>-3</sup>  
 $\Delta\rho_{\text{min}} = -0.40$  e Å<sup>-3</sup>

Table 1

Hydrogen-bond geometry (Å, °).

$D-H \cdots A$	$D-H$	$H \cdots A$	$D \cdots A$	$D-H \cdots A$
$\text{O2}-\text{H1O2} \cdots \text{O3}$	1.18	1.29	2.437 (3)	162
$\text{N1}-\text{H1A} \cdots \text{O3}$	0.86	1.98	2.828 (3)	167
$\text{N2}-\text{H2A} \cdots \text{O4}$	0.86	1.98	2.834 (3)	177
$\text{N2}-\text{H2B} \cdots \text{O4}^{\text{i}}$	0.86	2.10	2.851 (3)	145
$\text{N3}-\text{H3A} \cdots \text{O2}^{\text{ii}}$	0.86	2.35	3.042 (3)	138
$\text{N3}-\text{H3B} \cdots \text{O1}^{\text{iii}}$	0.86	2.01	2.858 (3)	171

Symmetry codes: (i)  $-x, -y + 1, -z$ ; (ii)  $x, y + 1, z$ ; (iii)  $-x + \frac{1}{2}, y + \frac{3}{2}, -z + \frac{1}{2}$ .

Data collection: APEX2 (Bruker, 2009); cell refinement: SAINT (Bruker, 2009); data reduction: SAINT; program(s) used to solve structure: SHELXTL (Sheldrick, 2008); program(s) used to refine structure: SHELXTL; molecular graphics: SHELXTL; software used to prepare material for publication: SHELXTL and PLATON (Spek, 2009).

NM gratefully acknowledges funding from Universiti Sains Malaysia (USM) under the University Research Grant (No. 1001/PFARMASI/815025) and HHA gratefully acknowledges funding from Universiti Sains Malaysia (USM) under the University Research Grant (No. 1001/PKIMIA/811142). HKF thanks Universiti Sains Malaysia for the Research University Golden Goose grant (No. 1001/PFIZIK/811012).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: HB5557).

## References

- Abu Zuhri, A. Z. & Cox, J. A. (1989). *Mikrochim. Acta*, **11**, 277–283.  
Al-Dajani, M. T. M., Salihin, A., Mohamed, N., Loh, W.-S. & Fun, H.-K. (2009). *Acta Cryst.* **E65**, o2931–o2932.  
Brike, G., Hirsch, M. & Franz, V. (2002). US Patent No. 636 838 9B1.  
Bruker (2009). APEX2, SAINT and SADABS. Bruker AXS Inc., Madison, Wisconsin, USA.  
Büyükgüngör, O. & Odabaşoğlu, M. (2006). *Acta Cryst.* **E62**, o3816–o3818.  
Cosier, J. & Glazer, A. M. (1986). *J. Appl. Cryst.* **19**, 105–107.  
El-Mossalamy, E. H. (2001). *Pigm. Resin Technol.* **30**, 164–168.

Inuzuka, K. & Fujimoto, A. (1990). *Bull. Chem. Soc. Jpn.*, **63**, 216–220.

Raissi Shabari, A., Safaeimovahed, M. & Pourayoubi, M. (2010). *Acta Cryst.* **E66**, o551.

Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.

Spek, A. L. (2009). *Acta Cryst.* **D65**, 148–155.

Yamamoto, S., Nakadate, T., Aizu, E. & Kato, R. (1990). *Carcinogenesis*, **11**, 749–754.

**supplementary materials**

*Acta Cryst.* (2010). E66, o2433-o2434 [ doi:10.1107/S1600536810032903 ]

## 2,6-Diaminopyridinium 2-carboxybenzoate

M. T. M. Al-Dajani, H. H. Abdallah, N. Mohamed, M. M. Rosli and H.-K. Fun

### Comment

Phthalic acid is an aromatic dicarboxylic acid which can be used for the preparation of many organic and inorganic compounds such as dyes, perfumes and phthalates (Brike *et al.* 2002). Some of its derivatives have anti-tumor promoting action (Yamamoto *et al.* 1990). The diaminopyridine have an important role in the preparation of aromatic azo dyes (Abu Zuhri & Cox, 1989; Inuzuka & Fujimoto, 1990) and in many polarographic investigations (El-Mossalamy, 2001).

All geometrical parameters in the title compound,  $C_5H_8N_3^+ \cdot C_8H_5O_4^-$ , (I), are within normal ranges and are comparable with the related structures (Büyükgüngör & Odabaşoğlu, 2006; Al-Dajani *et al.*, 2009; Shabari *et al.*, 2010). In the crystal structure, the anion and the cation were linked by N1—H1A $\cdots$ O3 and N2—H2A $\cdots$ O4 interactions. In the phthalate anion, a strong intramolecular interaction of O2—H1O2 $\cdots$ O3 was observed. Intermolecular N—H $\cdots$ O hydrogen bonds (Table 1) further contribute to the stabilization of crystal structure, forming an infinite two-dimensional network parallel to the (10 $\bar{1}$ ) plane.

### Experimental

In a round bottom flask, 25ml of THF was mixed with 2,6-diaminopyridine (0.01 mol, 1.1 g) with stirring. Phthalic anhydride (0.01 mol, 1.5 g) was dissolved in THF and then added in small portions into the round bottom flask and refluxed for 2 hours. The gray precipitate formed was filtrated and washed with THF. Brown plates of (I) were formed by dissolving the precipitate in hot water and letting it to cool at room temperature. The crystals was then filtered and dried at 60°C.

### Refinement

O-bound H atoms were located from a difference Fourier map and refined as riding with  $U_{iso}(H) = 1.5U_{eq}(O)$ . The remaining H atoms were positioned geometrically [N—H = 0.86 Å, C—H = 0.93 Å and refined using a riding model, with  $U_{iso}(H) = 1.2U_{eq}(N,C)$ ].

### Figures




Fig. 1. The molecular structure of (I), showing 50% probability displacement ellipsoids. Hydrogen atoms are shown as spheres of arbitrary radius. Dashed lines indicate the intermolecular hydrogen bonds.





Fig. 2. The crystal packing of (I) viewed down the b axis. Dashed lines indicate hydrogen bonds. H atoms not involved in the hydrogen bond interactions have been omitted for clarity.

## 2,6-Diaminopyridinium 2-carboxybenzoate

### Crystal data



$$M_r = 275.26$$

Monoclinic,  $C2/c$

Hall symbol:  $-C\ 2yc$

$$a = 32.332\ (11)\ \text{\AA}$$

$$b = 3.7246\ (14)\ \text{\AA}$$

$$c = 24.184\ (8)\ \text{\AA}$$

$$\beta = 123.036\ (6)^\circ$$

$$V = 2441.5\ (15)\ \text{\AA}^3$$

$$Z = 8$$

$$F(000) = 1152$$

$$D_x = 1.498\ \text{Mg m}^{-3}$$

Mo  $K\alpha$  radiation,  $\lambda = 0.71073\ \text{\AA}$

Cell parameters from 975 reflections

$$\theta = 3.8\text{--}28.1^\circ$$

$$\mu = 0.11\ \text{mm}^{-1}$$

$$T = 100\ \text{K}$$

Plate, brown

$$0.47 \times 0.10 \times 0.03\ \text{mm}$$

### Data collection

Bruker APEXII DUO CCD area-detector diffractometer

Radiation source: fine-focus sealed tube graphite

$\varphi$  and  $\omega$  scans

Absorption correction: multi-scan (*SADABS*; Bruker, 2009)

$$T_{\min} = 0.948, T_{\max} = 0.996$$

5492 measured reflections

2757 independent reflections

1869 reflections with  $I > 2\sigma(I)$

$$R_{\text{int}} = 0.041$$

$$\theta_{\max} = 27.5^\circ, \theta_{\min} = 3.4^\circ$$

$$h = -36 \rightarrow 42$$

$$k = -4 \rightarrow 4$$

$$l = -31 \rightarrow 27$$

### Refinement

Refinement on  $F^2$

Least-squares matrix: full

$$R[F^2 > 2\sigma(F^2)] = 0.053$$

$$wR(F^2) = 0.197$$

$$S = 1.06$$

2757 reflections

181 parameters

0 restraints

Primary atom site location: structure-invariant direct methods

Secondary atom site location: difference Fourier map

Hydrogen site location: inferred from neighbouring sites

H-atom parameters constrained

$$w = 1/[\sigma^2(F_o^2) + (0.1138P)^2]$$

$$\text{where } P = (F_o^2 + 2F_c^2)/3$$

$$(\Delta/\sigma)_{\max} < 0.001$$

$$\Delta\rho_{\max} = 0.41\ \text{e \AA}^{-3}$$

$$\Delta\rho_{\min} = -0.40\ \text{e \AA}^{-3}$$

*Special details*

**Experimental.** The crystal was placed in the cold stream of an Oxford Cyrosystems Cobra open-flow nitrogen cryostat (Cosier & Glazer, 1986) operating at 100.0 (1) K.

**Geometry.** All esds (except the esd in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell esds are taken into account individually in the estimation of esds in distances, angles and torsion angles; correlations between esds in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell esds is used for estimating esds involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted R-factor wR and goodness of fit S are based on  $F^2$ , conventional R-factors R are based on F, with F set to zero for negative  $F^2$ . The threshold expression of  $F^2 > 2\sigma(F^2)$  is used only for calculating R-factors(gt) etc. and is not relevant to the choice of reflections for refinement. R-factors based on  $F^2$  are statistically about twice as large as those based on F, and R-factors based on ALL data will be even larger.

*Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )*

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
N1	0.09892 (7)	0.9810 (6)	0.16036 (9)	0.0153 (5)
H1A	0.1109	0.8974	0.1388	0.018*
N2	0.02334 (7)	0.8089 (7)	0.07262 (10)	0.0195 (5)
H2A	0.0381	0.7329	0.0542	0.023*
H2B	-0.0082	0.7882	0.0526	0.023*
N3	0.17839 (7)	1.1355 (7)	0.24299 (10)	0.0210 (5)
H3A	0.1883	1.0487	0.2192	0.025*
H3B	0.1993	1.2268	0.2810	0.025*
C1	0.04920 (8)	0.9585 (7)	0.13210 (11)	0.0158 (5)
C2	0.02953 (9)	1.0896 (8)	0.16702 (11)	0.0179 (6)
H2C	-0.0042	1.0754	0.1494	0.021*
C3	0.06092 (9)	1.2402 (8)	0.22794 (12)	0.0191 (6)
H3C	0.0478	1.3309	0.2510	0.023*
C4	0.11140 (9)	1.2624 (8)	0.25640 (11)	0.0169 (5)
H4A	0.1319	1.3636	0.2980	0.020*
C5	0.13083 (8)	1.1287 (7)	0.22106 (11)	0.0153 (5)
O1	0.26121 (6)	-0.0595 (6)	0.12827 (8)	0.0228 (5)
O2	0.21888 (6)	0.2628 (6)	0.15685 (7)	0.0191 (4)
H1O2	0.1816	0.4181	0.1225	0.029*
O3	0.14264 (6)	0.6094 (5)	0.10279 (8)	0.0193 (5)
O4	0.06986 (6)	0.5317 (6)	0.01065 (9)	0.0272 (5)
C6	0.18695 (8)	0.1875 (7)	0.03925 (11)	0.0148 (5)
C7	0.20221 (9)	0.0642 (8)	-0.00144 (12)	0.0170 (5)
H7A	0.2336	-0.0336	0.0179	0.020*
C8	0.17220 (9)	0.0825 (8)	-0.06960 (12)	0.0193 (6)
H8A	0.1836	0.0045	-0.0955	0.023*
C9	0.12537 (9)	0.2173 (8)	-0.09827 (11)	0.0195 (6)
H9A	0.1045	0.2259	-0.1440	0.023*
C10	0.10903 (9)	0.3408 (7)	-0.05943 (11)	0.0159 (5)
H10A	0.0772	0.4316	-0.0797	0.019*

## supplementary materials

---

C11	0.13903 (8)	0.3330 (7)	0.00959 (11)	0.0145 (5)
C12	0.11507 (8)	0.4977 (7)	0.04302 (11)	0.0161 (5)
C13	0.22537 (8)	0.1262 (7)	0.11219 (11)	0.0154 (5)

### Atomic displacement parameters ( $\text{\AA}^2$ )

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
N1	0.0160 (10)	0.0203 (12)	0.0105 (9)	0.0010 (9)	0.0079 (8)	-0.0016 (9)
N2	0.0140 (9)	0.0278 (13)	0.0146 (9)	-0.0007 (10)	0.0066 (8)	-0.0046 (10)
N3	0.0140 (9)	0.0340 (15)	0.0135 (9)	-0.0008 (10)	0.0064 (8)	-0.0042 (10)
C1	0.0162 (11)	0.0156 (13)	0.0147 (10)	0.0007 (10)	0.0079 (9)	0.0025 (10)
C2	0.0162 (11)	0.0185 (14)	0.0181 (11)	0.0005 (11)	0.0089 (10)	0.0018 (11)
C3	0.0236 (12)	0.0207 (14)	0.0175 (11)	0.0051 (12)	0.0141 (10)	0.0020 (11)
C4	0.0196 (11)	0.0175 (13)	0.0136 (11)	-0.0001 (11)	0.0091 (10)	-0.0004 (11)
C5	0.0170 (11)	0.0148 (13)	0.0111 (10)	-0.0031 (10)	0.0057 (9)	-0.0006 (10)
O1	0.0190 (9)	0.0286 (11)	0.0184 (8)	0.0056 (9)	0.0085 (7)	0.0023 (9)
O2	0.0170 (8)	0.0274 (11)	0.0127 (8)	0.0010 (8)	0.0078 (7)	-0.0007 (8)
O3	0.0155 (8)	0.0272 (11)	0.0151 (8)	0.0011 (8)	0.0084 (7)	-0.0045 (8)
O4	0.0152 (9)	0.0409 (13)	0.0235 (9)	-0.0007 (9)	0.0092 (7)	-0.0105 (10)
C6	0.0147 (10)	0.0162 (13)	0.0134 (10)	-0.0004 (10)	0.0076 (9)	0.0005 (10)
C7	0.0161 (11)	0.0185 (13)	0.0184 (11)	-0.0018 (11)	0.0107 (9)	-0.0010 (11)
C8	0.0261 (13)	0.0192 (14)	0.0191 (11)	-0.0028 (12)	0.0166 (10)	-0.0008 (11)
C9	0.0209 (12)	0.0205 (14)	0.0126 (10)	-0.0037 (11)	0.0062 (9)	-0.0003 (11)
C10	0.0141 (10)	0.0156 (13)	0.0162 (11)	-0.0024 (10)	0.0072 (9)	-0.0013 (10)
C11	0.0153 (10)	0.0127 (12)	0.0162 (11)	-0.0016 (10)	0.0090 (9)	-0.0017 (10)
C12	0.0159 (11)	0.0176 (14)	0.0161 (11)	-0.0023 (11)	0.0095 (9)	-0.0015 (11)
C13	0.0141 (10)	0.0166 (13)	0.0161 (11)	-0.0004 (10)	0.0086 (9)	0.0020 (10)

### Geometric parameters ( $\text{\AA}$ , $^\circ$ )

N1—C1	1.364 (3)	O2—C13	1.310 (3)
N1—C5	1.368 (3)	O2—H1O2	1.1764
N1—H1A	0.8600	O3—C12	1.285 (3)
N2—C1	1.329 (3)	O3—H1O2	1.2919
N2—H2A	0.8600	O4—C12	1.232 (3)
N2—H2B	0.8600	C6—C7	1.397 (3)
N3—C5	1.326 (3)	C6—C11	1.413 (3)
N3—H3A	0.8600	C6—C13	1.522 (3)
N3—H3B	0.8600	C7—C8	1.385 (3)
C1—C2	1.393 (3)	C7—H7A	0.9300
C2—C3	1.373 (3)	C8—C9	1.372 (3)
C2—H2C	0.9300	C8—H8A	0.9300
C3—C4	1.386 (3)	C9—C10	1.383 (3)
C3—H3C	0.9300	C9—H9A	0.9300
C4—C5	1.399 (3)	C10—C11	1.401 (3)
C4—H4A	0.9300	C10—H10A	0.9300
O1—C13	1.217 (3)	C11—C12	1.521 (3)
C1—N1—C5	123.8 (2)	C12—O3—H1O2	100.1

C1—N1—H1A	118.1	C7—C6—C11	118.6 (2)
C5—N1—H1A	118.1	C7—C6—C13	112.8 (2)
C1—N2—H2A	120.0	C11—C6—C13	128.5 (2)
C1—N2—H2B	120.0	C8—C7—C6	122.3 (2)
H2A—N2—H2B	120.0	C8—C7—H7A	118.8
C5—N3—H3A	120.0	C6—C7—H7A	118.8
C5—N3—H3B	120.0	C9—C8—C7	118.9 (2)
H3A—N3—H3B	120.0	C9—C8—H8A	120.5
N2—C1—N1	116.2 (2)	C7—C8—H8A	120.5
N2—C1—C2	125.2 (2)	C8—C9—C10	120.2 (2)
N1—C1—C2	118.5 (2)	C8—C9—H9A	119.9
C3—C2—C1	118.6 (2)	C10—C9—H9A	119.9
C3—C2—H2C	120.7	C9—C10—C11	122.0 (2)
C1—C2—H2C	120.7	C9—C10—H10A	119.0
C2—C3—C4	122.6 (2)	C11—C10—H10A	119.0
C2—C3—H3C	118.7	C10—C11—C6	117.9 (2)
C4—C3—H3C	118.7	C10—C11—C12	113.7 (2)
C3—C4—C5	118.3 (2)	C6—C11—C12	128.3 (2)
C3—C4—H4A	120.8	O4—C12—O3	122.4 (2)
C5—C4—H4A	120.8	O4—C12—C11	118.4 (2)
N3—C5—N1	118.0 (2)	O3—C12—C11	119.1 (2)
N3—C5—C4	123.9 (2)	O1—C13—O2	120.6 (2)
N1—C5—C4	118.1 (2)	O1—C13—C6	119.3 (2)
C13—O2—H102	99.9	O2—C13—C6	120.0 (2)
C5—N1—C1—N2	179.6 (2)	C9—C10—C11—C6	-1.2 (4)
C5—N1—C1—C2	-0.7 (4)	C9—C10—C11—C12	177.1 (2)
N2—C1—C2—C3	-179.5 (3)	C7—C6—C11—C10	0.9 (4)
N1—C1—C2—C3	0.9 (4)	C13—C6—C11—C10	-175.8 (2)
C1—C2—C3—C4	-0.9 (4)	C7—C6—C11—C12	-177.1 (3)
C2—C3—C4—C5	0.7 (4)	C13—C6—C11—C12	6.2 (4)
C1—N1—C5—N3	-179.8 (2)	C10—C11—C12—O4	19.0 (4)
C1—N1—C5—C4	0.5 (4)	C6—C11—C12—O4	-162.9 (3)
C3—C4—C5—N3	179.8 (3)	C10—C11—C12—O3	-158.2 (2)
C3—C4—C5—N1	-0.4 (4)	C6—C11—C12—O3	19.9 (4)
C11—C6—C7—C8	0.5 (4)	C7—C6—C13—O1	-9.9 (3)
C13—C6—C7—C8	177.8 (3)	C11—C6—C13—O1	167.0 (3)
C6—C7—C8—C9	-1.8 (4)	C7—C6—C13—O2	172.4 (2)
C7—C8—C9—C10	1.6 (4)	C11—C6—C13—O2	-10.8 (4)
C8—C9—C10—C11	-0.1 (4)		

Hydrogen-bond geometry ( $\text{\AA}$ ,  $^\circ$ )

<i>D</i> —H $\cdots$ <i>A</i>	<i>D</i> —H	H $\cdots$ <i>A</i>	<i>D</i> $\cdots$ <i>A</i>	<i>D</i> —H $\cdots$ <i>A</i>
O2—H102 $\cdots$ O3	1.18	1.29	2.437 (3)	162
N1—H1A $\cdots$ O3	0.86	1.98	2.828 (3)	167
N2—H2A $\cdots$ O4	0.86	1.98	2.834 (3)	177
N2—H2B $\cdots$ O4 <sup>i</sup>	0.86	2.10	2.851 (3)	145
N3—H3A $\cdots$ O2 <sup>ii</sup>	0.86	2.35	3.042 (3)	138



# supplementary materials

---

N3—H3B···O1<sup>iii</sup>

0.86

2.01

2.858 (3)

171

Symmetry codes: (i)  $-x, -y+1, -z$ ; (ii)  $x, y+1, z$ ; (iii)  $-x+1/2, y+3/2, -z+1/2$ .

Fig. 1




Fig. 2

