

## 3-(4-Chlorophenylsulfinyl)-2,4,6-trimethyl-1-benzofuran

Hong Dae Choi,<sup>a</sup> Pil Ja Seo,<sup>a</sup> Byeng Wha Son<sup>b</sup> and Uk Lee<sup>b\*</sup>

<sup>a</sup>Department of Chemistry, Dongeui University, San 24 Kaya-dong Busanjin-gu, Busan 614-714, Republic of Korea, and <sup>b</sup>Department of Chemistry, Pukyong National University, 599-1 Daeyeon 3-dong, Nam-gu, Busan 608-737, Republic of Korea

Correspondence e-mail: uklee@pknu.ac.kr


Received 16 September 2010; accepted 25 September 2010

Key indicators: single-crystal X-ray study;  $T = 296\text{ K}$ ; mean  $\sigma(\text{C}-\text{C}) = 0.003\text{ \AA}$ ;  $R$  factor = 0.033;  $wR$  factor = 0.089; data-to-parameter ratio = 17.9.

In the title molecule,  $\text{C}_{17}\text{H}_{15}\text{ClO}_2\text{S}$ , the 4-chlorophenyl ring is oriented approximately perpendicular to the mean plane of the benzofuran ring [dihedral angle =  $88.98(4)^\circ$ ]. In the crystal, molecules are linked through weak intermolecular C—H···O and C—H···π interactions, forming right-hand pseudo-helices along the  $a$  axis.

### Related literature

For the structures of related benzofuran derivatives, see: Choi *et al.* (2010a,b). For the biological activity of benzofuran compounds, see: Aslam *et al.* (2006); Galal *et al.* (2009); Khan *et al.* (2005). For natural products containing benzofuran rings, see: Akgul & Anil (2003); Soekamto *et al.* (2003).



### Experimental

#### Crystal data

$\text{C}_{17}\text{H}_{15}\text{ClO}_2\text{S}$

$M_r = 318.80$

Orthorhombic,  $Pna_2_1$

$a = 12.1259(10)\text{ \AA}$

$b = 19.3925(16)\text{ \AA}$

$c = 6.4744(5)\text{ \AA}$

$V = 1522.5(2)\text{ \AA}^3$

$Z = 4$

Mo  $K\alpha$  radiation

$\mu = 0.39\text{ mm}^{-1}$

$T = 296\text{ K}$

$0.44 \times 0.28 \times 0.17\text{ mm}$

#### Data collection

Bruker SMART APEXII CCD diffractometer

Absorption correction: multi-scan (*SADABS*; Bruker, 2009)

$T_{\min} = 0.848$ ,  $T_{\max} = 0.937$

14409 measured reflections

3468 independent reflections

3134 reflections with  $I > 2\sigma(I)$

$R_{\text{int}} = 0.028$

#### Refinement

$R[F^2 > 2\sigma(F^2)] = 0.033$

$wR(F^2) = 0.089$

$S = 1.03$

3468 reflections

194 parameters

1 restraint

H-atom parameters constrained

$\Delta\rho_{\max} = 0.16\text{ e \AA}^{-3}$

$\Delta\rho_{\min} = -0.24\text{ e \AA}^{-3}$

Absolute structure: Flack (1983),

1561 Friedel pairs

Flack parameter:  $-0.03(6)$

**Table 1**

Hydrogen-bond geometry ( $\text{\AA}$ ,  $^\circ$ ).

$Cg$  is the centroid of the C12–C17 4-chlorophenyl ring.

| $D-\text{H}\cdots A$           | $D-\text{H}$ | $\text{H}\cdots A$ | $D\cdots A$ | $D-\text{H}\cdots A$ |
|--------------------------------|--------------|--------------------|-------------|----------------------|
| C13—H13···O2 <sup>i</sup>      | 0.93         | 2.62               | 3.471 (2)   | 152                  |
| C11—H11C··· $Cg$ <sup>ii</sup> | 0.96         | 2.85               | 3.667 (2)   | 144                  |

Symmetry codes: (i)  $x - \frac{1}{2}, -y + \frac{1}{2}, z$ ; (ii)  $x, y, z - 1$ .

Data collection: *APEX2* (Bruker, 2009); cell refinement: *SAINT* (Bruker, 2009); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3* (Farrugia, 1997) and *DIAMOND* (Brandenburg, 1998); software used to prepare material for publication: *SHELXL97*.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: PV2330).

### References

- Akgul, Y. Y. & Anil, H. (2003). *Phytochemistry*, **63**, 939–943.
- Aslam, S. N., Stevenson, P. C., Phythian, S. J., Veitch, N. C. & Hall, D. R. (2006). *Tetrahedron*, **62**, 4214–4226.
- Brandenburg, K. (1998). *DIAMOND*. Crystal Impact GbR, Bonn, Germany.
- Bruker (2009). *APEX2*, *SADABS* and *SAINT*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Choi, H. D., Seo, P. J., Son, B. W. & Lee, U. (2010a). *Acta Cryst. E66*, o2325.
- Choi, H. D., Seo, P. J., Son, B. W. & Lee, U. (2010b). *Acta Cryst. E66*, o2551.
- Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.
- Flack, H. D. (1983). *Acta Cryst. A39*, 876–881.
- Galal, S. A., Abd El-All, A. S., Abdallah, M. M. & El-Diwani, H. I. (2009). *Bioorg. Med. Chem. Lett.* **19**, 2420–2428.
- Khan, M. W., Alam, M. J., Rashid, M. A. & Chowdhury, R. (2005). *Bioorg. Med. Chem.* **13**, 4796–4805.
- Sheldrick, G. M. (2008). *Acta Cryst. A64*, 112–122.
- Soekamto, N. H., Achmad, S. A., Ghisalberti, E. L., Hakim, E. H. & Syah, Y. M. (2003). *Phytochemistry*, **64**, 831–834.

## **supplementary materials**

*Acta Cryst.* (2010). E66, o2702 [doi:10.1107/S1600536810038419]

### 3-(4-Chlorophenylsulfinyl)-2,4,6-trimethyl-1-benzofuran

H. D. Choi, P. J. Seo, B. W. Son and U. Lee

#### Comment

Many compounds involving a benzofuran ring system exhibit important pharmacological properties such as antifungal, antimicrobial, antitumor and antiviral activities (Aslam *et al.*, 2006; Galal *et al.*, 2009; Khan *et al.*, 2005). These compounds widely occur in nature (Akgul & Anil, 2003; Soekamto *et al.*, 2003). As a part of our study of the substituent effect on the solid state structures of 3-(4-chlorophenylsulfinyl)-2-methyl-1-benzofuran analogues (Choi *et al.*, 2010*a,b*), we report herein the crystal structure of the title compound.

In the title molecule (Fig. 1), the benzofuran unit is essentially planar, with a mean deviation of 0.009 (2) Å from the least-squares plane defined by the nine constituent atoms. The 4-chlorophenyl ring makes a dihedral angle of 88.98 (4)° with the mean plane of the benzofuran fragment. The crystal packing (Fig. 2) is stabilized by a weak intermolecular C–H···O hydrogen bond between the 4-chlorophenyl H atom and the oxygen of the S=O unit (C13–H13···O2<sup>i</sup>; Table 1), and by an intermolecular C–H···π interaction between a methyl H atom and the 4-chlorophenyl ring (C11–H11C···Cg<sup>ii</sup>; Table 1, Cg is the centroid of the C12–C17 4-chlorophenyl ring).

The title compound is crystallized in the non-centrosymmetric space group *Pna*2<sub>1</sub> in spite of having no asymmetric C atoms. The space group is caused by a right hand pseudo-helix along the *a* axis (Fig. 2).

#### Experimental

3-Chloroperoxybenzoic acid (77%, 291 mg, 1.3 mmol) was added in small portions to a stirred solution of 3-(4-chlorophenylsulfinyl)-2,4,6-trimethyl-1-benzofuran (363 mg, 1.2 mmol) in dichloromethane (30 mL) at 273 K. After being stirred at room temperature for 3 h, the mixture was washed with saturated sodium bicarbonate solution and the organic layer was separated, dried over magnesium sulfate, filtered and concentrated at reduced pressure. The residue was purified by column chromatography (silica gel, hexane–ethyl acetate, 2:1 v/v) to afford the title compound as a colorless solid [yield 83%, m.p. 452–453 K; *R*<sub>f</sub> = 0.62 (hexane–ethyl acetate, 2:1 v/v)]. Single crystals suitable for X-ray diffraction were prepared by slow evaporation of a solution of the title compound in ethyl acetate at room temperature.

#### Refinement

All H atoms were positioned geometrically and refined using a riding model, with C–H = 0.93 Å for aryl and 0.96 Å for methyl H atoms. *U*<sub>iso</sub>(H) = 1.2*U*<sub>eq</sub>(C) for aryl and 1.5*U*<sub>eq</sub>(C) for methyl H atoms.

# supplementary materials

---

## Figures




Fig. 1. The molecular structure of the title compound with the atom numbering scheme. Displacement ellipsoids are drawn at the 30% probability level. H atoms are presented as spheres of arbitrary radii.




Fig. 2. A view of the C–H···O and C–H··· $\pi$  interactions (dotted lines) in the crystal structure of the title compound; Cg denotes the centroid of the C12–C17 ring. Hydrogen atoms not involved in hydrogen bonds have been excluded for clarity. Symmetry codes: (i)  $x -1/2, -y + 1/2, z$  (ii)  $x, y, z - 1$  (iii)  $x 1/2, -y + 1/2, z$  (iv)  $x, y, z + 1$

## 3-(4-Chlorophenylsulfinyl)-2,4,6-trimethyl-1-benzofuran

### Crystal data

|  |   |
|--|---|
| C <sub>17</sub> H <sub>15</sub> ClO <sub>2</sub> S | $F(000) = 664$  |
| $M_r = 318.80$                                     | $D_x = 1.391 \text{ Mg m}^{-3}$                         |
| Orthorhombic, $Pna2_1$                             | Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$ |
| Hall symbol: P 2c -2n                              | Cell parameters from 5206 reflections                   |
| $a = 12.1259 (10) \text{ \AA}$                     | $\theta = 2.7\text{--}26.9^\circ$                       |
| $b = 19.3925 (16) \text{ \AA}$                     | $\mu = 0.39 \text{ mm}^{-1}$                            |
| $c = 6.4744 (5) \text{ \AA}$                       | $T = 296 \text{ K}$                                     |
| $V = 1522.5 (2) \text{ \AA}^3$                     | Block, colourless                                       |
| $Z = 4$  | $0.44 \times 0.28 \times 0.17 \text{ mm}$               |

### Data collection

|   |   |
|---|---|
| Bruker SMART APEXII CCD diffractometer                            | 3468 independent reflections  |
| Radiation source: rotating anode graphite multilayer              | 3134 reflections with $I > 2\sigma(I)$                              |
| Detector resolution: 10.0 pixels $\text{mm}^{-1}$                 | $R_{\text{int}} = 0.028$  |
| $\varphi$ and $\omega$ scans                                      | $\theta_{\text{max}} = 27.5^\circ, \theta_{\text{min}} = 2.0^\circ$ |
| Absorption correction: multi-scan ( <i>SADABS</i> ; Bruker, 2009) | $h = -14 \rightarrow 15$  |
| $T_{\text{min}} = 0.848, T_{\text{max}} = 0.937$                  | $k = -25 \rightarrow 25$  |
| 14409 measured reflections  | $l = -8 \rightarrow 8$  |

## *Refinement*

|  |   |
|--|---|
| Refinement on $F^2$  | Secondary atom site location: difference Fourier map                                |
| Least-squares matrix: full                                     | Hydrogen site location: difference Fourier map                                      |
| $R[F^2 > 2\sigma(F^2)] = 0.033$                                | H-atom parameters constrained   |
| $wR(F^2) = 0.089$  | $w = 1/[\sigma^2(F_o^2) + (0.0507P)^2 + 0.1747P]$<br>where $P = (F_o^2 + 2F_c^2)/3$ |
| $S = 1.03$   | $(\Delta/\sigma)_{\max} < 0.001$  |
| 3468 reflections   | $\Delta\rho_{\max} = 0.16 \text{ e } \text{\AA}^{-3}$                               |
| 194 parameters   | $\Delta\rho_{\min} = -0.24 \text{ e } \text{\AA}^{-3}$                              |
| 1 restraint  | Absolute structure: Flack (1983), 1561 Friedel pairs                                |
| Primary atom site location: structure-invariant direct methods | Flack parameter: -0.03 (6)  |

## *Special details*

**Geometry.** All esds (except the esd in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell esds are taken into account individually in the estimation of esds in distances, angles and torsion angles; correlations between esds in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell esds is used for estimating esds involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted R-factor wR and goodness of fit S are based on  $F^2$ , conventional R-factors R are based on F, with F set to zero for negative  $F^2$ . The threshold expression of  $F^2 > 2\sigma(F^2)$  is used only for calculating R-factors(gt) etc. and is not relevant to the choice of reflections for refinement. R-factors based on  $F^2$  are statistically about twice as large as those based on F, and R-factors based on ALL data will be even larger.

## *Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )*

|     | <i>x</i>     | <i>y</i>     | <i>z</i>     | $U_{\text{iso}}^*/U_{\text{eq}}$ |
|-----|--------------|--------------|--------------|----------------------------------|
| S   | 0.58821 (4)  | 0.24616 (2)  | 0.00652 (10) | 0.04345 (12)                     |
| Cl  | 0.49572 (6)  | 0.44910 (4)  | 0.73907 (14) | 0.0840 (2)                       |
| O1  | 0.32383 (10) | 0.13450 (6)  | -0.0716 (2)  | 0.0445 (3)                       |
| O2  | 0.69629 (11) | 0.21294 (7)  | 0.0504 (3)   | 0.0574 (4)                       |
| C1  | 0.48058 (14) | 0.18533 (8)  | 0.0312 (3)   | 0.0377 (4)                       |
| C2  | 0.45571 (14) | 0.13178 (8)  | 0.1815 (3)   | 0.0373 (4)                       |
| C3  | 0.50175 (15) | 0.10563 (9)  | 0.3645 (3)   | 0.0418 (4)                       |
| C4  | 0.44487 (17) | 0.05245 (10) | 0.4608 (3)   | 0.0483 (5)                       |
| H4  | 0.4739       | 0.0343       | 0.5821       | 0.058*                           |
| C5  | 0.34541 (15) | 0.02446 (10) | 0.3847 (4)   | 0.0503 (5)                       |
| C6  | 0.30164 (16) | 0.04966 (9)  | 0.2031 (4)   | 0.0478 (5)                       |
| H6  | 0.2369       | 0.0319       | 0.1473       | 0.057*                           |
| C7  | 0.35838 (16) | 0.10246 (9)  | 0.1083 (3)   | 0.0400 (4)                       |
| C8  | 0.40014 (15) | 0.18465 (9)  | -0.1136 (3)  | 0.0405 (4)                       |
| C9  | 0.60623 (18) | 0.13287 (11) | 0.4595 (3)   | 0.0535 (5)                       |
| H9A | 0.5897       | 0.1728       | 0.5416       | 0.080*                           |
| H9B | 0.6571       | 0.1453       | 0.3521       | 0.080*                           |
| H9C | 0.6386       | 0.0979       | 0.5452       | 0.080*                           |

## supplementary materials

---

|      |              |               |             |            |
|------|--------------|---------------|-------------|------------|
| C10  | 0.2873 (2)   | -0.03139 (12) | 0.5061 (6)  | 0.0758 (7) |
| H10A | 0.2113       | -0.0334       | 0.4652      | 0.114*     |
| H10B | 0.2919       | -0.0212       | 0.6509      | 0.114*     |
| H10C | 0.3219       | -0.0750       | 0.4792      | 0.114*     |
| C11  | 0.37730 (19) | 0.22734 (11)  | -0.2970 (4) | 0.0509 (5) |
| H11A | 0.3126       | 0.2547        | -0.2729     | 0.076*     |
| H11B | 0.3654       | 0.1980        | -0.4144     | 0.076*     |
| H11C | 0.4390       | 0.2571        | -0.3232     | 0.076*     |
| C12  | 0.55633 (14) | 0.30025 (8)   | 0.2240 (3)  | 0.0390 (4) |
| C13  | 0.45411 (16) | 0.33225 (10)  | 0.2400 (4)  | 0.0485 (5) |
| H13  | 0.3986       | 0.3226        | 0.1453      | 0.058*     |
| C14  | 0.43614 (17) | 0.37853 (10)  | 0.3984 (4)  | 0.0522 (5) |
| H14  | 0.3684       | 0.4006        | 0.4111      | 0.063*     |
| C15  | 0.51924 (18) | 0.39180 (9)   | 0.5371 (4)  | 0.0491 (5) |
| C16  | 0.62023 (17) | 0.36065 (9)   | 0.5241 (4)  | 0.0497 (4) |
| H16  | 0.6748       | 0.3699        | 0.6211      | 0.060*     |
| C17  | 0.63960 (16) | 0.31487 (10)  | 0.3627 (4)  | 0.0464 (5) |
| H17  | 0.7084       | 0.2942        | 0.3483      | 0.056*     |

### *Atomic displacement parameters ( $\text{\AA}^2$ )*

|     | $U^{11}$    | $U^{22}$    | $U^{33}$    | $U^{12}$      | $U^{13}$     | $U^{23}$     |
|-----|-------------|-------------|-------------|---------------|--------------|--------------|
| S   | 0.0401 (2)  | 0.0491 (2)  | 0.0411 (2)  | -0.00916 (18) | 0.0045 (2)   | 0.0011 (2)   |
| Cl  | 0.0895 (5)  | 0.0805 (4)  | 0.0819 (5)  | 0.0023 (4)    | 0.0111 (4)   | -0.0341 (4)  |
| O1  | 0.0401 (7)  | 0.0475 (7)  | 0.0461 (8)  | -0.0058 (5)   | -0.0063 (6)  | 0.0037 (6)   |
| O2  | 0.0389 (7)  | 0.0638 (8)  | 0.0695 (11) | -0.0017 (6)   | 0.0088 (7)   | -0.0075 (8)  |
| C1  | 0.0372 (8)  | 0.0412 (8)  | 0.0347 (9)  | -0.0036 (6)   | 0.0007 (8)   | -0.0015 (7)  |
| C2  | 0.0358 (9)  | 0.0383 (8)  | 0.0377 (9)  | 0.0011 (7)    | 0.0055 (8)   | -0.0016 (7)  |
| C3  | 0.0408 (9)  | 0.0443 (9)  | 0.0403 (10) | 0.0061 (7)    | 0.0006 (8)   | -0.0016 (8)  |
| C4  | 0.0461 (10) | 0.0503 (10) | 0.0485 (12) | 0.0094 (8)    | 0.0031 (9)   | 0.0120 (8)   |
| C5  | 0.0449 (11) | 0.0427 (9)  | 0.0632 (14) | 0.0044 (7)    | 0.0116 (10)  | 0.0114 (9)   |
| C6  | 0.0366 (9)  | 0.0418 (8)  | 0.0649 (14) | -0.0034 (7)   | 0.0024 (9)   | 0.0049 (9)   |
| C7  | 0.0381 (9)  | 0.0405 (8)  | 0.0416 (10) | 0.0022 (7)    | 0.0013 (8)   | 0.0001 (8)   |
| C8  | 0.0407 (9)  | 0.0428 (9)  | 0.0380 (10) | -0.0026 (7)   | 0.0010 (8)   | -0.0006 (7)  |
| C9  | 0.0506 (12) | 0.0615 (12) | 0.0485 (14) | 0.0018 (9)    | -0.0076 (10) | 0.0025 (9)   |
| C10 | 0.0633 (14) | 0.0679 (13) | 0.096 (2)   | -0.0044 (11)  | 0.0056 (16)  | 0.0395 (15)  |
| C11 | 0.0522 (11) | 0.0588 (11) | 0.0416 (11) | -0.0017 (10)  | -0.0031 (9)  | 0.0068 (9)   |
| C12 | 0.0379 (9)  | 0.0373 (8)  | 0.0417 (10) | -0.0054 (7)   | -0.0014 (8)  | 0.0037 (8)   |
| C13 | 0.0431 (10) | 0.0481 (10) | 0.0542 (12) | -0.0012 (8)   | -0.0102 (10) | 0.0042 (9)   |
| C14 | 0.0441 (10) | 0.0460 (10) | 0.0666 (14) | 0.0061 (8)    | -0.0001 (10) | 0.0011 (10)  |
| C15 | 0.0583 (12) | 0.0382 (9)  | 0.0508 (12) | -0.0032 (8)   | 0.0049 (10)  | -0.0034 (9)  |
| C16 | 0.0481 (10) | 0.0501 (10) | 0.0509 (12) | -0.0060 (8)   | -0.0088 (11) | -0.0027 (10) |
| C17 | 0.0358 (9)  | 0.0481 (9)  | 0.0553 (13) | -0.0030 (8)   | -0.0046 (9)  | -0.0018 (9)  |

### *Geometric parameters ( $\text{\AA}$ , $^\circ$ )*

|       |             |        |        |
|-------|-------------|--------|--------|
| S—O2  | 1.4878 (15) | C9—H9A | 0.9600 |
| S—C1  | 1.7665 (17) | C9—H9B | 0.9600 |
| S—C12 | 1.798 (2)   | C9—H9C | 0.9600 |

|            |             |               |             |
|------------|-------------|---------------|-------------|
| Cl—C15     | 1.740 (2)   | C10—H10A      | 0.9600      |
| O1—C8      | 1.370 (2)   | C10—H10B      | 0.9600      |
| O1—C7      | 1.385 (2)   | C10—H10C      | 0.9600      |
| C1—C8      | 1.353 (3)   | C11—H11A      | 0.9600      |
| C1—C2      | 1.455 (2)   | C11—H11B      | 0.9600      |
| C2—C7      | 1.393 (3)   | C11—H11C      | 0.9600      |
| C2—C3      | 1.405 (3)   | C12—C17       | 1.381 (3)   |
| C3—C4      | 1.389 (3)   | C12—C13       | 1.390 (3)   |
| C3—C9      | 1.504 (3)   | C13—C14       | 1.380 (3)   |
| C4—C5      | 1.411 (3)   | C13—H13       | 0.9300      |
| C4—H4      | 0.9300      | C14—C15       | 1.374 (3)   |
| C5—C6      | 1.379 (3)   | C14—H14       | 0.9300      |
| C5—C10     | 1.512 (3)   | C15—C16       | 1.368 (3)   |
| C6—C7      | 1.378 (3)   | C16—C17       | 1.391 (3)   |
| C6—H6      | 0.9300      | C16—H16       | 0.9300      |
| C8—C11     | 1.474 (3)   | C17—H17       | 0.9300      |
| O2—S—C1    | 110.14 (8)  | H9A—C9—H9C    | 109.5       |
| O2—S—C12   | 107.01 (9)  | H9B—C9—H9C    | 109.5       |
| C1—S—C12   | 99.20 (8)   | C5—C10—H10A   | 109.5       |
| C8—O1—C7   | 106.32 (15) | C5—C10—H10B   | 109.5       |
| C8—C1—C2   | 107.89 (15) | H10A—C10—H10B | 109.5       |
| C8—C1—S    | 118.45 (14) | C5—C10—H10C   | 109.5       |
| C2—C1—S    | 133.66 (14) | H10A—C10—H10C | 109.5       |
| C7—C2—C3   | 118.46 (16) | H10B—C10—H10C | 109.5       |
| C7—C2—C1   | 103.84 (16) | C8—C11—H11A   | 109.5       |
| C3—C2—C1   | 137.70 (17) | C8—C11—H11B   | 109.5       |
| C4—C3—C2   | 116.71 (17) | H11A—C11—H11B | 109.5       |
| C4—C3—C9   | 119.73 (19) | C8—C11—H11C   | 109.5       |
| C2—C3—C9   | 123.55 (18) | H11A—C11—H11C | 109.5       |
| C3—C4—C5   | 123.59 (19) | H11B—C11—H11C | 109.5       |
| C3—C4—H4   | 118.2       | C17—C12—C13   | 120.78 (18) |
| C5—C4—H4   | 118.2       | C17—C12—S     | 118.16 (14) |
| C6—C5—C4   | 119.37 (18) | C13—C12—S     | 120.72 (15) |
| C6—C5—C10  | 121.2 (2)   | C14—C13—C12   | 119.13 (19) |
| C4—C5—C10  | 119.5 (2)   | C14—C13—H13   | 120.4       |
| C7—C6—C5   | 116.80 (19) | C12—C13—H13   | 120.4       |
| C7—C6—H6   | 121.6       | C15—C14—C13   | 119.45 (18) |
| C5—C6—H6   | 121.6       | C15—C14—H14   | 120.3       |
| C6—C7—O1   | 123.85 (18) | C13—C14—H14   | 120.3       |
| C6—C7—C2   | 125.07 (18) | C16—C15—C14   | 122.23 (19) |
| O1—C7—C2   | 111.06 (15) | C16—C15—Cl    | 118.38 (18) |
| C1—C8—O1   | 110.88 (17) | C14—C15—Cl    | 119.39 (16) |
| C1—C8—C11  | 133.50 (17) | C15—C16—C17   | 118.6 (2)   |
| O1—C8—C11  | 115.58 (16) | C15—C16—H16   | 120.7       |
| C3—C9—H9A  | 109.5       | C17—C16—H16   | 120.7       |
| C3—C9—H9B  | 109.5       | C12—C17—C16   | 119.75 (18) |
| H9A—C9—H9B | 109.5       | C12—C17—H17   | 120.1       |
| C3—C9—H9C  | 109.5       | C16—C17—H17   | 120.1       |

## supplementary materials

---

|              |              |                 |              |
|--------------|--------------|-----------------|--------------|
| O2—S—C1—C8   | −136.54 (15) | C1—C2—C7—C6     | −178.86 (18) |
| C12—S—C1—C8  | 111.43 (16)  | C3—C2—C7—O1     | 179.46 (15)  |
| O2—S—C1—C2   | 43.6 (2)     | C1—C2—C7—O1     | −0.29 (19)   |
| C12—S—C1—C2  | −68.45 (18)  | C2—C1—C8—O1     | −0.3 (2)     |
| C8—C1—C2—C7  | 0.3 (2)      | S—C1—C8—O1      | 179.82 (13)  |
| S—C1—C2—C7   | −179.78 (15) | C2—C1—C8—C11    | 177.3 (2)    |
| C8—C1—C2—C3  | −179.3 (2)   | S—C1—C8—C11     | −2.6 (3)     |
| S—C1—C2—C3   | 0.6 (3)      | C7—O1—C8—C1     | 0.1 (2)      |
| C7—C2—C3—C4  | −0.9 (3)     | C7—O1—C8—C11    | −177.95 (16) |
| C1—C2—C3—C4  | 178.8 (2)    | O2—S—C12—C17    | 14.13 (17)   |
| C7—C2—C3—C9  | −179.91 (18) | C1—S—C12—C17    | 128.60 (15)  |
| C1—C2—C3—C9  | −0.3 (3)     | O2—S—C12—C13    | −172.53 (15) |
| C2—C3—C4—C5  | −0.1 (3)     | C1—S—C12—C13    | −58.05 (16)  |
| C9—C3—C4—C5  | 178.97 (19)  | C17—C12—C13—C14 | −0.7 (3)     |
| C3—C4—C5—C6  | 1.1 (3)      | S—C12—C13—C14   | −173.88 (15) |
| C3—C4—C5—C10 | −177.4 (2)   | C12—C13—C14—C15 | −0.3 (3)     |
| C4—C5—C6—C7  | −1.1 (3)     | C13—C14—C15—C16 | 0.1 (3)      |
| C10—C5—C6—C7 | 177.4 (2)    | C13—C14—C15—Cl  | −178.98 (17) |
| C5—C6—C7—O1  | −178.26 (17) | C14—C15—C16—C17 | 1.0 (3)      |
| C5—C6—C7—C2  | 0.1 (3)      | Cl—C15—C16—C17  | −179.89 (16) |
| C8—O1—C7—C6  | 178.73 (19)  | C13—C12—C17—C16 | 1.8 (3)      |
| C8—O1—C7—C2  | 0.14 (19)    | S—C12—C17—C16   | 175.18 (16)  |
| C3—C2—C7—C6  | 0.9 (3)      | C15—C16—C17—C12 | −2.0 (3)     |


### Hydrogen-bond geometry ( $\text{\AA}$ , $^\circ$ )

Cg is the centroid of the C12—C17 4-chlorophenyl ring.

| $D\text{—H}\cdots A$               | $D\text{—H}$ | $H\cdots A$ | $D\cdots A$ | $D\text{—H}\cdots A$ |
|------------------------------------|--------------|-------------|-------------|----------------------|
| C13—H13 $\cdots$ O2 <sup>i</sup>   | 0.93         | 2.62        | 3.471 (2)   | 152                  |
| C11—H11C $\cdots$ Cg <sup>ii</sup> | 0.96         | 2.85        | 3.667 (2)   | 144                  |

Symmetry codes: (i)  $x-1/2, -y+1/2, z$ ; (ii)  $x, y, z-1$ .

Fig. 1



## supplementary materials

---

Fig. 2

