

## N-(2,3-Dichlorophenyl)-2,4-dimethylbenzenesulfonamide

P. G. Nirmala,<sup>a</sup> B. Thimme Gowda,<sup>a\*</sup> Sabine Foro<sup>b</sup> and Hartmut Fuess<sup>b</sup>

<sup>a</sup>Department of Chemistry, Mangalore University, Mangalagangotri 574 199, Mangalore, India, and <sup>b</sup>Institute of Materials Science, Darmstadt University of Technology, Petersenstrasse 23, D-64287 Darmstadt, Germany  
Correspondence e-mail: gowdab@yahoo.com


Received 28 October 2010; accepted 29 October 2010

Key indicators: single-crystal X-ray study;  $T = 299$  K; mean  $\sigma(\text{C}-\text{C}) = 0.003 \text{ \AA}$ ;  $R$  factor = 0.042;  $wR$  factor = 0.111; data-to-parameter ratio = 13.9.

In the title compound,  $\text{C}_{14}\text{H}_{13}\text{Cl}_2\text{NO}_2\text{S}$ , the dihedral angle between the two aromatic rings is  $70.4(1)^\circ$ . The molecular conformation is stabilized by an intramolecular  $\text{N}-\text{H}\cdots\text{Cl}$  hydrogen bond.

### Related literature

For the preparation of the compound, see: Savitha & Gowda (2006). For our study of the effect of substituents on the structures of *N*-(aryl)arylsulfonamides, see: Gowda *et al.* (2009); Nirmala *et al.* (2010a,b). For related structures, see: Gelbrich *et al.* (2007); Perlovich *et al.* (2006).



### Experimental

#### Crystal data

$\text{C}_{14}\text{H}_{13}\text{Cl}_2\text{NO}_2\text{S}$   
 $M_r = 330.21$   
Monoclinic,  $P2_1/c$   
 $a = 9.198(1) \text{ \AA}$   
 $b = 9.933(1) \text{ \AA}$   
 $c = 16.099(2) \text{ \AA}$   
 $\beta = 99.100(1)^\circ$   
 $V = 1452.4(3) \text{ \AA}^3$

$Z = 4$   
 $\text{Cu } K\alpha$  radiation  
 $\mu = 5.37 \text{ mm}^{-1}$

$T = 299$  K  
 $0.53 \times 0.20 \times 0.20 \text{ mm}$

#### Data collection

Enraf–Nonius CAD-4 diffractometer  
3394 measured reflections  
2581 independent reflections

2367 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.041$   
3 standard reflections every 120 min  
intensity decay: 1.0%

#### Refinement

$R[F^2 > 2\sigma(F^2)] = 0.042$   
 $wR(F^2) = 0.111$   
 $S = 1.13$   
2581 reflections  
186 parameters  
1 restraint

H atoms treated by a mixture of independent and constrained refinement  
 $\Delta\rho_{\text{max}} = 0.26 \text{ e \AA}^{-3}$   
 $\Delta\rho_{\text{min}} = -0.66 \text{ e \AA}^{-3}$

**Table 1**  
Hydrogen-bond geometry ( $\text{\AA}$ ,  $^\circ$ ).

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
$\text{N1}-\text{H1N}\cdots\text{Cl1}$	0.84 (2)	2.50 (2)	2.9517 (19)	115 (2)

Data collection: *CAD-4-PC* (Enraf–Nonius, 1996); cell refinement: *CAD-4-PC*; data reduction: *REDU4* (Stoe & Cie, 1987); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *PLATON* (Spek, 2009); software used to prepare material for publication: *SHELXL97*.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: BT5400).

### References

- Enraf–Nonius (1996). *CAD-4-PC*. Enraf–Nonius, Delft, The Netherlands.  
Gelbrich, T., Hursthouse, M. B. & Threlfall, T. L. (2007). *Acta Cryst. B* **63**, 621–632.  
Gowda, B. T., Foro, S., Nirmala, P. G., Babitha, K. S. & Fuess, H. (2009). *Acta Cryst. E* **65**, o576.  
Nirmala, P. G., Gowda, B. T., Foro, S. & Fuess, H. (2010a). *Acta Cryst. E* **66**, o1017.  
Nirmala, P. G., Gowda, B. T., Foro, S. & Fuess, H. (2010b). *Acta Cryst. E* **66**, o1090.  
Perlovich, G. L., Tkachev, V. V., Schaper, K.-J. & Raevsky, O. A. (2006). *Acta Cryst. E* **62**, o780–o782.  
Savitha, M. B. & Gowda, B. T. (2006). *Z. Naturforsch. Teil A*, **60**, 600–606.  
Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.  
Spek, A. L. (2009). *Acta Cryst. D* **65**, 148–155.  
Stoe & Cie (1987). *REDU4*. Stoe & Cie GmbH, Darmstadt, Germany.

## **supplementary materials**

*Acta Cryst.* (2010). E66, o3060 [doi:10.1107/S1600536810044338]

### **N-(2,3-Dichlorophenyl)-2,4-dimethylbenzenesulfonamide**

**P. G. Nirmala, B. T. Gowda, S. Foro and H. Fuess**

#### **Comment**

As part of a study of the substituent effects on the structures of *N*-(aryl)arylsulfonamides (Gowda *et al.*, 2009; Nirmala *et al.*, 2010*a,b*), in the present work, the structure of 2,4-dimethyl-*N*-(2,3-dichlorophenyl)benzenesulfonamide (I) has been determined (Fig. 1). The conformation of the N—C bond in the C—SO<sub>2</sub>—NH—C segment of the structure has *gauche* torsions with respect to the S=O bonds. The molecule is bent at the *N* atom with the C1—SO<sub>2</sub>—NH—C7 torsion angle of -50.3 (2)°, compared to the values of 46.1 (3)° (glide image of molecule 1) and 47.7 (3)° (molecule 2) in the two independent molecules of 2,4-dimethyl-*N*-(phenyl)benzenesulfonamide (II) (Gowda *et al.*, 2009), -54.9 (3)° in 2,4-dimethyl-*N*-(3,5-dichlorophenyl)benzenesulfonamide (III) (Nirmala *et al.*, 2010*b*), and 70.1 (2) and -66.0 (2)° in the two molecules of 2,4-dimethyl-*N*-(2,3-dimethylphenyl)-benzenesulfonamide (IV) (Nirmala *et al.*, 2010*a*)

The two benzene rings in (I) are tilted relative to each other by 70.4 (1)°, compared to the values of 67.5 (1)° (molecule 1) and 72.9 (1)° (molecule 2) in the two independent molecules of (II), 82.3 (1)° in (III), and 41.5 (1) and 43.8 (1)° in the two molecules of (IV). The other bond parameters in (I) are similar to those observed in (II), (III), (IV) and other aryl sulfonamides (Perlovich *et al.*, 2006; Gelbrich *et al.*, 2007). The crystal packing of molecules in (I) through N—H···O(S) hydrogen bonds (Table 1) is shown in Fig. 2.

#### **Experimental**

The solution of 1,3-xylene (1,3-dimethylbenzene) (10 ml) in chloroform (40 ml) was treated dropwise with chlorosulfonic acid (25 ml) at 0 °C. After the initial evolution of hydrogen chloride subsided, the reaction mixture was brought to room temperature and poured into crushed ice in a beaker. The chloroform layer was separated, washed with cold water and allowed to evaporate slowly. The residual 2,4-dimethylbenzenesulfonylchloride was treated with 2,3-dichloroaniline in the stoichiometric ratio and boiled for ten minutes. The reaction mixture was then cooled to room temperature and added to ice cold water (100 ml). The resultant solid 2,4-dimethyl-*N*-(2,3-dichlorophenyl)benzenesulfonamide was filtered under suction and washed thoroughly with cold water. It was then recrystallized to constant melting point from dilute ethanol. The purity of the compound was checked and characterized by recording its infrared and NMR spectra (Savitha & Gowda, 2006).

The prism like colourless single crystals used in X-ray diffraction studies were grown in ethanolic solution by a slow evaporation at room temperature.

#### **Refinement**

The H atom of the NH group was located in a difference map and its position refined with N—H = 0.86 (4) Å. The other H atoms were positioned with idealized geometry using a riding model with C—H = 0.93–0.96 Å All H atoms were refined with isotropic displacement parameters set to 1.2 times of the *U*<sub>eq</sub> of the parent atom.

# supplementary materials

---

## Figures




Fig. 1. Molecular structure of the title compound, showing the atom labeling scheme. The displacement ellipsoids are drawn at the 50% probability level. The H atoms are represented as small spheres of arbitrary radii.




Fig. 2. Molecular packing of the title compound with hydrogen bonding shown as dashed lines.

## *N*-(2,3-dichlorophenyl)-2,4-dimethylbenzenesulfonamide

### Crystal data

C <sub>14</sub> H <sub>13</sub> Cl <sub>2</sub> NO <sub>2</sub> S	<i>F</i> (000) = 680
<i>M<sub>r</sub></i> = 330.21	<i>D<sub>x</sub></i> = 1.510 Mg m <sup>-3</sup>
Monoclinic, <i>P</i> 2 <sub>1</sub> /c	Cu <i>K</i> α radiation, $\lambda$ = 1.54180 Å
Hall symbol: -P 2ybc	Cell parameters from 25 reflections
<i>a</i> = 9.198 (1) Å	$\theta$ = 4.9–22.5°
<i>b</i> = 9.933 (1) Å	$\mu$ = 5.37 mm <sup>-1</sup>
<i>c</i> = 16.099 (2) Å	<i>T</i> = 299 K
$\beta$ = 99.100 (1)°	Prism, colorless
<i>V</i> = 1452.4 (3) Å <sup>3</sup>	0.53 × 0.20 × 0.20 mm
<i>Z</i> = 4	

### Data collection

Enraf–Nonius CAD-4 diffractometer	<i>R</i> <sub>int</sub> = 0.041
Radiation source: fine-focus sealed tube graphite	$\theta_{\text{max}} = 66.9^\circ$ , $\theta_{\text{min}} = 4.9^\circ$
$\omega/2\theta$ scans	<i>h</i> = -10→10
3394 measured reflections	<i>k</i> = -11→0
2581 independent reflections	<i>l</i> = -19→4
2367 reflections with $I > 2\sigma(I)$	3 standard reflections every 120 min intensity decay: 1.0%

### Refinement

Refinement on $F^2$	Primary atom site location: structure-invariant direct methods
Least-squares matrix: full	Secondary atom site location: difference Fourier map
$R[F^2 > 2\sigma(F^2)] = 0.042$	Hydrogen site location: inferred from neighbouring sites

$wR(F^2) = 0.111$	H atoms treated by a mixture of independent and constrained refinement
$S = 1.13$	$w = 1/[\sigma^2(F_o^2) + (0.0691P)^2 + 0.3328P]$
2581 reflections	where $P = (F_o^2 + 2F_c^2)/3$
186 parameters	$(\Delta/\sigma)_{\max} < 0.001$
1 restraint	$\Delta\rho_{\max} = 0.26 \text{ e } \text{\AA}^{-3}$
	$\Delta\rho_{\min} = -0.66 \text{ e } \text{\AA}^{-3}$

### Special details

**Geometry.** All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted  $R$ -factor  $wR$  and goodness of fit  $S$  are based on  $F^2$ , conventional  $R$ -factors  $R$  are based on  $F$ , with  $F$  set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating  $R$ -factors(gt) etc. and is not relevant to the choice of reflections for refinement.  $R$ -factors based on  $F^2$  are statistically about twice as large as those based on  $F$ , and  $R$ -factors based on ALL data will be even larger.

### Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )

	$x$	$y$	$z$	$U_{\text{iso}}^*/U_{\text{eq}}$
Cl1	0.25244 (6)	-0.10202 (6)	0.09534 (4)	0.05416 (19)
Cl2	-0.08838 (6)	-0.14100 (6)	0.06647 (4)	0.0576 (2)
S1	0.45032 (5)	0.26140 (5)	0.21630 (3)	0.04180 (18)
O1	0.60015 (16)	0.22571 (19)	0.21346 (11)	0.0561 (4)
O2	0.41640 (18)	0.33596 (18)	0.28705 (10)	0.0545 (4)
N1	0.36407 (18)	0.11597 (18)	0.21294 (12)	0.0432 (4)
H1N	0.409 (3)	0.052 (2)	0.1949 (16)	0.052*
C1	0.3736 (2)	0.3504 (2)	0.12509 (13)	0.0385 (4)
C2	0.3976 (2)	0.3127 (2)	0.04461 (13)	0.0418 (5)
C3	0.3316 (3)	0.3909 (2)	-0.02241 (14)	0.0492 (5)
H3	0.3482	0.3688	-0.0763	0.059*
C4	0.2427 (3)	0.4999 (2)	-0.01297 (16)	0.0535 (6)
C5	0.2205 (3)	0.5337 (2)	0.06777 (17)	0.0592 (6)
H5	0.1606	0.6065	0.0757	0.071*
C6	0.2859 (3)	0.4606 (2)	0.13590 (15)	0.0509 (5)
H6	0.2713	0.4852	0.1897	0.061*
C7	0.2086 (2)	0.10239 (19)	0.19856 (12)	0.0366 (4)
C8	0.1436 (2)	0.00162 (19)	0.14533 (12)	0.0370 (4)
C9	-0.0078 (2)	-0.0153 (2)	0.13289 (13)	0.0409 (5)
C10	-0.0959 (2)	0.0673 (2)	0.17213 (14)	0.0482 (5)
H10	-0.1975	0.0555	0.1634	0.058*
C11	-0.0319 (2)	0.1676 (3)	0.22442 (15)	0.0513 (5)
H11	-0.0910	0.2245	0.2506	0.062*
C12	0.1197 (2)	0.1853 (2)	0.23870 (14)	0.0467 (5)
H12	0.1617	0.2524	0.2751	0.056*

## supplementary materials

---

C13	0.4877 (3)	0.1928 (3)	0.02611 (16)	0.0583 (6)
H13A	0.5892	0.2075	0.0494	0.070*
H13B	0.4789	0.1809	-0.0337	0.070*
H13C	0.4526	0.1136	0.0508	0.070*
C14	0.1715 (4)	0.5790 (3)	-0.0878 (2)	0.0778 (9)
H14A	0.2434	0.5993	-0.1232	0.093*
H14B	0.1324	0.6613	-0.0692	0.093*
H14C	0.0933	0.5270	-0.1189	0.093*

*Atomic displacement parameters ( $\text{\AA}^2$ )*

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
Cl1	0.0441 (3)	0.0501 (3)	0.0692 (4)	0.0080 (2)	0.0118 (3)	-0.0127 (2)
Cl2	0.0507 (3)	0.0612 (4)	0.0571 (3)	-0.0150 (2)	-0.0028 (2)	0.0009 (3)
S1	0.0302 (3)	0.0512 (3)	0.0432 (3)	-0.00367 (19)	0.00317 (19)	-0.0066 (2)
O1	0.0278 (7)	0.0756 (11)	0.0636 (10)	-0.0026 (7)	0.0036 (7)	-0.0020 (8)
O2	0.0526 (9)	0.0673 (10)	0.0427 (8)	-0.0068 (8)	0.0050 (7)	-0.0160 (7)
N1	0.0296 (8)	0.0444 (10)	0.0554 (10)	0.0026 (7)	0.0059 (7)	-0.0006 (8)
C1	0.0325 (9)	0.0398 (10)	0.0436 (10)	-0.0056 (8)	0.0072 (8)	-0.0065 (8)
C2	0.0340 (10)	0.0454 (11)	0.0474 (11)	-0.0083 (8)	0.0105 (8)	-0.0089 (9)
C3	0.0472 (12)	0.0552 (13)	0.0448 (11)	-0.0144 (10)	0.0067 (9)	-0.0055 (9)
C4	0.0542 (13)	0.0437 (12)	0.0602 (14)	-0.0143 (10)	0.0014 (11)	0.0032 (10)
C5	0.0653 (15)	0.0387 (11)	0.0729 (16)	0.0055 (11)	0.0092 (12)	-0.0036 (11)
C6	0.0575 (13)	0.0440 (11)	0.0527 (13)	0.0017 (10)	0.0136 (10)	-0.0096 (10)
C7	0.0292 (9)	0.0394 (10)	0.0415 (10)	0.0019 (7)	0.0070 (8)	0.0068 (8)
C8	0.0335 (10)	0.0376 (10)	0.0408 (10)	0.0050 (8)	0.0087 (8)	0.0084 (8)
C9	0.0359 (10)	0.0441 (10)	0.0419 (10)	-0.0037 (8)	0.0037 (8)	0.0107 (8)
C10	0.0295 (9)	0.0602 (13)	0.0564 (12)	0.0035 (9)	0.0110 (9)	0.0133 (10)
C11	0.0395 (11)	0.0573 (13)	0.0607 (13)	0.0094 (10)	0.0185 (10)	0.0021 (11)
C12	0.0402 (11)	0.0494 (12)	0.0528 (12)	0.0012 (9)	0.0143 (9)	-0.0042 (10)
C13	0.0533 (13)	0.0682 (15)	0.0563 (13)	0.0088 (12)	0.0179 (11)	-0.0144 (12)
C14	0.080 (2)	0.0654 (17)	0.082 (2)	-0.0069 (15)	-0.0054 (16)	0.0205 (15)

*Geometric parameters ( $\text{\AA}$ ,  $^\circ$ )*

Cl1—C8	1.7221 (19)	C5—H5	0.9300
Cl2—C9	1.733 (2)	C6—H6	0.9300
S1—O1	1.4307 (16)	C7—C12	1.389 (3)
S1—O2	1.4338 (16)	C7—C8	1.390 (3)
S1—N1	1.6448 (18)	C8—C9	1.385 (3)
S1—C1	1.763 (2)	C9—C10	1.375 (3)
N1—C7	1.419 (2)	C10—C11	1.375 (3)
N1—H1N	0.839 (17)	C10—H10	0.9300
C1—C6	1.387 (3)	C11—C12	1.387 (3)
C1—C2	1.399 (3)	C11—H11	0.9300
C2—C3	1.389 (3)	C12—H12	0.9300
C2—C13	1.507 (3)	C13—H13A	0.9600
C3—C4	1.379 (4)	C13—H13B	0.9600
C3—H3	0.9300	C13—H13C	0.9600

C4—C5	1.388 (4)	C14—H14A	0.9600
C4—C14	1.499 (4)	C14—H14B	0.9600
C5—C6	1.372 (4)	C14—H14C	0.9600
O1—S1—O2	119.02 (10)	C8—C7—N1	119.57 (17)
O1—S1—N1	104.09 (10)	C9—C8—C7	120.06 (18)
O2—S1—N1	108.37 (10)	C9—C8—Cl1	120.38 (16)
O1—S1—C1	111.01 (10)	C7—C8—Cl1	119.56 (15)
O2—S1—C1	107.10 (10)	C10—C9—C8	120.9 (2)
N1—S1—C1	106.58 (9)	C10—C9—Cl2	119.20 (16)
C7—N1—S1	123.88 (14)	C8—C9—Cl2	119.90 (17)
C7—N1—H1N	114.4 (18)	C9—C10—C11	119.14 (19)
S1—N1—H1N	114.7 (18)	C9—C10—H10	120.4
C6—C1—C2	120.5 (2)	C11—C10—H10	120.4
C6—C1—S1	117.09 (16)	C10—C11—C12	121.0 (2)
C2—C1—S1	122.40 (16)	C10—C11—H11	119.5
C3—C2—C1	117.1 (2)	C12—C11—H11	119.5
C3—C2—C13	118.4 (2)	C11—C12—C7	119.9 (2)
C1—C2—C13	124.5 (2)	C11—C12—H12	120.1
C4—C3—C2	123.2 (2)	C7—C12—H12	120.1
C4—C3—H3	118.4	C2—C13—H13A	109.5
C2—C3—H3	118.4	C2—C13—H13B	109.5
C3—C4—C5	118.1 (2)	H13A—C13—H13B	109.5
C3—C4—C14	120.9 (3)	C2—C13—H13C	109.5
C5—C4—C14	121.0 (3)	H13A—C13—H13C	109.5
C6—C5—C4	120.6 (2)	H13B—C13—H13C	109.5
C6—C5—H5	119.7	C4—C14—H14A	109.5
C4—C5—H5	119.7	C4—C14—H14B	109.5
C5—C6—C1	120.5 (2)	H14A—C14—H14B	109.5
C5—C6—H6	119.8	C4—C14—H14C	109.5
C1—C6—H6	119.8	H14A—C14—H14C	109.5
C12—C7—C8	119.07 (18)	H14B—C14—H14C	109.5
C12—C7—N1	121.33 (19)		
O1—S1—N1—C7	−167.74 (17)	C4—C5—C6—C1	−1.0 (4)
O2—S1—N1—C7	64.64 (19)	C2—C1—C6—C5	0.5 (3)
C1—S1—N1—C7	−50.33 (19)	S1—C1—C6—C5	−179.00 (19)
O1—S1—C1—C6	−138.08 (17)	S1—N1—C7—C12	−44.1 (3)
O2—S1—C1—C6	−6.64 (19)	S1—N1—C7—C8	137.91 (17)
N1—S1—C1—C6	109.19 (17)	C12—C7—C8—C9	0.0 (3)
O1—S1—C1—C2	42.39 (19)	N1—C7—C8—C9	177.98 (17)
O2—S1—C1—C2	173.83 (16)	C12—C7—C8—Cl1	−179.87 (16)
N1—S1—C1—C2	−70.35 (18)	N1—C7—C8—Cl1	−1.9 (2)
C6—C1—C2—C3	0.7 (3)	C7—C8—C9—C10	0.5 (3)
S1—C1—C2—C3	−179.79 (15)	Cl1—C8—C9—C10	−179.67 (16)
C6—C1—C2—C13	−178.4 (2)	C7—C8—C9—Cl2	179.99 (14)
S1—C1—C2—C13	1.1 (3)	Cl1—C8—C9—Cl2	−0.2 (2)
C1—C2—C3—C4	−1.5 (3)	C8—C9—C10—C11	−0.1 (3)
C13—C2—C3—C4	177.6 (2)	Cl2—C9—C10—C11	−179.59 (17)
C2—C3—C4—C5	1.0 (3)	C9—C10—C11—C12	−0.8 (3)

## supplementary materials


---

C2—C3—C4—C14	−178.6 (2)	C10—C11—C12—C7	1.2 (3)
C3—C4—C5—C6	0.3 (4)	C8—C7—C12—C11	−0.8 (3)
C14—C4—C5—C6	179.9 (3)	N1—C7—C12—C11	−178.8 (2)

### Hydrogen-bond geometry ( $\text{\AA}$ , °)

$D\text{—H}\cdots A$	$D\text{—H}$	$\text{H}\cdots A$	$D\cdots A$	$D\text{—H}\cdots A$
N1—H1N…Cl1	0.84 (2)	2.50 (2)	2.9517 (19)	115 (2)

Fig. 1



## supplementary materials

---

Fig. 2

