

1,1'-(*p*-Phenylenedimethylidene)-diimidazol-3-ium bis{2-[(2-carboxyphenyl)disulfanyl]benzoate} dihydrate

Zhengming Liu,^a Qiang Liu,^b Limin Yuan^a and Wenlong Liu^{b*}

^aTesting Center, Yangzhou University, Yangzhou 225002, People's Republic of China, and ^bCollege of Chemistry and Chemical Engineering, Yangzhou University, Yangzhou 225002, People's Republic of China
Correspondence e-mail: liuwl@yzu.edu.cn


Received 7 November 2010; accepted 13 November 2010

Key indicators: single-crystal X-ray study; $T = 296\text{ K}$; mean $\sigma(\text{C}-\text{C}) = 0.004\text{ \AA}$; R factor = 0.044; wR factor = 0.134; data-to-parameter ratio = 13.1.

The title salt, $\text{C}_{14}\text{H}_{16}\text{N}_4^{2+} \cdot 2\text{C}_{14}\text{H}_9\text{O}_4\text{S}_2^- \cdot 2\text{H}_2\text{O}$, was obtained by the co-crystallization of 2,2'-dithiodibenzoic acid with 1,4-bis(imidazol-1-ylmethyl)benzene. It consists of 2-[(2-carboxyphenyl)disulfanyl]benzoate anions, centrosymmetric 1,1'-(*p*-phenylenedimethylidene)diimidazol-3-ium cations and water molecules. O—H···O, O—H···S and N—H···O hydrogen-bonding interactions among the components lead to the formation of a three-dimensional network.

Related literature

For background to the co-crystallization of 2,2'-dithiodibenzoic acid with bipyridine-type molecules, see: Bi *et al.* (2002); Broker & Tiekkink (2007); Broker *et al.* (2008); Hu *et al.* (2004).



Experimental

Crystal data


 $M_r = 887.00$

Triclinic, $P\bar{1}$	$V = 1002.9 (4)\text{ \AA}^3$
$a = 4.6776 (11)\text{ \AA}$	$Z = 1$
$b = 12.201 (3)\text{ \AA}$	Mo $K\alpha$ radiation
$c = 18.850 (4)\text{ \AA}$	$\mu = 0.30\text{ mm}^{-1}$
$\alpha = 107.985 (3)^\circ$	$T = 296\text{ K}$
$\beta = 90.686 (3)^\circ$	$0.45 \times 0.43 \times 0.38\text{ mm}$
$\gamma = 100.634 (3)^\circ$	

Data collection

Bruker SMART APEX CCD diffractometer	7640 measured reflections
Absorption correction: multi-scan (<i>SADABS</i> ; Sheldrick, 2004)	3708 independent reflections
$T_{\min} = 0.876$, $T_{\max} = 0.894$	2720 reflections with $I > 2\sigma(I)$
	$R_{\text{int}} = 0.030$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.044$	H atoms treated by a mixture of independent and constrained refinement
$wR(F^2) = 0.134$	$\Delta\rho_{\text{max}} = 0.26\text{ e \AA}^{-3}$
$S = 1.08$	$\Delta\rho_{\text{min}} = -0.24\text{ e \AA}^{-3}$
3708 reflections	
284 parameters	
9 restraints	

Table 1
Hydrogen-bond geometry (\AA , $^\circ$).

$D-\text{H} \cdots A$	$D-\text{H}$	$\text{H} \cdots A$	$D \cdots A$	$D-\text{H} \cdots A$
O1W—H1WB···S1 ⁱ	0.88 (2)	2.80 (3)	3.507 (3)	138 (4)
O1W—H1WB···O2 ⁱ	0.88 (2)	2.30 (2)	3.141 (4)	159 (4)
N1—H1···O1 ⁱⁱ	0.91 (2)	1.75 (2)	2.657 (3)	176 (3)
O4—H4A···O1 ⁱⁱ	0.87 (2)	1.73 (3)	2.567 (3)	161 (4)
O1W—H1WA···O2	0.88 (2)	1.94 (2)	2.811 (3)	171 (4)

Symmetry codes: (i) $x - 1, y, z$; (ii) $x, y - 1, z$.

Data collection: *SMART* (Bruker, 2002); cell refinement: *SAINT-Plus* (Bruker, 2003); data reduction: *SAINT-Plus*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL* (Sheldrick, 2008) and *DIAMOND* (Brandenburg, 2006); software used to prepare material for publication: *publCIF* (Westrip, 2010).

This work was supported by the Foundation of the Key Laboratory of Environmental Materials and Environmental Engineering of Jiangsu Province.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: NG5063).

References

- Bi, W., Sun, D., Cao, R. & Hong, M. (2002). *Acta Cryst.* **E58**, o837–o839.
- Brandenburg, K. (2006). *DIAMOND*. Crystal Impact GbR, Bonn, Germany.
- Broker, G. A., Bettens, R. P. A. & Tiekkink, E. R. T. (2008). *CrystEngComm*, **10**, 879–887.
- Broker, G. A. & Tiekkink, E. R. T. (2007). *CrystEngComm*, **9**, 1096–1109.
- Bruker (2002). *SMART for WNT/2000*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Bruker (2003). *SAINT-Plus*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Hu, R.-F., Wen, Y.-H., Zhang, J., Li, Z.-J. & Yao, Y.-G. (2004). *Acta Cryst.* **E60**, o2029–o2031.
- Sheldrick, G. M. (2004). *SADABS*. University of Göttingen, Germany.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Westrip, S. P. (2010). *J. Appl. Cryst.* **43**, 920–925.

supplementary materials

Acta Cryst. (2010). E66, o3230 [doi:10.1107/S1600536810047021]

1,1'-(*p*-Phenylenedimethylidene)diimidazol-3-ium bis{2-[*(2*-carboxyphenyl)disulfanyl]benzoate} dihydrate

Z. Liu, Q. Liu, L. Yuan and W. Liu

Comment

The dicarboxylic acid DTBA has been shown to be effective and reliable in forming a range of co-crystals with a series of bipyridine-type molecules leading to varying supramolecular architectures(Broker & Tiekkink, 2007; Broker *et al.*, 2008). In comparison, the use of biimidazole-type molecules to co-crystal with DTBA remains largely unexplored. Herein, the formation of co-crystals of 2,2'-dithiodibenzoic acid with 1,4-bis(imidazol-1-ylmethyl)benzene is described, which were isolated from methanol. The asymmetric unit of the title compound comprises a singly deprotonated DTBA anion, half a 1,4-bis(imidazolium-1-ylmethyl)benzene dication, disposed about a centre of inversion, and a solvent water molecule of crystallization (Fig. 1). The dihedral angle between the two phenyl rings of HDTBA⁻ and torsion angle (C2/S1/S2/C9) are 73.54 (7)^o and -84.93 (12)^o, respectively. There are extensive hydrogen-bonding interactions between the carboxyl groups, protonated N atoms and water molecules of (I). As shown in Fig. 2, hydrogen-bonding interactions link water molecules to (C₁₄H₉O₄S₂)⁻ anions, (C₁₄H₁₆N₄)²⁺ cations and connect (C₁₄H₉O₄S₂)⁻ anions to (C₁₄H₁₆N₄)²⁺ cations to form an extended three-dimensional network.

Experimental

2,2'-Dithiodibenzoic acid (153 mg, 0.5 mmol) was dissolved in 15 ml me thanol, and a solution of 1,4-bis(imidazol-1-ylmethyl)benzene (191 mg, 0.8 mmol) in 20 ml me thanol was added dropwise under intense agitation. The resulting mixture was stirred under reflux conditions for 1 h and allowed to cool to room temperature, filtered. After allowing the solution to stand for five days, colourless block-like crystals of (I) were obtained in 42% yield.

Refinement

The O-bound and N-bound H atoms were located in difference Fourier maps and were refined with the distance restraints O—H = 0.84±0.02 Å, N—H = 0.87±0.03 Å, and with $U_{\text{iso}}(\text{H}) = 1.5U_{\text{eq}}(\text{O})$. The temperature factor of N-bound H atom was refined.

Carbon-bound H-atoms were placed in calculated positions (C—H 0.93–0.97 Å) and were included in the refinement in the riding model approximation, with $U_{\text{iso}}(\text{H})$ set to 1.2 $U_{\text{eq}}(\text{C})$.

The refinement of O-bound and N-bound H atoms and the C—C distances in the phenylene ring were performed using 9 least-squares restraints by applying *DFIX* instructions of *SHELXTL*.

supplementary materials

Figures




Fig. 1. Molecular structures of the title compound, showing atom-labelling scheme and displacement ellipsoids at the 50% probability level.




Fig. 2. The three-dimensional packing structure of the title compound. Hydrogen bonds are shown as dashed lines.

1,1'-(*p*-Phenylenedimethylidene)diimidazol-3-ium bis{2-[*(2*-carboxyphenyl)disulfanyl]benzoate} dihydrate

Crystal data

$C_{14}H_{16}N_4^{2+}\cdot 2C_{14}H_9O_4S_2^- \cdot 2H_2O$	$Z = 1$
$M_r = 887.00$	$F(000) = 462$
Triclinic, $P\bar{1}$	$D_x = 1.469 \text{ Mg m}^{-3}$
Hall symbol: -P 1	Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$
$a = 4.6776 (11) \text{ \AA}$	Cell parameters from 1975 reflections
$b = 12.201 (3) \text{ \AA}$	$\theta = 2.3\text{--}24.5^\circ$
$c = 18.850 (4) \text{ \AA}$	$\mu = 0.30 \text{ mm}^{-1}$
$\alpha = 107.985 (3)^\circ$	$T = 296 \text{ K}$
$\beta = 90.686 (3)^\circ$	Block, colourless
$\gamma = 100.634 (3)^\circ$	$0.45 \times 0.43 \times 0.38 \text{ mm}$
$V = 1002.9 (4) \text{ \AA}^3$	

Data collection

Bruker SMART APEX CCD diffractometer	3708 independent reflections
Radiation source: fine-focus sealed tube graphite	2720 reflections with $I > 2\sigma(I)$
φ and ω scans	$R_{\text{int}} = 0.030$
Absorption correction: multi-scan (<i>SADABS</i> ; Sheldrick, 2004)	$\theta_{\max} = 25.5^\circ, \theta_{\min} = 1.8^\circ$
$T_{\min} = 0.876, T_{\max} = 0.894$	$h = -5 \rightarrow 5$
7640 measured reflections	$k = -14 \rightarrow 14$
	$l = -20 \rightarrow 22$

Refinement

Refinement on F^2	Primary atom site location: structure-invariant direct methods
Least-squares matrix: full	Secondary atom site location: difference Fourier map
$R[F^2 > 2\sigma(F^2)] = 0.044$	Hydrogen site location: inferred from neighbouring sites
$wR(F^2) = 0.134$	H atoms treated by a mixture of independent and constrained refinement
$S = 1.08$	$w = 1/[\sigma^2(F_o^2) + (0.0676P)^2 + 0.1163P]$ where $P = (F_o^2 + 2F_c^2)/3$
3708 reflections	$(\Delta/\sigma)_{\max} < 0.001$
284 parameters	$\Delta\rho_{\max} = 0.26 \text{ e \AA}^{-3}$
9 restraints	$\Delta\rho_{\min} = -0.24 \text{ e \AA}^{-3}$

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
C1	0.9224 (5)	0.7640 (2)	0.21093 (14)	0.0356 (6)
C2	0.9027 (5)	0.6438 (2)	0.19945 (14)	0.0352 (6)
C3	1.0412 (6)	0.5796 (2)	0.14067 (15)	0.0443 (7)
H3	1.0227	0.4990	0.1313	0.053*
C4	1.2053 (6)	0.6331 (2)	0.09606 (16)	0.0500 (7)
H4	1.2968	0.5885	0.0571	0.060*
C5	1.2351 (6)	0.7522 (3)	0.10862 (17)	0.0483 (7)
H5	1.3507	0.7889	0.0794	0.058*
C6	1.0910 (6)	0.8157 (2)	0.16511 (16)	0.0437 (7)
H6	1.1066	0.8958	0.1729	0.052*
C7	0.7699 (6)	0.8391 (2)	0.27118 (16)	0.0405 (6)
C8	0.5723 (5)	0.1938 (2)	0.13953 (14)	0.0375 (6)
C9	0.5950 (5)	0.3156 (2)	0.15799 (14)	0.0357 (6)
C10	0.4493 (6)	0.3591 (2)	0.11132 (15)	0.0433 (7)
H10	0.4668	0.4399	0.1224	0.052*
C11	0.2789 (6)	0.2841 (3)	0.04877 (17)	0.0496 (7)
H11	0.1817	0.3148	0.0184	0.060*

supplementary materials

C12	0.2513 (6)	0.1640 (3)	0.03089 (17)	0.0530 (8)
H12	0.1350	0.1135	-0.0110	0.064*
C13	0.3991 (6)	0.1202 (2)	0.07623 (16)	0.0461 (7)
H13	0.3825	0.0393	0.0642	0.055*
C14	0.7222 (6)	0.1414 (2)	0.18676 (16)	0.0445 (7)
S1	0.69255 (16)	0.57314 (5)	0.25775 (4)	0.0440 (2)
S2	0.81448 (17)	0.41403 (6)	0.23901 (4)	0.0461 (2)
O1	0.7530 (4)	0.94073 (15)	0.26811 (11)	0.0504 (5)
O2	0.6751 (5)	0.80190 (17)	0.32150 (12)	0.0636 (6)
O3	0.8747 (5)	0.19838 (17)	0.24241 (13)	0.0676 (7)
O4	0.6690 (6)	0.02564 (17)	0.16259 (13)	0.0670 (7)
H4A	0.737 (8)	0.003 (3)	0.1976 (19)	0.100*
C15	0.3094 (6)	0.1496 (3)	0.35488 (17)	0.0514 (7)
H15	0.3404	0.1817	0.3162	0.062*
C16	0.3162 (9)	0.0374 (3)	0.4231 (2)	0.0735 (10)
H16	0.3513	-0.0234	0.4398	0.088*
C17	0.1658 (8)	0.1195 (3)	0.4573 (2)	0.0731 (11)
H17	0.0816	0.1277	0.5026	0.088*
C18	0.0401 (6)	0.2974 (2)	0.43199 (18)	0.0513 (7)
H18A	-0.1118	0.2936	0.4662	0.062*
H18B	-0.0463	0.3040	0.3868	0.062*
C19	0.2748 (5)	0.4039 (2)	0.46723 (14)	0.0406 (6)
C20	0.4029 (7)	0.4741 (3)	0.42709 (17)	0.0623 (9)
H20	0.3376	0.4576	0.3774	0.075*
C21	0.3731 (7)	0.4311 (3)	0.54080 (16)	0.0656 (9)
H21	0.2879	0.3853	0.5692	0.079*
N1	0.4076 (5)	0.0579 (2)	0.36030 (15)	0.0512 (6)
H1	0.519 (5)	0.016 (2)	0.3270 (14)	0.056 (9)*
N2	0.1594 (5)	0.18873 (19)	0.41342 (13)	0.0466 (6)
O1W	0.2006 (6)	0.7532 (2)	0.40459 (14)	0.0758 (7)
H1WA	0.351 (5)	0.761 (4)	0.378 (2)	0.114*
H1WB	0.049 (5)	0.747 (4)	0.374 (2)	0.114*

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
C1	0.0361 (14)	0.0302 (13)	0.0407 (15)	0.0070 (11)	-0.0009 (11)	0.0114 (11)
C2	0.0401 (14)	0.0307 (13)	0.0356 (14)	0.0101 (11)	0.0003 (11)	0.0098 (11)
C3	0.0482 (16)	0.0360 (14)	0.0505 (17)	0.0155 (12)	0.0083 (13)	0.0120 (13)
C4	0.0498 (17)	0.0509 (17)	0.0504 (18)	0.0191 (14)	0.0140 (14)	0.0121 (14)
C5	0.0459 (16)	0.0509 (17)	0.0537 (18)	0.0078 (13)	0.0100 (14)	0.0252 (14)
C6	0.0470 (16)	0.0321 (14)	0.0559 (18)	0.0072 (12)	0.0038 (14)	0.0201 (13)
C7	0.0451 (16)	0.0284 (13)	0.0477 (16)	0.0093 (11)	0.0017 (13)	0.0105 (12)
C8	0.0435 (15)	0.0298 (13)	0.0393 (15)	0.0086 (11)	0.0084 (12)	0.0103 (12)
C9	0.0403 (14)	0.0293 (13)	0.0380 (14)	0.0082 (11)	0.0092 (11)	0.0103 (11)
C10	0.0503 (16)	0.0351 (14)	0.0475 (16)	0.0142 (12)	0.0005 (13)	0.0141 (13)
C11	0.0501 (17)	0.0482 (17)	0.0500 (18)	0.0097 (14)	-0.0029 (14)	0.0148 (14)
C12	0.0528 (18)	0.0459 (17)	0.0484 (18)	-0.0006 (14)	-0.0066 (14)	0.0043 (14)

C13	0.0561 (17)	0.0312 (14)	0.0462 (17)	0.0035 (13)	0.0066 (14)	0.0083 (13)
C14	0.0612 (18)	0.0312 (14)	0.0445 (17)	0.0142 (13)	0.0093 (14)	0.0137 (13)
S1	0.0631 (5)	0.0266 (3)	0.0436 (4)	0.0107 (3)	0.0119 (3)	0.0114 (3)
S2	0.0665 (5)	0.0276 (3)	0.0438 (4)	0.0100 (3)	-0.0065 (3)	0.0108 (3)
O1	0.0689 (13)	0.0263 (9)	0.0578 (12)	0.0160 (9)	0.0077 (10)	0.0122 (9)
O2	0.0914 (16)	0.0426 (12)	0.0683 (15)	0.0263 (11)	0.0380 (13)	0.0250 (11)
O3	0.1023 (18)	0.0354 (11)	0.0633 (15)	0.0134 (11)	-0.0240 (13)	0.0143 (11)
O4	0.1058 (19)	0.0289 (10)	0.0678 (15)	0.0140 (11)	-0.0092 (13)	0.0178 (10)
C15	0.0584 (19)	0.0508 (18)	0.0452 (17)	0.0190 (15)	0.0045 (15)	0.0108 (14)
C16	0.104 (3)	0.0493 (19)	0.079 (3)	0.0279 (19)	0.024 (2)	0.0288 (19)
C17	0.106 (3)	0.0486 (19)	0.074 (2)	0.0176 (19)	0.040 (2)	0.0295 (18)
C18	0.0451 (16)	0.0388 (15)	0.0627 (19)	0.0098 (13)	0.0029 (14)	0.0049 (14)
C19	0.0419 (15)	0.0333 (14)	0.0432 (16)	0.0086 (11)	0.0046 (12)	0.0067 (12)
C20	0.076 (2)	0.057 (2)	0.0456 (18)	-0.0079 (17)	-0.0084 (16)	0.0171 (16)
C21	0.085 (2)	0.0540 (19)	0.0502 (19)	-0.0174 (17)	-0.0008 (17)	0.0245 (16)
N1	0.0537 (15)	0.0364 (13)	0.0564 (16)	0.0104 (11)	0.0033 (13)	0.0034 (12)
N2	0.0457 (13)	0.0360 (13)	0.0523 (15)	0.0053 (10)	0.0051 (11)	0.0070 (11)
O1W	0.0771 (17)	0.0846 (18)	0.0666 (17)	0.0079 (15)	0.0150 (13)	0.0294 (14)

Geometric parameters (Å, °)

C1—C6	1.391 (3)	C14—O3	1.200 (3)
C1—C2	1.400 (3)	C14—O4	1.317 (3)
C1—C7	1.502 (4)	S1—S2	2.0515 (10)
C2—C3	1.389 (3)	O4—H4A	0.87 (2)
C2—S1	1.793 (3)	C15—N1	1.316 (4)
C3—C4	1.376 (4)	C15—N2	1.325 (4)
C3—H3	0.9300	C15—H15	0.9300
C4—C5	1.378 (4)	C16—C17	1.337 (5)
C4—H4	0.9300	C16—N1	1.342 (4)
C5—C6	1.375 (4)	C16—H16	0.9300
C5—H5	0.9300	C17—N2	1.356 (4)
C6—H6	0.9300	C17—H17	0.9300
C7—O2	1.226 (3)	C18—N2	1.478 (3)
C7—O1	1.276 (3)	C18—C19	1.503 (4)
C8—C13	1.391 (4)	C18—H18A	0.9700
C8—C9	1.400 (3)	C18—H18B	0.9700
C8—C14	1.482 (4)	C19—C20	1.374 (3)
C9—C10	1.389 (4)	C19—C21	1.374 (3)
C9—S2	1.790 (3)	C20—C21 ⁱ	1.381 (3)
C10—C11	1.380 (4)	C20—H20	0.9300
C10—H10	0.9300	C21—C20 ⁱ	1.381 (3)
C11—C12	1.379 (4)	C21—H21	0.9300
C11—H11	0.9300	N1—H1	0.911 (17)
C12—C13	1.378 (4)	O1W—H1WA	0.876 (18)
C12—H12	0.9300	O1W—H1WB	0.883 (18)
C13—H13	0.9300		
C6—C1—C2	118.7 (2)	C8—C13—H13	119.2

supplementary materials

C6—C1—C7	118.9 (2)	O3—C14—O4	122.8 (3)
C2—C1—C7	122.4 (2)	O3—C14—C8	123.6 (2)
C3—C2—C1	118.8 (2)	O4—C14—C8	113.6 (3)
C3—C2—S1	120.61 (19)	C2—S1—S2	106.04 (8)
C1—C2—S1	120.52 (19)	C9—S2—S1	105.87 (8)
C4—C3—C2	121.1 (2)	C14—O4—H4A	107 (3)
C4—C3—H3	119.5	N1—C15—N2	109.0 (3)
C2—C3—H3	119.5	N1—C15—H15	125.5
C3—C4—C5	120.5 (3)	N2—C15—H15	125.5
C3—C4—H4	119.7	C17—C16—N1	108.1 (3)
C5—C4—H4	119.7	C17—C16—H16	125.9
C6—C5—C4	118.8 (3)	N1—C16—H16	125.9
C6—C5—H5	120.6	C16—C17—N2	107.0 (3)
C4—C5—H5	120.6	C16—C17—H17	126.5
C5—C6—C1	122.0 (2)	N2—C17—H17	126.5
C5—C6—H6	119.0	N2—C18—C19	111.0 (2)
C1—C6—H6	119.0	N2—C18—H18A	109.4
O2—C7—O1	123.3 (2)	C19—C18—H18A	109.4
O2—C7—C1	119.2 (2)	N2—C18—H18B	109.4
O1—C7—C1	117.5 (2)	C19—C18—H18B	109.4
C13—C8—C9	119.1 (2)	H18A—C18—H18B	108.0
C13—C8—C14	119.2 (2)	C20—C19—C21	118.3 (2)
C9—C8—C14	121.7 (2)	C20—C19—C18	121.7 (2)
C10—C9—C8	118.8 (2)	C21—C19—C18	120.0 (2)
C10—C9—S2	120.34 (19)	C19—C20—C21 ⁱ	121.2 (3)
C8—C9—S2	120.83 (19)	C19—C20—H20	119.4
C11—C10—C9	120.9 (3)	C21 ⁱ —C20—H20	119.4
C11—C10—H10	119.6	C19—C21—C20 ⁱ	120.5 (3)
C9—C10—H10	119.6	C19—C21—H21	119.7
C12—C11—C10	120.7 (3)	C20 ⁱ —C21—H21	119.7
C12—C11—H11	119.7	C15—N1—C16	108.1 (3)
C10—C11—H11	119.7	C15—N1—H1	125.3 (19)
C13—C12—C11	118.8 (3)	C16—N1—H1	126.6 (19)
C13—C12—H12	120.6	C15—N2—C17	107.8 (3)
C11—C12—H12	120.6	C15—N2—C18	125.6 (3)
C12—C13—C8	121.7 (3)	C17—N2—C18	126.2 (3)
C12—C13—H13	119.2	H1WA—O1W—H1WB	104 (3)
C6—C1—C2—C3	-2.9 (4)	C14—C8—C13—C12	179.1 (3)
C7—C1—C2—C3	177.6 (2)	C13—C8—C14—O3	-179.7 (3)
C6—C1—C2—S1	179.13 (19)	C9—C8—C14—O3	-1.2 (4)
C7—C1—C2—S1	-0.4 (3)	C13—C8—C14—O4	-0.7 (4)
C1—C2—C3—C4	2.6 (4)	C9—C8—C14—O4	177.8 (2)
S1—C2—C3—C4	-179.4 (2)	C3—C2—S1—S2	16.6 (2)
C2—C3—C4—C5	-0.2 (4)	C1—C2—S1—S2	-165.39 (19)
C3—C4—C5—C6	-1.9 (4)	C10—C9—S2—S1	16.4 (2)
C4—C5—C6—C1	1.6 (4)	C8—C9—S2—S1	-165.10 (18)
C2—C1—C6—C5	0.8 (4)	C2—S1—S2—C9	-84.96 (12)
C7—C1—C6—C5	-179.6 (3)	N1—C16—C17—N2	1.7 (4)

C6—C1—C7—O2	−164.2 (3)	N2—C18—C19—C20	100.9 (3)
C2—C1—C7—O2	15.3 (4)	N2—C18—C19—C21	−77.0 (3)
C6—C1—C7—O1	13.9 (4)	C21—C19—C20—C21 ⁱ	0.8 (5)
C2—C1—C7—O1	−166.5 (2)	C18—C19—C20—C21 ⁱ	−177.2 (3)
C13—C8—C9—C10	−1.6 (4)	C20—C19—C21—C20 ⁱ	−0.8 (5)
C14—C8—C9—C10	179.9 (2)	C18—C19—C21—C20 ⁱ	177.2 (3)
C13—C8—C9—S2	179.85 (19)	N2—C15—N1—C16	0.6 (4)
C14—C8—C9—S2	1.4 (3)	C17—C16—N1—C15	−1.5 (4)
C8—C9—C10—C11	1.6 (4)	N1—C15—N2—C17	0.5 (4)
S2—C9—C10—C11	−179.8 (2)	N1—C15—N2—C18	173.2 (2)
C9—C10—C11—C12	−0.5 (4)	C16—C17—N2—C15	−1.4 (4)
C10—C11—C12—C13	−0.6 (4)	C16—C17—N2—C18	−174.1 (3)
C11—C12—C13—C8	0.6 (4)	C19—C18—N2—C15	−78.1 (3)
C9—C8—C13—C12	0.5 (4)	C19—C18—N2—C17	93.3 (4)

Symmetry codes: (i) $-x+1, -y+1, -z+1$.

Hydrogen-bond geometry (\AA , °)

$D\cdots H$	$D\cdots A$	$H\cdots A$	$D\cdots A$	$D\cdots H\cdots A$
O1W—H1WB···S1 ⁱⁱ	0.88 (2)	2.80 (3)	3.507 (3)	138 (4)
O1W—H1WB···O2 ⁱⁱ	0.88 (2)	2.30 (2)	3.141 (4)	159 (4)
N1—H1···O1 ⁱⁱⁱ	0.91 (2)	1.75 (2)	2.657 (3)	176 (3)
O4—H4A···O1 ⁱⁱⁱ	0.87 (2)	1.73 (3)	2.567 (3)	161 (4)
O1W—H1WA···O2	0.88 (2)	1.94 (2)	2.811 (3)	171 (4)

Symmetry codes: (ii) $x-1, y, z$; (iii) $x, y-1, z$.

supplementary materials

Fig. 1




Fig. 2

