

## *rac-(*rel*-1*R*,2*R*,4*S*)-Spiro[bicyclo[2.2.1]-heptane-2,3'-indol]-2'-amine*

Andreas Lemmerer\* and Joseph P. Michael

Molecular Sciences Institute, School of Chemistry, University of the Witwatersrand, Johannesburg, PO Wits 2050, South Africa  
Correspondence e-mail: andreas.lemmerer@wits.ac.za


Received 23 December 2010; accepted 7 January 2011

Key indicators: single-crystal X-ray study;  $T = 173$  K; mean  $\sigma(\text{C}-\text{C}) = 0.002 \text{ \AA}$ ;  $R$  factor = 0.046;  $wR$  factor = 0.118; data-to-parameter ratio = 18.1.

In the racemic title compound,  $\text{C}_{14}\text{H}_{16}\text{N}_2$ , the aromatic ring component of the aminoindoline system occupies the *endo* cavity of the norbornane component. The aromatic ring lies at an angle of  $74.12(5)^\circ$  to the plane defined by the four C atoms that comprises the rigid part of the boat-shaped six-membered ring of the norbornane unit. Pairs of molecules assemble in the crystal structure, forming centrosymmetric hydrogen-bonded dimers *via* pairs of  $\text{N}-\text{H} \cdots \text{N}$  hydrogen bonds through the *syn* H atom of the amine group.

### Related literature

For the synthesis, see: Fleming *et al.* (1986). For related compounds, see: Lemmerer & Michael (2010).



### Experimental

#### Crystal data

$\text{C}_{14}\text{H}_{16}\text{N}_2$   
 $M_r = 212.29$   
Orthorhombic,  $Pbcn$

$a = 19.2145(14) \text{ \AA}$   
 $b = 11.3371(8) \text{ \AA}$   
 $c = 10.3399(7) \text{ \AA}$

$V = 2252.4(3) \text{ \AA}^3$   
 $Z = 8$   
Mo  $K\alpha$  radiation

$\mu = 0.08 \text{ mm}^{-1}$   
 $T = 173 \text{ K}$   
 $0.4 \times 0.12 \times 0.08 \text{ mm}$

#### Data collection

Bruker SMART 1K CCD area-detector diffractometer  
Absorption correction: integration (*XPREP*; Bruker, 1999)  
 $T_{\min} = 0.980$ ,  $T_{\max} = 0.994$

16382 measured reflections  
2728 independent reflections  
1842 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.078$

#### Refinement

$R[F^2 > 2\sigma(F^2)] = 0.046$   
 $wR(F^2) = 0.118$   
 $S = 1.04$   
2728 reflections  
151 parameters

H atoms treated by a mixture of independent and constrained refinement  
 $\Delta\rho_{\max} = 0.22 \text{ e \AA}^{-3}$   
 $\Delta\rho_{\min} = -0.20 \text{ e \AA}^{-3}$

**Table 1**  
Hydrogen-bond geometry ( $\text{\AA}$ ,  $^\circ$ ).

$D-\text{H} \cdots A$	$D-\text{H}$	$\text{H} \cdots A$	$D \cdots A$	$D-\text{H} \cdots A$
N2—H1 $\cdots$ N1 <sup>i</sup>	0.927 (19)	2.10 (2)	3.0112 (18)	169 (2)

Symmetry code: (i)  $-x, -y, -z + 1$ .

Data collection: *SMART-NT* (Bruker, 1998); cell refinement: *SAINT* (Bruker, 1999); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3 for Windows* (Farrugia, 1997) and *DIAMOND* (Brandenburg, 1999); software used to prepare material for publication: *WinGX* (Farrugia, 1999) and *PLATON* (Spek, 2009).

This material is based upon work supported financially by the National Research Foundation, Pretoria (GUN 2053652). This work was also supported by the University of the Witwatersrand, which is thanked for providing the required infrastructure.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: NG5096).

### References

- Brandenburg, K. (1999). *DIAMOND*. Crystal Impact GbR, Bonn, Germany.  
Bruker (1998). *SMART-NT*. Bruker AXS Inc., Madison, Wisconsin, USA.  
Bruker (1999). *SAINT*. Bruker AXS Inc., Madison, Wisconsin, USA.  
Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.  
Farrugia, L. J. (1999). *J. Appl. Cryst.* **32**, 837–838.  
Fleming, I., Loreto, M. A., Wallace, I. H. M. & Michael, J. P. (1986). *J. Chem. Soc. Perkin Trans. 1*, pp. 349–359.  
Lemmerer, A. & Michael, J. P. (2010). *S. Afr. J. Chem.* **63**, 186–191.  
Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.  
Spek, A. L. (2009). *Acta Cryst. D* **65**, 148–155.

## **supplementary materials**

*Acta Cryst.* (2011). E67, o394 [doi:10.1107/S1600536811001048]

### **rac-(*rel*-1*R*,2*R*,4*S*)-Spiro[bicyclo[2.2.1]heptane-2,3'-indol]-2'-amine**

**A. Lemmerer and J. P. Michael**

#### **Comment**

The racemic compound (*rac*)-(*rel*-1*R*,2*R*,4*S*)-Spiro[bicyclo[2.2.1]heptane-2,3'-indol]-2'-amine (I) is an intermediate in the synthesis of a model oxindole prepared during the development of methodology aimed at the total synthesis of the complex spiro-oxindole alkaloid gelsemine (Fleming *et al.*, 1986). The solid state packing of the title compound involves forming centrosymmetric hydrogen-bonded pairs of molecules, generated by interactions from the *syn* H1 of the amine to the N1 lone pair of the oxindole backbone (See Fig 2). Formation of dimeric pairs is seen in related oxindole compounds (Lemmerer & Michael, 2010). The *anti* H of the amine group is not involved in any hydrogen bonding interactions.

#### **Experimental**

The compound was prepared as described previously (Fleming *et al.*, 1986). Crystals of (I) were grown by slow evaporation at ambient conditions of a hexane–chloroform solution (1:1 v/v).

#### **Refinement**

The C-bound H atoms were geometrically placed (C—H bond lengths of 0.95 (aromatic CH), 0.99 (methylene CH<sub>2</sub>) and 1.00 (methine CH) Å) and refined as riding with  $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$ . The N-bound H atoms were located in the difference map and coordinates refined freely, with  $U_{\text{iso}}(\text{H}) = 1.5U_{\text{eq}}(\text{N})$ .

#### **Figures**




Fig. 1. The asymmetric unit of (I) showing the atomic numbering scheme. Displacement ellipsoids are shown at the 50% probability level.




Fig. 2. Packing diagram of (I). Intermolecular N—H···N hydrogen bonds are shown as dashed red lines forming dimers. Note that the *anti* H2 is not used in any hydrogen bonding interactions.

# supplementary materials

---

## ***rac-(*rel*-1*R*,2*R*,4*S*)-Spiro[bicyclo[2.2.1]heptane-2,3'-indol]-2'-amine***

### *Crystal data*

C <sub>14</sub> H <sub>16</sub> N <sub>2</sub>	F(000) = 912
M <sub>r</sub> = 212.29	D <sub>x</sub> = 1.252 Mg m <sup>-3</sup>
Orthorhombic, <i>Pbcn</i>	Mo K $\alpha$ radiation, $\lambda$ = 0.71073 Å
Hall symbol: -P 2n 2ab	Cell parameters from 876 reflections
<i>a</i> = 19.2145 (14) Å	$\theta$ = 2.9–25.5°
<i>b</i> = 11.3371 (8) Å	$\mu$ = 0.08 mm <sup>-1</sup>
<i>c</i> = 10.3399 (7) Å	<i>T</i> = 173 K
<i>V</i> = 2252.4 (3) Å <sup>3</sup>	Needle, colourless
<i>Z</i> = 8	0.4 × 0.12 × 0.08 mm

### *Data collection*

Bruker SMART 1K CCD area-detector diffractometer	2728 independent reflections
Radiation source: sealed tube graphite	1842 reflections with $I > 2\sigma(I)$
$\omega$ scans	$R_{\text{int}} = 0.078$
Absorption correction: integration ( <i>XPREP</i> ; Bruker, 1999)	$\theta_{\text{max}} = 28.0^\circ$ , $\theta_{\text{min}} = 2.1^\circ$
$T_{\text{min}} = 0.980$ , $T_{\text{max}} = 0.994$	$h = -22 \rightarrow 25$
16382 measured reflections	$k = -14 \rightarrow 14$
	$l = -13 \rightarrow 13$

### *Refinement*

Refinement on $F^2$	0 restraints
Least-squares matrix: full	H atoms treated by a mixture of independent and constrained refinement
$R[F^2 > 2\sigma(F^2)] = 0.046$	$w = 1/[\sigma^2(F_o^2) + (0.0594P)^2 + 0.0604P]$
$wR(F^2) = 0.118$	where $P = (F_o^2 + 2F_c^2)/3$
$S = 1.04$	$(\Delta/\sigma)_{\text{max}} = 0.005$
2728 reflections	$\Delta\rho_{\text{max}} = 0.22 \text{ e \AA}^{-3}$
151 parameters	$\Delta\rho_{\text{min}} = -0.20 \text{ e \AA}^{-3}$

### *Special details*

**Experimental.** Numerical integration absorption corrections based on indexed crystal faces were applied using the *XPREP* routine (Bruker, 1999)

**Geometry.** All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

*Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )*

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
C2	0.08033 (7)	0.08297 (13)	0.39207 (14)	0.0269 (3)
C3	0.12640 (7)	0.16703 (11)	0.31300 (13)	0.0221 (3)
C4	0.11622 (7)	0.27794 (12)	0.39302 (13)	0.0239 (3)
C5	0.13484 (8)	0.39471 (13)	0.37348 (14)	0.0299 (3)
H5	0.16	0.417	0.2983	0.036*
C6	0.11627 (8)	0.47945 (14)	0.46537 (16)	0.0394 (4)
H6	0.1289	0.5597	0.4527	0.047*
C7	0.07970 (9)	0.44686 (16)	0.57446 (17)	0.0484 (5)
H7	0.0676	0.5051	0.6366	0.058*
C8	0.06029 (9)	0.33061 (16)	0.59495 (18)	0.0481 (5)
H8	0.0356	0.3086	0.6708	0.058*
C9	0.07762 (7)	0.24683 (14)	0.50236 (14)	0.0311 (3)
C10	0.20345 (7)	0.11810 (12)	0.30821 (13)	0.0250 (3)
H10	0.2183	0.0743	0.3874	0.03*
C11	0.25299 (7)	0.21793 (13)	0.26686 (14)	0.0287 (3)
H11A	0.3022	0.1927	0.2727	0.034*
H11B	0.2462	0.2892	0.3208	0.034*
C12	0.23141 (8)	0.24110 (13)	0.12412 (14)	0.0302 (3)
H12A	0.211	0.3208	0.114	0.036*
H12B	0.2718	0.2333	0.0652	0.036*
C13	0.17676 (7)	0.14452 (12)	0.09730 (14)	0.0286 (3)
H13	0.1715	0.1232	0.004	0.034*
C14	0.10853 (7)	0.17663 (12)	0.16523 (13)	0.0263 (3)
H14A	0.071	0.1209	0.1414	0.032*
H14B	0.0938	0.2577	0.1426	0.032*
C15	0.20324 (8)	0.04395 (12)	0.18327 (14)	0.0312 (4)
H15A	0.2503	0.0163	0.1584	0.037*
H15B	0.1705	-0.0234	0.1873	0.037*
N1	0.05733 (6)	0.12635 (12)	0.50174 (12)	0.0341 (3)
N2	0.06590 (7)	-0.02770 (11)	0.35451 (14)	0.0334 (3)
H1	0.0310 (10)	-0.0677 (15)	0.3982 (17)	0.05*
H2	0.0746 (9)	-0.0498 (16)	0.2725 (18)	0.05*

*Atomic displacement parameters ( $\text{\AA}^2$ )*

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
C2	0.0181 (6)	0.0322 (8)	0.0303 (8)	-0.0025 (6)	-0.0042 (6)	0.0085 (6)
C3	0.0195 (6)	0.0246 (7)	0.0223 (7)	-0.0020 (5)	-0.0009 (5)	0.0028 (5)
C4	0.0185 (6)	0.0306 (7)	0.0226 (7)	-0.0003 (5)	-0.0014 (5)	0.0012 (6)
C5	0.0304 (8)	0.0306 (7)	0.0287 (8)	-0.0010 (6)	0.0003 (6)	-0.0016 (6)
C6	0.0383 (9)	0.0367 (9)	0.0432 (10)	-0.0013 (7)	-0.0016 (7)	-0.0111 (7)
C7	0.0422 (10)	0.0553 (11)	0.0476 (11)	-0.0032 (8)	0.0076 (8)	-0.0249 (9)
C8	0.0388 (10)	0.0679 (12)	0.0375 (10)	-0.0101 (9)	0.0170 (8)	-0.0137 (9)
C9	0.0223 (7)	0.0430 (8)	0.0278 (8)	-0.0042 (6)	0.0026 (6)	-0.0007 (6)

## supplementary materials

---

C10	0.0197 (6)	0.0281 (7)	0.0272 (8)	0.0004 (6)	-0.0008 (6)	0.0045 (6)
C11	0.0222 (7)	0.0357 (8)	0.0282 (8)	-0.0035 (6)	0.0017 (6)	-0.0012 (6)
C12	0.0306 (8)	0.0347 (8)	0.0254 (8)	-0.0075 (6)	0.0058 (6)	-0.0014 (6)
C13	0.0330 (8)	0.0318 (8)	0.0211 (7)	-0.0055 (6)	0.0002 (6)	-0.0038 (6)
C14	0.0271 (7)	0.0274 (7)	0.0243 (7)	-0.0032 (6)	-0.0048 (6)	0.0015 (6)
C15	0.0269 (7)	0.0273 (7)	0.0394 (9)	0.0012 (6)	0.0052 (7)	-0.0028 (6)
N1	0.0267 (6)	0.0434 (7)	0.0321 (7)	-0.0086 (6)	0.0057 (5)	0.0052 (6)
N2	0.0302 (7)	0.0309 (7)	0.0390 (8)	-0.0092 (5)	0.0000 (6)	0.0082 (6)

*Geometric parameters ( $\text{\AA}$ ,  $^\circ$ )*

C2—N1	1.3126 (19)	C10—C15	1.5413 (19)
C2—N2	1.3424 (19)	C10—H10	1
C2—C3	1.5362 (18)	C11—C12	1.555 (2)
C3—C4	1.5178 (19)	C11—H11A	0.99
C3—C14	1.5698 (18)	C11—H11B	0.99
C3—C10	1.5819 (19)	C12—C13	1.5423 (19)
C4—C5	1.386 (2)	C12—H12A	0.99
C4—C9	1.3974 (19)	C12—H12B	0.99
C5—C6	1.398 (2)	C13—C14	1.531 (2)
C5—H5	0.95	C13—C15	1.533 (2)
C6—C7	1.379 (2)	C13—H13	1
C6—H6	0.95	C14—H14A	0.99
C7—C8	1.386 (2)	C14—H14B	0.99
C7—H7	0.95	C15—H15A	0.99
C8—C9	1.389 (2)	C15—H15B	0.99
C8—H8	0.95	N2—H1	0.927 (19)
C9—N1	1.420 (2)	N2—H2	0.900 (18)
C10—C11	1.5394 (19)		
N1—C2—N2	122.04 (13)	C10—C11—H11A	111.2
N1—C2—C3	114.92 (12)	C12—C11—H11A	111.2
N2—C2—C3	123.02 (13)	C10—C11—H11B	111.2
C4—C3—C2	98.60 (11)	C12—C11—H11B	111.2
C4—C3—C14	116.42 (11)	H11A—C11—H11B	109.1
C2—C3—C14	115.78 (11)	C13—C12—C11	103.43 (11)
C4—C3—C10	115.35 (10)	C13—C12—H12A	111.1
C2—C3—C10	109.78 (10)	C11—C12—H12A	111.1
C14—C3—C10	101.45 (10)	C13—C12—H12B	111.1
C5—C4—C9	119.74 (13)	C11—C12—H12B	111.1
C5—C4—C3	132.72 (12)	H12A—C12—H12B	109
C9—C4—C3	107.47 (12)	C14—C13—C15	101.24 (11)
C4—C5—C6	119.44 (14)	C14—C13—C12	109.37 (11)
C4—C5—H5	120.3	C15—C13—C12	101.41 (12)
C6—C5—H5	120.3	C14—C13—H13	114.4
C7—C6—C5	120.13 (15)	C15—C13—H13	114.4
C7—C6—H6	119.9	C12—C13—H13	114.4
C5—C6—H6	119.9	C13—C14—C3	104.05 (11)
C6—C7—C8	121.12 (15)	C13—C14—H14A	110.9
C6—C7—H7	119.4	C3—C14—H14A	110.9

C8—C7—H7	119.4	C13—C14—H14B	110.9
C7—C8—C9	118.71 (16)	C3—C14—H14B	110.9
C7—C8—H8	120.6	H14A—C14—H14B	109
C9—C8—H8	120.6	C13—C15—C10	94.67 (10)
C8—C9—C4	120.81 (14)	C13—C15—H15A	112.8
C8—C9—N1	126.50 (14)	C10—C15—H15A	112.8
C4—C9—N1	112.63 (13)	C13—C15—H15B	112.8
C11—C10—C15	99.78 (11)	C10—C15—H15B	112.8
C11—C10—C3	109.24 (11)	H15A—C15—H15B	110.3
C15—C10—C3	102.41 (10)	C2—N1—C9	105.77 (11)
C11—C10—H10	114.6	C2—N2—H1	117.8 (11)
C15—C10—H10	114.6	C2—N2—H2	119.7 (12)
C3—C10—H10	114.6	H1—N2—H2	117.2 (16)
C10—C11—C12	102.88 (11)		
N1—C2—C3—C4	-8.15 (14)	C2—C3—C10—C11	-162.78 (11)
N2—C2—C3—C4	173.58 (13)	C14—C3—C10—C11	74.23 (13)
N1—C2—C3—C14	-133.10 (13)	C4—C3—C10—C15	-157.66 (11)
N2—C2—C3—C14	48.64 (18)	C2—C3—C10—C15	92.08 (12)
N1—C2—C3—C10	112.82 (13)	C14—C3—C10—C15	-30.90 (12)
N2—C2—C3—C10	-65.45 (16)	C15—C10—C11—C12	39.45 (13)
C2—C3—C4—C5	-170.93 (15)	C3—C10—C11—C12	-67.48 (13)
C14—C3—C4—C5	-46.4 (2)	C10—C11—C12—C13	-4.84 (14)
C10—C3—C4—C5	72.31 (19)	C11—C12—C13—C14	74.58 (14)
C2—C3—C4—C9	6.05 (13)	C11—C12—C13—C15	-31.79 (14)
C14—C3—C4—C9	130.55 (12)	C15—C13—C14—C3	39.32 (13)
C10—C3—C4—C9	-110.72 (13)	C12—C13—C14—C3	-67.16 (14)
C9—C4—C5—C6	1.7 (2)	C4—C3—C14—C13	121.15 (12)
C3—C4—C5—C6	178.34 (14)	C2—C3—C14—C13	-123.67 (12)
C4—C5—C6—C7	0.0 (2)	C10—C3—C14—C13	-4.90 (13)
C5—C6—C7—C8	-0.4 (3)	C14—C13—C15—C10	-57.33 (12)
C6—C7—C8—C9	-0.8 (3)	C12—C13—C15—C10	55.32 (12)
C7—C8—C9—C4	2.5 (3)	C11—C10—C15—C13	-58.27 (12)
C7—C8—C9—N1	-174.52 (15)	C3—C10—C15—C13	54.09 (12)
C5—C4—C9—C8	-2.9 (2)	N2—C2—N1—C9	-174.97 (13)
C3—C4—C9—C8	179.63 (14)	C3—C2—N1—C9	6.75 (16)
C5—C4—C9—N1	174.45 (12)	C8—C9—N1—C2	174.96 (16)
C3—C4—C9—N1	-2.99 (16)	C4—C9—N1—C2	-2.23 (16)
C4—C3—C10—C11	-52.53 (15)		

*Hydrogen-bond geometry (Å, °)*

D—H···A	D—H	H···A	D···A	D—H···A
N2—H1···N1 <sup>i</sup>	0.927 (19)	2.10 (2)	3.0112 (18)	169 (2)

Symmetry codes: (i)  $-x, -y, -z+1$ .

## **supplementary materials**

**Fig. 1**




Fig. 2

