

## (*E*)-Benzaldehyde (2,4,6-trichlorophenyl)hydrazone

Yan-Lan Huang, Deng-Feng Li, Jian Sun, Jin-Hua Gao and Shang Shan\*

College of Chemical Engineering and Materials Science, Zhejiang University of Technology, People's Republic of China

Correspondence e-mail: shanshang@mail.hz.zj.cn


Received 22 January 2011; accepted 25 January 2011

Key indicators: single-crystal X-ray study;  $T = 295$  K; mean  $\sigma(\text{C}-\text{C}) = 0.004$  Å;  $R$  factor = 0.041;  $wR$  factor = 0.105; data-to-parameter ratio = 14.9.

The title compound,  $\text{C}_{13}\text{H}_9\text{Cl}_3\text{N}_2$ , was obtained from a condensation reaction of benzaldehyde and 2,4,6-trichlorophenylhydrazine. The molecule assumes an *E* configuration with the phenyl ring and trichlorophenyl ring located on opposite sides of the  $\text{C}=\text{N}$  bond. The phenyl ring is oriented at a dihedral angle of  $42.58(12)^\circ$  with respect to the trichlorophenyl ring. In the crystal, the molecules are linked via  $\text{N}-\text{H}\cdots\text{N}$  hydrogen bonds, forming supramolecular chains running along the  $c$  axis.  $\pi-\pi$  stacking is present between parallel trichlorophenyl rings of adjacent molecules, the face-to-face and centroid-centroid distances being  $3.369(14)$  and  $3.724(2)$  Å, respectively.

### Related literature

For the biological activity of phenylhydrazone derivatives, see: Okabe *et al.* (1993). For related structures, see: Shan *et al.* (2003); Fan *et al.* (2005); Bolte & Dill (1998).



### Experimental

#### Crystal data

$\text{C}_{13}\text{H}_9\text{Cl}_3\text{N}_2$	$V = 1353.9(9)$ Å <sup>3</sup>
$M_r = 299.57$	$Z = 4$
Monoclinic, $P2_1/c$	Mo $K\alpha$ radiation
$a = 13.913(6)$ Å	$\mu = 0.66$ mm <sup>-1</sup>
$b = 12.867(5)$ Å	$T = 295$ K
$c = 7.652(3)$ Å	$0.36 \times 0.30 \times 0.26$ mm
$\beta = 98.739(5)^\circ$	

#### Data collection

Rigaku R-Axis RAPID IP diffractometer	11730 measured reflections
Absorption correction: multi-scan (ABSCOR; Higashi, 1995)	2436 independent reflections
$T_{\min} = 0.86$ , $T_{\max} = 0.92$	1936 reflections with $I > 2\sigma(I)$
	$R_{\text{int}} = 0.028$

#### Refinement

$R[F^2 > 2\sigma(F^2)] = 0.041$	163 parameters
$wR(F^2) = 0.105$	H-atom parameters constrained
$S = 1.06$	$\Delta\rho_{\max} = 0.18$ e Å <sup>-3</sup>
2436 reflections	$\Delta\rho_{\min} = -0.32$ e Å <sup>-3</sup>

**Table 1**

Hydrogen-bond geometry (Å, °).

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
$\text{N1}-\text{H1N}\cdots\text{N2}^i$	0.95	2.44	3.183(3)	134

Symmetry code: (i)  $x, -y + \frac{1}{2}, z - \frac{1}{2}$ .

Data collection: *PROCESS-AUTO* (Rigaku, 1998); cell refinement: *PROCESS-AUTO*; data reduction: *CrystalStructure* (Rigaku/MS, 2002); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3 for Windows* (Farrugia, 1997); software used to prepare material for publication: *WinGX* (Farrugia, 1999).

The work was supported by the Natural Science Foundation of Zhejiang Province of China (No. M203027).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: XU5149).

### References

- Bolte, M. & Dill, M. (1998). *Acta Cryst.* **C54**, IUC9800065.  
 Fan, Z., Shan, S. & Xu, D.-J. (2005). *Acta Cryst.* **E61**, o2758–o2760.  
 Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.  
 Farrugia, L. J. (1999). *J. Appl. Cryst.* **32**, 837–838.  
 Higashi, T. (1995). *ABSCOR*. Rigaku Corporation, Tokyo, Japan.  
 Okabe, N., Nakamura, T. & Fukuda, H. (1993). *Acta Cryst.* **C49**, 1678–1680.  
 Rigaku (1998). *PROCESS-AUTO*. Rigaku Corporation, Tokyo, Japan.  
 Rigaku/MS (2002). *CrystalStructure*. Rigaku/MS, The Woodlands, Texas, USA.  
 Shan, S., Xu, D.-J., Hung, C.-H., Wu, J.-Y. & Chiang, M. Y. (2003). *Acta Cryst.* **C59**, o135–o136.  
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.

**supplementary materials**

*Acta Cryst.* (2011). E67, o528 [ doi:10.1107/S160053681100328X ]

## (*E*)-Benzaldehyde (2,4,6-trichlorophenyl)hydrazone

Y.-L. Huang, D.-F. Li, J. Sun, J.-H. Gao and S. Shan

### Comment

As some phenylhydrazone derivatives have been shown to be potential DNA-damaging or mutagenic agents (Okabe *et al.*, 1993), a series of phenylhydrazone derivatives has been synthesized in our laboratory in order to investigate the structure/bioactivity relationship (Shan *et al.* 2003; Fan *et al.* 2005).

The title molecule crystallizes in an *E* conformation, with the C1-phenyl ring and C8-benzene ring on opposite sides of the C7=N2 double bond. This agrees with the configuration commonly found in phenylhydrazone derivatives (Bolte & Dill, 1998). In the molecule, the phenyl ring is oriented with respect to the trichlorophenyl ring at a dihedral angle of 42.58 (12)°. In the crystal structure, the molecules are linked *via* N—H···N hydrogen bonds to form the supra-molecular chains running along the *c* axis.  $\pi$ - $\pi$  stacking is present between parallel trichlorophenyl rings of adjacent molecules, the face-to-face distance being 3.369 (14) Å.

### Experimental

2,4,6-Trichlorophenylhydrazine (0.21 g, 1 mmol) was dissolved in ethanol (18 ml) and acetic acid (0.3 ml) was added slowly with stirring. The solution was heated at about 333 K for several minutes until it became clear. Benzaldehyde (0.11 g, 1 mmol) was added dropwise with continuous stirring, and the mixture solution was refluxed for 2 h. When the solution cooled to room temperature, microcrystals appeared. The microcrystals were separated from the solution and washed with cold water three times. Recrystallization was performed twice with an absolute ethanol to obtain single crystals of the title compound.

### Refinement

Imino H atom was located a difference Fourier map and refined as riding in as-found relative position. Other H atoms were placed in calculated positions with C—H = 0.93 Å.  $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{N}, \text{C})$ .

### Figures




Fig. 1. The structure of (I) with 50% probability displacement ellipsoids.

## (*E*)-Benzaldehyde (2,4,6-trichlorophenyl)hydrazone

*Crystal data*

C<sub>13</sub>H<sub>9</sub>Cl<sub>3</sub>N<sub>2</sub>

$F(000) = 608$

# supplementary materials

---

$$M_r = 299.57$$

Monoclinic,  $P2_1/c$

Hall symbol: -P 2ybc

$$a = 13.913 (6) \text{ \AA}$$

$$b = 12.867 (5) \text{ \AA}$$

$$c = 7.652 (3) \text{ \AA}$$

$$\beta = 98.739 (5)^\circ$$

$$V = 1353.9 (9) \text{ \AA}^3$$

$$Z = 4$$

$$D_x = 1.470 \text{ Mg m}^{-3}$$

Mo  $K\alpha$  radiation,  $\lambda = 0.71073 \text{ \AA}$

Cell parameters from 4171 reflections

$$\theta = 2.8\text{--}26.3^\circ$$

$$\mu = 0.66 \text{ mm}^{-1}$$

$$T = 295 \text{ K}$$

Prism, colorless

$$0.36 \times 0.30 \times 0.26 \text{ mm}$$

## Data collection

Rigaku R-Axis RAPID IP  
diffractometer

Radiation source: fine-focus sealed tube  
graphite

Detector resolution: 10.0 pixels  $\text{mm}^{-1}$   
 $\omega$  scans

Absorption correction: multi-scan  
(*ABSCOR*; Higashi, 1995)

$$T_{\min} = 0.86, T_{\max} = 0.92$$

11730 measured reflections

2436 independent reflections

1936 reflections with  $I > 2\sigma(I)$

$$R_{\text{int}} = 0.028$$

$$\theta_{\max} = 25.2^\circ, \theta_{\min} = 3.0^\circ$$

$$h = -16 \rightarrow 16$$

$$k = -15 \rightarrow 15$$

$$l = -9 \rightarrow 9$$

## Refinement

Refinement on  $F^2$

Least-squares matrix: full

$$R[F^2 > 2\sigma(F^2)] = 0.041$$

$$wR(F^2) = 0.105$$

$$S = 1.06$$

2436 reflections

163 parameters

0 restraints

Primary atom site location: structure-invariant direct  
methods

Secondary atom site location: difference Fourier map

Hydrogen site location: inferred from neighbouring  
sites

H-atom parameters constrained

$$w = 1/[\sigma^2(F_o^2) + (0.0449P)^2 + 0.4002P]$$

$$\text{where } P = (F_o^2 + 2F_c^2)/3$$

$$(\Delta/\sigma)_{\max} = 0.001$$

$$\Delta\rho_{\max} = 0.18 \text{ e \AA}^{-3}$$

$$\Delta\rho_{\min} = -0.32 \text{ e \AA}^{-3}$$

## Special details

**Geometry.** All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted  $R$ -factor  $wR$  and goodness of fit  $S$  are based on  $F^2$ , conventional  $R$ -factors  $R$  are based on  $F$ , with  $F$  set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating  $R$ -factors(gt) *etc.* and is not relevant to the choice of reflections for refinement.  $R$ -factors based on  $F^2$  are statistically about twice as large as those based on  $F$ , and  $R$ -factors based on ALL data will be even larger.

*Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )*

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
C11	0.82868 (5)	0.03185 (5)	0.52523 (10)	0.0786 (2)
C12	1.16441 (5)	0.21670 (7)	0.78646 (11)	0.0897 (3)
C13	0.85826 (6)	0.45120 (5)	0.53336 (10)	0.0877 (3)
N1	0.75114 (15)	0.24687 (17)	0.4714 (3)	0.0746 (6)
H1N	0.7271	0.1962	0.3849	0.089*
N2	0.69094 (13)	0.30372 (14)	0.5622 (2)	0.0566 (5)
C1	0.84849 (16)	0.24097 (18)	0.5442 (3)	0.0557 (6)
C2	0.89458 (15)	0.14534 (18)	0.5762 (3)	0.0548 (5)
C3	0.99117 (16)	0.13659 (19)	0.6484 (3)	0.0595 (6)
H3	1.0203	0.0717	0.6674	0.071*
C4	1.04329 (16)	0.2259 (2)	0.6915 (3)	0.0612 (6)
C5	1.00210 (17)	0.3222 (2)	0.6597 (3)	0.0638 (6)
H5	1.0386	0.3821	0.6883	0.077*
C6	0.90617 (18)	0.32876 (19)	0.5850 (3)	0.0603 (6)
C7	0.59985 (17)	0.29350 (17)	0.5147 (3)	0.0582 (6)
H7	0.5769	0.2464	0.4258	0.070*
C8	0.53090 (15)	0.35459 (18)	0.5976 (3)	0.0535 (5)
C9	0.56026 (17)	0.44135 (18)	0.6979 (3)	0.0561 (5)
H9	0.6254	0.4608	0.7146	0.067*
C10	0.4942 (2)	0.4996 (2)	0.7737 (3)	0.0760 (7)
H10	0.5151	0.5578	0.8411	0.091*
C11	0.3983 (2)	0.4720 (3)	0.7501 (4)	0.0934 (10)
H11	0.3539	0.5115	0.8011	0.112*
C12	0.3676 (2)	0.3869 (3)	0.6520 (5)	0.0952 (10)
H12	0.3022	0.3683	0.6369	0.114*
C13	0.43269 (18)	0.3272 (2)	0.5741 (4)	0.0758 (7)
H13	0.4110	0.2694	0.5066	0.091*

*Atomic displacement parameters ( $\text{\AA}^2$ )*

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
C11	0.0633 (4)	0.0709 (4)	0.1004 (5)	−0.0018 (3)	0.0087 (4)	−0.0148 (3)
C12	0.0506 (4)	0.1110 (6)	0.1040 (6)	−0.0073 (3)	0.0007 (3)	0.0177 (4)
C13	0.0985 (5)	0.0642 (4)	0.0989 (5)	0.0182 (4)	0.0100 (4)	0.0040 (4)
N1	0.0620 (12)	0.0951 (16)	0.0601 (12)	0.0270 (11)	−0.0114 (10)	−0.0335 (11)
N2	0.0565 (11)	0.0629 (11)	0.0472 (10)	0.0140 (9)	−0.0023 (9)	−0.0060 (8)
C1	0.0581 (13)	0.0691 (15)	0.0397 (11)	0.0130 (11)	0.0065 (10)	−0.0078 (10)
C2	0.0520 (12)	0.0631 (14)	0.0509 (12)	0.0030 (10)	0.0124 (10)	−0.0055 (10)
C3	0.0505 (13)	0.0658 (14)	0.0639 (14)	0.0065 (11)	0.0144 (11)	0.0089 (11)
C4	0.0470 (12)	0.0816 (17)	0.0564 (13)	0.0007 (11)	0.0131 (11)	0.0108 (12)
C5	0.0634 (15)	0.0684 (15)	0.0606 (14)	−0.0047 (12)	0.0130 (12)	−0.0005 (12)
C6	0.0697 (15)	0.0612 (14)	0.0501 (12)	0.0092 (12)	0.0093 (11)	−0.0009 (11)
C7	0.0608 (14)	0.0596 (13)	0.0492 (12)	0.0031 (11)	−0.0081 (11)	−0.0046 (10)
C8	0.0478 (12)	0.0649 (14)	0.0455 (11)	0.0044 (10)	−0.0002 (9)	0.0120 (10)

## supplementary materials

C9	0.0554 (13)	0.0670 (14)	0.0447 (11)	0.0102 (11)	0.0039 (10)	0.0081 (11)
C10	0.0832 (19)	0.0897 (18)	0.0567 (15)	0.0249 (15)	0.0159 (14)	0.0066 (13)
C11	0.077 (2)	0.130 (3)	0.081 (2)	0.030 (2)	0.0352 (17)	0.023 (2)
C12	0.0486 (15)	0.136 (3)	0.104 (2)	0.0061 (17)	0.0195 (16)	0.042 (2)
C13	0.0581 (15)	0.0892 (19)	0.0758 (17)	-0.0089 (14)	-0.0034 (13)	0.0176 (14)

### Geometric parameters (Å, °)

C11—C2	1.737 (2)	C5—H5	0.9300
C12—C4	1.735 (2)	C7—C8	1.458 (3)
C13—C6	1.733 (2)	C7—H7	0.9300
N1—N2	1.377 (3)	C8—C9	1.381 (3)
N1—C1	1.386 (3)	C8—C13	1.396 (3)
N1—H1N	0.9526	C9—C10	1.380 (3)
N2—C7	1.271 (3)	C9—H9	0.9300
C1—C2	1.392 (3)	C10—C11	1.367 (4)
C1—C6	1.393 (3)	C10—H10	0.9300
C2—C3	1.378 (3)	C11—C12	1.359 (5)
C3—C4	1.372 (3)	C11—H11	0.9300
C3—H3	0.9300	C12—C13	1.389 (4)
C4—C5	1.372 (3)	C12—H12	0.9300
C5—C6	1.372 (3)	C13—H13	0.9300
N2—N1—C1	117.26 (18)	N2—C7—C8	120.9 (2)
N2—N1—H1N	122.5	N2—C7—H7	119.6
C1—N1—H1N	117.4	C8—C7—H7	119.6
C7—N2—N1	117.19 (19)	C9—C8—C13	118.5 (2)
N1—C1—C2	121.0 (2)	C9—C8—C7	121.3 (2)
N1—C1—C6	122.7 (2)	C13—C8—C7	120.3 (2)
C2—C1—C6	116.3 (2)	C10—C9—C8	120.9 (2)
C3—C2—C1	122.5 (2)	C10—C9—H9	119.6
C3—C2—C11	118.09 (18)	C8—C9—H9	119.6
C1—C2—C11	119.38 (18)	C11—C10—C9	120.2 (3)
C4—C3—C2	118.4 (2)	C11—C10—H10	119.9
C4—C3—H3	120.8	C9—C10—H10	119.9
C2—C3—H3	120.8	C12—C11—C10	120.1 (3)
C3—C4—C5	121.5 (2)	C12—C11—H11	120.0
C3—C4—C12	119.22 (19)	C10—C11—H11	120.0
C5—C4—C12	119.3 (2)	C11—C12—C13	120.8 (3)
C4—C5—C6	118.9 (2)	C11—C12—H12	119.6
C4—C5—H5	120.6	C13—C12—H12	119.6
C6—C5—H5	120.6	C12—C13—C8	119.7 (3)
C5—C6—C1	122.3 (2)	C12—C13—H13	120.2
C5—C6—C13	117.8 (2)	C8—C13—H13	120.2
C1—C6—C13	119.84 (18)		

### Hydrogen-bond geometry (Å, °)

D—H $\cdots$ A	D—H	H $\cdots$ A	D $\cdots$ A	D—H $\cdots$ A
N1—H1N $\cdots$ N2 <sup>i</sup>	0.95	2.44	3.183 (3)	134

Symmetry codes: (i)  $x, -y+1/2, z-1/2$ .

Fig. 1

