

Bis(*N*-isopropyl-*N*-methyldithiocarbamato- κ^2 S,S')(1,10-phenanthroline- κ^2 N,N')zinc

Nor Asiken Abdul Wahab,^a Ibrahim Baba,^{a‡}
Mohamed Ibrahim Mohamed Tahir^b and Edward R. T.
Tiekink^{c*}

^aSchool of Chemical Sciences and Food Technology, Faculty of Science and Technology, Universiti Kebangsaan Malaysia, 43600 Bangi, Malaysia, ^bDepartment of Chemistry, Universiti Putra Malaysia, 43400 Serdang, Malaysia, and ^cDepartment of Chemistry, University of Malaya, 50603 Kuala Lumpur, Malaysia
Correspondence e-mail: edward.tiekink@gmail.com


Received 3 April 2011; accepted 4 April 2011

Key indicators: single-crystal X-ray study; $T = 150$ K; mean $\sigma(\text{C}-\text{C}) = 0.004$ Å; R factor = 0.036; wR factor = 0.093; data-to-parameter ratio = 21.0.

The Zn^{II} atom in the title compound, $[\text{Zn}(\text{C}_5\text{H}_{10}\text{NS}_2)_2(\text{C}_{12}\text{H}_8\text{N}_2)]$, exists in a distorted *cis*-octahedral N_2S_4 donor set defined by two chelating dithiocarbamate anions as well as a 1,10-phenanthroline ligand. Each of the ligands coordinates in a symmetric mode. The crystal packing is stabilized by weak $\text{C}-\text{H}\cdots\text{S}$, $\text{C}-\text{H}\cdots\pi(\text{ZnS}_2\text{C})$ and $\pi-\pi$ [ring centroid distance between centrosymmetrically related pyridyl rings = 3.5955 (13) Å] interactions.

Related literature

For the use of the parent zinc compound and nitrogen adducts as precursors for ZnS nanoparticles, see: Motevalli *et al.* (1996); Malik *et al.* (1997). For background to supramolecular polymers of zinc-triad dithiocarbamates and related structures, see: Benson *et al.* (2007); Jamaluddin *et al.* (2011). For a description of $\text{C}-\text{H}\cdots\pi(\text{MS}_2\text{C})$ interactions, see: Tiekink & Zukerman-Schpector (2011).



[‡] Additional correspondence author, e-mail: aibi@ukm.my.

Experimental

Crystal data

$[\text{Zn}(\text{C}_5\text{H}_{10}\text{NS}_2)_2(\text{C}_{12}\text{H}_8\text{N}_2)]$
 $M_r = 542.09$
Monoclinic, $P2_1/n$
 $a = 11.8015$ (3) Å
 $b = 16.6316$ (4) Å
 $c = 13.7505$ (3) Å
 $\beta = 101.738$ (2)°

$V = 2642.48$ (11) Å³
 $Z = 4$
Mo $K\alpha$ radiation
 $\mu = 1.26$ mm⁻¹
 $T = 150$ K
 $0.25 \times 0.20 \times 0.12$ mm

Data collection

Oxford Diffraction Xcaliber Eos
Gemini diffractometer
Absorption correction: multi-scan
(*CrysAlis PRO*; Oxford
Diffraction, 2010)
 $T_{\text{min}} = 0.777$, $T_{\text{max}} = 0.860$

33394 measured reflections
6001 independent reflections
4814 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.064$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.036$
 $wR(F^2) = 0.093$
 $S = 1.04$
6001 reflections
286 parameters

6 restraints
H-atom parameters constrained
 $\Delta\rho_{\text{max}} = 0.66$ e Å⁻³
 $\Delta\rho_{\text{min}} = -0.50$ e Å⁻³

Table 1

Selected bond lengths (Å).

Zn—S1	2.4782 (6)	Zn—S4	2.5132 (7)
Zn—S2	2.5408 (7)	Zn—N3	2.1939 (18)
Zn—S3	2.5031 (6)	Zn—N4	2.1970 (19)

Table 2

Hydrogen-bond geometry (Å, °).

*Cg*1 is the centroid of the Zn,S1,S2,C1 chelate ring.

<i>D</i> —H \cdots <i>A</i>	<i>D</i> —H	H \cdots <i>A</i>	<i>D</i> \cdots <i>A</i>	<i>D</i> —H \cdots <i>A</i>
C7—H7b \cdots S2 ⁱ	0.98	2.79	3.734 (3)	162
C13—H13 \cdots S4 ⁱⁱ	0.95	2.82	3.634 (2)	145
C21—H21 \cdots S1 ⁱⁱⁱ	0.95	2.84	3.684 (3)	149
C20—H20 \cdots Cg1 ^{iv}	0.95	2.74	3.687 (2)	173

Symmetry codes: (i) $x - \frac{1}{2}, -y + \frac{3}{2}, z + \frac{1}{2}$; (ii) $-x + 1, -y + 1, -z + 1$; (iii) $-x + \frac{3}{2}, y + \frac{1}{2}, -z + \frac{3}{2}$; (iv) $x - \frac{1}{2}, -y + \frac{3}{2}, z - \frac{1}{2}$.

Data collection: *CrysAlis PRO* (Oxford Diffraction, 2010); cell refinement: *CrysAlis PRO*; data reduction: *CrysAlis PRO*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3* (Farrugia, 1997) and *DIAMOND* (Brandenburg, 2006); software used to prepare material for publication: *publCIF* (Westrip, 2010).

The authors thank Universiti Kebangsaan Malaysia (UKM-GUP-NBT-08-27-111), the Ministry of Higher Education (UKM-ST-06-FRGS0092-2010), Universiti Putra Malaysia and the University of Malaya for supporting this study.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: HB5835).

References

- Benson, R. E., Ellis, C. A., Lewis, C. E. & Tiekink, E. R. T. (2007). *CrystEngComm*, **9**, 930–940.
- Brandenburg, K. (2006). *DIAMOND*. Crystal Impact GbR, Bonn, Germany.
- Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.
- Jamaluddin, N. A., Baba, I., Mohamed Tahir, M. I. & Tiekink, E. R. T. (2011). *Acta Cryst.* **E67**, m384–m385.
- Malik, M. A., Motevalli, M., O'Brien, P. & Walsh, J. R. (1997). *Inorg. Chem.* **36**, 1263–1264.
- Motevalli, M., O'Brien, P., Walsh, J. R. & Watson, I. M. (1996). *Polyhedron*, **15**, 2801–2808.
- Oxford Diffraction (2010). *CrysAlis PRO*. Oxford Diffraction Ltd, Yarnton, England.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Tiekink, E. R. T. & Zukerman-Schpector, J. (2011). *Chem. Commun.* doi:10.1039/c1cc11173f.
- Westrip, S. P. (2010). *J. Appl. Cryst.* **43**, 920–925.

supplementary materials

Acta Cryst. (2011). E67, m553-m554 [doi:10.1107/S1600536811012499]

Bis(*N*-isopropyl-*N*-methyldithiocarbamato- κ^2 S,S')(1,10-phenanthroline- κ^2 N,N')zinc

N. A. A. Wahab, I. Baba, M. I. Mohamed Tahir and E. R. T. Tiekink

Comment

The title compound $\text{Zn}[\text{S}_2\text{CN}(\text{Me})\text{iPr}]_2(1,10\text{-phenanthroline})$, (I), was investigated as a part of on-going studies of zinc-triad dithiocarbamates and their adducts (Benson *et al.*, 2007; Jamaluddin *et al.*, 2011). The dinuclear parent $\{\text{Zn}[\text{S}_2\text{CN}(\text{Me})\text{iPr}]_2\}_2$ compound and its nitrogen-based adducts have proven useful as synthetic precursors for ZnS nanoparticles (Motevalli *et al.*, 1996; Malik *et al.*, 1997).

The Zn atom in (I), Fig. 1, is chelated by two symmetrically coordinating dithiocarbamate ligands, Table 1, and also symmetrically by the 1,10-phenanthroline ligand. The symmetric mode of coordination of the dithiocarbamate ligands is reflected in the narrow range of associated $\text{C}\cdots\text{S}$ bond distances, *i.e.* 1.718 (2) to 1.724 (2) Å, which are in fact experimentally equivalent. The N_2S_4 donor set defines a distorted octahedron with distortions readily explained in terms of the restricted bite distances of the chelating ligands.

The crystal structure is stabilized by weak intermolecular interactions. These include $\text{C}\cdots\text{H}\cdots\text{S}$ and $\text{C}\cdots\text{H}\cdots\pi(\text{ZnS}_2\text{C})$, Table 2, and $\pi\cdots\pi$ interactions. The $\text{C}\cdots\text{H}\cdots\pi(\text{ZnS}_2\text{C})$ contacts have precedents in the crystal chemistry of metal dithiocarbamates (Tiekink & Zukerman-Schpector, 2011). The $\pi\cdots\pi$ interactions occur between centrosymmetrically related pyridyl rings [ring centroid(N3,C11–C15) \cdots ring centroid(N3,C11–C15)]ⁱ = 3.5955 (13) Å for *i*: 1 - *x*, 1 - *y*, 1 - *z*]. A view of the unit-cell contents is shown in Fig. 2 where it can be seen that globally, the crystal packing comprises alternating layers of $\text{ZnS}_2\text{CN}/1,10\text{-phenanthroline}$ residues and alkyl groups.

Experimental

The title compound was prepared using an *in situ* method by the addition of carbon disulfide (0.02 mol) to an ethanolic solution (20 ml) of isopropyl(methyl)amine (0.02 mol) and 2,2'-bipyridine (0.01 mol) in ethanol (20 ml). The mixture was stirred for 1 h at 277 K. The resulting solution was added drop-wise to a solution of zinc(II) dichloride (0.01 mol) in ethanol (20 ml). The mixture was stirred for a further 2 h. The yellow precipitate was filtered and washed with cold ethanol, and dried in a desiccator. Crystallization was carried using an ethanol:chloroform (1:2 *v/v*) solvent system to yield pale yellow prisms of (I); *M.pt.* 420–421 K. Elemental analysis. Found (calculated) for $\text{C}_{22}\text{H}_{32}\text{CdN}_4\text{S}_4$: C, 46.49 (46.36); H 5.13 (5.45); N 10.74 (10.81) %. UV (CHCl_3) λ_{max} 306.5 nm ($L(\pi) \rightarrow L(\pi^*)$). IR (KBr): $\nu(\text{C}\cdots\text{H})$ 2928 s; $\nu(\text{C}\cdots\text{N})$ 1564 s; $\nu(\text{N}\cdots\text{C})$ 1473 s; $\nu(\text{C}\cdots\text{S})$ 976 s; $\nu(\text{Cd}\cdots\text{S})$ 384 s cm^{-1} .

Refinement

Carbon-bound H-atoms were placed in calculated positions ($\text{C}\cdots\text{H}$ 0.95 to 1.00 Å) and were included in the refinement in the riding model approximation, with $U_{\text{iso}}(\text{H})$ set to 1.2 to 1.5 $U_{\text{equiv}}(\text{C})$. Disorder was noted in the *N*-alkyl groups of both dithiocarbamate ligands. However, multiple sites could not be resolved. The C7 atom was refined with the ISOR command

supplementary materials

in *SHELX76* (Sheldrick, 2008) in order to obtain a reasonable displacement ellipsoid. The crystallographic assignment of atom types (in response to a level B alert concerning a Hirshfeld test difference for the N2—C7 bond) was substantiated by the elemental analysis and spectroscopy.

Figures




Fig. 1. The molecular structure of of (I) showing displacement ellipsoids at the 50% probability level.




Fig. 2. A view in projection down the *b* axis of the unit-cell contents for (I). The intermolecular C—H...S, C—H... π (ZnS₂C) and π - π contacts are shown as orange, blue and purple dashed lines, respectively.

Bis(*N*-isopropyl-*N*-methyldithiocarbamato- κ^2 S,S')(1,10-phenanthroline- κ^2 N,N')zinc

Crystal data

[Zn(C₅H₁₀NS₂)₂(C₁₂H₈N₂)]

$M_r = 542.09$

Monoclinic, $P2_1/n$

Hall symbol: -P 2yn

$a = 11.8015$ (3) Å

$b = 16.6316$ (4) Å

$c = 13.7505$ (3) Å

$\beta = 101.738$ (2)°

$V = 2642.48$ (11) Å³

$Z = 4$

$F(000) = 1128$

$D_x = 1.363$ Mg m⁻³

Mo $K\alpha$ radiation, $\lambda = 0.71073$ Å

Cell parameters from 11977 reflections

$\theta = 2-29^\circ$

$\mu = 1.26$ mm⁻¹

$T = 150$ K

Prism, pale-yellow

$0.25 \times 0.20 \times 0.12$ mm

Data collection

Oxford Diffraction Xcaliber Eos Gemini diffractometer

Radiation source: fine-focus sealed tube graphite

Detector resolution: 16.1952 pixels mm⁻¹

ω scans

Absorption correction: multi-scan

6001 independent reflections

4814 reflections with $I > 2\sigma(I)$

$R_{\text{int}} = 0.064$

$\theta_{\text{max}} = 27.5^\circ$, $\theta_{\text{min}} = 2.2^\circ$

$h = -15 \rightarrow 15$

$k = -21 \rightarrow 21$

(*CrysAlis PRO*; Oxford Diffraction, 2010)

$T_{\min} = 0.777$, $T_{\max} = 0.860$

$l = -17 \rightarrow 17$

33394 measured reflections

Refinement

Refinement on F^2

Primary atom site location: structure-invariant direct methods

Least-squares matrix: full

Secondary atom site location: difference Fourier map

$R[F^2 > 2\sigma(F^2)] = 0.036$

Hydrogen site location: inferred from neighbouring sites

$wR(F^2) = 0.093$

H-atom parameters constrained

$S = 1.04$

$w = 1/[\sigma^2(F_o^2) + (0.0376P)^2 + 1.5727P]$

where $P = (F_o^2 + 2F_c^2)/3$

6001 reflections

$(\Delta/\sigma)_{\max} = 0.001$

286 parameters

$\Delta\rho_{\max} = 0.66 \text{ e } \text{\AA}^{-3}$

6 restraints

$\Delta\rho_{\min} = -0.50 \text{ e } \text{\AA}^{-3}$

Special details

Geometry. All s.u.'s (except the s.u. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell s.u.'s are taken into account individually in the estimation of s.u.'s in distances, angles and torsion angles; correlations between s.u.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell s.u.'s is used for estimating s.u.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > 2\sigma(F^2)$ is used only for calculating R -factors(gt) *etc.* and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
Zn	0.74542 (2)	0.617296 (16)	0.733396 (19)	0.02087 (9)
S1	0.88167 (5)	0.51904 (4)	0.82966 (4)	0.02410 (14)
S2	0.94125 (6)	0.63431 (4)	0.68609 (4)	0.02614 (15)
S3	0.74451 (5)	0.71890 (4)	0.86753 (4)	0.02513 (15)
S4	0.57158 (5)	0.59097 (4)	0.80817 (4)	0.02474 (14)
N1	1.08885 (19)	0.52534 (15)	0.78012 (17)	0.0349 (5)
N2	0.55956 (18)	0.70121 (13)	0.94727 (15)	0.0289 (5)
N3	0.68974 (16)	0.53855 (11)	0.60453 (13)	0.0188 (4)
N4	0.65988 (16)	0.69879 (11)	0.61528 (14)	0.0206 (4)
C1	0.9824 (2)	0.55502 (15)	0.76623 (17)	0.0239 (5)
C2	1.1701 (3)	0.5547 (2)	0.7204 (3)	0.0553 (9)
H2A	1.1340	0.5512	0.6497	0.083*
H2B	1.2404	0.5218	0.7338	0.083*
H2C	1.1901	0.6108	0.7377	0.083*
C3	1.1290 (3)	0.45930 (18)	0.8512 (2)	0.0450 (8)

supplementary materials

H3	1.0679	0.4513	0.8911	0.054*
C4	1.1391 (4)	0.3815 (2)	0.7977 (4)	0.0847 (14)
H4A	1.0650	0.3692	0.7534	0.127*
H4B	1.1594	0.3380	0.8463	0.127*
H4C	1.1995	0.3865	0.7586	0.127*
C5	1.2390 (3)	0.4817 (2)	0.9235 (3)	0.0609 (10)
H5A	1.3038	0.4822	0.8888	0.091*
H5B	1.2543	0.4422	0.9774	0.091*
H5C	1.2302	0.5351	0.9510	0.091*
C6	0.6178 (2)	0.67345 (14)	0.88098 (16)	0.0214 (5)
C7	0.5997 (3)	0.77392 (18)	1.0047 (2)	0.0433 (7)
H7A	0.6762	0.7640	1.0463	0.065*
H7B	0.5450	0.7878	1.0470	0.065*
H7C	0.6046	0.8185	0.9591	0.065*
C8	0.4491 (2)	0.66584 (18)	0.9609 (2)	0.0331 (6)
H8	0.4375	0.6144	0.9225	0.040*
C9	0.3502 (3)	0.7211 (2)	0.9181 (3)	0.0684 (11)
H9A	0.3586	0.7718	0.9551	0.103*
H9B	0.2768	0.6956	0.9234	0.103*
H9C	0.3507	0.7317	0.8481	0.103*
C10	0.4521 (3)	0.6458 (2)	1.0693 (2)	0.0504 (8)
H10A	0.5227	0.6155	1.0964	0.076*
H10B	0.3843	0.6133	1.0743	0.076*
H10C	0.4513	0.6957	1.1071	0.076*
C11	0.7038 (2)	0.45954 (14)	0.60029 (17)	0.0229 (5)
H11	0.7385	0.4319	0.6593	0.027*
C12	0.6698 (2)	0.41511 (14)	0.51280 (17)	0.0231 (5)
H12	0.6806	0.3585	0.5130	0.028*
C13	0.6210 (2)	0.45394 (14)	0.42725 (17)	0.0216 (5)
H13	0.5981	0.4246	0.3672	0.026*
C14	0.60452 (19)	0.53794 (14)	0.42823 (16)	0.0196 (5)
C15	0.64063 (18)	0.57743 (13)	0.51983 (16)	0.0168 (4)
C16	0.62276 (19)	0.66277 (13)	0.52604 (16)	0.0176 (5)
C17	0.56638 (19)	0.70521 (14)	0.44123 (16)	0.0200 (5)
C18	0.5324 (2)	0.66342 (15)	0.34901 (17)	0.0254 (5)
H18	0.4959	0.6921	0.2914	0.031*
C19	0.5516 (2)	0.58322 (15)	0.34272 (16)	0.0245 (5)
H19	0.5295	0.5568	0.2805	0.029*
C20	0.5474 (2)	0.78788 (14)	0.45176 (18)	0.0243 (5)
H20	0.5083	0.8185	0.3968	0.029*
C21	0.5854 (2)	0.82358 (15)	0.54158 (19)	0.0270 (5)
H21	0.5734	0.8795	0.5497	0.032*
C22	0.6422 (2)	0.77763 (14)	0.62167 (18)	0.0258 (5)
H22	0.6694	0.8036	0.6835	0.031*

Atomic displacement parameters (\AA^2)

U^{11}

U^{22}

U^{33}

U^{12}

U^{13}

U^{23}

Zn	0.02263 (16)	0.02294 (16)	0.01688 (14)	0.00262 (11)	0.00360 (10)	-0.00228 (11)
S1	0.0225 (3)	0.0270 (3)	0.0237 (3)	0.0021 (2)	0.0069 (2)	0.0075 (2)
S2	0.0278 (3)	0.0285 (3)	0.0229 (3)	-0.0016 (3)	0.0070 (2)	0.0066 (3)
S3	0.0233 (3)	0.0283 (3)	0.0248 (3)	-0.0056 (2)	0.0073 (2)	-0.0095 (3)
S4	0.0247 (3)	0.0272 (3)	0.0226 (3)	-0.0051 (2)	0.0054 (2)	-0.0087 (2)
N1	0.0247 (12)	0.0447 (14)	0.0387 (12)	0.0059 (10)	0.0144 (10)	0.0145 (11)
N2	0.0262 (12)	0.0332 (12)	0.0304 (11)	-0.0037 (9)	0.0131 (9)	-0.0135 (10)
N3	0.0195 (10)	0.0179 (10)	0.0192 (9)	0.0016 (8)	0.0045 (7)	-0.0008 (8)
N4	0.0206 (10)	0.0198 (10)	0.0213 (9)	0.0018 (8)	0.0039 (8)	-0.0047 (8)
C1	0.0251 (13)	0.0258 (13)	0.0217 (11)	-0.0010 (10)	0.0071 (9)	-0.0021 (10)
C2	0.0346 (18)	0.078 (3)	0.061 (2)	0.0119 (16)	0.0263 (15)	0.0265 (19)
C3	0.0325 (16)	0.0416 (18)	0.065 (2)	0.0149 (13)	0.0184 (14)	0.0241 (16)
C4	0.080 (3)	0.049 (2)	0.119 (4)	0.018 (2)	0.007 (3)	0.003 (2)
C5	0.041 (2)	0.078 (3)	0.061 (2)	0.0160 (18)	0.0045 (16)	0.027 (2)
C6	0.0208 (12)	0.0241 (13)	0.0191 (11)	-0.0006 (9)	0.0034 (9)	-0.0035 (9)
C7	0.0447 (11)	0.0438 (11)	0.0440 (10)	-0.0024 (8)	0.0150 (8)	-0.0098 (8)
C8	0.0276 (15)	0.0411 (16)	0.0346 (14)	-0.0039 (12)	0.0155 (11)	-0.0053 (12)
C9	0.036 (2)	0.089 (3)	0.084 (3)	0.0108 (19)	0.0224 (18)	0.031 (2)
C10	0.061 (2)	0.056 (2)	0.0398 (17)	-0.0082 (17)	0.0231 (15)	-0.0037 (15)
C11	0.0230 (13)	0.0221 (12)	0.0233 (11)	0.0035 (10)	0.0042 (9)	0.0040 (10)
C12	0.0241 (13)	0.0176 (12)	0.0282 (12)	0.0024 (9)	0.0070 (10)	-0.0021 (10)
C13	0.0216 (12)	0.0206 (12)	0.0236 (11)	-0.0012 (9)	0.0071 (9)	-0.0044 (10)
C14	0.0176 (12)	0.0210 (12)	0.0209 (11)	-0.0019 (9)	0.0053 (9)	-0.0024 (9)
C15	0.0141 (11)	0.0177 (11)	0.0191 (10)	0.0002 (9)	0.0048 (8)	0.0000 (9)
C16	0.0161 (11)	0.0167 (11)	0.0205 (11)	-0.0011 (9)	0.0049 (8)	-0.0014 (9)
C17	0.0170 (12)	0.0200 (12)	0.0222 (11)	0.0004 (9)	0.0022 (9)	0.0007 (9)
C18	0.0283 (14)	0.0245 (13)	0.0207 (11)	-0.0016 (10)	-0.0019 (10)	0.0023 (10)
C19	0.0281 (14)	0.0278 (14)	0.0164 (11)	-0.0034 (10)	0.0013 (9)	-0.0021 (10)
C20	0.0224 (13)	0.0212 (13)	0.0285 (12)	0.0014 (10)	0.0029 (10)	0.0043 (10)
C21	0.0286 (14)	0.0175 (12)	0.0364 (14)	0.0033 (10)	0.0104 (11)	-0.0019 (10)
C22	0.0296 (14)	0.0216 (13)	0.0262 (12)	0.0021 (10)	0.0058 (10)	-0.0060 (10)

Geometric parameters (Å, °)

Zn—S1	2.4782 (6)	C7—H7A	0.9800
Zn—S2	2.5408 (7)	C7—H7B	0.9800
Zn—S3	2.5031 (6)	C7—H7C	0.9800
Zn—S4	2.5132 (7)	C8—C9	1.508 (4)
Zn—N3	2.1939 (18)	C8—C10	1.521 (4)
Zn—N4	2.1970 (19)	C8—H8	1.0000
S1—C1	1.719 (2)	C9—H9A	0.9800
S2—C1	1.724 (2)	C9—H9B	0.9800
S3—C6	1.718 (2)	C9—H9C	0.9800
S4—C6	1.720 (2)	C10—H10A	0.9800
N1—C1	1.326 (3)	C10—H10B	0.9800
N1—C2	1.467 (3)	C10—H10C	0.9800
N1—C3	1.483 (3)	C11—C12	1.399 (3)
N2—C6	1.331 (3)	C11—H11	0.9500
N2—C7	1.469 (3)	C12—C13	1.363 (3)

supplementary materials

N2—C8	1.476 (3)	C12—H12	0.9500
N3—C11	1.327 (3)	C13—C14	1.411 (3)
N3—C15	1.355 (3)	C13—H13	0.9500
N4—C22	1.334 (3)	C14—C15	1.407 (3)
N4—C16	1.356 (3)	C14—C19	1.429 (3)
C2—H2A	0.9800	C15—C16	1.440 (3)
C2—H2B	0.9800	C16—C17	1.409 (3)
C2—H2C	0.9800	C17—C20	1.405 (3)
C3—C4	1.506 (5)	C17—C18	1.430 (3)
C3—C5	1.512 (5)	C18—C19	1.359 (4)
C3—H3	1.0000	C18—H18	0.9500
C4—H4A	0.9800	C19—H19	0.9500
C4—H4B	0.9800	C20—C21	1.362 (3)
C4—H4C	0.9800	C20—H20	0.9500
C5—H5A	0.9800	C21—C22	1.395 (3)
C5—H5B	0.9800	C21—H21	0.9500
C5—H5C	0.9800	C22—H22	0.9500
N3—Zn—N4	75.76 (7)	N2—C7—H7A	109.5
N3—Zn—S1	95.33 (5)	N2—C7—H7B	109.5
N4—Zn—S1	162.22 (5)	H7A—C7—H7B	109.5
N3—Zn—S3	162.30 (5)	N2—C7—H7C	109.5
N4—Zn—S3	93.33 (5)	H7A—C7—H7C	109.5
S1—Zn—S3	98.69 (2)	H7B—C7—H7C	109.5
N3—Zn—S4	95.23 (5)	N2—C8—C9	110.0 (2)
N4—Zn—S4	96.85 (5)	N2—C8—C10	111.5 (2)
S1—Zn—S4	99.30 (2)	C9—C8—C10	112.2 (3)
S3—Zn—S4	71.94 (2)	N2—C8—H8	107.7
N3—Zn—S2	89.90 (5)	C9—C8—H8	107.7
N4—Zn—S2	92.70 (5)	C10—C8—H8	107.7
S1—Zn—S2	71.65 (2)	C8—C9—H9A	109.5
S3—Zn—S2	104.71 (2)	C8—C9—H9B	109.5
S4—Zn—S2	170.02 (2)	H9A—C9—H9B	109.5
C1—S1—Zn	86.57 (8)	C8—C9—H9C	109.5
C1—S2—Zn	84.50 (8)	H9A—C9—H9C	109.5
C6—S3—Zn	85.22 (8)	H9B—C9—H9C	109.5
C6—S4—Zn	84.85 (8)	C8—C10—H10A	109.5
C1—N1—C2	120.2 (2)	C8—C10—H10B	109.5
C1—N1—C3	122.5 (2)	H10A—C10—H10B	109.5
C2—N1—C3	117.3 (2)	C8—C10—H10C	109.5
C6—N2—C7	119.9 (2)	H10A—C10—H10C	109.5
C6—N2—C8	122.8 (2)	H10B—C10—H10C	109.5
C7—N2—C8	117.2 (2)	N3—C11—C12	123.0 (2)
C11—N3—C15	118.04 (19)	N3—C11—H11	118.5
C11—N3—Zn	127.37 (15)	C12—C11—H11	118.5
C15—N3—Zn	114.51 (14)	C13—C12—C11	119.3 (2)
C22—N4—C16	117.9 (2)	C13—C12—H12	120.4
C22—N4—Zn	127.77 (15)	C11—C12—H12	120.4
C16—N4—Zn	114.32 (15)	C12—C13—C14	119.7 (2)
N1—C1—S1	121.99 (19)	C12—C13—H13	120.1

N1—C1—S2	120.82 (19)	C14—C13—H13	120.1
S1—C1—S2	117.15 (14)	C15—C14—C13	117.0 (2)
N1—C2—H2A	109.5	C15—C14—C19	119.5 (2)
N1—C2—H2B	109.5	C13—C14—C19	123.5 (2)
H2A—C2—H2B	109.5	N3—C15—C14	123.0 (2)
N1—C2—H2C	109.5	N3—C15—C16	117.49 (19)
H2A—C2—H2C	109.5	C14—C15—C16	119.45 (19)
H2B—C2—H2C	109.5	N4—C16—C17	122.6 (2)
N1—C3—C4	111.2 (3)	N4—C16—C15	117.71 (19)
N1—C3—C5	111.6 (3)	C17—C16—C15	119.66 (19)
C4—C3—C5	112.9 (3)	C20—C17—C16	117.6 (2)
N1—C3—H3	106.9	C20—C17—C18	123.0 (2)
C4—C3—H3	106.9	C16—C17—C18	119.4 (2)
C5—C3—H3	106.9	C19—C18—C17	120.9 (2)
C3—C4—H4A	109.5	C19—C18—H18	119.6
C3—C4—H4B	109.5	C17—C18—H18	119.6
H4A—C4—H4B	109.5	C18—C19—C14	121.0 (2)
C3—C4—H4C	109.5	C18—C19—H19	119.5
H4A—C4—H4C	109.5	C14—C19—H19	119.5
H4B—C4—H4C	109.5	C21—C20—C17	119.3 (2)
C3—C5—H5A	109.5	C21—C20—H20	120.3
C3—C5—H5B	109.5	C17—C20—H20	120.3
H5A—C5—H5B	109.5	C20—C21—C22	119.6 (2)
C3—C5—H5C	109.5	C20—C21—H21	120.2
H5A—C5—H5C	109.5	C22—C21—H21	120.2
H5B—C5—H5C	109.5	N4—C22—C21	122.9 (2)
N2—C6—S4	121.87 (19)	N4—C22—H22	118.5
N2—C6—S3	120.21 (18)	C21—C22—H22	118.5
S4—C6—S3	117.92 (14)		
N3—Zn—S1—C1	85.85 (10)	C2—N1—C3—C5	56.7 (4)
N4—Zn—S1—C1	27.03 (19)	C7—N2—C6—S4	-177.3 (2)
S3—Zn—S1—C1	-104.98 (8)	C8—N2—C6—S4	-2.4 (3)
S4—Zn—S1—C1	-177.95 (8)	C7—N2—C6—S3	3.8 (3)
S2—Zn—S1—C1	-2.27 (8)	C8—N2—C6—S3	178.72 (19)
N3—Zn—S2—C1	-93.38 (9)	Zn—S4—C6—N2	178.5 (2)
N4—Zn—S2—C1	-169.12 (9)	Zn—S4—C6—S3	-2.66 (13)
S1—Zn—S2—C1	2.27 (8)	Zn—S3—C6—N2	-178.4 (2)
S3—Zn—S2—C1	96.72 (8)	Zn—S3—C6—S4	2.67 (13)
S4—Zn—S2—C1	27.68 (16)	C6—N2—C8—C9	-106.7 (3)
N3—Zn—S3—C6	43.33 (19)	C7—N2—C8—C9	68.4 (3)
N4—Zn—S3—C6	94.43 (9)	C6—N2—C8—C10	128.3 (3)
S1—Zn—S3—C6	-98.71 (8)	C7—N2—C8—C10	-56.7 (3)
S4—Zn—S3—C6	-1.70 (8)	C15—N3—C11—C12	-0.3 (3)
S2—Zn—S3—C6	-171.90 (8)	Zn—N3—C11—C12	-176.88 (17)
N3—Zn—S4—C6	-165.83 (9)	N3—C11—C12—C13	0.7 (4)
N4—Zn—S4—C6	-89.58 (9)	C11—C12—C13—C14	-0.6 (3)
S1—Zn—S4—C6	97.88 (8)	C12—C13—C14—C15	0.1 (3)
S3—Zn—S4—C6	1.70 (8)	C12—C13—C14—C19	-178.4 (2)
S2—Zn—S4—C6	73.51 (16)	C11—N3—C15—C14	-0.2 (3)

supplementary materials

N4—Zn—N3—C11	-179.2 (2)	Zn—N3—C15—C14	176.82 (17)
S1—Zn—N3—C11	16.4 (2)	C11—N3—C15—C16	178.2 (2)
S3—Zn—N3—C11	-125.9 (2)	Zn—N3—C15—C16	-4.8 (2)
S4—Zn—N3—C11	-83.45 (19)	C13—C14—C15—N3	0.3 (3)
S2—Zn—N3—C11	87.97 (19)	C19—C14—C15—N3	178.9 (2)
N4—Zn—N3—C15	4.09 (15)	C13—C14—C15—C16	-178.1 (2)
S1—Zn—N3—C15	-160.28 (15)	C19—C14—C15—C16	0.5 (3)
S3—Zn—N3—C15	57.4 (3)	C22—N4—C16—C17	-0.3 (3)
S4—Zn—N3—C15	99.85 (15)	Zn—N4—C16—C17	-179.72 (17)
S2—Zn—N3—C15	-88.72 (15)	C22—N4—C16—C15	-179.2 (2)
N3—Zn—N4—C22	177.8 (2)	Zn—N4—C16—C15	1.5 (3)
S1—Zn—N4—C22	-120.7 (2)	N3—C15—C16—N4	2.2 (3)
S3—Zn—N4—C22	11.9 (2)	C14—C15—C16—N4	-179.3 (2)
S4—Zn—N4—C22	84.1 (2)	N3—C15—C16—C17	-176.6 (2)
S2—Zn—N4—C22	-93.0 (2)	C14—C15—C16—C17	1.9 (3)
N3—Zn—N4—C16	-2.91 (15)	N4—C16—C17—C20	-0.9 (3)
S1—Zn—N4—C16	58.6 (3)	C15—C16—C17—C20	177.9 (2)
S3—Zn—N4—C16	-168.78 (15)	N4—C16—C17—C18	178.4 (2)
S4—Zn—N4—C16	-96.59 (15)	C15—C16—C17—C18	-2.8 (3)
S2—Zn—N4—C16	86.31 (15)	C20—C17—C18—C19	-179.3 (2)
C2—N1—C1—S1	176.6 (2)	C16—C17—C18—C19	1.4 (4)
C3—N1—C1—S1	-0.1 (4)	C17—C18—C19—C14	1.0 (4)
C2—N1—C1—S2	-5.7 (4)	C15—C14—C19—C18	-2.0 (4)
C3—N1—C1—S2	177.6 (2)	C13—C14—C19—C18	176.5 (2)
Zn—S1—C1—N1	-178.6 (2)	C16—C17—C20—C21	1.2 (3)
Zn—S1—C1—S2	3.58 (13)	C18—C17—C20—C21	-178.1 (2)
Zn—S2—C1—N1	178.6 (2)	C17—C20—C21—C22	-0.2 (4)
Zn—S2—C1—S1	-3.50 (12)	C16—N4—C22—C21	1.4 (4)
C1—N1—C3—C4	106.4 (3)	Zn—N4—C22—C21	-179.31 (18)
C2—N1—C3—C4	-70.4 (4)	C20—C21—C22—N4	-1.1 (4)
C1—N1—C3—C5	-126.5 (3)		

Hydrogen-bond geometry (\AA , $^\circ$)

Cg1 is the centroid of the Zn,S1,S2,C1 chelate ring.

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
C7—H7b \cdots S2 ⁱ	0.98	2.79	3.734 (3)	162
C13—H13 \cdots S4 ⁱⁱ	0.95	2.82	3.634 (2)	145
C21—H21 \cdots S1 ⁱⁱⁱ	0.95	2.84	3.684 (3)	149
C20—H20 \cdots Cg1 ^{iv}	0.95	2.74	3.687 (2)	173

Symmetry codes: (i) $x-1/2, -y+3/2, z+1/2$; (ii) $-x+1, -y+1, -z+1$; (iii) $-x+3/2, y+1/2, -z+3/2$; (iv) $x-1/2, -y+3/2, z-1/2$.

Fig. 1




Fig. 2

