

Ethyl 4-hydroxy-6-(4-hydroxyphenyl)-4-trifluoromethyl-2-sulfanylidene-1,3-diazinane-5-carboxylate ethanol monosolvate

Feng-Ling Yang^{a*} and Wen-Jun Fa^b

^aCollege of Chemistry and Chemical Engineering, Pingdingshan University, Pingdingshan, Henan Province 467000, People's Republic of China, and ^bInstitute of Surface Micro and Nano Materials, Xuchang University, Xuchang, Henan Province 461000, People's Republic of China
Correspondence e-mail: actaeli@gmail.com


Received 18 April 2011; accepted 23 April 2011

Key indicators: single-crystal X-ray study; $T = 113\text{ K}$; mean $\sigma(\text{C}-\text{C}) = 0.002\text{ \AA}$; disorder in main residue; R factor = 0.036; wR factor = 0.092; data-to-parameter ratio = 16.0.

The title compound, $\text{C}_{14}\text{H}_{15}\text{F}_3\text{N}_2\text{O}_4\text{S} \cdot \text{C}_2\text{H}_5\text{OH}$, was prepared by reaction of 4-hydroxybenzaldehyde, ethyl 4,4,4-trifluoro-3-oxobutanoate and thiourea. The hexahydropyrimidine ring adopts a half-chair conformation, the mean plane formed by the ring atoms excluding the C atom bonded to the ethoxy-carbonyl group has an r.m.s. deviation of 0.0333 \AA , and the dihedral angle between this plane and the benzene ring is $56.76(5)^\circ$. The molecular conformation is stabilized by an intramolecular $\text{O}-\text{H}\cdots\text{O}$ hydrogen bond, generating an $S(6)$ ring. The crystal structure is stabilized by intermolecular $\text{O}-\text{H}\cdots\text{O}$, $\text{O}-\text{H}\cdots\text{S}$, $\text{N}-\text{H}\cdots\text{O}$ and $\text{N}-\text{H}\cdots\text{S}$ hydrogen bonds. The ethyl group of the ester unit is disordered over two positions, with an occupancy ratio of 0.757 (10):0.243 (10).

Related literature

For the bioactivity of dihydropyrimidines, see: Brier *et al.* (2004); Cochran *et al.* (2005); Moran *et al.* (2007); Zorkun *et al.* (2006). For the bioactivity of organofluorine compounds, see: Hermann *et al.* (2003); Ulrich (2004). For a related structure, see: Song *et al.* (2010).



Experimental

Crystal data

$\text{C}_{14}\text{H}_{15}\text{F}_3\text{N}_2\text{O}_4\text{S} \cdot \text{C}_2\text{H}_5\text{OH}$	$V = 1879.6(3)\text{ \AA}^3$
$M_r = 410.41$	$Z = 4$
Monoclinic, $P2_1/c$	$\text{Mo K}\alpha$ radiation
$a = 14.7204(14)\text{ \AA}$	$\mu = 0.23\text{ mm}^{-1}$
$b = 9.9772(12)\text{ \AA}$	$T = 113\text{ K}$
$c = 14.7357(15)\text{ \AA}$	$0.20 \times 0.16 \times 0.10\text{ mm}$
$\beta = 119.716(11)^\circ$	

Data collection

Rigaku Saturn CCD area-detector diffractometer	23471 measured reflections
Absorption correction: multi-scan (<i>CrystalClear</i> ; Rigaku, 2009)	4486 independent reflections
$R_{\text{int}} = 0.047$	3815 reflections with $I > 2\sigma(I)$
$T_{\min} = 0.955$, $T_{\max} = 0.977$	

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.036$	H atoms treated by a mixture of independent and constrained refinement
$wR(F^2) = 0.092$	$\Delta\rho_{\max} = 0.47\text{ e \AA}^{-3}$
$S = 1.03$	$\Delta\rho_{\min} = -0.27\text{ e \AA}^{-3}$
4486 reflections	
280 parameters	
24 restraints	

Table 1
Hydrogen-bond geometry (\AA , $^\circ$).

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
O1—H1 \cdots O2	0.853 (19)	1.987 (19)	2.7383 (13)	146.3 (17)
O1—H1 \cdots S1 ⁱ	0.853 (19)	3.029 (19)	3.4858 (11)	115.8 (15)
O4—H4 \cdots O5 ⁱⁱ	0.835 (18)	1.873 (19)	2.7066 (14)	175.6 (19)
O5—H5 \cdots S1 ⁱⁱⁱ	0.84	2.36	3.1970 (11)	175
N1—H1A \cdots S1 ⁱⁱⁱ	0.855 (17)	2.583 (18)	3.4307 (12)	171.5 (14)
N2—H2A \cdots O1 ^{iv}	0.814 (14)	2.368 (15)	3.1701 (15)	168.7 (14)

Symmetry codes: (i) $-x + 1, y - \frac{1}{2}, -z + \frac{1}{2}$; (ii) $x, y, z - 1$; (iii) $-x + 1, -y + 1, -z + 1$; (iv) $-x + 1, y + \frac{1}{2}, -z + \frac{1}{2}$.

Data collection: *CrystalClear* (Rigaku, 2009); cell refinement: *CrystalClear*; data reduction: *CrystalClear*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL* (Sheldrick, 2008); software used to prepare material for publication: *SHELXL97*.

This work was supported by the Natural Science Foundation of Henan Province, China (grant No. 082300420110) and the Natural Science Foundation of Henan Province Education Department, China (grant No. 2007150036).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: OM2424).

References

- Brier, S., Lemaire, D., Debonis, S., Forest, E. & Kozielski, F. (2004). *Biochemistry*, **43**, 13072–13082.
- Cochran, J. C., Gatial, J. E., Kapoor, T. M. & Gilbert, S. P. (2005). *J. Biol. Chem.* **280**, 12658–12667.
- Hermann, B., Erwin, H. & Hansjorg, K. (2003). US Patent No. 2 003 176 284.
- Moran, M. M., Fanger, C., Chong, J. A., McNamara, C., Zhen, X. G. & Mandel-Brehm, J. (2007). WO Patent No. 2 007 073 505.
- Rigaku (2009). *CrystalClear* and *CrystalStructure*. Rigaku/MSC, The Woodlands, Texas, USA.
- Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.
- Song, X.-P., Li, G.-C., Wu, C.-Z. & Yang, F.-L. (2010). *Acta Cryst. E* **66**, o1083.
- Ulrich, H. (2004). US Patent No. 2 004 033 897.
- Zorkun, I. S., Sarac, S., Celebi, S. & Erol, K. (2006). *Bioorg. Med. Chem.* **14**, 8582–8589.

supplementary materials

Acta Cryst. (2011). E67, o1280-o1281 [doi:10.1107/S1600536811015376]

Ethyl 4-hydroxy-6-(4-hydroxyphenyl)-4-trifluoromethyl-2-sulfanylidene-1,3-diazinane-5-carboxylate ethanol monosolvate

F.-L. Yang and W.-J. Fa

Comment

Dihydropyrimidine (DHPM) derivatives can be used as potential calcium channel blockers (Zorkun *et al.*, 2006), inhibitors of mitotic kinesin Eg5 for treating cancer (Cochran *et al.*, 2005; Brier *et al.*, 2004) and as TRPA1 modulators for treating pain (Moran *et al.*, 2007). In addition, compounds that contain fluorine have special bioactivity, *e.g.* flumioxazin is a widely used herbicide (Hermann *et al.*, 2003; Ulrich, 2004). This led us to focus our attention on the synthesis and bioactivity of these important fused perfluoroalkylated heterocyclic compounds. During the synthesis of DHPM derivatives, the title compound, an intermediate $C_{14}H_{15}F_3N_2O_4S.C_2H_5OH$ was isolated and the structure confirmed by X-ray diffraction.

In the structure of the title molecule, the 1,3-diazinane ring adopts a half-chair conformation, the mean plane formed by the ring atoms excluding the C atom bonded to the ethoxy carbonyl group has an r.m.s. deviation of 0.0333 Å, the dihedral angle between the mean plane and benzene ring is 56.76 (5)°. The molecular conformation is stabilized by intramolecular O—H···O hydrogen bond, generating an S(6) ring. The crystal structure is stabilized by intermolecular hydrogen bonds (O—H···O, O—H···S, N—H···O and N—H···S). The ethyl group of the ester unit is disordered over two positions, with a site-occupancy ratio of 0.757 (10):0.243 (10). For a crystal structure related to the title compound, see: Song *et al.*, 2010.

Experimental

The title compound was synthesized by refluxing for 3 h a stirred solution of 4-hydroxybenzaldehyde (2.45 g, 20 mmol), ethyl 4,4,4-trifluoro-3-oxobutanoate (4.42 g, 24 mmol) and thiourea (2.28 g, 30 mmol) in 20 ml of anhydrous ethanol. The reaction was catalyzed by sulfamic acid (0.6 g). The solvent was evaporated *in vacuo* and the residue was washed with water. The title compound was recrystallized by slow evaporation of a 50% aqueous ethanol solution.

Refinement

H atoms involved in hydrogen-bonding interactions were located by difference Fourier methods and their positional and isotropic displacement parameters were refined. Other H atoms were placed in calculated positions, with C—H(aromatic) = 0.95 Å and C—H(aliphatic) = 0.98 Å or 0.99 Å, and treated as riding, with $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$.

Figures




Fig. 1. Molecular configuration and atom numbering scheme with displacement ellipsoids drawn at the 30% probability level.

supplementary materials

Ethyl 4-hydroxy-6-(4-hydroxyphenyl)-4-trifluoromethyl-2-sulfanylidene-1,3-diazinane-5-carboxylate ethanol monosolvate

Crystal data

C ₁₄ H ₁₅ F ₃ N ₂ O ₄ S·C ₂ H ₆ O	$F(000) = 856$
$M_r = 410.41$	$D_x = 1.450 \text{ Mg m}^{-3}$
Monoclinic, $P2_1/c$	Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$
$a = 14.7204 (14) \text{ \AA}$	Cell parameters from 6768 reflections
$b = 9.9772 (12) \text{ \AA}$	$\theta = 2.0\text{--}27.9^\circ$
$c = 14.7357 (15) \text{ \AA}$	$\mu = 0.23 \text{ mm}^{-1}$
$\beta = 119.716 (11)^\circ$	$T = 113 \text{ K}$
$V = 1879.6 (3) \text{ \AA}^3$	Prism, colorless
$Z = 4$	$0.20 \times 0.16 \times 0.10 \text{ mm}$

Data collection

Rigaku Saturn CCD area-detector diffractometer	4486 independent reflections
Radiation source: rotating anode multilayer	3815 reflections with $I > 2\sigma(I)$
Detector resolution: 14.63 pixels mm ⁻¹	$R_{\text{int}} = 0.047$
ω and φ scans	$\theta_{\text{max}} = 27.9^\circ, \theta_{\text{min}} = 2.6^\circ$
Absorption correction: multi-scan (<i>CrystalClear</i> ; Rigaku, 2009)	$h = -18\text{--}19$
$T_{\text{min}} = 0.955, T_{\text{max}} = 0.977$	$k = -13\text{--}13$
23471 measured reflections	$l = -19\text{--}19$

Refinement

Refinement on F^2	Primary atom site location: structure-invariant direct methods
Least-squares matrix: full	Secondary atom site location: difference Fourier map
$R[F^2 > 2\sigma(F^2)] = 0.036$	Hydrogen site location: inferred from neighbouring sites
$wR(F^2) = 0.092$	H atoms treated by a mixture of independent and constrained refinement
$S = 1.03$	$w = 1/[\sigma^2(F_o^2) + (0.0506P)^2]$ where $P = (F_o^2 + 2F_c^2)/3$
4486 reflections	$(\Delta/\sigma)_{\text{max}} = 0.004$
280 parameters	$\Delta\rho_{\text{max}} = 0.47 \text{ e \AA}^{-3}$
24 restraints	$\Delta\rho_{\text{min}} = -0.27 \text{ e \AA}^{-3}$

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations

between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$	Occ. (<1)
S1	0.42068 (2)	0.59475 (3)	0.35546 (2)	0.01745 (10)	
F1	0.79908 (6)	0.50693 (8)	0.56642 (6)	0.0289 (2)	
F2	0.74838 (6)	0.31639 (8)	0.59449 (6)	0.0272 (2)	
F3	0.85429 (6)	0.32318 (9)	0.53355 (6)	0.0293 (2)	
O1	0.65426 (7)	0.24640 (9)	0.38459 (7)	0.0190 (2)	
H1	0.6926 (15)	0.2229 (18)	0.3589 (15)	0.056 (6)*	
O2	0.79221 (7)	0.28215 (9)	0.31283 (7)	0.0234 (2)	
O3	0.85300 (8)	0.49263 (10)	0.32835 (9)	0.0356 (3)	
O4	0.68310 (8)	0.73637 (10)	-0.05667 (8)	0.0264 (2)	
H4	0.7053 (15)	0.6801 (19)	-0.0829 (14)	0.048 (6)*	
N1	0.58962 (8)	0.44198 (11)	0.41833 (8)	0.0161 (2)	
N2	0.52429 (9)	0.53998 (11)	0.25624 (8)	0.0171 (2)	
C1	0.51772 (9)	0.52182 (12)	0.34218 (9)	0.0154 (3)	
C2	0.67753 (10)	0.38150 (12)	0.41637 (10)	0.0156 (3)	
C3	0.77017 (10)	0.38279 (13)	0.52882 (10)	0.0199 (3)	
C4	0.70305 (9)	0.46428 (12)	0.34352 (9)	0.0153 (3)	
H4A	0.7255	0.5564	0.3730	0.018*	
C5	0.78765 (10)	0.40048 (13)	0.32782 (10)	0.0183 (3)	
C6	0.9245 (3)	0.4501 (3)	0.2899 (4)	0.0349 (8)	0.757 (10)
H6A	0.8925	0.3759	0.2391	0.042*	0.757 (10)
H6B	0.9914	0.4179	0.3490	0.042*	0.757 (10)
C7	0.9440 (2)	0.5681 (4)	0.2384 (2)	0.0371 (9)	0.757 (10)
H7A	0.9920	0.5418	0.2134	0.056*	0.757 (10)
H7B	0.9751	0.6413	0.2890	0.056*	0.757 (10)
H7C	0.8777	0.5981	0.1791	0.056*	0.757 (10)
C6'	0.9536 (7)	0.4377 (10)	0.3420 (11)	0.034 (2)	0.243 (10)
H6'A	0.9568	0.3387	0.3462	0.041*	0.243 (10)
H6'B	1.0158	0.4770	0.4028	0.041*	0.243 (10)
C7'	0.9382 (8)	0.4894 (18)	0.2394 (9)	0.056 (3)	0.243 (10)
H7'A	0.9987	0.4651	0.2320	0.083*	0.243 (10)
H7'B	0.9309	0.5872	0.2373	0.083*	0.243 (10)
H7'C	0.8748	0.4497	0.1820	0.083*	0.243 (10)
C8	0.60150 (10)	0.47359 (12)	0.23647 (9)	0.0157 (3)	
H8A	0.5765	0.3807	0.2107	0.019*	
C9	0.61729 (10)	0.54638 (12)	0.15579 (9)	0.0158 (3)	
C10	0.63212 (10)	0.47113 (13)	0.08457 (9)	0.0171 (3)	
H10A	0.6260	0.3763	0.0842	0.021*	
C11	0.65560 (10)	0.53228 (13)	0.01436 (10)	0.0179 (3)	

supplementary materials

H11A	0.6675	0.4794	-0.0323	0.021*
C12	0.66173 (10)	0.67134 (13)	0.01224 (10)	0.0179 (3)
C13	0.64511 (11)	0.74801 (13)	0.08177 (10)	0.0215 (3)
H13A	0.6479	0.8430	0.0799	0.026*
C14	0.62449 (11)	0.68552 (13)	0.15354 (10)	0.0194 (3)
H14A	0.6151	0.7382	0.2020	0.023*
O5	0.74901 (7)	0.56068 (11)	0.84823 (8)	0.0276 (2)
H5	0.7076	0.5158	0.7956	0.041*
C15	0.84625 (12)	0.57515 (17)	0.84999 (13)	0.0359 (4)
H15A	0.8351	0.6201	0.7854	0.043*
H15B	0.8774	0.4859	0.8539	0.043*
C16	0.91849 (13)	0.65741 (19)	0.94378 (15)	0.0484 (5)
H16A	0.9857	0.6682	0.9460	0.073*
H16B	0.9295	0.6120	1.0074	0.073*
H16C	0.8873	0.7457	0.9391	0.073*
H1A	0.5812 (12)	0.4270 (16)	0.4708 (13)	0.037 (5)*
H2A	0.4826 (11)	0.5934 (14)	0.2148 (11)	0.018 (4)*

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
S1	0.01884 (18)	0.01825 (17)	0.01816 (17)	0.00402 (12)	0.01138 (14)	0.00283 (12)
F1	0.0287 (5)	0.0258 (4)	0.0222 (4)	-0.0028 (4)	0.0051 (4)	-0.0062 (3)
F2	0.0265 (5)	0.0362 (5)	0.0191 (4)	0.0057 (4)	0.0116 (4)	0.0094 (3)
F3	0.0191 (4)	0.0438 (5)	0.0235 (4)	0.0123 (4)	0.0093 (4)	0.0032 (4)
O1	0.0237 (5)	0.0137 (5)	0.0235 (5)	-0.0001 (4)	0.0147 (4)	-0.0010 (4)
O2	0.0242 (5)	0.0206 (5)	0.0291 (5)	0.0010 (4)	0.0160 (4)	-0.0031 (4)
O3	0.0276 (6)	0.0282 (6)	0.0643 (8)	-0.0086 (5)	0.0330 (6)	-0.0118 (5)
O4	0.0427 (6)	0.0200 (5)	0.0283 (5)	0.0029 (4)	0.0267 (5)	0.0046 (4)
N1	0.0176 (6)	0.0183 (5)	0.0151 (5)	0.0028 (4)	0.0100 (5)	0.0027 (4)
N2	0.0167 (6)	0.0204 (6)	0.0145 (5)	0.0046 (5)	0.0080 (5)	0.0033 (4)
C1	0.0169 (6)	0.0133 (6)	0.0158 (6)	-0.0025 (5)	0.0080 (5)	-0.0010 (5)
C2	0.0159 (6)	0.0148 (6)	0.0165 (6)	0.0006 (5)	0.0084 (5)	0.0000 (5)
C3	0.0199 (7)	0.0216 (7)	0.0195 (6)	0.0037 (5)	0.0108 (6)	0.0014 (5)
C4	0.0167 (6)	0.0143 (6)	0.0161 (6)	-0.0005 (5)	0.0090 (5)	-0.0008 (5)
C5	0.0145 (6)	0.0229 (7)	0.0159 (6)	-0.0009 (5)	0.0063 (5)	-0.0011 (5)
C6	0.0241 (17)	0.0424 (15)	0.050 (2)	-0.0031 (12)	0.0270 (17)	-0.0049 (16)
C7	0.0250 (12)	0.062 (2)	0.0300 (12)	-0.0070 (13)	0.0177 (10)	0.0034 (13)
C6'	0.012 (4)	0.041 (4)	0.050 (6)	0.001 (3)	0.015 (4)	0.002 (4)
C7'	0.039 (5)	0.081 (8)	0.058 (5)	-0.005 (5)	0.033 (4)	0.002 (5)
C8	0.0175 (6)	0.0158 (6)	0.0154 (6)	-0.0005 (5)	0.0095 (5)	-0.0012 (5)
C9	0.0155 (6)	0.0167 (6)	0.0147 (6)	0.0008 (5)	0.0072 (5)	0.0009 (5)
C10	0.0196 (7)	0.0142 (6)	0.0179 (6)	-0.0006 (5)	0.0096 (6)	-0.0004 (5)
C11	0.0209 (7)	0.0184 (6)	0.0160 (6)	0.0000 (5)	0.0105 (6)	-0.0023 (5)
C12	0.0193 (7)	0.0190 (7)	0.0173 (6)	0.0018 (5)	0.0106 (6)	0.0034 (5)
C13	0.0292 (8)	0.0137 (6)	0.0251 (7)	0.0012 (5)	0.0161 (6)	0.0002 (5)
C14	0.0253 (7)	0.0172 (6)	0.0196 (6)	0.0010 (5)	0.0140 (6)	-0.0018 (5)
O5	0.0236 (5)	0.0372 (6)	0.0255 (5)	-0.0044 (4)	0.0149 (5)	-0.0081 (4)

C15	0.0264 (8)	0.0492 (10)	0.0368 (9)	-0.0002 (7)	0.0193 (8)	0.0010 (8)
C16	0.0275 (9)	0.0468 (11)	0.0586 (12)	-0.0065 (8)	0.0120 (9)	-0.0034 (9)

Geometric parameters (\AA , $^\circ$)

S1—C1	1.6987 (13)	C7—H7C	0.9800
F1—C3	1.3373 (15)	C6'—C7'	1.504 (14)
F2—C3	1.3364 (15)	C6'—H6'A	0.9900
F3—C3	1.3440 (15)	C6'—H6'B	0.9900
O1—C2	1.4123 (15)	C7'—H7'A	0.9800
O1—H1	0.853 (19)	C7'—H7'B	0.9800
O2—C5	1.2090 (15)	C7'—H7'C	0.9800
O3—C5	1.3279 (16)	C8—C9	1.5063 (17)
O3—C6	1.483 (3)	C8—H8A	1.0000
O3—C6'	1.497 (9)	C9—C10	1.3927 (17)
O4—C12	1.3666 (15)	C9—C14	1.3939 (17)
O4—H4	0.835 (18)	C10—C11	1.3844 (17)
N1—C1	1.3551 (16)	C10—H10A	0.9500
N1—C2	1.4410 (16)	C11—C12	1.3917 (18)
N1—H1A	0.855 (17)	C11—H11A	0.9500
N2—C1	1.3294 (16)	C12—C13	1.3940 (18)
N2—C8	1.4640 (16)	C13—C14	1.3849 (18)
N2—H2A	0.814 (14)	C13—H13A	0.9500
C2—C3	1.5380 (18)	C14—H14A	0.9500
C2—C4	1.5413 (17)	O5—C15	1.4261 (16)
C4—C5	1.5149 (17)	O5—H5	0.8400
C4—C8	1.5472 (17)	C15—C16	1.503 (2)
C4—H4A	1.0000	C15—H15A	0.9900
C6—C7	1.504 (4)	C15—H15B	0.9900
C6—H6A	0.9900	C16—H16A	0.9800
C6—H6B	0.9900	C16—H16B	0.9800
C7—H7A	0.9800	C16—H16C	0.9800
C7—H7B	0.9800		
C2—O1—H1	107.7 (13)	O3—C6'—H6'A	112.7
C5—O3—C6	116.66 (15)	C7'—C6'—H6'A	112.7
C5—O3—C6'	114.4 (4)	O3—C6'—H6'B	112.7
C6—O3—C6'	26.4 (4)	C7'—C6'—H6'B	112.7
C12—O4—H4	108.2 (13)	H6'A—C6'—H6'B	110.2
C1—N1—C2	124.76 (11)	C6'—C7'—H7'A	109.5
C1—N1—H1A	116.6 (11)	C6'—C7'—H7'B	109.5
C2—N1—H1A	118.6 (11)	H7'A—C7'—H7'B	109.5
C1—N2—C8	123.93 (11)	C6'—C7'—H7'C	109.5
C1—N2—H2A	114.8 (10)	H7'A—C7'—H7'C	109.5
C8—N2—H2A	121.3 (10)	H7'B—C7'—H7'C	109.5
N2—C1—N1	118.24 (11)	N2—C8—C9	112.19 (10)
N2—C1—S1	120.92 (10)	N2—C8—C4	106.10 (10)
N1—C1—S1	120.84 (9)	C9—C8—C4	112.61 (10)
O1—C2—N1	109.49 (10)	N2—C8—H8A	108.6
O1—C2—C3	107.76 (10)	C9—C8—H8A	108.6

supplementary materials

N1—C2—C3	107.48 (10)	C4—C8—H8A	108.6
O1—C2—C4	112.54 (10)	C10—C9—C14	118.48 (12)
N1—C2—C4	108.72 (10)	C10—C9—C8	118.55 (11)
C3—C2—C4	110.72 (10)	C14—C9—C8	122.83 (11)
F2—C3—F1	107.49 (10)	C11—C10—C9	121.06 (12)
F2—C3—F3	106.79 (10)	C11—C10—H10A	119.5
F1—C3—F3	107.01 (11)	C9—C10—H10A	119.5
F2—C3—C2	111.90 (11)	C10—C11—C12	119.94 (12)
F1—C3—C2	112.59 (10)	C10—C11—H11A	120.0
F3—C3—C2	110.75 (10)	C12—C11—H11A	120.0
C5—C4—C2	112.57 (10)	O4—C12—C11	122.09 (12)
C5—C4—C8	108.75 (10)	O4—C12—C13	118.32 (12)
C2—C4—C8	107.24 (10)	C11—C12—C13	119.58 (12)
C5—C4—H4A	109.4	C14—C13—C12	119.94 (12)
C2—C4—H4A	109.4	C14—C13—H13A	120.0
C8—C4—H4A	109.4	C12—C13—H13A	120.0
O2—C5—O3	124.85 (12)	C13—C14—C9	120.96 (12)
O2—C5—C4	124.23 (12)	C13—C14—H14A	119.5
O3—C5—C4	110.86 (11)	C9—C14—H14A	119.5
O3—C6—C7	108.6 (2)	C15—O5—H5	109.5
O3—C6—H6A	110.0	O5—C15—C16	108.56 (13)
C7—C6—H6A	110.0	O5—C15—H15A	110.0
O3—C6—H6B	110.0	C16—C15—H15A	110.0
C7—C6—H6B	110.0	O5—C15—H15B	110.0
H6A—C6—H6B	108.4	C16—C15—H15B	110.0
C6—C7—H7A	109.5	H15A—C15—H15B	108.4
C6—C7—H7B	109.5	C15—C16—H16A	109.5
H7A—C7—H7B	109.5	C15—C16—H16B	109.5
C6—C7—H7C	109.5	H16A—C16—H16B	109.5
H7A—C7—H7C	109.5	C15—C16—H16C	109.5
H7B—C7—H7C	109.5	H16A—C16—H16C	109.5
O3—C6'—C7'	95.3 (7)	H16B—C16—H16C	109.5
C8—N2—C1—N1	3.16 (18)	C8—C4—C5—O2	-75.56 (15)
C8—N2—C1—S1	-175.89 (9)	C2—C4—C5—O3	-139.51 (11)
C2—N1—C1—N2	4.26 (18)	C8—C4—C5—O3	101.80 (12)
C2—N1—C1—S1	-176.69 (9)	C5—O3—C6—C7	147.6 (2)
C1—N1—C2—O1	-100.03 (14)	C6'—O3—C6—C7	-120.7 (11)
C1—N1—C2—C3	143.19 (12)	C5—O3—C6'—C7'	119.4 (7)
C1—N1—C2—C4	23.29 (16)	C6—O3—C6'—C7'	18.2 (10)
O1—C2—C3—F2	-59.19 (13)	C1—N2—C8—C9	-159.43 (11)
N1—C2—C3—F2	58.73 (13)	C1—N2—C8—C4	-36.07 (16)
C4—C2—C3—F2	177.35 (10)	C5—C4—C8—N2	-178.07 (10)
O1—C2—C3—F1	179.61 (10)	C2—C4—C8—N2	59.94 (12)
N1—C2—C3—F1	-62.47 (13)	C5—C4—C8—C9	-54.97 (13)
C4—C2—C3—F1	56.15 (14)	C2—C4—C8—C9	-176.96 (10)
O1—C2—C3—F3	59.84 (13)	N2—C8—C9—C10	-141.94 (12)
N1—C2—C3—F3	177.76 (10)	C4—C8—C9—C10	98.43 (13)
C4—C2—C3—F3	-63.63 (14)	N2—C8—C9—C14	42.35 (16)
O1—C2—C4—C5	-52.75 (14)	C4—C8—C9—C14	-77.28 (15)

N1—C2—C4—C5	−174.22 (10)	C14—C9—C10—C11	1.30 (18)
C3—C2—C4—C5	67.91 (13)	C8—C9—C10—C11	−174.60 (11)
O1—C2—C4—C8	66.82 (13)	C9—C10—C11—C12	−1.85 (19)
N1—C2—C4—C8	−54.65 (13)	C10—C11—C12—O4	−178.99 (12)
C3—C2—C4—C8	−172.52 (10)	C10—C11—C12—C13	0.62 (19)
C6—O3—C5—O2	11.0 (3)	O4—C12—C13—C14	−179.24 (12)
C6'—O3—C5—O2	−18.2 (6)	C11—C12—C13—C14	1.14 (19)
C6—O3—C5—C4	−166.3 (2)	C12—C13—C14—C9	−1.7 (2)
C6'—O3—C5—C4	164.5 (6)	C10—C9—C14—C13	0.48 (19)
C2—C4—C5—O2	43.13 (17)	C8—C9—C14—C13	176.20 (12)

Hydrogen-bond geometry (Å, °)

<i>D</i> —H··· <i>A</i>	<i>D</i> —H	H··· <i>A</i>	<i>D</i> ··· <i>A</i>	<i>D</i> —H··· <i>A</i>
O1—H1···O2	0.853 (19)	1.987 (19)	2.7383 (13)	146.3 (17)
O1—H1···S1 ⁱ	0.853 (19)	3.029 (19)	3.4858 (11)	115.8 (15)
O4—H4···O5 ⁱⁱ	0.835 (18)	1.873 (19)	2.7066 (14)	175.6 (19)
O5—H5···S1 ⁱⁱⁱ	0.84	2.36	3.1970 (11)	175
N1—H1A···S1 ⁱⁱⁱ	0.855 (17)	2.583 (18)	3.4307 (12)	171.5 (14)
N2—H2A···O1 ^{iv}	0.814 (14)	2.368 (15)	3.1701 (15)	168.7 (14)

Symmetry codes: (i) $-x+1, y-1/2, -z+1/2$; (ii) $x, y, z-1$; (iii) $-x+1, -y+1, -z+1$; (iv) $-x+1, y+1/2, -z+1/2$.

supplementary materials

Fig. 1

